



Neural Networks



Diego Useche - dh.useche@uniandes.edu.co

Metodos Computacionales I

Physics Department, Universidad de los Andes, Bogotá



Applications: Image Processing with CNNs





Figure 1: Sample MRI Images

S. M. Anwar, M. Majid, A. Qayyum, M. Awais, M. Alnowami, and M. K. Khan, "Medical image analysis using convolutional neural networks: a review," *Journal of Medical Systems*, vol. 42, no. 11, p. 226, 2018 Oct 8.

Applications: Natural Language Processing

Understanding Language



"Literally ur **facebook** **message app** is **useless**, you only want it to increase profit. Please fix yourself. Its sad @facebook"

Emotion: **Frustrated**

Tone: **Negative**, **Subjective**

Organization: **Facebook**

Product: **Messenger App**


Adjectives: **"useless"**, **"sad"**

Language: **English**, **Informal**

Origins: Perceptron

THE PERCEPTRON: A PROBABILISTIC MODEL FOR INFORMATION STORAGE AND ORGANIZATION IN THE BRAIN¹

F. ROSENBLATT



$$salida = \begin{cases} 1 & \text{si } \sum_i w_i \cdot x_i \geq umbral \\ 0 & \text{si } \sum_i w_i \cdot x_i < umbral \end{cases}$$





FIG. 1. Organization of a perceptron.

Gradient Descent Algorithm

Gradient descent algorithm

repeat until convergence {
 $\theta_j := \theta_j - \alpha \frac{\partial}{\partial \theta_j} J(\theta_0, \theta_1)$
 (for $j = 1$ and $j = 0$)
}



A. Amini, A. Soleimany, S. Karaman, and D. Rus, “Spatial Uncertainty Sampling for End-to-End control,” in Neural Information Processing Systems (NIPS); Bayesian Deep Learning Workshop, 2017.

Backpropagation

LEARNING INTERNAL REPRESENTATIONS BY ERROR PROPAGATION

David E. Rumelhart, Geoffrey E. Hinton,
and Ronald J. Williams

September 1985




FIGURE 3. Observed XOR network. The connection weights are written on the arrows and the biases are written in the circles. Note a positive bias means that the unit is on unless turned off.

Not surprisingly, the contribution of unit u_j to the error is simply proportional to δ_{pj} . Moreover, since we have linear units,

$$o_{pj} = \sum_i w_{ji} i_{pi}, \quad (5)$$

from which we conclude that

$$\frac{\partial o_{pj}}{\partial w_{ji}} = i_{pi}.$$


Thus, substituting back into Equation 3, we see that

$$-\frac{\partial E_p}{\partial w_{ji}} = \delta_{pj} i_{pi} \quad (6)$$

as desired. Now, combining this with the observation that

$$\frac{\partial E}{\partial w_{ji}} = \sum_p \frac{\partial E_p}{\partial w_{ji}}$$

Multilayer Perceptrons and Dense NNs.



Convolutional NNs

Convolutional Networks for Images, Speech, and
Time-Series






Figure 1: Convolutional Neural Network for image processing, e.g., handwriting recognition

LeCun, Y. and Bengio, Y., 1995. Convolutional networks for images, speech, and time series. The handbook of brain theory and neural networks, 3361(10), p.1995.

Recurrent Neural Networks for text Processing







More Recent Deep Learning Proposals

Generative Adversarial Networks (GANs)

Generative Adversarial Nets

Ian J. Goodfellow, Jean Pouget-Abadie*, Mehdi Mirza, Bing Xu, David Warde-Farley, Sherjil Ozair[†], Aaron Courville, Yoshua Bengio[‡]

https://www.youtube.com/watch?v=YOgGaMMwf0E&ab_channel=PopcornEntertainment



Transformers

Attention Is All You Need

Ashish Vaswani*
Google Brain
avaswani@google.com

Noam Shazeer*
Google Brain
noam@google.com

Niki Parmar*
Google Research
nikip@google.com

Jakob Uszkoreit*
Google Research
usz@google.com

Llion Jones*
Google Research
llion@google.com

Aidan N. Gomez* †
University of Toronto
aidan@cs.toronto.edu

Łukasz Kaiser*
Google Brain
lukaszkaizer@google.com

Illia Polosukhin* ‡
illia.polosukhin@gmail.com






Figure 1: The Transformer - model architecture.

Tensor Networks


Matrix Product State /
Tensor Train





PEPS



Tree Tensor Network /
Hierarchical Tucker



MERA



Ising Model

Quantum Neural Networks





FIG. 9. Comparison of the decision boundary for the circuit-centric quantum classifier (QC) and a support vector machine with polynomial kernel (SVMpoly). The 2-dimensional data

Circuit-centric quantum classifiers

Maria Schuld,^{1,2,3} Alex Bocharov,³ Krysta Svore,³ and Nathan Wiebe³



References

Rosenblatt, F. (1958). *The perceptron: A probabilistic model for information storage and organization in the brain*. *Psychological Review*, 65(6), 386–408. doi:10.1037/h0042519

<https://interactivechaos.com/es/manual/tutorial-de-deep-learning/la-neurona-de-frank-rosenblatt>

Rumelhart, D. E., Hinton, G. E., and Williams, R. J. (1986) Learning representations by back-propagating errors. *Nature*, 323, 533--536.

A. Amini, A. Soleimany, S. Karaman, and D. Rus, “Spatial Uncertainty Sampling for End-to-End control,” in Neural Information Processing Systems (NIPS); Bayesian Deep Learning Workshop, 2017.

<https://www.analyticsvidhya.com/blog/2020/10/how-does-the-gradient-descent-algorithm-work-in-machine-learning/>

Witsil, A.J.; Johnson, J.B. Volcano video data characterized and classified using computer vision and machine learning algorithms. *Geosci. Front.* 2020,11, 1789–1803

LeCun, Y. and Bengio, Y., 1995. Convolutional networks for images, speech, and time series. *The handbook of brain theory and neural networks*, 3361(10), p.1995.

Stoudenmire E, and Schwab DJ. Supervised Learning with Tensor Networks. *Advances in Neural Information Processing Systems* (2016). CurranAssociates, Inc. 4799–807

References

<https://machinelearningmastery.com/how-to-develop-a-convolutional-neural-network-from-scratch-for-mnist-handwritten-digit-classification/>

<https://medium.com/analytics-vidhya/recurrent-neural-network-and-its-variants-de75f9ee063>

J. Feng, X. Feng, J. Chen, et al., “Generative adversarial networks based on collaborative learning and attention mechanism for hyperspectral image classification,” Remote Sensing, vol.12, no.7, pp.1149, 2020, doi: 10.3390/rs12071149

Goodfellow, I.; Pouget-Abadie, J.; Mirza, M.; Xu, B.; Warde-Farley, D.; Ozair, S.; Courville, A.C.; Bengio, Y. Generative adversarial networks. Commun. ACM 2020,63, 139–144.

Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N Gomez, Łukasz Kaiser, and Illia Polosukhin. Attention is all you need. In Advances in Neural Information Processing Systems, pages 5998–6008, 2017.

<http://www.bdhammel.com/ising-model/>

<https://tensornetwork.org/>

Maria Schuld, Alex Bocharov, Krysta M. Svore, and Nathan Wiebe. Circuit-centric quantum classifiers. Phys. Rev. A, 101:032308, Mar 2020

References

S. M. Anwar, M. Majid, A. Qayyum, M. Awais, M. Alnowami, and M. K. Khan, "Medical image analysis using convolutional neural networks: a review," *Journal of Medical Systems*, vol. 42, no. 11, p. 226, 2018 Oct 8.

Gnanaraj, F.F., Vanitha, & Venmathi (2012). DETECTION AND CLASSIFICATION OF MEDICAL IMAGES USING HYBRID CLASSIFICATION TECHNIQUE WITH APPLICATION TO BRAIN MRI IMAGES.

<https://devopedia.org/natural-language-processing>