

TOTAL RESET OpenClaw (Docker + Persistent Data + Files)

1) Go to the OpenClaw folder (WSL)

```
cd ~/openclaw
```

2) Shut everything down and remove volumes (Docker persistence)

Removes containers + networks + volumes from the compose project.

```
docker compose down -v --remove-orphans
```

3) Remove OpenClaw images (to avoid reusing anything)

If you want to guarantee a “zero reuse” reset:

```
docker compose down --rmi all -v --remove-orphans
```

(If you already ran step 2, this just reinforces image removal.)

4) Clean build cache (FULL installs often “stick” to this)

```
docker builder prune -af
```

5) Full Docker cleanup (removes everything not in use across Docker)

⚠ Use only if OpenClaw is the only project in Docker.

More aggressive: affects other projects as well.

```
docker system prune -af --volumes
```

🔪 **Now the most important part: remove OpenClaw persistent files (WSL)**

6) Delete the OpenClaw user data/config folder

⚠ This is where things “come back the same” if not removed.

```
rm -rf ~/.openclaw
```

When you delete ~/.openclaw, you are resetting OpenClaw’s “brain” — meaning it removes saved configurations, tokens, and data, and the next time it starts, it behaves like a fresh installation.

7) (Optional but recommended) Remove workspace (if stored outside ~/.openclaw)

If you saved workspace somewhere else (sometimes in ~/openclaw/workspace or similar), remove it too:

```
rm -rf ~/openclaw/workspace 2>/dev/null || true
rm -rf ~/openclaw/.openclaw 2>/dev/null || true
```

🔍 Verification (to confirm everything is clean)

```
docker ps -a
docker ps -a
docker volume ls
docker images
ls -la ~/.openclaw
```

If ls says “**No such file or directory**”, you’re fully reset.

This document was translated from Portuguese to English using AI.