FACULTÉ DES SCIENCES ET TECHNOLOGIES

(FST)

Rapport du travail de Laboratoire #1

Cours : Systèmes

Étudiant : LADOUCEUR Steevens

Professeur : Ismaël SAINT AMOUR

LE 19 OCTOBRE 2026

L’objectif de ce TD est de :

1. Comprendre les concepts de base de Git (système de gestion de versions).
2. Avoir une maitrise sur Git pour pouvoir gérer un projet localement.
3. Découvrir GitHub et apprendre à collaborer sur un dépôt distant.


Travaux dirigés


- Reproduire une série de tâches.
- Créer un nouveau dépôt sur GitHub.

1) Vérification de la version Git installée sur le PC.




2) Connexion à mon compte GitHub







3) Configuration de Git



4)Vérification des données utilisateurs



5) Affichage de la liste des fichiers et dossiers avec la commande ls




6) Création d’un dossier dans Desktop

```
dieuf@Steevens UCRT64 ~
$ cd desktop
bash: cd: desktop: No such file or directory

dieuf@Steevens UCRT64 ~
$ cd OneDrive

dieuf@Steevens UCRT64 ~/OneDrive
$ cd desktop

dieuf@Steevens UCRT64 ~/OneDrive/desktop
$ mkdir projet1-git
```



7) Entrée dans notre dossier « projet1-git » fraichement créé.

```
 OneDrive/
 Recent@
'Saved Games'/
 Searches/
 SendTo@
 Videos/
'VirtualBox VMs'/
"Voisinage d'impression"@
'Voisinage réseau'@
 ntuser.dat.LOG1
 ntuser.dat.LOG2
 ntuser.ini

dieuf@Steevens UCRT64 ~
$ cd desktop
bash: cd: desktop: No such file or directory

dieuf@Steevens UCRT64 ~
$ cd OneDrive

dieuf@Steevens UCRT64 ~/OneDrive
$ cd desktop

dieuf@Steevens UCRT64 ~/OneDrive/desktop
$ mkdir projet1-git

dieuf@Steevens UCRT64 ~/OneDrive/desktop
$ cd projet1-git

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git
$
```

8) Initialisation du dépôt git.

```
 OneDrive/
 Recent@
'Saved Games'/
 Searches/
 SendTo@
 Videos/
'VirtualBox VMs'/
"Voisinage d'impression"@
'Voisinage réseau'@
 ntuser.dat.LOG1
 ntuser.dat.LOG2
 ntuser.ini

dieuf@Steevens UCRT64 ~
$ cd desktop
bash: cd: desktop: No such file or directory

dieuf@Steevens UCRT64 ~
$ cd OneDrive

dieuf@Steevens UCRT64 ~/OneDrive
$ cd desktop

dieuf@Steevens UCRT64 ~/OneDrive/desktop
$ mkdir projet1-git

dieuf@Steevens UCRT64 ~/OneDrive/desktop
$ cd projet1-git

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git
$ git init
Initialized empty Git repository in C:/Users/dieuf/OneDrive/Desktop/projet1-git/.git/
```

9) Ouverture et écriture de mon projet dans le fichier README.md

```
$ cd projet1-git

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git
$ git init
Initialized empty Git repository in C:/Users/dieuf/OneDrive/Desktop/projet1-git/.git/

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git (master)
$ echo "Hello World!" > README.md
```

README.md | code_documenter.py

C: > Users > dieuf > OneDrive > Desktop > projet1-git > README.md

```
1  Hello World!
2
```

10)Ajout du dossier README.md dans Git et premier commit effectué

```
dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git
$ git init
Initialized empty Git repository in C:/Users/dieuf/OneDrive/Desktop/projet1-git/.git/


dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git (master)
$ echo "Hello World!" > README.md

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git (master)
$ git add README.md
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git (master)
$ git commit -m "premier commit"
[master (root-commit) 99f06be] premier commit
 1 file changed, 1 insertion(+)
 create mode 100644 README.md

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git (master)
$ git log
commit 99f06becc80eebbc0a7fa3452b2bb762a1b2112f (HEAD -> master)
Author: dieufaiteladouceur-blip <dieufaiteladouceur@gmail.com>
Date:   Mon Oct 19 13:00:38 2026 -0400

    premier commit
```



11) Affichage de l'historique des commits dans un dépôt Git.

```
dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git
$ git init
Initialized empty Git repository in C:/Users/dieuf/OneDrive/Desktop/projet1-git/.git/

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git (master)
$ echo "Hello World!" > README.md

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git (master)
$ git add README.md
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git (master)
$ git commit -m "premier commit"
[master (root-commit) 99f06be] premier commit
 1 file changed, 1 insertion(+)
 create mode 100644 README.md

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git (master)
$ git log
commit 99f06becc80eebbc0a7fa3452b2bb762a1b2112f (HEAD -> master)
Author: dieufaiteladouceur-blip <dieufaiteladouceur@gmail.com>
Date:   Mon Oct 19 13:00:38 2026 -0400

    premier commit
```

12) Génération d'une clé SSH

```
bash: ssh-keyjen: command not found

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git (master)
$ ssh-keygen -t rsa -b 4096 -c "dieufaiteladouceur@gmail.com"
Too many arguments.
usage: ssh-keygen [-q] [-a rounds] [-b bits] [-C comment] [-f output_keyfile]
                  [-m format] [-N new_passphrase] [-O option]
                  [-t ecdsa|ecdsa-sk|ed25519|ed25519-sk|mldsa44-ed25519|rsa]
                  [-w provider] [-Z cipher]
       ssh-keygen -p [-a rounds] [-f keyfile] [-m format] [-N new_passphrase]
                  [-P old_passphrase] [-Z cipher]
       ssh-keygen -i [-f input_keyfile] [-m key_format]
       ssh-keygen -e [-f input_keyfile] [-m key_format]
       ssh-keygen -y [-f input_keyfile]
       ssh-keygen -c [-a rounds] [-C comment] [-f keyfile] [-P passphrase]
       ssh-keygen -l [-v] [-E fingerprint_hash] [-f input_keyfile]
       ssh-keygen -B [-f input_keyfile]
       ssh-keygen -D pkcs11
       ssh-keygen -F hostname [-lv] [-f known_hosts_file]
       ssh-keygen -H [-f known_hosts_file]
       ssh-keygen -K [-a rounds] [-w provider]
       ssh-keygen -R hostname [-f known_hosts_file]
       ssh-keygen -r hostname [-g] [-f input_keyfile]
       ssh-keygen -M generate [-O option] output_file
       ssh-keygen -M screen [-f input_file] [-O option] output_file
       ssh-keygen -I certificate_identity -s ca_key [-hU] [-D pkcs11_provider]
                  [-n principals] [-O option] [-V validity_interval]
                  [-z serial_number] file ...
       ssh-keygen -L [-f input_keyfile]
       ssh-keygen -A [-a rounds] [-f prefix_path]
       ssh-keygen -k -f krl_file [-u] [-s ca_public] [-z version_number]
                  file ...
       ssh-keygen -Q [-l] -f krl_file [file ...]
       ssh-keygen -Y find-principals -s signature_file -f allowed_signers_file
       ssh-keygen -Y match-principals -I signer_identity -f allowed_signers_file
       ssh-keygen -Y check-novalidate -n namespace -s signature_file
       ssh-keygen -Y sign -f key_file -n namespace file [-O option] ...
       ssh-keygen -Y verify -f allowed_signers_file -I signer_identity
                  -n namespace -s signature_file [-r krl_file] [-O option]
```

```
dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git (master)
$ ssh-keygen -t rsa -b 4096 -C "dieufaiteladouceur@gmail.com"
Generating public/private rsa key pair.
Enter file in which to save the key (/c/Users/dieuf/.ssh/id_rsa):
Enter passphrase for "/c/Users/dieuf/.ssh/id_rsa" (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /c/Users/dieuf/.ssh/id_rsa
Your public key has been saved in /c/Users/dieuf/.ssh/id_rsa.pub
The key fingerprint is:
SHA256:g6nFqOKxgQ4ru9LKsu7uT1+ykNwgUK8jIz7wVeWZkGk dieufaiteladouceur@gmail.com
The key's randomart image is:
+---[RSA 4096]----+
|   .    .o.      |
| . .   E+ o       |
|.    ... +        |
|.   . + o         |
|=.o.o = S         |
|=+o++o   .        |
|+*o=.o .          |
|OoB o +           |
|##.. o            |
+----[SHA256]-----+
```


13) Affichage de la clé privée avec la commande cat

```
dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git (master)
$ cat ~/.ssh/id_rsa
-----BEGIN OPENSSH PRIVATE KEY-----
b3BlbnNzaC1rZXktdjEAAAAABG5vbmUAAAAEbm9uZQAAAAAAAAABAAACFwAAAAdzc2gtcn
NhAAAAAwEAAQAAAgEAu6oT9bYnvuwB9NU4fZuU3a35IYsaDvgNAJqBoFzDfkLennXBxTg7
3ajIODruAT8mllxKs0aMOua0SXvC3xmg8gRRQSTEkrLDB1D/D6w+IEVhP+iNv3n4kTHhkD
owp2UxNzgk4qMmJuBMnVUoO1+6nhgkKrGQyWpL/ySHd+pDXjgQqFb+VfSdtBTJG8+AKw2a
813FuLnZOubRzVA76BY1lOFGzhgZXfZwCgnBB47TITNNor1WiAqKS3cjO74Y+BAYGuKWNt
EgvxYcjZ/aBVoT8SKxYHNiEsWwYQNOBQScueykpmoDq5OOLZ3NwiAs7FMdX3Txq/LtnSyx
jZPk3+qxj6xFnqU6/p8DsbvTkCUOchOEOh7HXyBhKY2UiQnkBjK5bsHcBNeJSUPg8hFbhY
GhAWtTNGYHjsChyTaS5exikiVo1dNfiA+XJ+jkkTGODzz4+HyPHdWD2JujaBDNkD53vwuD
pOaSC8wt4oLOC+mZOtv3sghkdWucKpiE8/OBN6p3iUFeCKBoEm1HOrmZtntspVHPdQ2XF/
O7hkvf4qfpwYhREQ6lnLHxMrg6ANyNT7i2jOCX2zu/naARsq812PQRYk4LgFEz3qvFeiJh
ocIKv5jsvNnWlJgiNOV3sw0DDI97zI2mUUwONgSnD7idk69wkN5K8YTw+QxI1UaZjUQt4j
UAAAdY+yNVm/sjVZsAAAAHc3NoLXJzYQAAAgEAu6oT9bYnvuwB9NU4fZuU3a35IYsaDvgN
AJqBoFzDfkLennXBxTg73ajIODruAT8mllxKs0aMOua0SXvC3xmg8gRRQSTEkrLDB1D/D6
w+IEVhP+iNv3n4kTHhkDowp2UxNzgk4qMmJuBMnVUoO1+6nhgkKrGQyWpL/ySHd+pDXjgQ
qFb+VfSdtBTJG8+AKw2a813FuLnZOubRzVA76BY1lOFGzhgZXfZwCgnBB47TITNNor1WiA
qKS3cjO74Y+BAYGuKWNtEgvxYcjZ/aBVoT8SKxYHNiEsWwYQNOBQScueykpmoDq5OOLZ3N
wiAs7FMdX3Txq/LtnSyxjZPk3+qxj6xFnqU6/p8DsbvTkCUOchOEOh7HXyBhKY2UiQnkBj
K5bsHcBNeJSUPg8hFbhYGhAWtTNGYHjsChyTaS5exikiVo1dNfiA+XJ+jkkTGODzz4+HyP
HdWD2JujaBDNkD53vwuDp0aSC8wt4oLOC+mZOtv3sghkdWucKpiE8/OBN6p3iUFeCKBoEm
1HOrmZtntspVHPdQ2XF/O7hkvf4qfpwYhREQ6lnLHxMrg6ANyNT7i2jOCX2zu/naARsq81
2PQRYk4LgFEz3qvFeiJhocIKv5jsvNnWlJgiNOV3swODDI97zI2mUUwONgSnD7idk69wkN
5K8YTw+QxI1UaZjUQt4jUAAAADAQABAAACAB7FBK/JdZvaw3layn/h1hdAOrPaxGOG7U7X
hoB+JTmbCjhOE37cOQifh4mI2ARRT+jgagkZ/JOdvZq81ZdR8u8roQz+O9I/yDV3ZNKziZ
4t8gOSBEfMXmKkHJlSyS5xK5AjvvyABp3iMf2r/FOn+Ye5apirc5Nqv9ouKZ4SRYh5xdVs
Khh62q6vp8fNDnVArlLP4b7njhOD5ot059WmapOmGj9peSNMaFNlBQbRtrFfYY/Y3orAu6
si9jdeGGb38JPb6ghD4swh+n2II62z9sgXSaEIWiC81C4b5htxhacAc4Crqj1kIutFz/pP
3z3CZPMFUCjC1I3sSZJumNzT9NfTEOJPOEbnAe4rq1DS3mNK10lHOPYLpFaZTxVQ+42N6J
2YqL7owiHUcmvvxQDOqIenNy7MXnaRJMIm1wpO+6pOshkwdpRdhfCBIpVugXO6cK46r4Mf
2/kq5bBeO/nOOP4F4cDoRFH2tzGfTDD4ktq9OZELjVK+WsY68GRAnDFJ6ej4doW51+h7v/
oKFipydOMemMN1MKCVTFBOsePXQJmHaAsJIxSoUjo2OnWMtMVcCmWqjOm2oPfXwFUTqgSy
jqd9uRsnhAPeESU5MK3Ne1hbm6aH6QKO7DgGPJhRcPwOTyGS5mN6QfmygLhLUNt8f9MS1R
IjgH5Iw1jC8eCsyX3jAAABAQCe6xfCPNIgMc5SrczK8PIc2dfp3TJVQXAqazOQkukCA68d
tiPtogKRLb+UOTkOC3lIKakYjZUaK4kQGHMGNfG89hxFhguAlSoHNG3OIPHJvWTK9d+xam
9vhxerNvXqxKOocnNkTdTKBjETKjma186iscRvDVKwWtsKhSOyal/dQLwfbX63e4SQE4ub
fzCC7ll1gY/RFHSR4BRJacQUuTDUHz/nCzbNVBBad/VZxO8Bi8YyfRbgRfvOTwpqOoiyOR
38T2P5Jqnx4GnVvQ5Cj1yuhl4uWFZvqkzOCIv65A3tah5fcSatSPe1Op7bhUWT6ldIwEhO
UodFg63yGt8iVzQjAAABAQDw4ocEku5RzSUe1Q9K9i7NhF5a/hOjdq+obdHWND5pJLT4aD
VeFnsmdjdFMXO4nNh514xuKMHeG8jTpDkTd5ZIVsXbJ2cHW/NAAhZjx58RRcATGNT6w96h
2coRJXOO/UZr+pPNJzn1ee/4OeejGE+JqZAFokmWuIwSTeviSWQqy/7PldaEpU3pt75VPk
uIIDet65F8HEXSWmQXj9+8/7uQtklrj61X1+F5r8VL5QicwvJh6OICJXlF5QCoIyblOdcE
HzefVLw4KfWlUxOkSe4WSywuPjNJ9nuPgee8SjzW439/WLMP3QwWFFQ9O/YQOoKEHiUGOW
QsFqGRP7C1hMjvAAABAQDHcKOOQBpTIBpW5H/rQqeK+2kZ5GLPIpNlJyErTcGI2OjhWf7f
PDXj2jFUMOymebYwg1ziyrTVAeOxpeCs/LjiyXk+/mVVORKjKjM19b81iqHcHvBN1Dzyp9
1AxWwduVxJobcMgz7hQ9wWitIr/eFPs3ierWPEFLfkRNhGw38QbnJO8Fixye5MHHsdrbRu
r8WxnZVOy2kgOnAMf4DoNihqnObLYY6X6a46V8PGQOd49OzxHAJlbw6endbfFRG+trasOF
RajYpYhPYVvBzUYkbnXtGvMRCad/xRW/lFU63M+9cUPHrOMrai9T/F5porJbg8p1mK9Z/H
8LKQWWHZJF8bAAAAHGRpZXVmYWlOZWxhZG91Y2V1ckBnbWFpbC5jb2OBAgMEBQY=
-----END OPENSSH PRIVATE KEY-----
```


14) Affiche de la clé publique

```
dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git (master)
$ cat ~/.ssh/id_rsa.pub
ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAACAQC7qhP1tie+7AHO1Th9m5TdrfkhixoO+AOAmoGgXMN+Qt6edcHFODvdqMjQOu4BPyaWXEqzRow65rRJe8LfGaDyBFFBJMSSssMHUP8PrD4gRWE/6I2/efiRMeGQOjCnZTE3OCTioyYm4EydVSjTX7qeGCQqsZDJakv/JId36kNeOB
CoVv5V9J2OFWkbz4ArDZrzXcW4udnS5tHNUDvoFjWU4UbOGBld9nAKCcEHjtMhMO2ivVaICopLdyPTvhj4EBga4pY2OSC/FhyNn9oFWhPxIrFgc2ISxbBhAO4FBJy57KSmagOrk7Qtnc3CICzsUx1fdPGr8u2dLLGNk+Tf6rGPrEWepTr+nwOxu9OQJTRyE4TSHsdfIGEpjZSJCeQG
MrluwdwE14lJQ+DyEVuFgaEBaIMOZgeOwKHJNpLl7GKSJWjV01+ID5cn6OSRMY4PPPj4fI8d1YPYm6NoEM2QPne/C4OnRpILzC3igvQL6Zk62/eyCGR1a5wqmITz84E3qneJQV4IoGgSbUc6uZm2e2ylUc91DZcX87uGS9/ip+nBiFERDqWcsfEyuDoA3I1PuLaPQJfbO7+doBGyrz
XY9BFiTguAUTPeq8V6ImGhwgq/mOy82daUmCI05XezDQMWj3vMjaZRTA42BKcPuJ2Tr3CQ3krxhPD5DEjVRpmNRC3iNQ== dieufaiteladouceur@gmail.com
```


15) Ajout réussie de la clé sur mon compte GitHub



16) Création du dépôt GitHub



17) Clonage du dépôt GitHub via la clé SSH




```
dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git (master)
$ git clone git@github.com:dieufaiteladouceur-blip/Systemes-project1.git
Cloning into 'Systemes-project1'...
The authenticity of host 'github.com (140.82.114.3)' can't be established.
ED25519 key fingerprint is: SHA256:+DiY3wvvV6TuJJhbpZisF/zLDA0zPMSvHdkr4UvCOqU
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'github.com' (ED25519) to the list of known hosts.
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
```

```
dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git (master)
$ git clone git@github.com:dieufaiteladouceur-blip/Systemes-project1.git
Cloning into 'Systemes-project1'...
The authenticity of host 'github.com (140.82.114.3)' can't be established.
ED25519 key fingerprint is: SHA256:+DiY3wvvV6TuJJhbpZisF/zLDA0zPMSvHdkr4UvCOqU
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'github.com' (ED25519) to the list of known hosts.
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git (master)
$ ls
README.md  Systemes-project1/

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git (master)
$ cd Systemes-project1

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git/Systemes-project1 (main)
$ echo "systeme d'exploitation!" > Module.txt

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git/Systemes-project1 (main)
$ git add
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .'?
hint: Disable this message with "git config set advice.addEmptyPathspec false"

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git/Systemes-project1 (main)
$ git add .
warning: in the working copy of 'Module.txt', LF will be replaced by CRLF the next time Git touches it
```

```
dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git/Systemes-project1 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   Module.txt



dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git/Systemes-project1 (main)
$ git commit -m "ajout du module"
[main 1612756] ajout du module
 1 file changed, 1 insertion(+)
 create mode 100644 Module.txt

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git/Systemes-project1 (main)
$ git branch -M main

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git/Systemes-project1 (main)
$ git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 306 bytes | 306.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:dieufaiteladouceur-blip/Systemes-project1.git
   3f08026..1612756  main -> main
branch 'main' set up to track 'origin/main'.
```

Deuxième Exercice

- Création d'un dépôt GitHub nommé TD1




```
dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git/Systemes-project1 (main)
$ git clone git@github.com:dieufaiteladouceur-blip/TD1.git
Cloning into 'TD1'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git/Systemes-project1 (main)
$ cd TD1

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git/Systemes-project1/TD1 (main)
$ mkdir systeme

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git/Systemes-project1/TD1 (main)
$ cd systeme

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git/Systemes-project1/TD1/systeme (main)
$ mkdir image

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git/Systemes-project1/TD1/systeme (main)
$ mkdir projet

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git/Systemes-project1/TD1/systeme (main)
$ mkdir presentation

dieuf@Steevens UCRT64 ~/OneDrive/desktop/projet1-git/Systemes-project1/TD1/systeme (main)
$ cd ..
```

Conclusion

Au cours de ce laboratoire, j'ai appris à utiliser Git et GitHub pour gérer et partager des projets. J'ai également compris la différence entre un dépôt local, qui se trouve sur mon ordinateur, et un dépôt distant, qui est hébergé sur GitHub.

Ce laboratoire m'a permis de découvrir plusieurs commandes Git et de comprendre leur utilité. Parmi les principales commandes utilisées, on peut citer :

1. **`git --version`** : permet de vérifier la version de Git installée sur l'ordinateur.
2. **`git config --global user.name`** et **`git config --global user.email`** : permettent de configurer le nom et l'adresse e-mail de l'utilisateur.
3. **`git config --list`** : permet d'afficher les configurations de Git.
4. **`ls`** : permet d'afficher les fichiers et les dossiers présents dans un répertoire.
5. **`cd`** : permet de se déplacer d'un dossier à un autre.
6. **`mkdir`** : permet de créer un nouveau dossier.
7. **`git init`** : permet d'initialiser un dépôt Git.
8. **`README.md`** : est un fichier qui sert à présenter un projet et à donner des informations à son sujet en utilisant le langage Markdown.
9. **`git log`** : permet de consulter l'historique des commits effectués dans un dépôt.
10. **`git status`** : permet de vérifier l'état actuel du dépôt Git.
11. **`git add .`** : permet d'ajouter les modifications des fichiers à la zone de préparation avant leur validation.
12. **`git commit -m`** : permet d'enregistrer les modifications préparées en ajoutant un message descriptif.
13. **`git branch -M main`** : permet de renommer la branche actuelle en `main`.
14. **`git push -u origin main`** : permet d'envoyer la branche `main` vers le dépôt distant sur GitHub.

En résumé, ce laboratoire m'a permis de mieux comprendre le fonctionnement de Git et de GitHub. Je suis maintenant capable d'utiliser les commandes de base pour créer un dépôt, suivre les modifications apportées à un projet et le partager sur GitHub. Ces connaissances me seront utiles pour réaliser d'autres projets et travailler plus facilement sur des projets informatiques.