

API 接口文档汇总

文档版本：v1.0

编写日期：2026 年 3 月 14 日

开发负责人：王舟

一、API 规范

1.1 基础规范

项目 规范

基础路径 /api/v1

认证方式 Bearer Token (JWT)

请求格式 application/json

响应格式 application/json

字符编码 UTF-8

1.2 统一响应格式

```
{  "code": 200,  "message": "success",  "data": { ... },  "timestamp": 1710403200}
```

1.3 错误码规范

错误码 说明

200 成功

400 请求参数错误

401 未认证/Token 无效

403 无权限

404 资源不存在

500 服务器内部错误

二、认证接口

2.1 用户登录

POST /api/v1/auth/login

Content-Type: application/json

```
{
  "username": "zhangsan",
  "password": "password123",
  "remember_me": true
}
```

响应:

```
{
  "code": 200,
  "data": {
    "user": {
      "id": "user_001",
      "username": "zhangsan",
      "email": "zhangsan@example.com",
      "real_name": "张三",
      "roles": ["host_lawyer"]
    },
    "access_token": "eyJhbGciOiJIUzI1NiIs... ",
    "refresh_token": "eyJhbGciOiJIUzI1NiIs... ",
    "expires_in": 3600
  }
}
```

2.2 用户登出

POST /api/v1/auth/logout

Authorization: Bearer {token}

2.3 刷新 Token

POST /api/v1/auth/refresh

Content-Type: application/json

```
{
  "refresh_token": "eyJhbGciOiJIUzI1NiIs..."
}
```

2.4 用户注册

POST /api/v1/auth/register
Content-Type: application/json

```
{
  "username": "zhangsan",
  "email": "zhangsan@example.com",
  "password": "password123",
  "real_name": "张三"
}
```

2.5 获取当前用户

GET /api/v1/auth/me
Authorization: Bearer {token}

2.6 修改密码

PUT /api/v1/auth/password
Authorization: Bearer {token}
Content-Type: application/json

```
{
  "old_password": "old123",
  "new_password": "new123"
}
```

三、案件接口

3.1 案件列表

GET /api/v1/cases?page=1&page_size=20
Authorization: Bearer {token}

响应:

```
{
  "code": 200,
  "data": {
    "cases": [
      {
        "id": "case_001",
        "name": "张三诉李四合同纠纷",
        "description": "采购合同违约纠纷",
        "status": "active",
        "created_at": "2026-03-14T10:00:00Z",
        "member_count": 3,
        "evidence_count": 15,
        "node_count": 28
      }
    ],
    "total": 56,
    "page": 1,
    "page_size": 20
  }
}
```

3.2 创建案件

POST /api/v1/cases
Authorization: Bearer {token}
Content-Type: application/json

```
{
  "name": "新案件名称",
  "description": "案件描述",
  "tags": ["合同", "纠纷"]
}
```

3.3 案件详情

GET /api/v1/cases/:id
Authorization: Bearer {token}

3.4 更新案件

PUT /api/v1/cases/:id

Authorization: Bearer {token}

Content-Type: application/json

```
{  
  "name": "更新后的名称",  
  "description": "更新后的描述"  
}
```

3.5 删除案件

DELETE /api/v1/cases/:id

Authorization: Bearer {token}

3.6 案件成员管理

GET /api/v1/cases/:id/members

Authorization: Bearer {token}

POST /api/v1/cases/:id/members

Authorization: Bearer {token}

Content-Type: application/json

```
{  
  "user_id": "user_002",  
  "role_in_case": "member"  
}
```

DELETE /api/v1/cases/:id/members/:user_id

Authorization: Bearer {token}

四、文件接口

4.1 上传文件

POST /api/v1/cases/:case_id/files

Authorization: Bearer {token}

Content-Type: multipart/form-data

file: (binary)

响应:

```
{
  "code": 200,
  "data": {
    "id": "evidence_001",
    "original_name": "合同.pdf",
    "file_type": "application/pdf",
    "file_size": 1024000,
    "page_count": 10,
    "parsed_text": "合同内容...",
    "storage_path": "files/case_001/uuid.pdf"
  }
}
```

4.2 文件列表

GET /api/v1/cases/:case_id/files?page=1&page_size=20
Authorization: Bearer {token}

4.3 文件详情

GET /api/v1/files/:id
Authorization: Bearer {token}

4.4 下载文件

GET /api/v1/files/:id/download
Authorization: Bearer {token}

4.5 文件预览

GET /api/v1/files/:id/preview
Authorization: Bearer {token}

4.6 删除文件

DELETE /api/v1/files/:id
Authorization: Bearer {token}

4.7 重新解析

POST /api/v1/files/:id/parse
Authorization: Bearer {token}

五、时间轴节点接口

5.1 节点列表

GET /api/v1/cases/:case_id/timeline/nodes?start_date=2024-01-01&end_date=2024-01-15
Authorization: Bearer {token}

响应:

```
{
  "code": 200,
  "data": {
    "nodes": [
      {
        "id": "node_001",
        "title": "合同签订",
        "description": "张三与李四签订采购合同",
        "event_time": "2024-01-15",
        "time_precision": "exact",
        "node_type": "event",
        "priority": "high",
        "color": "#f59e0b",
        "evidence_links": [
          {
            "id": "link_001",
            "evidence_id": "evidence_001",
            "evidence_name": "采购合同.pdf",
            "anchor_type": "page",
            "anchor_data": {"page_num": 3}
          }
        ],
        "tags": ["合同", "重要"],
        "sort_order": 1,
        "is_milestone": true
      }
    ]
  }
}
```

```
    ],  
    "total": 156  
  }  
}
```

5.2 创建节点

POST /api/v1/cases/:case_id/timeline/nodes
Authorization: Bearer {token}
Content-Type: application/json

```
{  
  "title": "节点标题",  
  "description": "节点描述",  
  "event_time": "2024-01-15",  
  "node_type": "event",  
  "priority": "normal",  
  "tags": ["标签 1", "标签 2"]  
}
```

5.3 更新节点

PUT /api/v1/timeline/nodes/:id
Authorization: Bearer {token}
Content-Type: application/json

```
{  
  "title": "更新后的标题",  
  "description": "更新后的描述"  
}
```

5.4 删除节点

DELETE /api/v1/timeline/nodes/:id
Authorization: Bearer {token}

5.5 移动节点

POST /api/v1/timeline/nodes/:id/move
Authorization: Bearer {token}
Content-Type: application/json


```
{
  "new_time": "2024-01-20",
  "new_sort_order": 5
}
```

5.6 关联证据

POST /api/v1/timeline/nodes/:id/evidence
Authorization: Bearer {token}
Content-Type: application/json

```
{
  "evidence_id": "evidence_001",
  "anchor_type": "page",
  "anchor_data": {"page_num": 3}
}
```

5.7 解除关联

DELETE /api/v1/timeline/nodes/:id/evidence/:link_id
Authorization: Bearer {token}

六、人物接口

6.1 人物列表

GET /api/v1/cases/:case_id/persons?page=1&page_size=20
Authorization: Bearer {token}

6.2 创建人物

POST /api/v1/cases/:case_id/persons
Authorization: Bearer {token}
Content-Type: application/json

```
{
  "name": "张三",
  "gender": "male",
  "phone": "13800138000",
}
```

```
    "organization": "XXX 公司",
    "position": "总经理"
}
```

6.3 人物详情

```
GET /api/v1/persons/:id
Authorization: Bearer {token}
```

6.4 更新人物

```
PUT /api/v1/persons/:id
Authorization: Bearer {token}
Content-Type: application/json
```

```
{
  "phone": "13900139000",
  "organization": "YYY 公司"
}
```

6.5 删除人物

```
DELETE /api/v1/persons/:id
Authorization: Bearer {token}
```

6.6 关联案件

```
POST /api/v1/persons/:id/cases
Authorization: Bearer {token}
Content-Type: application/json
```

```
{
  "case_id": "case_001",
  "role_type": "plaintiff"
}
```

6.7 人物关系图谱

```
GET /api/v1/cases/:case_id/persons/graph
Authorization: Bearer {token}
```

七、搜索接口

7.1 全局搜索

GET /api/v1/search?keyword=合同&object_types=evidence,node&page=1&page_size=20
Authorization: Bearer {token}

7.2 搜索建议

GET /api/v1/search/suggestions?keyword=合
Authorization: Bearer {token}

7.3 搜索历史

GET /api/v1/search/history?page=1&page_size=20
Authorization: Bearer {token}

DELETE /api/v1/search/history
Authorization: Bearer {token}

八、操作日志接口

8.1 日志列表

GET /api/v1/logs?case_id=case_001&user_id=user_001&action=CREATE&page=1
Authorization: Bearer {token}

8.2 操作历史

GET /api/v1/logs/:target_type/:target_id/history
Authorization: Bearer {token}

九、导出接口

9.1 导出证据清单

GET /api/v1/cases/:case_id/exports/evidence-list
Authorization: Bearer {token}

9.2 导出时间轴

GET /api/v1/cases/:case_id/exports/timeline?format=png
Authorization: Bearer {token}

9.3 导出记录

GET /api/v1/cases/:case_id/exports/history
Authorization: Bearer {token}

十、完整接口清单

模块	接口	数量
认证	/auth/*	6
案件	/cases/*	7
文件	/files/*	7
时间轴	/timeline/nodes/*	7
人物	/persons/*	7
搜索	/search/*	3
日志	/logs/*	2
导出	/exports/*	3
总计		42

文档版本：v1.0
最后更新：2026 年 3 月 14 日
开发负责人：王舟
邮箱：main@mails.wedevs.org
电话：15378391447