


Windows Analysis Report

ISOMate.exe

Time: 08:33:00
Date: 18/06/2026
Version: 44.0.0 Smoke Quartz

General Information

Sample name:	ISOMate.exe
Analysis ID:	1929752
Has dependencies:	false
MD5:	b3f65cba5c826f06727...
SHA1:	676fafa9964cfcba29b7...
SHA256:	fedea108c4c0af0566d...
Infos:	



Detection

MALICIOUS

SUSPICIOUS


CLEAN

UNKNOWN

Score:	14
Range:	0 - 100
Confidence:	40%

Joe Sandbox may be inaccurate, incomplete, or incorrect. Please [contact us](#) for takedown requests or if any PII or confidential data was uploaded by mistake.

Classification



Process Tree

- System is w10x64
- ISOMate.exe (PID: 6996 cmdline: "C:\Users\user\Desktop\ISOMate.exe" MD5: B3F65CBA5C826F067270866A47D64082)
 - ISOMate.tmp (PID: 7084 cmdline: "C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp" /SL5="\$30696,22693049,869376,C:\Users\user\Desktop\ISOMate.exe" MD5: 6D3892E64BA4DDEC7FAF8089DA8ACFF9)
 - ISOMate Pro.exe (PID: 4856 cmdline: "C:\Program Files (x86)\ISOMate Pro\ISOMate Pro.exe" MD5: A212E366E018D8629B4F84C44B747D4D)
 - powershell.exe (PID: 2336 cmdline: powershell -NoProfile -Command "Get-Disk | Where-Object { \$_.BusType -eq 'USB' } | ForEach-Object { \$disk = \$_; \$partitions = Get-Partition -DiskNumber \$disk.Number -ErrorAction SilentlyContinue; \$letter = ""; if (\$partitions) { foreach (\$p in \$partitions) { \$vol = Get-Volume -Partition \$p -ErrorAction SilentlyContinue; if (\$vol -and \$vol.DriveLetter) { \$letter = \$vol.DriveLetter + ':'; break } } } Write-Output ('{0}|{1}|{2}|{3}' -f \$disk.Number, \$disk.FriendlyName, \$disk.Size, \$letter) }" MD5: 04029E121A0CFA5991749937DD22A1D9)
 - conhost.exe (PID: 352 cmdline: C:\Windows\system32\conhost.exe 0xffffffff -ForceV1 MD5: 0D698AF330FD17BEE3BF90011D49251D)
 - cleanup


AI Reasoning

No reasoning have been found

Malware Configuration

No configs have been found


Behavior Graph




Screenshots

Thumbnails

This section contains all screenshots as thumbnails, including those not shown in the slideshow.





Antivirus, Machine Learning and Genetic Malware Detection

Initial Sample

Source	Detection	Scanner	Label	Link
ISOMate.exe	0%	ReversingLabs		
ISOMate.exe	2%	Virusotal		Browse

Dropped Files

Source	Detection	Scanner	Label	Link
C:\Program Files (x86)\ISOMate Pro\D3Dcompiler_47.dll (copy)	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\ISOMate Pro.exe (copy)	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\Qt6Core.dll (copy)	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\Qt6Gui.dll (copy)	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\Qt6Network.dll (copy)	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\Qt6Sql.dll (copy)	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\Qt6Svg.dll (copy)	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\Qt6Widgets.dll (copy)	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\aria2c.exe (copy)	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\iconengines\is-AU4ZA751IT.tmp	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\iconengines\qsvgicon.dll (copy)	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\imageformats\is-9QZRK4UCS2.tmp	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\imageformats\is-DT5SZLBJ0W.tmp	0%	ReversingLabs		

Source	Detection	Scanner	Label	Link
C:\Program Files (x86)\ISOMate Pro\imageformats\is-FUY78GLP4K.tmp	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\imageformats\is-GWKTFZ719O.tmp	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\imageformats\is-L7LQJ0U36L.tmp	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\imageformats\is-R75ARGADBI.tmp	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\imageformats\is-T37SEREFHY.tmp	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\imageformats\is-UHR26NTAE3.tmp	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\imageformats\is-ZY54ZKOYSL.tmp	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\imageformats\lqqif.dll (copy)	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\imageformats\lqicns.dll (copy)	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\imageformats\lqico.dll (copy)	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\imageformats\lqjpeg.dll (copy)	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\imageformats\lqsvg.dll (copy)	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\imageformats\lqtga.dll (copy)	0%	ReversingLabs		
C:\Program Files (x86)\ISOMate Pro\imageformats\lqtiff.dll (copy)	0%	ReversingLabs		

Unpacked PE Files

 No Antivirus matches

Domains

 No Antivirus matches

URLs

Source	Detection	Scanner	Label	Link
http://https://www.syscute.com/api/isomate-versions.json	0%	Avira URL Cloud	safe	
http://cv.iptc.org/newscodes/digitalsourcetype/trainedAlgorithmicMedia	0%	Avira URL Cloud	safe	
http://bugreports.qt.io/	0%	Avira URL Cloud	safe	
http://https://www.syscute.com/yl	0%	Avira URL Cloud	safe	
http://www.phreedom.org/md5)08:27	0%	Avira URL Cloud	safe	
http://https://www.syscute.com/guide/isomate7.html	0%	Avira URL Cloud	safe	
http://va.truepic.com/ejbca/publicweb/status/ocsp0	0%	Avira URL Cloud	safe	
http://https://www.dsrelease.com/en_windows_11_version_26h1_x64.iso	0%	Avira URL Cloud	safe	
http://ocsp.entrust.net02	0%	Avira URL Cloud	safe	
http://https://www.dsrelease.com/en_windows_11_version_24h2_x64.iso	0%	Avira URL Cloud	safe	
http://https://www.dsrelease.com/en_windows_10_enterprise_lts_2019_x64.iso	0%	Avira URL Cloud	safe	
http://https://www.syscute.com/support.html	0%	Avira URL Cloud	safe	
http://https://www.dsrelease.com/en_windows_8.1_with_update_x86.iso	0%	Avira URL Cloud	safe	
http://https://www.regserver3.com/admin/checkregister.phpapplication/x-www-form-urlencodedISOMate7/4.7.536p	0%	Avira URL Cloud	safe	
http://https://www.dsrelease.com/en_windows_11_version_23h2_x64.iso	0%	Avira URL Cloud	safe	
http://https://www.dsrelease.com/en_windows_10_version_22h2_x86.iso	0%	Avira URL Cloud	safe	
http://https://www.syscute.com/guide/isomate7.htmlwindows_generic_MSG	0%	Avira URL Cloud	safe	
http://www.fontbureau.com/designers/frere-user.htmlr-t	0%	Avira URL Cloud	safe	
http://https://dejavu-fonts.github.io/	0%	Avira URL Cloud	safe	
http://www.phreedom.org/md5)	0%	Avira URL Cloud	safe	
http://https://www.syscute.com/buy/isomate7.html	0%	Avira URL Cloud	safe	
http://bugreports.qt.io/_q_receiveReplyServerMicrosoft-IIS/4.Microsoft-IIS/5.Netscape-Enterprise/3.W	0%	Avira URL Cloud	safe	
http://www.carterandcone.comr	0%	Avira URL Cloud	safe	
http://https://www.dsrelease.com/en_windows_11_version_22h2_x64.iso	0%	Avira URL Cloud	safe	
http://https://www.regserver3.com/admin/checkregister.php	0%	Avira URL Cloud	safe	
http://www.color.org:qpdf/sRGB2014.icc	0%	Avira URL Cloud	safe	
http://https://www.dsrelease.com/en_windows_7_ultimate_with_sp1_x64_dvd_u_677332.iso	0%	Avira URL Cloud	safe	
http://https://www.dsrelease.com/en_windows_7_professional_with_sp1_x64_dvd_u_676939.iso	0%	Avira URL Cloud	safe	
http://www.w.org/2000/svg	0%	Avira URL Cloud	safe	
http://https://www.syscute.com/0https://www.syscute.com/0https://www.syscute.com/	0%	Avira URL Cloud	safe	
http://https://www.dsrelease.com/en_windows_8.1_with_update_x64.iso	0%	Avira URL Cloud	safe	
http://https://www.syscute.com/Qv#	0%	Avira URL Cloud	safe	

Source	Detection	Scanner	Label	Link
http://https://www.syscute.com/support.htmlhttps://www.syscute.com/buy/isomate7.html/	0%	Avira URL Cloud	safe	
http://https://www.syscute.com/	0%	Avira URL Cloud	safe	
http://https://www.dsrelease.com/en_windows_11_version_25h2_x64.iso	0%	Avira URL Cloud	safe	
http://https://www.dsrelease.com/en_windows_7_home_premium_with_sp1_x64_dvd_u_676549.iso	0%	Avira URL Cloud	safe	
http://https://www.dsrelease.com/en_windows_10_version_22h2_x64.iso	0%	Avira URL Cloud	safe	
http://https://www.syscute.com/Ah	0%	Avira URL Cloud	safe	

General Information	
Joe Sandbox version:	44.0.0 Smoke Quartz
Analysis ID:	1929752
Start date and time:	2026-06-18 08:33:00 +02:00
Joe Sandbox product:	CloudBasic
Overall analysis duration:	0h 7m 2s
Hypervisor based Inspection enabled:	false
Report type:	light
Cookbook file name:	default.jbs
Analysis system description:	Windows 10 x64 22H2 with Office Professional Plus 2019, Chrome 134, Firefox 118, Adobe Reader DC 23, Java 8 Update 381, 7zip 23.01
Number of analysed new started processes analysed:	12
Number of new started drivers analysed:	0
Number of existing processes analysed:	0
Number of existing drivers analysed:	0
Number of injected processes analysed:	0
Technologies:	- EGA enabled - AMSI enabled
Analysis Mode:	default
Analysis stop reason:	Timeout
Sample name:	ISOMate.exe
Detection:	CLEAN
Classification:	clean14.winEXE@8/87@1/1
Cookbook Comments:	Found application associated with file extension: .exe

Warnings
- Exclude process from analysis (whitelisted): MpCmdRun.exe, dllhost.exe, WMIADAP.exe, SIHClient.exe, conhost.exe, svchost.exe - Excluded domains from analysis (whitelisted): slscr.update.microsoft.com, ctldl.windowsupdate.com, www.microsoft.com, casoneroutegold-prod-bggfgca0dkaag8a8.b01.azurefd.net, fe3cr.delivery.mp.microsoft.com - Not all processes where analyzed, report is missing behavior information - Report size exceeded maximum capacity and may have missing behavior information. - Report size getting too big, too many NtCreateKey calls found. - Report size getting too big, too many NtOpenKeyEx calls found. - Report size getting too big, too many NtProtectVirtualMemory calls found. - Report size getting too big, too many NtQueryValueKey calls found. - Report size getting too big, too many NtSetInformationFile calls found.

Simulations		
Behavior and APIs		
Time	Type	Description
02:34:23	API Interceptor	3030x Sleep call for process: ISOMate Pro.exe modified
02:34:37	API Interceptor	38x Sleep call for process: powershell.exe modified

Joe Sandbox View / Context

IPs

No context

Domains

No context

ASNs

No context

JA3 Fingerprints

No context

Dropped Files

No context

Yara Signatures

No yara matches

Sigma Signatures

Sigma detected: Non Interactive PowerShell Process Spawned

Suricata Signatures

No Suricata rule has matched

Joe Sandbox Signatures

Hooking and other Techniques for Hiding and Protection



Loading BitLocker PowerShell Module

Mitre Att&ck Matrix

Reconnai...	Resource Developm...	Initial Access	Execution	Persisten...	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Command and Control	Exfiltration	Impact
Gather Victim Identity Information	Acquire Infrastructure	Valid Accounts	1 Command and Scripting Interpreter	1 Registry Run Keys / Startup Folder	1 1 Process Injection	2 Masquerading	OS Credential Dumping	1 System Time Discovery	Remote Services	1 Archive Collected Data	1 Encrypted Channel	Exfiltration Over Other Network Medium	Abuse Accessibility Features

Reconnaissance	Resource Development	Initial Access	Execution	Persistence	Privilege Escalation	Defense Evasion	Credential Access	Discovery	Lateral Movement	Collection	Command and Control	Exfiltration	Impact
Credentials	Domains	Default Accounts	Scheduled Task/Job	1 DLL Side-Loading	1 Registry Run Keys / Startup Folder	2 1 Virtualization/Sandbox Evasion	LSASS Memory	1 Security Software Discovery	Remote Desktop Protocol	Data from Removable Media	1 Ingress Tool Transfer	Exfiltration Over Bluetooth	Network Denial of Service
Email Addresses	DNS Server	Domain Accounts	At	Logon Script (Windows)	1 DLL Side-Loading	1 1 Process Injection	Security Account Manager	1 Process Discovery	SMB/Windows Admin Shares	Data from Network Shared Drive	2 Non-Application Layer Protocol	Automated Exfiltration	Data Encrypted for Impact
Employee Names	Virtual Private Server	Local Accounts	Cron	Login Hook	Login Hook	1 Software Packing	NTDS	2 1 Virtualization/Sandbox Evasion	Distributed Component Object Model	Input Capture	1 3 Application Layer Protocol	Traffic Duplication	Data Destruction
Gather Victim Network Information	Server	Cloud Accounts	Launchd	Network Logon Script	Network Logon Script	1 DLL Side-Loading	LSA Secrets	1 Application Window Discovery	SSH	Keylogging	Fallback Channels	Scheduled Transfer	Data Encrypted for Impact
Domain Properties	Botnet	Replication Through Removable Media	Scheduled Task	RC Scripts	RC Scripts	Steganography	Cached Domain Credentials	2 System Owner/User Discovery	VNC	GUI Input Capture	Multiband Communication	Data Transfer Size Limits	Service Stop
DNS	Web Services	External Remote Services	Systemd Timers	Startup Items	Startup Items	Compile After Delivery	DCSync	1 File and Directory Discovery	Windows Remote Management	Web Portal Capture	Commonly Used Port	Exfiltration Over C2 Channel	Inhibit System Recovery
Network Trust Dependencies	Serverless	Drive-by Compromise	Container Orchestration Job	Scheduled Task/Job	Scheduled Task/Job	Indicator Removal from Tools	Proc Filesystem	2 2 System Information Discovery	Cloud Services	Credential API Hooking	Application Layer Protocol	Exfiltration Over Alternative Protocol	Defacement

Domains and IPs						
Contacted Domains						
Name	IP		Active	Malicious	Antivirus Detection	Reputation
www.syscute.com	45.32.86.219		true	false		unknown

URLs from Memory and Binaries					
Name	Source			Malicious	Antivirus Detection
http://crl.entrust.net/g2ca.crl0	ISOMate.tmp, 00000001.00000003.2058640269.000000000661C000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 0000001.00000003.2058640269.0000000006695000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640269.0000000006080000.00000004.00001000.00020000.00000000.sdmp			false	
http://https://jrsoftware.org/ishelp/index.php?topic=setupcmdlineSetupU	ISOMate.exe, 00000000.00000000.1856950977.0000000000B51000.00000020.00000001.0100000.00000003.sdmp			false	
http://cv.iptc.org/newscodes/digitalsourcetype/trainedAlgorithmicMedia	ISOMate Pro.exe, 00000006.00000000.2047901589.00007FF72BDAC000.00000002.00000001.01000000.00000009.sdmp, ISOMate Pro.exe, 00000006.00000002.3159078048.00007FF72BDAC000.00000002.00000001.01000000.00000009.sdmp			false	Avira URL Cloud: safe
http://www.fontbureau.com/designersG	ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E75C0000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E8443000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3156946586.00000248F21A5000.00000004.00000800.00020000.00000000.sdmp			false	

Name	Source	Malicious	Antivirus Detection	Reputation
http://crl.entrust.net/ts1ca.crl0L	ISOMate.tmp, 00000001.00000003.2058640269.000000000661C000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640269.0000000006695000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640269.0000000006080000.00000004.00001000.00020000.00000000.sdmp	false		high
http://https://www.syscute.com/api/isomate-versions.json	ISOMate Pro.exe, 00000006.00000000.2047901589.00007FF72BDAC000.00000002.00000001.01000000.00000009.sdmp, ISOMate Pro.exe, 00000006.00000002.3159078048.00007FF72BDAC000.00000002.00000001.01000000.00000009.sdmp	false	Avira URL Cloud: safe	unknown
http://www.fontbureau.com/designers/?	ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E75C0000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E7B18000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3156092125.00000248E95B2000.00000004.00000800.00020000.00000000.sdmp	false		high
http://www.phreedom.org/md5)08:27	ISOMate Pro.exe, 00000006.00000002.3162321990.00007FF9A0B6A000.00000002.00000001.01000000.00000011.sdmp	false	Avira URL Cloud: safe	unknown
http://www.founder.com.cn/cn/bThe	ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E75C0000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E7B18000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3156432350.00000248EB6C2000.00000004.00000800.00020000.00000000.sdmp	false		high
http://https://www.syscute.com/yl	ISOMate.exe, 00000000.00000003.2068224083.0000000002EE6000.00000004.00001000.00020000.00000000.sdmp	false	Avira URL Cloud: safe	unknown
http://ocsp.entrust.net03	ISOMate.tmp, 00000001.00000003.2058640269.000000000661C000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640269.0000000006695000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640269.0000000006080000.00000004.00001000.00020000.00000000.sdmp	false		high
http://ocsp.entrust.net02	ISOMate.tmp, 00000001.00000003.2058640269.000000000661C000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640269.0000000006695000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640269.0000000006080000.00000004.00001000.00020000.00000000.sdmp	false	Avira URL Cloud: safe	unknown
http://www.fontbureau.com/designers?	ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E75C0000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E7B18000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3156092125.00000248E95B2000.00000004.00000800.00020000.00000000.sdmp	false		high
http://https://www.dsrelease.com/en_windows_11_version_24h2_x64.iso	ISOMate Pro.exe, 00000006.00000002.3150057133.00000248824F6000.00000004.00000020.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3147750865.000002488208C000.00000004.00000020.00020000.00000000.sdmp	false	Avira URL Cloud: safe	unknown
http://ocsp.entrust.net01	ISOMate.tmp, 00000001.00000003.2058640269.000000000661C000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640269.0000000006695000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640269.0000000006080000.00000004.00001000.00020000.00000000.sdmp	false		high

Name	Source	Malicious	Antivirus Detection	Reputation
http://ocsp.entrust.net00	ISOMate.tmp, 00000001.00000003.205864026 9.000000000661C000.00000004.00001000.000 20000.00000000.sdmp, ISOMate.tmp, 000000 01.00000003.2058640269.0000000006695000. 00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640 269.0000000006080000.00000004.00001000.0 0020000.00000000.sdmp	false		high
http://https://contoso.com/License	powershell.exe, 00000007.00000002.225071 0169.000001A42BADE000.00000004.00000800. 00020000.00000000.sdmp	false		high
http://https://www.dsrelease.com/en_windows_11_version_26h1_x64.iso	ISOMate Pro.exe, 00000006.00000002.31500 57133.00000248824F6000.00000004.00000020 .00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3147750865.000002488 208C000.00000004.00000020.00020000.00000 000.sdmp	false	Avira URL Cloud: safe	unknown
http://va.truepic.com/ejbca/publicweb/status/ocsp0	ISOMate Pro.exe, 00000006.00000000.20479 01589.00007FF72BDC2000.00000002.00000001 .01000000.00000009.sdmp, ISOMate Pro.exe, 00000006.00000000.2047901589.00007FF72 BDAC000.00000002.00000001.01000000.00000 009.sdmp, ISOMate Pro.exe, 00000006.0000 0000.2047901589.00007FF72BEF2000.0000000 2.00000001.01000000.00000009.sdmp, ISOMate Pro.exe, 00000006.00000002.3159078048.00007FF72 BDAC000.00000002.00000001.01000000.00000 009.sdmp	false	Avira URL Cloud: safe	unknown
http://www.tiro.com	ISOMate Pro.exe, 00000006.00000002.31564 32350.00000248EB6C2000.00000004.00000800 .00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E 83E4000.00000002.00000001.00040000.00000 028.sdmp, ISOMate Pro.exe, 00000006.0000 0002.3152464466.00000248E7A56000.0000000 2.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3156092125.00000248E 95B2000.00000004.00000800.00020000.00000 000.sdmp	false		high
http://www.fontbureau.com/designers	ISOMate Pro.exe, 00000006.00000002.31560 92125.00000248E95B2000.00000004.00000800 .00020000.00000000.sdmp	false		high
http://https://www.syscute.com/guide/isomate7.html	ISOMate Pro.exe, 00000006.00000000.20479 01589.00007FF72BDAC000.00000002.00000001 .01000000.00000009.sdmp, ISOMate Pro.exe, 00000006.00000002.3159078048.00007FF72 BDAC000.00000002.00000001.01000000.00000 009.sdmp	false	Avira URL Cloud: safe	unknown
http://www.goodfont.co.kr	ISOMate Pro.exe, 00000006.00000002.31524 64466.00000248E7AF0000.00000002.00000001 .00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E 75C0000.00000002.00000001.00040000.00000 028.sdmp	false		high
http://bugreports.qt.io/	ISOMate Pro.exe, 00000006.00000002.31623 21990.00007FF9A0B6A000.00000002.00000001 .01000000.00000011.sdmp	false	Avira URL Cloud: safe	unknown
http://https://www.syscute.com/support.html	ISOMate Pro.exe, 00000006.00000000.20479 01589.00007FF72BDAC000.00000002.00000001 .01000000.00000009.sdmp, ISOMate Pro.exe, 00000006.00000002.3159078048.00007FF72 BDAC000.00000002.00000001.01000000.00000 009.sdmp	false	Avira URL Cloud: safe	unknown
http://www.sajatypeworks.com	ISOMate Pro.exe, 00000006.00000002.31524 64466.00000248E75C0000.00000002.00000001 .00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E 7B18000.00000002.00000001.00040000.00000 028.sdmp, ISOMate Pro.exe, 00000006.0000 0002.3156092125.00000248E95B2000.0000000 4.00000800.00020000.00000000.sdmp	false		high
http://www.typography.netD	ISOMate Pro.exe, 00000006.00000002.31524 64466.00000248E75C0000.00000002.00000001 .00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E 7B18000.00000002.00000001.00040000.00000 028.sdmp, ISOMate Pro.exe, 00000006.0000 0002.3156432350.00000248EB6C2000.0000000 4.00000800.00020000.00000000.sdmp	false		high

Name	Source	Malicious	Antivirus Detection	Reputation
http://www.founder.com.cn/cn/cThe	ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E830E000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E75C0000.00000002.00000001.00040000.0000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3156946586.00000248F2089000.00000004.00000800.00020000.00000000.sdmp	false		high
http://www.galapagosdesign.com/staff/dennis.htm	ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E75C0000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E7B18000.00000002.00000001.00040000.0000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3156432350.00000248EB6C2000.00000004.00000800.00020000.00000000.sdmp	false		high
http://fontfabrik.com	ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E787D000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E75C0000.00000002.00000001.00040000.0000028.sdmp	false		high
http://crl.entrust.net/csbr1.cr10	ISOMate.tmp, 00000001.00000003.2058640269.000000000661C000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640269.0000000006695000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640269.0000000006080000.00000004.00001000.00020000.00000000.sdmp	false		high
http://https://www.remobjects.com/ps	ISOMate.exe, 00000000.00000003.1858483962.0000000003271000.00000004.00001000.00020000.00000000.sdmp, ISOMate.exe, 00000000.00000003.1858862981.000000007F9F0000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000000.1861023669.00000000003B1000.00000020.00000001.01000000.00000004.sdmp	false		high
http://www.npes.org/pdfx/ns/id/	ISOMate Pro.exe, 00000006.00000002.3161401642.00007FF9A07BB000.00000002.00000001.01000000.00000010.sdmp	false		high
http://https://contoso.com/	powershell.exe, 00000007.00000002.2250710169.000001A42BADE000.00000004.00000800.00020000.00000000.sdmp	false		high
http://https://nuget.org/nuget.exe	powershell.exe, 00000007.00000002.2250710169.000001A42BADE000.00000004.00000800.00020000.00000000.sdmp	false		high
http://https://www.innosetup.com/	ISOMate.exe, 00000000.00000003.1858483962.0000000003271000.00000004.00001000.00020000.00000000.sdmp, ISOMate.exe, 00000000.00000003.1858862981.000000007F9F0000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000000.1861023669.00000000003B1000.00000020.00000001.01000000.00000004.sdmp	false		high
http://www.galapagosdesign.com/DPlease	ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E75C0000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E7B18000.00000002.00000001.00040000.0000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3156432350.00000248EB6C2000.00000004.00000800.00020000.00000000.sdmp	false		high
http://https://github.com/microsoft/DirectXShaderCompiler/releasesFailed	ISOMate Pro.exe, 00000006.00000002.3161401642.00007FF9A07BB000.00000002.00000001.01000000.00000010.sdmp	false		high
http://https://www.dsrelease.com/en_windows_10_enterprise_itsc_2019_x64.iso	ISOMate Pro.exe, 00000006.00000002.3150057133.00000248824F6000.00000004.00000020.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3147750865.000002488208C000.00000004.00000020.00020000.00000000.sdmp	false	Avira URL Cloud: safe	unknown
http://www.fonts.com	ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E75C0000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E7B18000.00000002.00000001.00040000.0000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3156092125.00000248E95B2000.00000004.00000800.00020000.00000000.sdmp	false		high

Name	Source	Malicious	Antivirus Detection	Reputation
http://www.sandoll.co.kr	ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E75C0000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E79E1000.00000002.00000001.00040000.0000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E7B04000.00000002.00000001.00040000.00000028.sdmp	false		high
http://www.microsoft.c	ISOMate Pro.exe, 00000006.00000002.3150057133.00000248824F6000.00000004.00000020.00020000.00000000.sdmp	false		high
http://www.urwpp.deDPlease	ISOMate Pro.exe, 00000006.00000002.3156946586.00000248F2200000.00000004.00000800.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E849E000.00000002.00000001.00040000.0000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E75C0000.00000000.2.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E7B18000.00000002.00000001.00040000.0000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3156092125.00000248E95B2000.00000000.4.00000800.00020000.00000000.sdmp	false		high
http://aia.entrust.net/evcs2-chain.p7c01	ISOMate.tmp, 00000001.00000003.2058640269.000000000661C000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640269.0000000006695000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640269.0000000006080000.00000004.00001000.00020000.00000000.sdmp	false		high
http://www.zhongyicts.com.cn	ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E787D000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3156946586.00000248F2146000.00000004.00000800.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E75C0000.00000000.2.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E83E4000.00000002.00000001.00040000.0000028.sdmp	false		high
http://https://www.dsrelease.com/en_windows_8.1_with_update_x86.iso	ISOMate Pro.exe, 00000006.00000002.3150057133.00000248824F6000.00000004.00000020.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3147750865.000002488208C000.00000004.00000020.00020000.00000000.sdmp	false	Avira URL Cloud: safe	unknown
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/name	powershell.exe, 00000007.00000002.2240417688.000001A41BA71000.00000004.00000800.00020000.00000000.sdmp	false		high
http://www.entrust.net/rpa0	ISOMate.tmp, 00000001.00000003.2058640269.000000000661C000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640269.0000000006695000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640269.0000000006080000.00000004.00001000.00020000.00000000.sdmp	false		high
http://www.sakkal.com	ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E75C0000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3156946586.00000248F2002000.00000004.00000800.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E8293000.00000000.2.00000001.00040000.00000028.sdmp	false		high
http://https://www.dsrelease.com/en_windows_11_version_23h2_x64.iso	ISOMate Pro.exe, 00000006.00000002.3150057133.00000248824F6000.00000004.00000020.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3147750865.000002488208C000.00000004.00000020.00020000.00000000.sdmp	false	Avira URL Cloud: safe	unknown
http://https://www.regserver3.com/admin/checkregister.phpapplication/x-www-form-urlencodedISOMate7/4.7.536p	ISOMate Pro.exe, 00000006.00000000.2047901589.00007FF72BDAC000.00000002.00000001.01000000.00000009.sdmp, ISOMate Pro.exe, 00000006.00000002.3159078048.00007FF72BDAC000.00000002.00000001.01000000.00000009.sdmp	false	Avira URL Cloud: safe	unknown


Name	Source	Malicious	Antivirus Detection	Reputation
http://https://www.dsrelease.com/en_windows_10_version_2_2h2_x86.iso	ISOMate Pro.exe, 00000006.00000002.3150057133.00000248824F6000.00000004.00000020.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3147750865.000002488208C000.00000004.00000020.00020000.00000000.sdmp	false	Avira URL Cloud: safe	unknown
http://www.phreedom.org/md5	ISOMate Pro.exe, 00000006.00000002.3162321990.00007FF9A0B6A000.00000002.00000001.01000000.00000011.sdmp	false	Avira URL Cloud: safe	unknown
http://nuget.org/NuGet.exe	powershell.exe, 00000007.00000002.2250710169.000001A42BADE000.00000004.00000800.00020000.00000000.sdmp	false		high
http://www.apache.org/licenses/LICENSE-2.0	ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E75C0000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E8443000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3156946586.00000248F21A5000.000000004.00000800.00020000.00000000.sdmp	false		high
http://www.fontbureau.com	ISOMate Pro.exe, 00000006.00000002.3156946586.00000248F2146000.00000004.00000800.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E75C0000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E7B18000.000000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E8443000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E83E4000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3156946586.00000248F21A5000.000000004.00000800.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3156092125.00000248E95B2000.00000004.00000800.00020000.00000000.sdmp	false		high
http://https://doc.qt.io/qt-6/highdpi.html#configuring-windows).	ISOMate.tmp, 00000001.00000003.2058640269.0000000006695000.00000004.00001000.00020000.00000000.sdmp	false		high
http://www.fontbureau.com/designers/frere-user.html r-t	ISOMate Pro.exe, 00000006.00000003.2121232234.00000248E70FA000.00000004.00000020.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000003.2120803943.00000248E70F3000.00000004.00000020.00020000.00000000.sdmp	false	Avira URL Cloud: safe	unknown
http://https://www.syscute.com/guide/isomate7.html lwindows_generic_MSG	ISOMate Pro.exe, 00000006.00000000.2047901589.00007FF72BDAC000.00000002.00000001.01000000.00000009.sdmp, ISOMate Pro.exe, 00000006.00000002.3159078048.00007FF72BDAC000.00000002.00000001.01000000.00000009.sdmp	false	Avira URL Cloud: safe	unknown
http://www.aiim.org/pdfa/ns/id/	ISOMate Pro.exe, 00000006.00000002.3161401642.00007FF9A07BB000.00000002.00000001.01000000.00000010.sdmp	false		high
http://www.entrust.net/rpa03	ISOMate.tmp, 00000001.00000003.2058640269.000000000661C000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640269.0000000006695000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640269.0000000006080000.00000004.00001000.00020000.00000000.sdmp	false		high
http://https://dejavu-fonts.github.io/	ISOMate Pro.exe, 00000006.00000002.3161401642.00007FF9A07BB000.00000002.00000001.01000000.00000010.sdmp	false	Avira URL Cloud: safe	unknown
http://https://contoso.com/icon	powershell.exe, 00000007.00000002.2250710169.000001A42BADE000.00000004.00000800.00020000.00000000.sdmp	false		high
http://www.carterandcone.com r	ISOMate Pro.exe, 00000006.00000003.2166648581.00000248E7100000.00000004.00000020.00020000.00000000.sdmp	false	Avira URL Cloud: safe	unknown
http://https://github.com/microsoft/DirectXShaderCompiler/releases	ISOMate Pro.exe, 00000006.00000002.3161401642.00007FF9A07BB000.00000002.00000001.01000000.00000010.sdmp	false		high

Name	Source	Malicious	Antivirus Detection	Reputation
http://aia.entrust.net/ts1-chain256.cer01	ISOMate.tmp, 00000001.00000003.2058640269.000000000661C000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640269.0000000006695000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640269.0000000006080000.00000004.00001000.00020000.00000000.sdmp	false		high
http://bugreports.qt.io/_q_receiveReplyServerMicrosoft-IIS/4.Microsoft-IIS/5.Netscape-Enterprise/3.W	ISOMate Pro.exe, 00000006.00000002.3162321990.00007FF9A0B6A000.00000002.00000001.01000000.00000011.sdmp	false	Avira URL Cloud: safe	unknown
http://https://www.syscute.com/buy/isomate7.html	ISOMate Pro.exe, 00000006.00000000.2047901589.00007FF72BDAC000.00000002.00000001.01000000.00000009.sdmp, ISOMate Pro.exe, 00000006.00000002.3159078048.00007FF72BDAC000.00000002.00000001.01000000.00000009.sdmp	false	Avira URL Cloud: safe	unknown
http://https://doc.qt.io/qt-6/highdpi.html#configuring-windows).Qt_q_windowsDropShadowQWindowToolTooITipPop	ISOMate.tmp, 00000001.00000003.2058640269.0000000006695000.00000004.00001000.00020000.00000000.sdmp	false		high
http://https://www.regserver3.com/admin/checkregister.php	ISOMate Pro.exe, 00000006.00000000.2047901589.00007FF72BDAC000.00000002.00000001.01000000.00000009.sdmp, ISOMate Pro.exe, 00000006.00000002.3159078048.00007FF72BDAC000.00000002.00000001.01000000.00000009.sdmp	false	Avira URL Cloud: safe	unknown
http://www.carterandcone.coml	ISOMate Pro.exe, 00000006.00000002.3156946586.00000248F2200000.00000004.00000800.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E849E000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E75C0000.00000002.00000001.00040000.00000028.sdmp	false		high
http://https://www.dsrelease.com/en_windows_11_version_2_2h2_x64.iso	ISOMate Pro.exe, 00000006.00000002.3150057133.00000248824F6000.00000004.00000020.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3147750865.000002488208C000.00000004.00000020.00020000.00000000.sdmp	false	Avira URL Cloud: safe	unknown
http://www.fontbureau.com/designers/cabarga.htmlN	ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E75C0000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E7B18000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3156432350.00000248EB6C2000.00000004.00000800.00020000.00000000.sdmp	false		high
http://www.w.org/2000/svg	ISOMate Pro.exe, 00000006.00000002.3150057133.0000024882478000.00000004.00000020.00020000.00000000.sdmp	false	Avira URL Cloud: safe	unknown
http://www.color.org/qpdf/sRGB2014.icc	ISOMate Pro.exe, 00000006.00000002.3161401642.00007FF9A07BB000.00000002.00000001.01000000.00000010.sdmp	false	Avira URL Cloud: safe	unknown

Name	Source	Malicious	Antivirus Detection	Reputation
http://www.founder.com.cn/cn	ISOMate Pro.exe, 00000006.00000002.3156946586.00000248F204C000.00000004.00000800.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E830E000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3156946586.00000248F206A000.00000004.00000800.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E7ACC000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3156946586.00000248F2027000.00000004.00000800.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E75C0000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E82EA000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E7A56000.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E8293000.00000002.00000001.00040000.00000028.sdmp	false		high
http://www.fontbureau.com/designers/frere-user.html	ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E75C0000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E7B18000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3156432350.00000248EB6C2000.00000004.00000800.00020000.00000000.sdmp	false		high
http://https://www.dsrelease.com/en_windows_7_professional_with_sp1_x64_dvd_u_676939.iso	ISOMate Pro.exe, 00000006.00000002.3150057133.00000248824F6000.00000004.00000020.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3147750865.000002488208C000.00000004.00000020.00020000.00000000.sdmp	false	Avira URL Cloud: safe	unknown
http://https://www.dsrelease.com/en_windows_7_ultimate_with_sp1_x64_dvd_u_677332.iso	ISOMate Pro.exe, 00000006.00000002.3150057133.00000248824F6000.00000004.00000020.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3147750865.000002488208C000.00000004.00000020.00020000.00000000.sdmp	false	Avira URL Cloud: safe	unknown
http://https://www.syscute.com/0https://www.syscute.com/0https://www.syscute.com/	ISOMate.exe, 00000000.00000003.1857327251.0000000003260000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.1862899755.0000000003190000.00000004.00001000.00020000.00000000.sdmp	false	Avira URL Cloud: safe	unknown
http://https://www.syscute.com/Qv#	ISOMate.tmp, 00000001.00000003.2061646034.0000000001236000.00000004.00001000.00020000.00000000.sdmp	false	Avira URL Cloud: safe	unknown
http://https://www.dsrelease.com/en_windows_8.1_with_update_x64.iso	ISOMate Pro.exe, 00000006.00000002.3150057133.00000248824F6000.00000004.00000020.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3147750865.000002488208C000.00000004.00000020.00020000.00000000.sdmp	false	Avira URL Cloud: safe	unknown

Name	Source	Malicious	Antivirus Detection	Reputation
http://www.jiyu-kobo.co.jp/	ISOMate Pro.exe, 00000006.00000002.3156946586.00000248F220000.00000004.00000800.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3156946586.00000248F22D4000.00000004.00000800.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000006.00000002.3156946586.00000248F2305000.00000004.00000800.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3156946586.00000248F236B000.00000004.00000800.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3156946586.00000248F239D000.00000004.00000800.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E75C0000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3156946586.00000248F233B000.00000004.00000800.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3146865038.0000024881B8B000.00000004.00000800.00020000.00000000.sdmp	false		high
http://https://www.syscute.com/	ISOMate.exe, 00000000.00000003.2068224083.0000000002EE6000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2061646034.0000000001236000.00000004.00001000.00020000.00000000.sdmp	false	Avira URL Cloud: safe	unknown
http://https://www.dsrelease.com/en_windows_11_version_2_5h2_x64.iso	ISOMate Pro.exe, 00000006.00000002.3150057133.00000248824F6000.00000004.00000020.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3147750865.000002488208C000.00000004.00000020.00020000.00000000.sdmp	false	Avira URL Cloud: safe	unknown
http://https://www.syscute.com/support.htmlhttps://www.syscute.com/buy/isomate7.html/	ISOMate Pro.exe, 00000006.00000000.2047901589.00007FF72BDAC000.00000002.00000001.01000000.00000009.sdmp, ISOMate Pro.exe, 00000006.00000002.3159078048.00007FF72BDAC000.00000002.00000001.01000000.00000009.sdmp	false	Avira URL Cloud: safe	unknown
http://www.fontbureau.com/designers8	ISOMate Pro.exe, 00000006.00000002.3156946586.00000248F2146000.00000004.00000800.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E75C0000.00000002.00000001.00040000.00000028.sdmp, ISOMate Pro.exe, 00000006.00000002.3152464466.00000248E83E4000.00000002.00000001.00040000.00000028.sdmp	false		high
http://https://www.dsrelease.com/en_windows_7_home_premium_with_sp1_x64_dvd_u_676549.iso	ISOMate Pro.exe, 00000006.00000002.3150057133.00000248824F6000.00000004.00000020.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3147750865.000002488208C000.00000004.00000020.00020000.00000000.sdmp	false	Avira URL Cloud: safe	unknown
http://https://aka.ms/pscore68	powershell.exe, 00000007.00000002.2240417688.000001A41BA71000.00000004.00000800.00020000.00000000.sdmp	false		high
http://https://www.dsrelease.com/en_windows_10_version_2_2h2_x64.iso	ISOMate Pro.exe, 00000006.00000002.3150057133.00000248824F6000.00000004.00000020.00020000.00000000.sdmp, ISOMate Pro.exe, 00000006.00000002.3147750865.000002488208C000.00000004.00000020.00020000.00000000.sdmp	false	Avira URL Cloud: safe	unknown
http://crl.entrust.net/evcs2.crl0	ISOMate.tmp, 00000001.00000003.2058640269.000000000661C000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640269.0000000006695000.00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640269.0000000006080000.00000004.00001000.00020000.00000000.sdmp	false		high
http://https://www.syscute.com/Ah	ISOMate.exe, 00000000.00000003.2068224083.0000000002EE6000.00000004.00001000.00020000.00000000.sdmp	false	Avira URL Cloud: safe	unknown

Name	Source	Malicious	Antivirus Detection	Reputation
http://crl.entrust.net/2048ca.crl0	ISOMate.tmp, 00000001.00000003.205864026 9.000000000661C000.00000004.00001000.000 20000.00000000.sdmp, ISOMate.tmp, 000000 01.00000003.2058640269.0000000006695000. 00000004.00001000.00020000.00000000.sdmp, ISOMate.tmp, 00000001.00000003.2058640 269.0000000006080000.00000004.00001000.0 0020000.00000000.sdmp	false		high
http://https://www.entrust.net/rpa0	ISOMate.tmp, 00000001.00000003.205864026 9.0000000006080000.00000004.00001000.000 20000.00000000.sdmp	false		high



Public IPs

IP	Domain	Country	Flag	ASN	ASN Name	Malicious
45.32.86.219	www.syscute.com	United States		20473	AS-VULTR-TheConstantCompanyLLCUS	false

Created / dropped Files

C:\Program Files (x86)\ISOMate Pro\D3Dcompiler_47.dll (copy)	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (console) x86-64, for MS Windows
Category:	dropped
Size (bytes):	4173928
Entropy (8bit):	6.329102290474506
Encrypted:	false
SSDEEP:	49152:8BfmqCtLI4erBYysLjG/A8McPyCD6hw16JVTW7B3EgvVIQ3LAYmyNOvGJse+aWyb:8eZevVKACOVWYQF
MD5:	B0AE3AA9DD1EBD60BDF51CB94834CD04
SHA1:	EE2F5726AC140FB42D17ABA033D678AFAF8C39C1
SHA-256:	E994847E01A6F1E4CBDC5A864616AC262F67EE4F14DB194984661A8D927AB7F4

MD5:	DE4F0B6CB9C475E6FC8DED8DD34C888F
SHA1:	F5A497BDAB70530BB35F408DB6E1EE2538CC6FF7
SHA-256:	9DAE9067DFDAB107748649E533BEF6F2E8452119936AA68A91E63F1613FBD81F
SHA-512:	66632CBB51215E26C89EAE307113E0D194F13D0E5E4542ABFBBD28076F916E0EFA8741AF50E31A9ECF356F06BD8A55B9A124AF7CC296224C5EFDF129F7AD51F3
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode...\$......N.K. .K. .K. .B. .J. .\$.C. ...#.L. ...%.P. ...!A. .9.\$..!..I. .9.%J. .9.I.^ .K.I.u ...\$.g. ...%.g. ...J.J. .K..J. ...".J. .RichK.PE..d..7(7h....." ..'.g..)...`g.....#.....`A.....U)..%.. {.....N...0... ..d..@.t.p.....t.(....t.@.....g..1.....text..g.....g.....`rdata..J.I..g...!..g.....@..@.data...H.....@..pdata.....`.....N.....@..@_RDATA.0.....@..@.rsrc.....@..@.reloc...d... ..f.....@..B.....

C:\Program Files (x86)\ISOMate Pro\Qt6Network.dll (copy) 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	1733768
Entropy (8bit):	6.521292137964761
Encrypted:	false
SSDEEP:	12288:UB6RkkBjnPA7zXA5Bd7YjP1IcaJRwnmn4bdt/SgHyqUxvVZ3/RP79ixCXdDkSp8s:FVLuwQL1lclRWnmcqgSrvVnP7HXiDA
MD5:	B5179084A901FDD0D845D9D45F94021A
SHA1:	3BF319621633575FDDDD8E2CA7E776751C4C0FE2
SHA-256:	5E066F987A19732CFE46DF77731885C634EA5C4E25E115F8DE31F7CE18C7B78C
SHA-512:	931E5A2F9B78AE80E025A98A69E90CA0B0DCAAB71AE326AB49D6231AC52DE77D57B405B13E022F2A612331F4DF17CD94C94FAB0539BE4A32A14326A27DD21028
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....(.....!..L.!This program cannot be run in DOS mode...\$......0...t.w.t.w.t.w.}..~.w..9s. w..9t.p.w..9r.o.w..9v. w..9s.u.w..9v.d.w..v.w.w.t.v...w...s.u.w...r*.w...w.u.w...u.w.t...u.w...u.u.w.Richt.w.....PE..d...'7h....." ..'.g.....`g.....#.....`A.....;..... ...P.....0.. ...D...0...`..l.0..p.....(.....@.....text.....`rdata.....@..@.data.....r.....@..pdata..0.....@..@.rsrc.....P.....@..@.reloc...l..'..".....@..B.....

C:\Program Files (x86)\ISOMate Pro\Qt6Sql.dll (copy) 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	309384
Entropy (8bit):	6.416689330526006
Encrypted:	false
SSDEEP:	6144:gXGBjbx5N8Tw1z4Zzhvnl7WLc8Sm2dyar6:g6jb58Gmvnl7WAb6
MD5:	FCB7FFD37FB5F33F47A35EB0F5B79F4C
SHA1:	910000ADDEC38ECC3C74F06EF1377449D3C04DC3
SHA-256:	010375E82D3ADCCDA7499F09382B0D9BEBF3248D2F76EB68D3CEF031A6534C03
SHA-512:	CB196C2A99461993B5D37F60380FAD3B6E6A84A9F9478C9ED26F66408E3E4941AB93F124CECB4446BB8A774B605FDE1670C260F28404165539E6C41CBADF8DB3
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode...\$......9...4).....4).....4).....)*.....*.....*.....*U....=.....*.....Rich.....PE..d..'7h....." ..'.g.....`g.....#.....`A.....w.....p.. 7.....0.....0?...p.....@..(....=..@.....text.....`rdata..L.....N.....@..@.data...(P.....6.....@....pdata.. 7...p...8...D.....@..@.rsrc.....@..@.reloc.....@..B.....

C:\Program Files (x86)\ISOMate Pro\Qt6Svg.dll (copy) 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	606856
Entropy (8bit):	6.465036864111874
Encrypted:	false

[illegible]

C:\Program Files (x86)\ISOMate Pro\Qt6Widgets.dll (copy) 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	6527624
Entropy (8bit):	6.642015377345671
Encrypted:	false
SSDEEP:	196608:OgEsAbh0BwcMfGKQ21h3946LS6FkcC99h5f:O9sAbh0Bwc1/21h3946LSCyPh5f
MD5:	2D41CA7E263635ADC6E08F18103271ED
SHA1:	C90649C2C3708ED0363169B19838752A6271FEFA
SHA-256:	B323340A5F24EBBE33E521E19EAB91EC59CDE5BF31A67DC3FC028E6E26AFF74B
SHA-512:	01B367D2CC8B30F4DD98C745B17780F603D9820A3D6E040A6E8F625AC94C73B599647D97C869EBA367304647F8DFFD7C7522B6C7E2B19AAF3AD4CE8001ABAE2
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode...\$.....#...M...M...M.....M.5EI...M.5EN...M.5EH...M.5EL...M..FL... M.EL...M..L~...M..FH.G.M..FM...M.F...M.....M..FO...M.Rich..M.....PE..d....(7h....."...' ^?...\$.....X?.....c.....f.c...`A..... .S...Z.@...b..._...jc..0...b...L.p.....L.(...@.L.@.....p?.Xc.....text...MJ?.....^?.....`rdata...E...p?..F...b?.....@...@.data....]... .J..N...J.....@...p.data....._.....^.....@...@.rsrc.....b...b.....@...@.reloc.....b...b.....@...B.....

C:\Program Files (x86)\ISOMate Pro\aria2c.exe (copy) 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (console) x86-64 (stripped to external PDB), for MS Windows
Category:	dropped
Size (bytes):	5653160
Entropy (8bit):	6.394140879031524
Encrypted:	false
SSDEEP:	98304:IgRiP5jnFTyGZEWxSIBHVGT+t1ufqchZr:SRZDFTyGaHIJoWofqc7
MD5:	212BEC35A26FE1C085B818B001DDF439
SHA1:	857769383131DA5F14545253272E435670D404C0
SHA-256:	B0A3626C4BE4DA456D37D2FC3EDFC085ACE7D68AE668ECC4D0D3B5B1D6BEA2AE
SHA-512:	0D4FD00A63F480ED31C832801D64C3C0C16CBFDAFC1690DB1E8AA536B0549CD52D41210216C726EE4E85BCB381C963B7FD9253F024EBA248503D202A9581669
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode...\$.PE..d.....&ZF..0V..<.....@..... V.....V...`.....V../.....0O....4V.....`V..a.....vL.(.....V.....text...XF.....ZF.....`..`data...z...pF.. ...AF.....@...rdata..9...F...F.....@...@.pdata.....0O.....O.....@...@.xdata.....Q.....Q.....@...@.bss.....:U.....idata../...V..0...U...@...CRT...h...@V.....U.....@...tls.....PV.....U.....@...reloc..la...`V..b...U.....@...B.....

C:\Program Files (x86)\ISOMate Pro\iconengines\is-AU4ZA751IT.tmp 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	78984
Entropy (8bit):	6.424061700436977
Encrypted:	false

SSDEEP:	1536:mVhQvYqD9vjxEbjwjzAg0nuV8mcjr1VkUdX5/b0gKxngOy:mEbDEY03mcjr1V1X5/bdK2
MD5:	BC5F6C96F01E4F97B692FD899FF431FF
SHA1:	4B8A5423CBDE1530107E22A501CC3D2749672A27
SHA-256:	8D6516E33D975A2317EC8AC9BCE273F1B8DDF59550EAE8CA41FB90CAF8D3DFEF
SHA-512:	EA58ADD5BA7EECE8A43919A17503F0C697743F8C9350BF4E75909731A66B0E378762E2E5913F250042D0834D4A44C3465571D63F4B455C2E7B6B6D8B9EDF1824
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode....\$.....p..c#..c#..c#...#..c#HSb"..c#HSf"..c#HSg"..c#HS"..c#.Sb"..c#zPb"..c#..b#..c#zPf"..c#zPc"..c#zP.#..c#...#..c#zPa"..c#Rich..c#.....PE..d....i7h....." ..'.....\.....P.....`A.....x.....0.....0...@.....p.....(.....@.....text...;.....`rdata..@<.....>.....@.....@..@.data..x.....@.....@..@.pdata.....@.....@..@.qtmetaadj.....@.....@..P.rsrc.....0.....@.....@..@.reloc.....@.....@.....@..B.....

C:\Program Files (x86)\ISOMate Pro\iconengines\qsvgicon.dll (copy) 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	78984
Entropy (8bit):	6.424061700436977
Encrypted:	false
SSDEEP:	1536:mVhQvYqD9vjxEbjwjzAg0nuV8mcjr1VkUdX5/b0gKxngOy:mEbDEY03mcjr1V1X5/bdK2
MD5:	BC5F6C96F01E4F97B692FD899FF431FF
SHA1:	4B8A5423CBDE1530107E22A501CC3D2749672A27
SHA-256:	8D6516E33D975A2317EC8AC9BCE273F1B8DDF59550EAE8CA41FB90CAF8D3DFEF
SHA-512:	EA58ADD5BA7EECE8A43919A17503F0C697743F8C9350BF4E75909731A66B0E378762E2E5913F250042D0834D4A44C3465571D63F4B455C2E7B6B6D8B9EDF1824
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode....\$.....p..c#..c#..c#...#..c#HSb"..c#HSf"..c#HSg"..c#HS"..c#.Sb"..c#zPb"..c#..b#..c#zPf"..c#zPc"..c#zP.#..c#...#..c#zPa"..c#Rich..c#.....PE..d....i7h....." ..'.....\.....P.....`A.....x.....0.....0...@.....p.....(.....@.....text...;.....`rdata..@<.....>.....@.....@..@.data..x.....@.....@..@.pdata.....@.....@..@.qtmetaadj.....@.....@..P.rsrc.....0.....@.....@..@.reloc.....@.....@.....@..B.....

C:\Program Files (x86)\ISOMate Pro\imageformats\is-9QZRK4UCS2.tmp 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	46216
Entropy (8bit):	6.319252215088882
Encrypted:	false
SSDEEP:	768:zLwTp0/weModaXZDpui8620Qgu8nDgl8gKxnVbGYJ1uJNY:Ge/weM6aFmi8620Qgu8H8gKxngOn
MD5:	EE205BC76D737A991BCF5CFEAA47075E
SHA1:	8F763EECCADD2420974CB30D8A02EDBF23C91099
SHA-256:	4B557746B0403489A4A9E9442DE6EFE10042A550D16FCBDD9C5EB73356EB813F
SHA-512:	D99DD22DC85299AF8F9A4D4A8A46D93FBFFD92E60454BDFECF77D5B4042B6DA3BAD6BE01A4196BC6F9F6CCE2C164A48EC16E798A19B659D284F607E2815F F3A
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode....\$.....n.<.*oRV*oRV*oRV#.V.oRV..SW.oRV..WW<oRV..VW<oRV..QW)oRVX.SW(oRV..SW/oRV*oSV.oRV..WW)oRV..RW+oRV..V+oRV*o.V+oRV..PW+oRVRich*oRV.....PE..d...A)7h....." ..'.....L.....>.....`A.....i..t...4j.....x.....0.....Y..p.....Z...(X..@.....P.....text...8.....`rdata...1..P..2...>.....@.....@..@.data.....p.....@.....@.pdata.....t.....@.....@..@.qtmeta.....z.....@.....@..P.rsrc...x.....@.....@..@.reloc.....@.....@.....@..B.....

C:\Program Files (x86)\ISOMate Pro\imageformats\is-DT5SZLBJOW.tmp 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	39048
Entropy (8bit):	6.247060651051872
Encrypted:	false
SSDEEP:	768:tVlv11bdAqqDv7clixuYOQJgKxnVbGYJ1INr:M91BkDTclixuYBJgKxngOX

MD5:	4832A529350C59D7A241B5544523C57C
SHA1:	130863A722484FC9A3FD3D24B4BBB402B09EC022
SHA-256:	81015E30929676194F607F0EA9FA244858447290CC30428AE0B73CD68232B99E
SHA-512:	17B7EB495FA9211CD55B9FA9818CB248AA7DEBAF4EF6B1BC61B7879E416B0E73013EC857943779272080CAC05AEC1B4848334A4D7F528E0901B5DF5A403AC257
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode....\$.....N"...CsR.CsR.CsR.;R.CsR..rS.CsR..vS.CsR..wS.CsR..pS.CsRx.rS.CsR..rS.CsR.CrR.CsR..vS.CsR..sS.CsR...R.CsR.C.R.CsR..qS.CsRRich.CsR.....PE..d....i7h....." ...'\$...F.....p(.....7....'A.....pV..t...V.....x.....h...0.....@I..p.....J..(....H..@.....@.....text...".....\$.....`..rdata.....@.....(.....@...@.data.....p.....V.....@....pdata.....Z.....@...@.qtmetag.....^.....@..P.rsrc...x.....`.....@...@.reloc.....f.....@..B.....

C:\Program Files (x86)\ISOMate Pro\imageformats\is-FUY78GLP4K.tmp 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	439432
Entropy (8bit):	5.847006589028393
Encrypted:	false
SSDEEP:	6144:oz7T4E/zWNOZdC0sPVknR63n3OUXikPQLszL9LJpYEEEEEEBb83yH9d+yhCd4lXa:bYx4JikPQmXg9c2G
MD5:	CD5834FB4DBA37D7E13BD58CD13FB67C
SHA1:	7680741BE8094532921ACDA682BA1EDC8283B8AA
SHA-256:	D06A91324EC9A9A68EA56025F361C26EC22CB99F00AE3A499E55AEFFBF1425D5
SHA-512:	840CADD5759C913B9DCC45BF7CBA764F7C178D4C40CE491BB820FC9BBA54E6B7CF23A730F1EC2E0435F5764420FEEAC08E70657D7E8BAF7037CC13D8217410D
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode....\$.....?...Q...Q...Q...Q.'~P...Q.'~T...Q.'~U...Q.'~R...Q.'~P...Q.)P...Q...P.S.Q...)T...Q...)U...Q...)Q...Q...)Q.....Q...)S...Q.Rich..Q.....PE..d....i7h....." ...'\$.....pM...`A.....`=...x...p..0'.....0.....p.....(.....@.....X.....text.....`..rdata..D.....@...@.data.....`.....L.....@...pdata..0'...p...(...P.....@...@.qtmetag.....x.....@..P.rsrc...x.....z.....@...@.reloc.....@...@..B.....

C:\Program Files (x86)\ISOMate Pro\imageformats\is-GWKTFZ7190.tmp 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	37000
Entropy (8bit):	6.274533383831508
Encrypted:	false
SSDEEP:	768:XnlpvurklxCX2OuSuJEOLcUEgKxnVbGYJ1a1Nu:4Vu4lxCX2KuJEOINEgKxngOj
MD5:	33C8185D6C1AE7C169297107104A5D3A
SHA1:	61DD04DBAAE5B7B18FD43057BF9D8B2D3972ED89
SHA-256:	9A1404282D23E42160DA9B659E2F61DAE8291C4E6FDEDD8AC8DDC0276F5D4698
SHA-512:	C6002869B59B5516B0055BF810B8B7F2D9C3FE9DEDABECF9198FD19C74BFEC05881E2364DE6FF3A7DC9C639BA6F04628121F19593C42AD09E4C8AA559333A16
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode....\$.....U...4yX.4yX.4yX.L.X.4yX}.xY.4yX}. Y.4yX}. Y.4yX}.zY.4yX.xY.4yXO.xY.4yX.4xX.4yXO. Y.4yXO.yY.4yXO..X.4yX.4.X.4yXO.{Y.4yXRich.4yX.....PE..d....i7h....." ...'\$.....pM...`A.....U...x...xU.....x.....`...0.....`H..p.....I..(... G..@.....@...@.....text.....".....`..rdata...&...@...(...&.....@...@.data..p.....N.....@...pdata.....R.....@...@.qtmetag~.....V.....@..P.rsrc...x.....X.....@...@.reloc.....^.....@..B.....

C:\Program Files (x86)\ISOMate Pro\imageformats\is-L7LQJ0U36L.tmp 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	38536
Entropy (8bit):	6.2215645204110075
Encrypted:	false

SSDEEP:	768:AAHhvUlsM2mXG2DaMTtfMe89gKxnVbGYJ1LvNu:vhPv2mXG2DaMTtfMe89gKxngOLQ
MD5:	C01ED88520D28126757BBCB6216E6BC2
SHA1:	C75F974FF722E6A435B79D7675BBAB6D5F966E20
SHA-256:	22C48FBF2D80AB111C55E5F7E508E09BF13E56FD88E0589AD13AEF3427624B0E
SHA-512:	146696C194D2A75D6DE5F3DB1F8EC4222F018C06AED725DC4337B95D502E3A520F6CF421E4C21B85FA98D8913562B5A019966DB7F15ED9FFC20926A257B7F79
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode....\$.....J..[.....1.....;.....;.....;.....;.....8.....f...8.....8..8].....5.....8....Rich.....PE..d....i7h....." ...'\$...D.....(.....`A.....Y..t...Z.....x.....f...0.....J..p .....K..(....l..@.....@..@.....text...["\$.....`..rdata...*...@.....(.....@..@.data.....p.....T.....@...pdata.....X..... @..@.qtmetadu.....\.....@..P.rsrc...x.....^.....@..@.reloc.....d.....@..B.....

C:\Program Files (x86)\ISOMate Pro\imageformats\is-R75ARGADBI.tmp 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	47752
Entropy (8bit):	6.340913560405602
Encrypted:	false
SSDEEP:	768:coTYg/qwa4lBpGtEa5DM9CQfSEQMTDJyh1x+DgKxnVbGYJ122NaL:3TYFwflTLa6sQfSEQMTDJyh1cDgKxngF
MD5:	43E6F661C35A1EA3ACB7F75FC0397941
SHA1:	5C9A7E1DE5F585599F84EA7B1773A6434C8184FF
SHA-256:	C10FBCAF3948E70205162F7D404FAE80E629E92115B7854B069D640C69384F66
SHA-512:	E5F1D01FB676651B3739717370A30879961EBDA3C92D63515E96501E4EE2898FF96954854BB34950A9554A87C674EC466D2E055C5290A333A3D0C9F4600E52EB
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode....\$.....W..z...)...)...)5)...)...)...)...)a:...)9...)...)c..)9...)9.()9Y)...)1)...)9...)Rich...).....PE..d...B)7h....." ...'.F..F.....K.....>....`A.....w..t..dx.....x.....0..... .....h..p.....l..(....g...@.....`.....text...E.....F.....`..rdata...*...`.....J.....@..@.data.....V.....@...pdata.....Z..... @..@.qtmetads.....@..P.rsrc...x.....@..@.reloc.....@..B.....

C:\Program Files (x86)\ISOMate Pro\imageformats\is-T37SREFHY.tmp 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	55944
Entropy (8bit):	6.374116840060655
Encrypted:	false
SSDEEP:	1536:NB0EKj4q+Y5gP5zJNX4Jrl4RZ+aMgKxngOuK:N614wgP5zJKJrl4RZ+cKJ
MD5:	CF17544E87BED21A0D533166F4543CAE
SHA1:	B2D7A0D4F9E2F5FC3123165CEB13DD3400651728
SHA-256:	9CAAAB87EF9C47DA2C41761AF2C0E61F7B3919A1CB755EF209F8D5381E80B777
SHA-512:	0B923282602509F17A70D04F4DFC88E8A58D818EC32C1F95E244E7DA2E559FF188ED4E6D73D329C76A638CDDBF9595DE227FA94B9A13A474DD96A258950A555
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode....\$.....l..'...'.'G;&...'G;'...'G#...'G;\$...';;&...'u8&'...'&...'u8". ..'u8'..'u8...'..'u8%'..Rich..'.....PE..d....i7h....." ...'.R...T.....X.....`A.....x.....x..... 0.....p.....(.....@.....p..`.....text...P.....R.....`..rdata...>...p...@...V.....@..@.data.....@...pdata.....@..@.qtmetadx.....@..P.rsrc...x.....@..@.reloc.....@..B.....

C:\Program Files (x86)\ISOMate Pro\imageformats\is-UHR26NTAE3.tmp 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	575624
Entropy (8bit):	6.400461581048837
Encrypted:	false
SSDEEP:	6144:iAq/ronsAQUFOEjWmqB7UDAKMwQwIUHEuuKWZcrPfECrrSfw1xHyPuo5wQflLalDm:G4BbrrSCSco0i85/xb

MD5:	4A59ACC65D9F3898347DD9FBDBAB7C98
SHA1:	F3A6FBC5B554FB3F2B2CF1FC64B5F21666C50A20
SHA-256:	EF6BF5F66C468D29AC6A0BCB6EF70798352F4864AC6ECB0B3EFD3E17A76C78DC
SHA-512:	2B661D1AF362804E84AFDAE63236D1D9339ECF31BFB0EF82496A4192124B64057DB07A56553D025668625B8A9028B60DF33E39220163529F71BB6F611FBA6AD6
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode...\$......;...t....tU...t....t....t....F....F.....a.. .F....F....F.W....?....F....Rich.....PE..d...B)7h....." ..'......`A.....@=.x...=.....x....8....0..... .P..p.....(.....@.....text.....`.rdata.....@..@.data...(..p....P.....@...pdata..8.....T.....@..@.qtmetag.....@..P.rsrc..x.....@..@.reloc.....@..B.....

C:\Program Files (x86)\ISOMate Pro\imageformats\is-ZY54ZKOYSI.tmp 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	550024
Entropy (8bit):	6.622013797485336
Encrypted:	false
SSDEEP:	12288:PVw7vSpu1LrLrLrWr8Z1llsgucD+12hWUOn:PV2nLrLrLrWr8Z1aZucDE2hWUOn
MD5:	2B06687A9B3A9B7F702DC154E6B10F20
SHA1:	D95817ABFB4D78C95E61AD05DCA4E5B3ACCC027E
SHA-256:	E02C37DB33AF3E647DA937DB6D6D68F0C2E414624B8AD876C556414042C199B1
SHA-512:	3745AE2AB3C63FB87F23B3916A5D7C2BF37824BCDD71CBD0816F8C6CD60EB7294B8A91C81C83BEFD22E8EF28E92E926CC8C38E23135A132C2489015CEBFF6B
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode...\$......R^....R^....R^....R^....^.....`]......`]......`]......`]......]k..]....Rich.....PE..d...I7h....." ..'......I....`A.....x..x.....x....@G...4..0....8....b..p.....c ..(....@a..@.....text.....`.rdata..N.....@..@.data..x/.....@....pdata..G....H.....@..@.qmet adv...p.....^.....@..P.rsrc..x.....@..@.reloc..8.....2.....@..B.....

C:\Program Files (x86)\ISOMate Pro\imageformats\qgif.dll (copy) 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	47752
Entropy (8bit):	6.340913560405602
Encrypted:	false
SSDEEP:	768:coTYg/qwa4lBpGtEa5DM9CQfSEQMTDJyh1x+DgKxnVbGYJ122NaL:3TYFwfITLa6sQfSEQMTDJyh1cDgKxngF
MD5:	43E6F661C35A1EA3ACB7F75FC0397941
SHA1:	5C9A7E1DE5F585599F84EA7B1773A6434C8184FF
SHA-256:	C10FBCAF3948E70205162F7D404FAE80E629E92115B7854B069D640C69384F66
SHA-512:	E5F1D01FB676651B3739717370A30879961EBDA3C92D63515E96501E4EE2898FF96954854BB34950A9554A87C674EC466D2E055C5290A333A3D0C9F4600E52EB
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode...\$......W..z...)...)..5)...):(...):(...):(....a:(...).9.(...).c..).9.(...).9.(...).9Y(...).1)...).9.(...)Rich.....PE..d...B)7h....." ..'.F....F.....K.....>....`A.....w..t..dx.....x.....0..... .....h..p.....i..(....g..@.....text...E.....F.....`.rdata..*...`J.....@..@.data.....v.....@....pdata.....z..... @..@.qmetads.....@..P.rsrc..x.....@..@.reloc.....@..B.....

C:\Program Files (x86)\ISOMate Pro\imageformats\qicns.dll (copy) 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	55944
Entropy (8bit):	6.374116840060655
Encrypted:	false
SSDEEP:	1536:NB0EKj4q+Y5gP5zJNX4Jrl4RZ+aMgKxngOuK:N614wgP5zJKJrl4RZ+cKJ
MD5:	CF17544E87BED21A0D533166F4543CAE

SHA1:	B2D7A0D4F9E2F5FC3123165CEB13DD3400651728
SHA-256:	9CAAB87EF9C47DA2C41761AF2C0E61F7B3919A1CB755EF209F8D5381E80B777
SHA-512:	0B923282602509F17A70D04F4DFC88E8A58D818EC32C1F95E244E7DA2E559FF188ED4E6D73D329C76A638CDDBF9595DE227FA94B9A13A474DD96A258950A556
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode....\$......!.'.'.'.'.'G;&...'G;'".'G;#...'G;\$;...'&...'u8&...'&...'u8". ...'u8...'u8...'.'u8%...'Rich..'.....PE..d....i7h....." ...'R...T.....X.....`A.....x.....x..... 0.....p.....(.....@.....p.`.....text...P.....R.....`..rdata...>...p...@...V.....@...@.data.....@...pdata.....@...@.qtmetagx.....@...P.rsrc...x.....@...@.reloc.....@...@.B.....

C:\Program Files (x86)\ISOMate Pro\imageformats\qico.dll (copy) 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	46216
Entropy (8bit):	6.319252215088882
Encrypted:	false
SSDEEP:	768:zLwTp0/weModaXZDpui8620Qgu8nDgl8gKxnVbGYJ1uJNY:Ge/weM6aFMi8620Qgu8H8gKxngOn
MD5:	EE205BC76D737A991BCF5CFEAA47075E
SHA1:	8F763EECCADD2420974CB30D8A02EDBF23C91099
SHA-256:	4B557746B0403489A4A9E9442DE6EFE10042A550D16FCBDD9C5EB73356EB813F
SHA-512:	D99DD22DC85299AF8F9A4D4A8A46D93FBFFD92E60454BFD FECF77D5B4042B6DA3BAD6BE01A4196BC6F9F6CCE2C164A48EC16E798A19B659D284F607E2815F F3A
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode....\$......n.<."oRV*oRV*oRV#..V.oRV..SW.oRV..WW<oRV..VW"oRV..QW)oRVX.SW(oRV..SW/oRV*oSV.oRV..WW)oRV..RW+oRV..V+oRV*o.V+oRV..PW+oRVRich"oRV.....PE..d..A)7h....." ..'!..L.....>..... _...`A.....i.t...4j.....x.....0.....Y..p.....Z..(....X..@.....P.....text....8.....`..rdata...1...P...2...>..@...@.data.....p.....@...pdata.....t.....@...@.qtmetag.....z.....@...P.rsrc...x.....@...@.reloc.....@...@.B.....

C:\Program Files (x86)\ISOMate Pro\imageformats\qjpeg.dll (copy) 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	575624
Entropy (8bit):	6.400461581048837
Encrypted:	false
SSDEEP:	6144:iAq/ronsAQUFOEjWmqB7UDAkMwQwIUHEuuKWZcrPfECrrSfw1xHyPuo5wQfLalDm:G4BbrrSCSco0i85/xb
MD5:	4A59ACC65D9F3898347DD9FDBBAB7C98
SHA1:	F3A6FBC5B554FB3F2B2CF1FC64B5F21666C50A20
SHA-256:	EF6BF5F66C468D29AC6A0BCB6EF70798352F4864AC6ECB0B3EFD3E17A76C78DC
SHA-512:	2B661D1AF362804E84AFDAE63236D1D9339ECF31BFB0EF82496A4192124B64057DB07A56553D025668625B8A9028B60DF33E39220163529F71BB6F611FBA6AD6
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode....\$......;...t.....tU....t.....t.....t.....F....F.....a.. .F.....F.....F.W.....?....F.....Rich.....PE..d..B)7h....." ..'!.....`A.....@=.x....=.....x.....8.....0..... .P..p.....(.....@.....text.....`..rdata.....@...@.data...(....p.....P.....@...pdata...8.....T.....@...@.qtmetag.....@...P.rsrc...x.....@...@.reloc.....@...@.B.....

C:\Program Files (x86)\ISOMate Pro\imageformats\qsvg.dll (copy) 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	39048
Entropy (8bit):	6.247060651051872
Encrypted:	false
SSDEEP:	768:tVlv11bdAqqDv7clixuYOQJgKxnVbGYJ1INr:M91BkDTclixuYBjgKxngOX
MD5:	4832A529350C59D7A241B5544523C57C

SHA1:	130863A722484FC9A3FD3D24B4BBB402B09EC022
SHA-256:	81015E30929676194F607F0EA9FA244858447290CC30428AE0B73CD68232B99E
SHA-512:	17B7EB495FA9211CD55B9FA9818CB248AA7DEBAF4EF6B1BC61B7879E416B0E73013EC857943779272080CAC05AEC1B4848334A4D7F528E0901B5DF5A403AC297
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode....\$.....N"...CsR.CsR.CsR.;R.CsR..rS.CsR..vS.CsR..wS.CsR..pS.CsRx.rS.CsR..rS.CsR.CrR.CsR..vS.CsR..sS.CsR...R.CsR.C.R.CsR..qS.CsRRich.CsR.....PE..d...i7h....."...'\$.F....p(.....7....`A.....pV..t...V.....x.....h...0.....@!..p.....J.(...H..@.....@.....text..."\$.`..rdata.....@.....(.....@...@..data.....p.....V.....@....pdata.....Z.....@...@.qtmeta.....^.....@..P.rsrc...x.....`.....@...@.reloc.....f.....@..B.....

C:\Program Files (x86)\ISOMate Pro\imageformats\qtga.dll (copy) 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	38536
Entropy (8bit):	6.2215645204110075
Encrypted:	false
SSDEEP:	768:AAHhvUlsM2mXG2DaMTtfMe89gKxnVbGYJ1LvNu:vhPv2mXG2DaMTtfMe89gKxngOLQ
MD5:	C01ED88520D28126757BBCB6216E6BC2
SHA1:	C75F974FF722E6A435B79D7675BBAB6D5F966E20
SHA-256:	22C48FBF2D80AB111C55E5F7E508E09BF13E56FD88E0589AD13AEF3427624B0E
SHA-512:	146696C194D2A75D6DE5F3DB1F8EC4222F018C06AED725DC4337B95D502E3A520F6CF421E4C21B85FA98D8913562B5A019966DB7F15ED9FFC20926A257B7F79
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode....\$.....J..[.....1.....;.....;.....;.....;.....8.....f...8....8...8].....5.....8.....Rich.....PE..d...i7h....."...'\$.D.....(.....`A.....Y..t...x.....f...0.....J..p.....K.(...!..@.....@..@.....text..."\$.`..rdata.."@.....(.....@...@..data.....p.....T.....@....pdata.....X.....@...@.qtmeta.....\.....@..P.rsrc...x.....^.....@...@.reloc.....d.....@..B.....@...@.data.....

C:\Program Files (x86)\ISOMate Pro\imageformats\qtiff.dll (copy) 	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	439432
Entropy (8bit):	5.847006589028393
Encrypted:	false
SSDEEP:	6144:oz7T4E/zWNOZdC0sPVknR63n3OUXikPQLszL9LJpYEEEEEEBb83yH9d+yhCd4lXa:byx4JikPQmXg9c2G
MD5:	CD5834FB4DBA37D7E13BD58CD13FB67C
SHA1:	7680741BE8094532921ACDA682BA1EDC8283B8AA
SHA-256:	D06A91324EC9A9A68EA56025F361C26EC22CB99F00AE3A499E55AEFFBF1425D5
SHA-512:	840CADD5759C913B9DCC45BF7CBA764F7C178D4C40CE491BB820FC9BBA54E6B7CF23A730F1EC2E0435F5764420FEEAC08E70657D7E8BAF7037CC13D8217410D
Malicious:	false
Antivirus:	Antivirus: ReversingLabs, Detection: 0%
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode....\$.....?..Q..Q...Q.....Q.'~P...Q.'~T...Q.'~U...Q.'~R...Q.'~P...Q..}P...Q...P.S.Q..}T...Q..}U...Q..}Q...Q..}...Q.....Q..}S...Q.Rich.Q.....PE..d...i7h....."...'\$.M.....`A.....`=.x...p..0'.....0.....p.....(.....@.....X.....text.....`..rdata..D.....@...@.data.....`..L.....@....pdata..0'...p...(..P.....@...@.qtmeta.....x.....@..P.rsrc...x.....z.....@...@.reloc.....@..B.....@...@.data.....

C:\Program Files (x86)\ISOMate Pro\imageformats\qwbmp.dll (copy)	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	37000
Entropy (8bit):	6.274533383831508
Encrypted:	false
SSDEEP:	768:XnlpvurkIxCX2OuSuJEOLcUEgKxnVbGYJ1a1Nu:4Vu4IxCX2KuJEOINEgKxngOj
MD5:	33C8185D6C1AE7C169297107104A5D3A

SHA1:	61DD04DBAAE5B7B18FD43057BF9D8B2D3972ED89
SHA-256:	9A1404282D23E42160DA9B659E2F61DAE8291C4E6FDEDD8AC8DDC0276F5D4698
SHA-512:	C6002869B59B5516B0055BF810B8B7F2D9C3FE9DEDA BECF9198FD19C74BFEC05881E2364DE6FF3A7DC9C639BA6F04628121F19593C42AD09E4C8AA559333A16
Malicious:	false
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode...\$.....U...4yX.4yX.4yX.L.X.4yX}.xY.4yX}. Y.4yX}.]Y.4yX}.zY.4yX.xY.4yXO.xY.4yX.4xX.4yXO. Y.4yXO.yY.4yXO..X.4yX.4.X.4yXO.{Y.4yXRich.4yX.....PE..d...i7h....."..'.....(.....`A.....U..x...xU.....x.....`..0.....`H..p.....I.(...G..@.....@..@......text.....".....`..rdata...&...@...(...&.....@..@.data...p.....N.....@....pdata.....R.....@..@..qtmeta~.....V.....@..P.rsrc...x.....X.....@..@..reloc.....^.....@..B.....

C:\Program Files (x86)\ISOMate Pro\imageformats\qwebp.dll (copy)	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	550024
Entropy (8bit):	6.622013797485336
Encrypted:	false
SSDEEP:	12288:PVw7vSpu1LrLrLrLrWr8Z1llsgucD+12hWUOn:PV2nLrLrLrLrWr8Z1aZucDE2hWUOn
MD5:	2B06687A9B3A9B7F702DC154E6B10F20
SHA1:	D95817ABFB4D78C95E61AD05DCA4E5B3ACCC027E
SHA-256:	E02C37DB33AF3E647DA937DB6D6D68F0C2E414624B8AD876C556414042C199B1
SHA-512:	3745AE2AB3C63FB87F2B3916A5D7C2BF37824BCDD71CBD0816F8C6CD6E0EB7294B8A91C81C83BEFD22E8EF28E92E926CC8C38E23135A132C2489015CEBFF6B
Malicious:	false
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode....\$.....R^.....R^.....R^.....R^.....^.....']......']......']......']k.....']......Rich.....PE..d...i7h....."..'.....I.....`A.....x.x.....x.....G...4..0...8...b..p.....c...@a..@......text.....`..rdata..N.....@..@.data..x/.....@....pdata...G...H.....@..@.qtmetaadv..p.....*.....@..P.rsrc...x.....@..@..reloc..8.....2.....@..B.....

C:\Program Files (x86)\ISOMate Pro\is-0IH5DHGZ12.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	9469576
Entropy (8bit):	6.577742920972686
Encrypted:	false
SSDEEP:	98304:9C0G/zi0HkwX/hTMrg6iKd+1Mcg8UvFDd6C5:ehHkW/h4rPiLOh6C5
MD5:	DE4F0B6CB9C475E6FC8DED8DD34C888F
SHA1:	F5A497BDAB70530BB35F408DB6E1EE2538CC6FF7
SHA-256:	9DAE9067DFDAB107748649E533BEF6F2E8452119936AA68A91E63F1613FBD81F
SHA-512:	66632CBB51215E26C89EAE307113E0D194F13D0E5E4542ABFBBD28076F916E0EFA8741AF50E31A9ECF356F06BD8A55B9A124AF7CC296224C5EFDF129F7AD51f3
Malicious:	false
Preview:	MZ.....@.....0.....!..L!This program cannot be run in DOS mode...\$.....N.K..K..K..B...J...\$C...#L...%P...!A..9.\$!...!L..9%.J..9.!^..K.!u...\$g...%g...J...J...J..K...J...J..RichK.....PE..d...7(7h....."...'..g...)`g.....#...`A.....U)...%.. {.....N...0...d..@.t.p.....t.(...t.@.....g...text...g.....g.....`..rdata..J!..g...!..g.....@..@.data...H.....@.....@....pdata.....N.....@..@.._RDATA..0.....@..@..rsrc.....@..@..reloc...d...f.....@..B.....

C:\Program Files (x86)\ISOMate Pro\is-1ADEBF5YP6.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (console) x86-64, for MS Windows
Category:	dropped
Size (bytes):	186936
Entropy (8bit):	6.554165881933254
Encrypted:	false
SSDEEP:	3072:Co8fdbDQ2RAIQSP3cNkquWHSWnwTXsY0YqgwAlrX/Fv1YqqcrXmnb:CVZglQDKgyWnZlfgX/1brob
MD5:	69DC295E1CB4DCC6DE3DF8F9E199D5D4
SHA1:	3CC2CDD86E7E6E7D7328DDF7104C03C17728D524
SHA-256:	A4C9F660878AE6B3DB706F6BEE3D5A51ED29A4C1AC5C92DC50DC7B5F2C825C0F

SHA-512:	23B32234624AD48E232A3359EA10D5903DB5B59063A4D207CDBD65356BEED4EE16ECA8D9DFAEC26F41978E55E80053B272C74197C624B26887E725F36708F0B
Malicious:	false
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode...\$.....+...E...E..E.j.D...E.....E..A...E..F...E...D...E..D...E..@...E...E.....E..G...E.Rich..E.....PE..d....g.....".....`A.....0.....8(.....K..T.....L.8.....P.....text.....`..rdata.....@..@.data.....@...pdata.....@..@.rsrc.....@..@.reloc.....@..B.....

C:\Program Files (x86)\ISOMate Pro\is-31W19VWZPW.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	1733768
Entropy (8bit):	6.521292137964761
Encrypted:	false
SSDEEP:	12288:UB6RkkBjnPA7zXA5Bd7YjP1lcaJRWnmn4bdt/SgHyqUxvVZ3/RP79ixCXdDkSp8s:FVLuwQL1lclRWnmcqgSrvVnP7HXiDA
MD5:	B5179084A901FDD0D845D9D45F94021A
SHA1:	3BF319621633575FDDDD8E2CA7E776751C4C0FE2
SHA-256:	5E066F987A19732CFE46DF77731885C634EA5C4E25E115F8DE31F7CE18C7B78C
SHA-512:	931E5A2F9B78AE80E025A98A69E90CA0B0DCAAB71AE326AB49D6231AC52DE77D57B405B13E022F2A612331F4DF17CD94C94FAB0539BE4A32A14326A27DD21028
Malicious:	false
Preview:	MZ.....@.....({.....!..L.!This program cannot be run in DOS mode...\$.....0...t.w.t.w.t.w.}..~.w..9s. w..9t.p.w..9r.o.w..9v. w..9s.u.w..9v.d.w..:v.w.w.t.v...w...s.u.w...r.*.w...w.u.w...u.w.t...u.w...:u.u.w.Richt.w.....PE..d....'7h....." ..'.....}.....`A.....;..... ...P.....0... ...D...0...`...l...0...p.....(.....@.....).....text.....`..rdata.....@..@.data.....f.....@...@.pdata.. ...0.....@..@.rsrc.....P.....@..@.reloc...!..`..".....@..B.....

C:\Program Files (x86)\ISOMate Pro\is-65WV4DBTJ2.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	3786920
Entropy (8bit):	7.90306872227606
Encrypted:	false
SSDEEP:	98304:Oh+zZa/elq97zj9foBgXt8nLThMfJhcNU/w8sYdbm7J2:Oku7ziWCvpU1P7
MD5:	A212E366E018D8629B4F84C44B747D4D
SHA1:	B031D05336FD850383CC5DCB96BBCF5FEF25C48B
SHA-256:	F3423FF4436397F6D1FDE5EA30AB370EE372A8DAD7F0D3D9357EDCAF3689F7C4
SHA-512:	64CC689C424871BFB1889DAD82779B708B5785F55503EEF76DECB100793048F0A6F4B14FEDD66B2FFFFD4AEF58493DF027BD011B916B14B675B886F67C8C3F5
Malicious:	false
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode...\$.....,h..h..h..a.O.d...d.k...d.b...d.w...d.n...o.i..l`...o.a..h.....d.i...d.y...d#..i..h.K.i...d.i..Richh.....PE..d....r.i.....".....6....g.....@.....).....:.....8.h....`9.P...09.."...9.....9.....`n7.....n7.(...m7.@.....#.....text..._.....`..rdata...45....65.....@..@.data...!...9.....8.....@...pdata..."09..\$....9.....@..@.rsrc..P...`9....\$9.....@..@.reloc...9.....9.....@..B.....

C:\Program Files (x86)\ISOMate Pro\is-8YCGS1F5SHR.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	309384
Entropy (8bit):	6.416689330526006
Encrypted:	false
SSDEEP:	6144:gXGBjbx5N8Tw1z4Zzhvnl7WLc8Sm2dyar6:g6jb58Gmvnl7WAb6
MD5:	FCB7FFD37FB5F33F47A35EB0F5B79F4C
SHA1:	910000ADDEC38ECC3C74F06EF1377449D3C04DC3
SHA-256:	010375E82D3ADCDDA7499F09382B0D9BEBF3248D2F76EB68D3CEF031A6534C03
SHA-512:	CB196C2A99461993B5D37F60380FAD3B6E6A84A9F9478C9ED26F66408E3E4941AB93F124CECB4446BB8A774B605FDE1670C260F28404165539E6C41CBADF8DB3
Malicious:	false

C:\Program Files (x86)\ISOMate Pro\is-DVYM691KXL.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (console) x86-64, for MS Windows
Category:	dropped
Size (bytes):	557728
Entropy (8bit):	6.523361883423163
Encrypted:	false
SSDEEP:	12288:tdkDYbKloU7/7mozQ39V5WZyhNFdQEKZm+jWodEEVLa69sU:tdnGoU/7m/V5WZ8dQEKZm+jWodEER7N
MD5:	BC88B387CAFA556068B5C5D6FF3CCC8F
SHA1:	B370ECA8FA727E46CF61D834FCC956698B02E1FD
SHA-256:	0F885B509A685D2BBFA652FED26B5FB31D88FBDAB0A978C641D1C7B8AA460AA9
SHA-512:	B7AEE12E1BF86027E3C42AE28F6F6FB34DCA81C1F5AF6983EA4AAC559F2FEDF945956A381F529C553D71BC83CD71DCBAD12266FAD86C944F17F63DB92B8CA95B
Malicious:	false
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode....\$.!%?.(DQ.(DQ.(DQ.c<P.*DQ.!.<.>DQ.(DP..DQ...P.-DQ...R..DQ...U. DQ...T..DQ...Q.)DQ....)DQ...S.)DQ.Rich(DQ.....PE..d...x.=].....".....X.....G....`A.....P...h.....p.....0...9...2.. .P.....p..p.....o..@.....text.....`rdata.....@..@..data..p8.....@...pdata..9...0...@..@..rsrc.....p.....\$.@..@..reloc.....(.....@..B.....

C:\Program Files (x86)\ISOMate Pro\is-FNNSUAA397.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	606856
Entropy (8bit):	6.465036864111874
Encrypted:	false
SSDEEP:	6144:DQeAupRcKy1h7EJ94kBjI5FiTEc0qirQXdPR4E/eOqRYJcEXyx5s+nvij7gx4GKg:seAeRct1pErBKlotiXdGE2OfciOy
MD5:	A2E90B2AF777D5777B69353676E2D8A7
SHA1:	E8055B06AA46115516D90259A0697549FE5AF5A3
SHA-256:	43C9E4DF820682D405F45A67C8A644BED5BFA598E3BA6026B7D1477E3ECCFC0F
SHA-512:	DE0986D75DB07282AF7205365E199F5420AEA86B0772A985DE29C0A13088A62F17C8369F7BBF1F5D6AE86630FEE48AC35AC01323108EED21985C53E0DC87B06
Malicious:	false
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode....\$......n...=.=..="=.=...<..=...<..=...<..=...<..=...<..=2..<..=.=.=2..<..=2.N=..=&=..=2..<..=Rich..=.....PE..d....i7h....." ..'.....P.....Q.....`A.....9.....`.....0.....IT.....0.....@.....p.....(.....@......text..... ..`rdata..N.....@..@.data.....@....pdata..IT.....V.....@..@.rsrc.....0.....@..@.reloc.....@.....@..B.....

Page 28 of 99

Preview:	MZP.....@.....InUn.....!..L!..This program must be run under Win32..\$7.....PE..L....j.i.....h.....@.....C.....@.....@.....<.n....@<..B...A.h).....<.....<..... ..`K<.....<4.....text....9.....`..itext.....`..data.....@.....bss.....;.....idata...B...@<..D...d;.....@didata.4.....<.....@.....edata..n.....<.....@..@.tIs....\.....<.....rdata..J.....<.....;.....@..@.reloc.....<.....;.....@..B.rsrc...h)....A.. *....@.....@..@.....D.....C.....@..@.....
----------	---

C:\Program Files (x86)\ISOMate Pro\is-KSISGWUAAK.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	10007688
Entropy (8bit):	6.413474103778363
Encrypted:	false
SSDEEP:	98304:+QRnYPx+0OCKFdu9CwJsv6tm0lg4o3hxAVD/3r6:+6nKHPKFdu9CwJsv6tmbo3hK5/3r6
MD5:	70F3A885C9C5CBDE4CCFAC277BDDE14F
SHA1:	BAA3B787CDB27B342882A3A04BB1A4B9ACBFB872
SHA-256:	3997D763E68026CD86F301EBEA725FB9CFC48F3CBFDB825DAD93DC198462AB74
SHA-512:	7C3B17A049C59997DC5846EE9D1B9C6EB0A112589F56722EC2B3E17BDCEBA3A96BEF4A335835AD6CDD4F22D3C819FB38D1D9187FA01A32119247F9C55134A78
Malicious:	false
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode....\$.....#...g..Eg..Eg..E...Do..E...Dc..E...DN..E...Do..E...DF..E...De.. ..E...Df..E...D)..En..Er..Eg..E..E...D...E...Df..E...zEf..Eg..E...Df..ERichg..E.....PE..d....'7h....."...'<.<.....;.....`A..... .....0..H[.x8..0....._.....0.....>...&..p.....&..(....\$.@.....0<.....text....<.....<.....`..rdata...6X..0<..8X.."<.....@..@.d ata...#...p.....Z.....@...pdata.._.....`.....@..@.qtmimed.....@..P.rsrc.....>.....@..@.reloc...>.....@...D.....@..B.....

C:\Program Files (x86)\ISOMate Pro\is-P5GDNSV1SS.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (console) x86-64, for MS Windows
Category:	dropped
Size (bytes):	35952
Entropy (8bit):	6.642135188204517
Encrypted:	false
SSDEEP:	384:3jJ2J9VQH+qNy09dmFWcS5gW7YZ1gr4iSt+e92xS+R9zWd/11IHRN7SUI8BR9zTr:d8QH+qNy0PmgogU9v2ci9zeHSn9z3
MD5:	2A214CB2F0F9473E7765EE3B8DB8651E
SHA1:	9CE5C3D6C7D94B175F136F552AF8771DCA6147B3
SHA-256:	BFAD5AEF4C63A669E3C140655CDFDF395B6C979B400A447BD5DCB65ED8826C3D
SHA-512:	EA9A759BABDCE5818FA1E430D1CB453CAC762CFAA8F934E01D7182100F66CAE21527962696F5BD963FCB0FBA2C0F38BF4028E75F89E9E599DDEE008021646A33
Malicious:	false
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode....\$.....\p.....\p.....\p.....\p.....\p.....\p.....\pz.....\p..... ..Rich.....PE..d.....".....&.....`A.....@..L...LA..x...p.....<..pP.....4..p..... .....`3..@.....0..8.....text.....`..rdata..B...0.....@..@.data...P...P.....@...pdata.....`.....2.....@..@.rsrc..... p.....6.....@..@.reloc.....@..B.....

C:\Program Files (x86)\ISOMate Pro\is-Q12XNBKP2F.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	20639888
Entropy (8bit):	6.256474776104185
Encrypted:	false
SSDEEP:	393216:lv6MzbMYyFwRwwQ+/TuZrgAaSHdji5TXe/38gJy3kU0de2VlkRaVN:0Ci1dfQuN
MD5:	83BBECF92FB68795A620B395998B131B
SHA1:	026F9E87A5623FE9370C2EEDEF24C765F7312800
SHA-256:	B04DE4541863BC7D8879040A78889C4849C1B1DA2784C4630F734C146C2998CE
SHA-512:	C63CA8863F63C8F415D685EFF991A1AA67E3457AC2B1F6524DB271C2986F7E79415F98F212E1F7CDD644F41BC48D558661E1136716D63F81675F664E53FDFC70
Malicious:	false

Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode....\$......v.l.`?..`?..`?..`?*.??*..?8.`?*.?..`?...?..`?Jc>..`?Je>..`?Jd>..`? *..?..`?..a?\$.`?Jd>..`?Je>r..`?Jh>..`?J>..`?Jb>..`?Rich..`?.....PE..d...._W.....".....a.....l.....@.....d;.....`.....t...c-.....4.l>.....0...0?..e.....T.....(.....text..4.....`..rdata...N.....N.....@..@..data....).....f.....@...pdata..l>...4..@.....@...@.gfids.....>.....69.....@..@.tls.....?.....@9.....@...RDATA.....?.....B9.....@..@.reloc...e..0?..f...Z9.....@..B.....
C:\Program Files (x86)\ISOMate Pro\is-SAI8HICOQI.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (console) x86-64, for MS Windows
Category:	dropped
Size (bytes):	4173928
Entropy (8bit):	6.329102290474506
Encrypted:	false
SSDEEP:	49152:8BfmqCtLI4erBYsLjG/A8McPyCD6hw16JVTW7B3EgvVIQ3LAYmyNOvGJse+aWyb:8eZevVKACQvWYQF
MD5:	B0AE3AA9DD1EBD60BDF51CB94834CD04
SHA1:	EE2F5726AC140FB42D17ABA033D678AFAF8C39C1
SHA-256:	E994847E01A6F1E4CBDC5A864616AC262F67EE4F14DB194984661A8D927AB7F4
SHA-512:	756EBF4FA49029D4343D1BDB86EA71B2D49E20ADA6370FD7582515455635C73D37AD0DBDEEF456A10AB353A12412BA827CA4D70080743C86C3B42FA0A3152A3
Malicious:	false
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode....\$......G..(a.{a.{a.{..m{5a.{..l{a.{m{a.{o{a.{a.{a.{i{a.{l{a.{h{a.{q{a.{k{a.{n{a.{Rich.a{.....PE..d....R.....".....;.....`.8.....@.....a@.....;u...P>d....?@.....=.....t?h<...?..{.....@a.....>P.....text.....;.....`..data...h.....@.....pdata.....=.....n<.....@..@.idata..@.....>....B>.....@..@.rsrc...@.....?.....\>.....@..@.reloc.....?.....b>.....@..B.....
C:\Program Files (x86)\ISOMate Pro\is-TCZ02XSFES.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	MS Windows icon resource - 1 icon, 256x256 with PNG image data, 256 x 256, 8-bit/color RGBA, non-interlaced, 32 bits/pixel
Category:	dropped
Size (bytes):	31426
Entropy (8bit):	7.9840617926697774
Encrypted:	false
SSDEEP:	384:kHylyqyxu21izB0kB0Ors6VhIndsxL7tdJ7A5svXquvUwmn/zQYqGwdhvdMznvU+:kSRW2I0kFPMnds97t/EsvX/MdUIgWDL+
MD5:	2CF9263E6BB174AF680E66A03A149C3
SHA1:	CD4352008DF99D06D0E62C08B256BED5D77D15DF
SHA-256:	EC24BC870DD1F5E176CE589B29FE57F982757593A9EE9A8998C43C03EDE200FB
SHA-512:	24AE52D4C93D834ADB3C320A61D191BAC3954A0EBF681AC472F5E3CDEE6847BB3DFDB7C786AB4FF3D9C496128B88A16BE54F7C20E250F27FAC816C235AD6E85C
Malicious:	false
Preview:	PNG.....IHDR.....\r.f..zSIDATx..jw.\$E.....l.....D..*.*&0bDE..E_#(&DTT..1+?..Er.w.....m.....0.5.=3.;w. .37;..UOU....<.T..H.`.....38..L.....!`?.<J..&..AAZj.....o..~.A.~.*...5R...@d..P..b.f!..T.F.p.z.....c.....~...3.....]../.....nH.W...Q...;IY...;9.l4.0.`.../...({.u.....J..<o#]...5.D....&....zV...f..&....m.h..=...].D.M.0....M...j.M4.....D.{0....&`4.@.M..h..&....M4...)..hb.FS.4.....h..=...MT.z.u....m..h..Z.....<...X..M'....*f.Dc..wu.....C...Sn..N.sm..B;...P'.....a[.....!2,..1.....R...8d..y..m.#KLP.]3F.....W...8h..f.....`7...r..u"u..[\\...KD.m)[..H..g+=.vz>....f.BX..4.(..G.....+.*.0L.....SZ.nq...jr.ky .Fk.....<..si_g...M.....v..q.W2...y,h%...q:w.2+a.....!..l..g].=K.....A.....A.....J..sa!.J.....p.^.[.....g.vs..h..j..b..H
C:\Program Files (x86)\ISOMate Pro\is-W7MGKFGY01.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	6527624
Entropy (8bit):	6.642015377345671
Encrypted:	false
SSDEEP:	196608:OgEsAbh0BwcMfGKQ21h3946LS6FkcC99h5f:O9sAbh0Bwc1/21h3946LSCYPH5f
MD5:	2D41CA7E263635ADC6E08F18103271ED
SHA1:	C90649C2C3708ED0363169B19838752A6271FEFA
SHA-256:	B323340A5F24EBBE33E521E19EAB91EC59CDE5BF31A67DC3FC028E6E26AFF74B
SHA-512:	01B367D2CC8B30F4DD98C745B17780F603D9820A3D6E040A6E8F625AC94C73B599647D97C869EBA367304647F8DFFD7C7522B6C7E2B19AAF3AD4CE8001ABAE2
Malicious:	false

Preview:	<pre> MZ.....@.....!..L.!This program cannot be run in DOS mode...\$.....#...M...M...M.5EI...M.5EN...M.5EH...M.5EL...M..FL... M.EL...M...L~M..FH.G.M..FM...M..F...M.....M..FO...M.Rich..M.....PE.d... (7h....." ..^?..\$...X?.....c...f.c...^A..... .S...Z@...b..._..jc..0...b.....L.p.....L(..@.L.@...p?Xc.....text..M]?.....^?.....`..rdata...E...p?...F...b?.....@..@.data...]. ..J..N..J].....@.....pdata....._.....^.....@..@.rsrc.....b.....b.....@..@.reloc.....b.....b.....@..@.B..... </pre>
----------	---

C:\Program Files (x86)\ISOMate Pro\is-WJM5R04NXH.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (console) x86-64, for MS Windows
Category:	dropped
Size (bytes):	124544
Entropy (8bit):	6.548965969616788
Encrypted:	false
SSDEEP:	3072:ItkenID0f6aifkHWBXjG/luecbfmg4DCUil:YWSIHWBXjGlecbfYmN
MD5:	6CA4EDB2B52EC46C7FCA3FD372CA6C00
SHA1:	3D2998A27D164DD7CC3BC7D3ECA08ACF89A0EE42
SHA-256:	D5E4D9A3E835FA679450145D6A7D94E36573A509317111904D9B3712C30D9066
SHA-512:	BDA93FF2C306C82F1942EBD538F5C77BA593E3E20792159B2A2F5EBD086C524F6C6BD3DE5AD722C71FF7D832D0149608289929E9B23F7858EBB960DBB3422F5F
Malicious:	false
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode...\$......j.4... .4... .4... .4... .4... .Rich.PE..d....%" ..0..h.....`A.....pv..4...~.....P.....P^..p.....].@.....@.....text..^.....fothk.....0.....\$. ..rdata...D...@...F..4.....@...@.data..0.....z.....@...pdata.....~..... ...@...@_RDATA.....@...@.rsrc.....@...@.reloc.....@...B.....

C:\Program Files (x86)\ISOMate Pro\is-Y9LHP1Z7KA.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVB4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (console) x86-64 (stripped to external PDB), for MS Windows
Category:	dropped
Size (bytes):	5653160
Entropy (8bit):	6.394140879031524
Encrypted:	false
SSDEEP:	98304:lgRfP5jnFTyGZEWxSIBHVGt+t1ufqchZr:SRZDFTyGaHIJoWofqc7
MD5:	212BEC35A26FE1C085B818B001DDF439
SHA1:	857769383131DA5F14545253272E435670D404C0
SHA-256:	B0A3626C4BE4DA456D37D2FC3EDFC085ACE7D68AE668ECC4D0D3B5B1D6BEA2AE
SHA-512:	0D4FD00A63F480ED31C832801D64C3C0C16CBFDAFC1690DB1E8AA536B0549CD52D41210216C726EE4E85BCB381C963B7FD9253F024EBA248503D202A9581669
Malicious:	false
Preview:	MZ.....@.....!..!This program cannot be run in DOS mode....\$.PE..d.....&.ZF..0V..<.....@..... V.....V...`.....V../.....0O.....4V.....`V..a.....vL.(.....V.....text...XF.....ZF.....`.data...z...pF..  ...^F.....@...rdata..9...F...F.....@...@.pdata.....0O.....O.....@...@.xdata.....Q...Q.....@...@.bss...;...U.....idata.../...V..0...U.. .....@....CRT...h....@V.....U.....@....ts.....PV.....U.....@...reloc..a...`V..b...U.....@..B.....

C:\Program Files (x86)\ISOMate Pro\is-ZIJRNR1QVI.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (console) x86-64, for MS Windows
Category:	dropped
Size (bytes):	49792
Entropy (8bit):	6.71304391248984
Encrypted:	false
SSDEEP:	768:g3oZYctpzcx0pdESASv83Tw4DYEOMg9z7NONRds9zb:kc6wk3TgEqz7N6Rdkzb
MD5:	CD1B08F4930B276AD78853580B76B5C6
SHA1:	A0330279D3D0D47F19ED984726E25260B547A228
SHA-256:	1F2D41C4AA5DB0BC33EBF7B66D72943A817D7CE6CBE880502A9403823633093F
SHA-512:	6BCDD6B16D815D72DC7EFD6A2352319ECE102F3B7D85C648286E4B3B594B7670D61B7E05C580FC416421E1A1622B38737B1E90080171384E7E2CD5E37AC7122
Malicious:	false

Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode...\$.....'_c...c...(..a...T.a...j.M.h...c...V...T.d...T.x...T.f...T.b...T!..b...T..b...Richc.....PE..d.....S....."<...8.....A.....`A.....m.....<n.X.....r...P.....D...C..p.....pb..@.....P..p.....text.....<.....`..rdata..#...P...\$..@.....@..@.data..d.....@....pdata..f.....@..@.rsrc.....l.....@..@.reloc..D.....p.....@..B.....@.....
C:\Program Files (x86)\ISOMate Pro\logo.ico (copy)	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	MS Windows icon resource - 1 icon, 256x256 with PNG image data, 256 x 256, 8-bit/color RGBA, non-interlaced, 32 bits/pixel
Category:	dropped
Size (bytes):	31426
Entropy (8bit):	7.9840617926697774
Encrypted:	false
SSDEEP:	384:kHylyqyxu21izB0kB0Ors6VhIndsxL7tdJ7A5svXquvUwmn/zQYqGwdhvdMznvU+:kSRW2l0kFPMnds97t/EsvX/MdUIgWdL+
MD5:	2CF926E3E6BB174AF680E66A03A149C3
SHA1:	CD4352008DF99D06D0E62C08B256BED5D77D15DF
SHA-256:	EC24BC870DD1F5E176CE589B29FE57F982757593A9EE9A8998C43C03EDE200FB
SHA-512:	24AE52D4C93D834ADB3C320A61D191BAC3954A0EBF681AC472F5E3CDEE6847BB3DFDB7C786AB4FF3D9C496128B88A16BE54F7C20E250F27FAC816C235AD6E85C
Malicious:	false
Preview:	z.....PNG.....IHDR.....\r.f..zslDATx..}w.\$E.....l.....D..*`&0bDE..E_#(&DTT..1+?...Er.w....m.....0.5.=3.;w. .37;..UOU....<.T..H.`....38..L.....!`?<J..&....AAz].....o.....~.A~..*....5R..@d..P..b.fl...T.F.p..z....c.....~...3.....]/...nH.W~Q.... Y... 9.l4.0..`/...({u.....J..<o#]...5.D....&....zV...f.&....m.h.=...].D.M..0....M...].M4....D.{0....&`4.@.M..h..41}8....;9..5Q.M....&p4g..hb.Es...&`X.M@.M41{hj.M4....l.=M..D.{0....&`4.@.M..h..&....M4...).hb.FS.4....h.=...MT.z.u....m..h.Z.....`<...X..M.....*f.Dc..wu.....;.....C,...Sn..N.sm..B;...P.....a[.....l2,,1.....R...8d..y..m.#KLP.)3F.....W...8h..f.....`7...r..u"u..[\\...KD.m)[..H.,g+=.vz>....f.BX..4.(.G.....+.*0L.....SZ.nq..jr.kyl .Fk.....<.si_g...M.....v..q.W2...y,h%...q:w2..+a.....! .g .=K....A....A....J..sa!.J.....p.^.[.....g.vs..h..].b..H
C:\Program Files (x86)\ISOMate Pro\msvcpl40.dll (copy)	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (console) x86-64, for MS Windows
Category:	dropped
Size (bytes):	557728
Entropy (8bit):	6.523361883423163
Encrypted:	false
SSDEEP:	12288:tdkDYbKloU7/7mozO39V5WZyhNFdQEKZm+jWodEEVLa69sU:tdnGoU/7m/V5WZ8dQEKZm+jWodEER7N
MD5:	BC88B387CAFA556068B5C5D6FF3CCC8F
SHA1:	B370ECA8FA727E46CF61D834FCC956698B02E1FD
SHA-256:	0F885B509A685D2BBFA652FED26B5FB31D88FBDAB0A978C641D1C7B8AA460AA9
SHA-512:	B7AEE12E1BF86027E3C42AE28F6F6B34DCA81C1F5AF6983EA4AAC559F2FEDF945956A381F529C553D71BC83CD71DCBAD12266FAD86C944F17F63DB92B8CA95B
Malicious:	false
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode...\$.....!%?.(DQ.(DQ.c<P.*DQ.!<>DQ.(DP..DQ...P..DQ...R..DQ...U.DQ...T..DQ...Q.)DQ....)DQ...S.)DQ.Rich(DQ.....PE..d...x.=]....."X.....G.....`A.....P...h.....p.....0...9...2..P.....p..p.....o..@.....`..rdata.....@..@.data...p8.....@....pdata...9...0....@..@.rsrc.....p.....\$.....@..@.reloc.....(.....@..B.....
C:\Program Files (x86)\ISOMate Pro\msvcpl40_1.dll (copy)	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (console) x86-64, for MS Windows
Category:	dropped
Size (bytes):	35952
Entropy (8bit):	6.642135188204517
Encrypted:	false
SSDEEP:	384:3jJ2J9VQH+qNy09dmFWcS5gW7YZ1gr4iSt+e92xS+R9zWd/I1IHRN7SUI8BR9zTr:d8QH+qNy0PmgogU9v2ci9zeHSn9z3
MD5:	2A214CB2F0F9473E7765EE3B8DB8651E
SHA1:	9CE5C3D6C7D94B175F136F552AF8771DCA6147B3
SHA-256:	BFAD5AEF4C63A669E3C140655CDFDF395B6C979B400A447BD5DCB65ED8826C3D
SHA-512:	EA9A759BABDEC5818FA1E430D1CB453CAC762CFAA8F934E01D7182100F66CAE21527962696F5BD963FCB0FBA2C0F38BF4028E75F89E9E599DDEE008021646A33
Malicious:	false

Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode...\$......\p.....\p.....\p.....\p.....\pz.....\p.... .Rich.....PE..d....."&.....`A.....@..L...LA..x...p.....`.....<..pP.....4..p.....`3..@.....0..8.....text.....`..rdata..B...0.....@..@..data...P...P.....@....pdata.....`.....2.....@..@..rsrc..... p.....6.....@..@..reloc.....@..B.....
----------	---

C:\Program Files (x86)\ISOMate Pro\msvcpl40_2.dll (copy)	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (console) x86-64, for MS Windows
Category:	dropped
Size (bytes):	186936
Entropy (8bit):	6.554165881933254
Encrypted:	false
SSDEEP:	3072:Co8fdbDQ2RAIQSP3cNkquWHSWnwTXsY0YqgwAlrX/Fv1YqqcrXmnb:CVZglQDkgyWnZlfgX/1brob
MD5:	69DC295E1CB4DCC6DE3DF8F9E199D5D4
SHA1:	3CC2CDD86E7E6E7D7328DDF7104C03C17728D524
SHA-256:	A4C9F660878AE6B3DB706F6BEE3D5A51ED29A4C1AC5C92DC50DC7B5F2C825C0F
SHA-512:	23B32234624AD48E232A3359EA10D5903DB5B59063A4D207CDBD65356BEEED4EE16ECA8D9DFAEC26F41978E55E80053B272C74197C624B26887E725F36708F0B
Malicious:	false
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode...\$......+...E...E...E..j.D...E.....E..A...E..F...E...D...E..D...E..@...E...EE...G...E.Rich..E.....PE..d.....g....."`A.....0.....8(.....K..T..... .....L..8.....P.....text.....`..rdata.....@..@..data.....@....pdata.....@..@..rsrc.....@..@..reloc.....@..B.....

C:\Program Files (x86)\ISOMate Pro\networkinformation\is-D88DDHQSSS.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	71304
Entropy (8bit):	6.077658841358676
Encrypted:	false
SSDEEP:	1536:suFz0tGlmyGFoMp+4SWM/Ddi+WF2Xi5+QTph+gKxngOAn:dGz9oMp+RLZWFndh7K0n
MD5:	B5E61B553C66953B6A5D40FEC203D82A
SHA1:	E7A131DB7B66CC876474789CCD3D3478BBA8FEBD
SHA-256:	F1188E18C8A2BA50756026CD12155DC88C8E55AF1B5C19B8E9E0CA0CE30ECCCA
SHA-512:	8F5F144A9EEF14ECC21E7677EC1AEBD46998BBE89E748D250050CE9CDA38540927BA26F65EB8F7A0B53854673146C7504D3F88A436D23AEA044341B76F1A675
Malicious:	false
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode...\$......_V...V...V..._P...L.P...L..@...L..^...L..U...\$L..W...O..R.. \$L..Q...V.....O..U...O..W...O..W...V..{.W...O..W...RichV.....PE..d...H)7h....." ...'h.....d.....@.....3=...`A..... .....0..0.....@..p.....(.....@.....text...^f.....h.....`..rdata...V.....X...l.....@..@..data.....@....pdata.....@..@..qtmetad].....@..P.rsrc.....@..@..reloc.....0.....@..B.....

C:\Program Files (x86)\ISOMate Pro\networkinformation\qnetworklistmanager.dll (copy)	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	71304
Entropy (8bit):	6.077658841358676
Encrypted:	false
SSDEEP:	1536:suFz0tGlmyGFoMp+4SWM/Ddi+WF2Xi5+QTph+gKxngOAn:dGz9oMp+RLZWFndh7K0n
MD5:	B5E61B553C66953B6A5D40FEC203D82A
SHA1:	E7A131DB7B66CC876474789CCD3D3478BBA8FEBD
SHA-256:	F1188E18C8A2BA50756026CD12155DC88C8E55AF1B5C19B8E9E0CA0CE30ECCCA
SHA-512:	8F5F144A9EEF14ECC21E7677EC1AEBD46998BBE89E748D250050CE9CDA38540927BA26F65EB8F7A0B53854673146C7504D3F88A436D23AEA044341B76F1A675
Malicious:	false
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode...\$......_V...V...V..._P...L.P...L..@...L..^...L..U...\$L..W...O..R.. \$L..Q...V.....O..U...O..W...O..W...V..{.W...O..W...RichV.....PE..d...H)7h....." ...'h.....d.....@.....3=...`A..... .....0..0.....@..p.....(.....@.....text...^f.....h.....`..rdata...V.....X...l.....@..@..data.....@....pdata.....@..@..qtmetad].....@..P.rsrc.....@..@..reloc.....0.....@..B.....

File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	1979016
Entropy (8bit):	6.5444900091813185
Encrypted:	false
SSDEEP:	24576:tzIEStAhOo7La5GerdCLaleQ/P9jLtq23uRYhnpTmUjlzXezRWbKJlhO8NkRjS/L:hPbLa5G0CLueUPJpERUTmUPd2aNGS/DP
MD5:	DF3251D2A6D2112F0EAC8A5897C5AAFB
SHA1:	308C9B502C08AAB410B5DD928EB1F34F1E393D8D
SHA-256:	C5B09C0C5A0A1EA121C663658E776B0746CD5E5BCC950D829FC63497DF2B99E7
SHA-512:	4711229794999611010CAF8B4CDB88CA895AD04B88C76368D9478559284C29E8AB55BDE0929FF4E777D4B63D7DFF06AB8D7B483994C2B17BCFADC30DCB2577
Malicious:	false
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode...\$.....0...tnm.tnm.tnm.)...xnm..l.pnm..h.lnm..i.jnm..n.pnm...l.vnm..l.qnm.tnl.om..h.pnm..i.unm..m.unm...unm.tn..unm..o.unm.Richtnm.....PE..d...(7h....." ..'.....X.....`.....).....`A.....v..x... (w.....@.....@..h.....0...P..\...).p.....*(...'.@......text..... ..rdata.....@..@.data...s.....h..... @...pdata.h...@.....@..@.qmetadf...0.....@..P.rsrc.....@.....@..@.reloc..\...P.....@..B.....

C:\Program Files (x86)\ISOMate Pro\sqldrivers\is-B9BLQQE3GN.tmp

Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	106120
Entropy (8bit):	6.236691482089172
Encrypted:	false
SSDEEP:	3072:Qx+989fiQ4hhqGCG0GZGX4R+SPStPhzY7BTPr/6MKp:y+ubL8Pr/mp
MD5:	4988F8FE1385783C2B8D31AB60917E57
SHA1:	B5A346B495285AEE811F14A867A46337D122E895
SHA-256:	143024F8C8EC2B86B0B30D7DCCA629F80BE3E193836286D8E5C949166F4F2267
SHA-512:	68300D829405C8B18EE82E33678DCA63E837795D8392296A5E86C15980719AC0E0F53178D76FCAB69ED11164CD5BCB121B51CCC5DD69B3401C7092220C00DAF
Malicious:	false
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode...\$.....o...j..j..j..v...j.0.k..j.0.o...j.0.n...j.0.i...j.k...j...k...j.G....j...k...j..o... j..j..j...j...j..h..j.Rich..j.....PE..d...(7h....." ..'.....rdata.....`A.....P&..x...&.....p.X...n...0..... @...p.....(.....@......text...N.....` ..rdata.....@..@.data.....`.....R.....@....pdata.X...p.....X.....@..@.qmetadb.....d.....@..P.rsrc.....f.....@..@.reloc.....l.....@..B.....

C:\Program Files (x86)\ISOMate Pro\sqldrivers\is-BC9HM6N504.tmp

Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	88712
Entropy (8bit):	6.241830790869834
Encrypted:	false
SSDEEP:	1536:Ar2BfptHuLYND3KpuYRW4JyiHWao/ZgKxngOD:jfpblwiPWaOmk3
MD5:	DFDACC6881A9DD861BA20F5F5F559E1A
SHA1:	E2C5B08F775B311E7E14490FDC475B2169E58FB4
SHA-256:	A801EE76B55A87F25C5F50F8D00BFC29D930792979391572E6B9F5617D9E8696
SHA-512:	0B4F54348E1C36E54A6AF686C6D88B1EBB5B8A1F17ACA039A6CA01111A8470D7D31D3A7C79473E825B4B955CDC00EDB5118686CF0316C210D7A9BCB61FBD9C7B
Malicious:	false
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode...\$.....V.....@.....-.....-.....-.....-.....`..... .....D.....Rich.....PE..d...(7h....." ..'.....`A.....j...L.....`@.....*...0...p.h...p.....(.....@......text..... ..rdata..h.....j.....@..@.data...x...0.....@....pdata.....@.....@..@.qmetadg...P.....@..P.rsrc.....f.....@..@.reloc...h...p.....(.....@..B.....

C:\Program Files (x86)\ISOMate Pro\sqldrivers\is-OZW4JIQ20M.tmp

Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	125576

Entropy (8bit):	6.322232195645754
Encrypted:	false
SSDEEP:	1536jMEH8KjT4hfH3/S5Tr1G2awQ0tNE44/yImpuhVSI+IXK5q5uH7jN8HNpngLAgKxqjMEPTN5TI05I1qFIYXK5SuHHINpSpK8
MD5:	EDCB4D13A2D4A4E37AE36E25196D02BB
SHA1:	E5B8F578DE831AB70D89B0B391379B418DA45EB6
SHA-256:	7A2FB9653D4F6B055F929FC15F5E887A7DA12CC54C25F7AA832140FB542BA8F8
SHA-512:	D26F616ECF672F5DADB4DC48806638571313DFD21F7028BFE5B93E9C86DC62B8D75C2B016D763901550E759F3912D4CEC1B8ED3594664339E7907CD8529D7C5
Malicious:	false
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode....\$......v..J2...2...2...;...4...-.0....-&.....-..1.....6...@-..7...2..... ..1.....3....g.3...2...3.....3...Rich2.....PE..d...k(7h....."...'.....`A.....t.x...hu.....0.....@U ..p.....V...(T..@.....0.....text......`.rdata..L{...0...@..@.data...h.....@....pdata.....@..@.qtmetaDb.....@..P.rsrc.....@..@.reloc.....@..B.....

C:\Program Files (x86)\ISOMate Pro\sqldrivers\is-TG3G5SBPMD.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	128648
Entropy (8bit):	6.298173481095869
Encrypted:	false
SSDEEP:	3072:XKngAYtErZBKwoduvaVU1LmLz3gAt2A2CA+e/HMuq1aao9FIGRY60+SKP:agAK1gaVU1L5qA+8H+0RY600P
MD5:	2022BD8C1C7C283D7D6AA1E7838C4D6F
SHA1:	D679A38518059848788A4891FD7E98F3E98E33AD
SHA-256:	E46EDF8356B1454E386CB41EFA3F834748721027AB5E795788583B789E1A9787
SHA-512:	081C940F52AF01EEA91115D38455612B4068E004F477C7BF79AFE2F45762CBE2E748EDF08D9A4BDB729E46CA548934BED3056FEB1378F4693B4BD82AA86D02E5
Malicious:	false
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode....\$......6.>.r.PFr.PFr.PF{..Fv.PF..QGp.PF..UGd.PF..TGz.PF..SG v..PF..QGp.PF..QGV..PF..QGq.PFr.QFL.PF..UGq.PF..PGs.PF...Fs.PFr..Fs.PF..RGs.PFRichr.PF.....PE..d....(7h....."..'&.....+...../....`A.. .....`..X.....0.....0d..p.....e..(..b..@.....@.....text...\$......&......`.rdata...})@...~...*..... ..@..@.data...x.....@....pdata.....@..@.qtmetaD`.....@..P.rsrc.....@..@.reloc.....@..B.....

C:\Program Files (x86)\ISOMate Pro\sqldrivers\is-VXD7PY3JDV.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	137352
Entropy (8bit):	6.342846457934582
Encrypted:	false
SSDEEP:	1536:oWsGsR/RsILSs495FNG8RdnaRRPgFOUYWDcQ2XL26xKCKuJ9Ztq4u7EumOQnXJ+oC:oWQ3QnaR9OSWqMvU9fq8uuXI6wybKh
MD5:	BAB110C9B09C913403407EC889DC222F
SHA1:	187FE53DDC1293BC3155CAA786248778171DC2DB
SHA-256:	E9841B31C251FAE085DB4A4D933A78DC7BF6688989E195971C9363C4C921FF6E
SHA-512:	221CDA3D9C5035EEF7C5B3FAA28E92B4002BE1758532B93EA356972E82D35B2006EF73A050E96C97DB7476D49D340942B9873081C49A9E3ACAE6E0515D1DC85D
Malicious:	false
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode....\$......wL.....H.....H.....H.....H.....z.....z..... ..z.....z.....z.....Rich.....PE..d....(7h....."..'6.....9.....P.....`A.....P.. .....0.....(.....0...@.....f..p.. .....s..(....q..@.....P.. .....text...5.....6......`.rdata.....P.....@..@.data.....@....pdata..(..... @..@.qtmetaDd.....@..P.rsrc.....0.....@..@.reloc.....@.....@..B.....

C:\Program Files (x86)\ISOMate Pro\sqldrivers\sqlqibase.dll (copy)	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	137352
Entropy (8bit):	6.342846457934582
Encrypted:	false
SSDEEP:	1536:oWsGsR/RsILSs495FNG8RdnaRRPgFOUYWDcQ2XL26xKCKuJ9Ztq4u7EumOQnXJ+oC:oWQ3QnaR9OSWqMvU9fq8uuXI6wybKh

MD5:	BAB110C9B09C913403407EC889DC222F
SHA1:	187FE53DDC1293BC3155CAA786248778171DC2DB
SHA-256:	E9841B31C251FAE085DB4A4D933A78DC7BF6688989E195971C9363C4C921FF6E
SHA-512:	221CDA3D9C5035EEF7C5B3FAA28E92B4002BE1758532B93EA356972E82D35B2006EF73A050E96C97DB7476D49D340942B9873081C49A9E3ACAE6E0515D1DC85D
Malicious:	false
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode....\$.....wL.....H.....H.....H.....H.....z.....Z.....z.....z.....Z.....Rich.....PE..d....(7h....." ...'.6..... 9.....P.....`A.....P... .....0.....(.....0...@.....f..p.....s..(....q..@.....P......text...5.....6.....`..rdata.....P.....@.....@..@.data.....@....pdata..(.....@..@.qmetadd.....@...P.rsrc.....0.....@...@.reloc.....@.....@..B.....

C:\Program Files (x86)\ISOMate Pro\sqldrivers\sqlite.dll (copy)	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	1979016
Entropy (8bit):	6.5444900091813185
Encrypted:	false
SSDEEP:	24576:tzIEStAhOo7La5GerdCLaleQ/P9jLtq23uRYhnpTmUjlzXezRWbKJlhO8NkrjS/L:hPbLa5G0CLueUPJpERUTmUPd2aNGS/DP
MD5:	DF3251D2A6D2112F0EAC8A5897C5AAFB
SHA1:	308C9B502C08AAB410B5DD928EB1F34F1E393D8D
SHA-256:	C5B09C0C5A0A1EA121C663658E776B0746CD5E5BCC950D829FC63497DF2B99E7
SHA-512:	4711229794999611010CAF8B4CDB88CA895AD04B88C76368D9478559284C29E8AB55BDDE0929FF4E777D4B63D7DFF06AB8D7B483994C2B17BCFADC30DCB2577
Malicious:	false
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode....\$.....0...tnm.tnm.tnm.)...xnm..l.pnm..h.lnm..i.lnm..n.pnm...l.vnm..l.qnm.tnl..om..h.pnm..i.unm...m.unm...unm.tn..unm..o.unm.Richtnm.....PE..d....(7h....." ..'.X.....`.....).....`A.....v..x... (w.....@.....@...h.....0...P..\'..).p.....*..(....'.@......text.....`..rdata.....@.....@..@.data...s.....h.....@....pdata..h....@.....@..@.qmetadf...0.....@...P.rsrc.....@.....@...@.reloc...\...P.....@..B.....

C:\Program Files (x86)\ISOMate Pro\sqldrivers\sqlmimer.dll (copy)	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	88712
Entropy (8bit):	6.241830790869834
Encrypted:	false
SSDEEP:	1536:Ar2BfptHuLYND3KpuYRW4JyiHWao/ZgKxngOD:jfpbllwiPWaOmK3
MD5:	DFDACC6881A9DD861BA20F5F5F559E1A
SHA1:	E2C5B08F775B311E7E14490FDC475B2169E58FB4
SHA-256:	A801EE76B55A87F25C5F50F8D00BFC29D930792979391572E6B9F5617D9E8696
SHA-512:	0B4F54348E1C36E54A6AF686C6D88B1EBB5B8A1F17ACA039A6CA01111A8470D7D31D3A7C79473E825B4B955CDC00EDB5118686CF0316C210D7A9BCB61FBD957B
Malicious:	false
Preview:	MZ.....@.....!..L.!This program cannot be run in DOS mode....\$.....V.....@.....-.....-.....-.....-.....-.....D.....Rich.....PE..d....(7h....." ...'.X.....`A..... ...L.....@.....*...0...p..h... ..p.....(.....@......text.....`..rdata...h.....j.....@.....@..@.data...x...0.....@....pdata.....@.....@..@.qmetadg...P.....@...P.rsrc.....`.....".....@...@.reloc..h....p.....(.....@..B.....

C:\Program Files (x86)\ISOMate Pro\sqldrivers\sqlloci.dll (copy)	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	128648
Entropy (8bit):	6.298173481095869
Encrypted:	false
SSDEEP:	3072: XKngAYtErZBKwoduvaVU1LmLz3gAt2A2CA+e/HMuq1aa9FIGRY60+SKP:agAK1gaVU1L5qA+8H+0RY600P
MD5:	2022BD8C1C7C283D7D6AA1E7838C4D6F
SHA1:	D679A38518059848788A4891FD7E98F3E98E33AD

SHA-256:	E46EDF8356B1454E386CB41EFA3F834748721027AB5E795788583B789E1A9787
SHA-512:	081C940F52AF01EEA91115D38455612B4068E004F477C7BF79AFE2F45762CBE2E748EDF08D9A4BDB729E46CA548934BED3056FEB1378F4693B4BD82AA86D02E5
Malicious:	false
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode....\$.....6.>.r.PFr.PFr.PF{..Fv.PF..QGp.PF..UGd.PF..TGz.PF..SGv.PF..QGp.PF..QGV.PF..QGq.PFr.QFL.PF..UGq.PF..PGs.PF..Fs.PFr..Fs.PF..RGs.PFRichr.PF.....PE..d....(7h....."...'&.....+...../....`A.....`X.....0.....0d..p.....e..(..b..@.....@......text...\$....&.....`..rdata..}..@...~...*.....@_..@..data...x.....@.....pdata.....@_..@..qtmeta`.....@_..P.rsrc.....@_..@..reloc.....@_..B.....

C:\Program Files (x86)\ISOMate Pro\sqldrivers\sqlodbc.dll (copy)	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	125576
Entropy (8bit):	6.322232195645754
Encrypted:	false
SSDEEP:	1536:jMEH8KjT4hfH3/S5Tr1G2awQ0tNE44/yImpuhVSI+IXK5q5uH7jN8HNpngLAGKxq;jMEPTN5TI05I1qFIYXK5SuHHiNpSpK8
MD5:	EDCB4D13A2D4A4E37AE36E25196D02BB
SHA1:	E5B8F578DE831AB70D89B0B391379B418DA45EB6
SHA-256:	7A2FB9653D4F6B055F929FC15F5E887A7DA12CC54C25F7AA832140FB542BA8F8
SHA-512:	D26F616ECF672F5DADB4DC48806638571313DFD21F7028BFE5B93E9C86DC62B8D75C2B016D763901550E759F3912D4CEC1B8ED3594664339E7907CD8529D7C5
Malicious:	false
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode....\$.....v..J2...2...2...;..4...-.0...-.&...-.....1.....6...@-..7...2......1.....3....g.3...2...3.....3...Rich2.....PE..d...k(7h....."...'&.....+...../....`A.....t.x..hu.....0.....@U...p.....V..(..T..@.....0......text.....`..rdata..L{...0...}.....@_..@..data...h.....@.....pdata.....@_..@..qtmeta`b.....@_..P.rsrc.....@_..@..reloc.....@_..B.....

C:\Program Files (x86)\ISOMate Pro\sqldrivers\sqlpsql.dll (copy)	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	106120
Entropy (8bit):	6.236691482089172
Encrypted:	false
SSDEEP:	3072:Qx+989fiQ4hhqGCG0GZGX4R+SPStPhzY7BTPR/6MKp:y+ubL8Pr/mp
MD5:	4988F8FE1385783C2B8D31AB60917E57
SHA1:	B5A346B495285AEE811F14A867A46337D122E895
SHA-256:	143024F8C8EC2B86B0B30D7DCCA629F80BE3E193836286D8E5C949166F4F2267
SHA-512:	68300D829405C8B18EE82E33678DCA63E837795D8392296A5E86C15980719AC0E0F53178D76FCAB69ED11164CD5BCB121B51CCC5DD69B3401C7092220C00DAF
Malicious:	false
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode....\$.....o...j...j...j..v...j.0.k..j.0.o...j.0.n...j.0.i..j..k...j...k...j.G....j...k...j...o...j...j...j...j...j...h...j.Rich..j.....PE..d...j(7h....."...'&.....+...../....`A.....P&..x...&.....p..X...n...0.....@...p.....(..@......text..N.....`..rdata.....@_..@..data.....`.....R.....@.....pdata..X...p.....X.....@_..@..qtmeta`b.....d.....@_..P.rsrc.....f.....@_..@..reloc.....l.....@_..B.....

C:\Program Files (x86)\ISOMate Pro\styles\is-M154K7J01X.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	218248
Entropy (8bit):	6.314231871379894
Encrypted:	false
SSDEEP:	6144:s+68eCbXem+XqO2Wbg8SU343dw8FSJLKdMYn+zJn7M:s+Gyum8qRWbg8ZM
MD5:	2B3A905C79F7F6DB0BBCDB42D0B1C14E
SHA1:	378666615AD0D24015F4C3F7B5F69406891AB3ED
SHA-256:	655F4F9AFA55897A6DF581642852BE1931ACEB0F587988691DBF340F76CF9485
SHA-512:	2F779B7AE48750BCE5F1A6C3EA30D3807CB72FC60C4EDBC12D02C4F1D84A20043EAA8E06EA706C01483ACC2E6A4FA2251705A1585F086C4221CB205EC1A06F66
Malicious:	false

Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode....\$.....Au[/..5 ..5 ..5 ..5 .1)..5 6)..5 0)..5 .4)..5 .4)..5 w.4)..5 .4 j.5 .0)..5 ..555 ..7)..5 Rich..5PE..d...H)7h....." ...'\$......P(.....p.....`A.....P.....0..@...\$...0...`.....m..p.....n..(..l..@.....@......text...^".....\$......`.rdata.^.....@.....(.....@..@.data.....@.....pdata..@...0.....@.....@..@.qtmetagdx.....@.....@..P.rsrc.....P.....@..@.reloc.....`.....@..B.....
----------	---

C:\Program Files (x86)\ISOMate Pro\styles\qmodernwindowsstyle.dll (copy)	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	218248
Entropy (8bit):	6.314231871379894
Encrypted:	false
SSDEEP:	6144:s+68eCbXem+XqO2Wbg8SU343dw8FSJLKdMYn+zJn7M:s+Gyum8qRWbg8ZM
MD5:	2B3A905C79F7F6DB0BBCDB42D0B1C14E
SHA1:	378666615AD0D24015F4C3F7B5F69406891AB3ED
SHA-256:	655F4F9AFA55897A6DF581642852BE1931ACEB0F587988691DBF340F76CF9485
SHA-512:	2F779B7AE48750BCE5F1A6C3EA30D3807CB72FC60C4EDBC12D02C4F1D84A20043EAA8E06EA706C01483ACC2E6A4FA2251705A1585F086C4221CB205EC1A06F66
Malicious:	false
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode....\$.....Au[/..5 ..5 ..5 ..5 .1)..5 6)..5 0)..5 .4)..5 .4)..5 w.4)..5 .4 j.5 .0)..5 ..555 ..7)..5 Rich..5PE..d...H)7h....." ...'\$......P(.....p.....`A.....P.....0..@...\$...0...`.....m..p.....n..(..l..@.....@......text...^".....\$......`.rdata.^.....@.....(.....@..@.data.....@.....pdata..@...0.....@.....@..@.qtmetagdx.....@.....@..P.rsrc.....P.....@..@.reloc.....`.....@..B.....

C:\Program Files (x86)\ISOMate Pro\tls\is-2465YS86Q5.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	257160
Entropy (8bit):	6.326947450304087
Encrypted:	false
SSDEEP:	6144:FRTJFY9kDza32Y0ZLB0cqhQWY+sqSQ3cV/1C8s:FR9S99QLB0cWSsqSQ3cC8s
MD5:	E19EF23E38CEAE7DBC696C87419A8600
SHA1:	8B1E9CA75A9417FFBA34D74286A86C450A0A2572
SHA-256:	84D381F93B252C4C86AE896488C040177E67A49AD9458D46C31F23D84181EA9A
SHA-512:	FC72B55AB2DA6FF92F8991BF058B6718B197D8E759AB2617BB1C29041B9DFC2412F9AC7421D1E789ED34EDB4B7EC9FD366027AD10F96073B42A80CD52F069528
Malicious:	false
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode....\$.....l..l..f)l..l...H...l...H...l...H...l...H...l...H...l...lB..l*..H...l*..H...l*..El..l..l...l*..H...lRich..l.....PE..d...O)7h....." ...'.....p.....`A.....<.....<.....h.....0.....8.....p.....(..@...@......text.....`.rdata..8.....@.....@..@.data..8.....@.....pdata..h.....@.....@..@.qtmetagD.....@..P.rsrc.....@..@.reloc..8.....@..B.....

C:\Program Files (x86)\ISOMate Pro\tls\is-5IEISDNN1H.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (GUI) x86-64, for MS Windows
Category:	dropped
Size (bytes):	102536
Entropy (8bit):	6.341414842683318
Encrypted:	false
SSDEEP:	1536:orxW+baLOpju3KUvet4ILRAKk3h9bZxV53RSQap7I19hrhF4x7P+CPIHoyigKxnB:orla3rUVeq1RkcQap7I19hS+CPIHXvKz
MD5:	F38DFAF75F75D3F8A3B64CC4E33F58E7
SHA1:	A6E369E1E6D3CB3A5ED858D84AB2CF4670750178
SHA-256:	4905E7BAC322CD5ECB89FA1AE080DC7F3FD23D20446E2ACF04192EC1E80E2F05
SHA-512:	2BE5ADEF9D0F457FDDCE2D14DF8B080C496DAD7CD0BBD8A023839AAE9A380F0D8CE0FA60E5FCFEE678B94B64CCEC182CAA1B205EE3A9DE4F6DD704C915C54145
Malicious:	false

Preview:	Inno Setup Uninstall Log (b).....{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}.....ISOMate Pro.....9...C(.....K".....p..2.....W.S.-.Q.K.S.9.8.2.7.....j.o.n.e.s.....C:.\P.r.o.g.r.a.m. .F.i.l.e.s. .(x.8.6).\I.S.O.M.a.t.e. .P.r.o.....".....F.....6.....IFPS...!.....ANYPMETHOD.....BOOLEAN.....TWIZARDFORM....TWIZARDFORM.....TUNI NSTALLPROGRESSFORM....TUNINSTALLPROGRESSFORM.....TUNINSTALLSTEP.....!MAIN....-1.....CURUNINSTALLSTEPCHANG
----------	---

C:\Program Files (x86)\ISOMate Pro\unins000.exe (copy)	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32 executable (GUI) Intel 80386, for MS Windows
Category:	dropped
Size (bytes):	4395266
Entropy (8bit):	6.608261494306178
Encrypted:	false
SSDEEP:	98304:bYU5hnuOajWwMPdCpepl3GrwA+J0333D:1xuHjWizlZC
MD5:	F288EBAC4DFE2D4C9E77ACB5A82D8FFD
SHA1:	F0A524AD7D31F3D07014D1A86DC6C5F1BC321CC1
SHA-256:	E3177A900444F8D7E2061121A65F6620A3B83D3563D666945F7C7908D9C14343
SHA-512:	ACB677A05664CE1B08891AEA723ECFC06D3096570BFB32C7F4939AD0498FF43FC137E5F4E94C8570577626ABE99A67F70BB51890EDBD667DA22134C2B5984A19
Malicious:	false
Preview:	MZP.....@.....InUn.....!..L!..This program must be run under Win32..\$7.....PE.L...j.i.....h:.....@.....C.....@.....@.....<n....@<..B...A.h).....<.....<.....K<.....<4.....text...9......ltext......data.....@...bss.....;.....idata...B...@<..D...d;.....@.....didata.4.....<.....;.....@.....edata..n.....<.....;.....@...@.tls....\.....<.....rdata..j.....<.....;.....@...@.reloc.....<.....;.....@...B.rsrc...h)....A..*...@.....@...@.....D.....C.....@...@.....

C:\Program Files (x86)\ISOMate Pro\vcruntime140.dll (copy)	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (console) x86-64, for MS Windows
Category:	dropped
Size (bytes):	124544
Entropy (8bit):	6.548965969616788
Encrypted:	false
SSDEEP:	3072:ltkenID0f6aifkHWBXjG/luecbfmg4DCUil:YWSIHWBXjGlecbfYmN
MD5:	6CA4EDB2B52EC46C7FCA3FD372CA6C00
SHA1:	3D2998A27D164DD7CC3BC7D3ECA08ACF89A0EE42
SHA-256:	D5E4D9A3E835FA679450145D6A7D94E36573A509317111904D9B3712C30D9066
SHA-512:	BDA93FF2C306C82F1942EBD538F5C77BA593E3E20792159B2A2F5EBD086C524F6C6BD3DE5AD722C71FF7D832D0149608289929E9B23F7858EBB960DBB3422F5F
Malicious:	false
Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode....\$......j..4... ..4... ..4... ..4... ..4... ..Rich.PE..d....%....."0..h.....`A.....pv..4....~.....P.....P^..p.....j..@.....@.....text...^......fothk.....0.....\$......`rdata...D...@...F...4.....@...@.data...0.....z.....@....pdata.....~.....@...@.._RDATA.....@...@.rsrc.....@...@.reloc.....@...B.....

C:\Program Files (x86)\ISOMate Pro\vcruntime140_1.dll (copy)	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (DLL) (console) x86-64, for MS Windows
Category:	dropped
Size (bytes):	49792
Entropy (8bit):	6.71304391248984
Encrypted:	false
SSDEEP:	768:g3oZyctpczx0pdESASv83Tw4DYEOMg9z7NONRds9zb:kc6wk3TgEqz7N6Rdkzb
MD5:	CD1B08F4930B276AD78853580B76B5C6
SHA1:	A0330279D3D0D47F19ED984726E25260B547A228
SHA-256:	1F2D41C4AA5DB0BC33EBF7B66D72943A817D7CE6CBE880502A9403823633093F
SHA-512:	6BCDD6B16D815D72DC7EFD6A2352319ECE102F3B7D85C648286E4B3B594B7670D61B7E05C580FC416421E1A1622B38737B1E90080171384E7E2CD5E37AC7122
Malicious:	false

Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode...\$.....'_c...c...(.a...T.a...j.M.h...c...V...T.d...T.x...T.f...T.b...T!b...T..b...Richc.....PE..d....S....." ..<...8.....A.....`A.....m.....<n.x.....r...P.....D...C..p.....pb..@.....P..p.....text...;.....<.....`..rdata..#...P...\$...@.....@...@.data..d.....@.....pdata..f.....@..@.rsrc.....l.....@...@.reloc..D.....p.....@...B.....@.....
----------	--

C:\ProgramData\Microsoft\Windows\Start Menu\Programs\ISOMate Pro\ISOMate Pro.lnk	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	MS Windows shortcut, Item id list present, Points to a file or directory, Has Relative path, Has Working directory, Archive, ctime=Thu Jun 18 05:34:14 2026, mtime=Thu Jun 18 05:34:14 2026, atime=Thu Apr 9 17:36:46 2026, length=3786920, window=hide
Category:	dropped
Size (bytes):	1134
Entropy (8bit):	4.6549657911958215
Encrypted:	false
SSDEEP:	24:8mtN5EAdOEcho2B6tpNQAiaX1dKWH0xdKXUUK3qyFm:8mtN2AdOH96DtiaX1dKWH0xdKEeyF
MD5:	9F568C5C04E85AD76C03211C490B9082
SHA1:	D68CC0C817569BFD1BFF801993C5C77C24E58F28
SHA-256:	9CA9FAC9AC0002914BA41363D40211178FD8D65AA603FB029DC64EEF0F04D58F
SHA-512:	C16C067C5B996213E4AE6BD50186C2AED56CBB23194BFF2A8CAB0E19F52666138F2B8DCF415F0A7DAAD904848FB8C9418BF325C74EB9AFDFC009621872E4C5B7
Malicious:	false
Preview:	L.....F.....v..z.....{.....O.....9.....P.O. :i.....+00.../C:\.....1.....<4..PROGRA~2.....O.I.=4.....V.....P.r.o.g.r.a.m. .F.i.l.e.s. .(.x.8.6.)...@.s.h.e.l.l.3.2...d.l.l.,-2.1.8.1.7.....`1.....\K4..ISOMAT~1..H.....\G4.\K4....O.....!I.S.O.M.a.t.e. .P.r.o.....l.2...9...\.. ISOMAT~1.EXE..P.....\H4.\H4.....I.S.O.M.a.t.e. .P.r.o...e.x.e.....a.....^.....1.o.....C:\Program Files (x86)\ISOMate Pro\ISOMate Pro.exe..A.....\.....\.....\.....\P.r.o.g.r.a.m. .F.i.l.e.s. .(.x.8.6.)\I.S.O.M.a.t.e. .P.r.o.\I.S.O.M.a.t.e. .P.r.o...e.x.e.".C:\P.r.o.g.r.a.m. .F.i.l.e.s. .(.x.8.6.)\I.S.O.M.a.t.e. .P.r.o.....*.....@Z[...K.J.....`.....X...ws-qks9827.....hT..CrF.f4... ..ji...4.....hT..CrF.f4... ..ji...4.....1SPS.XF.L8C....&m.q...../...S.-.1.-.5.-.2.1.-.2.2.4.6.1.2.2

C:\ProgramData\Microsoft\Windows\Start Menu\Programs\ISOMate Pro\Uninstall.lnk	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	MS Windows shortcut, Item id list present, Points to a file or directory, Has Relative path, Has Working directory, Archive, ctime=Thu Jun 18 05:34:13 2026, mtime=Thu Jun 18 05:34:13 2026, atime=Thu Jun 18 05:34:03 2026, length=4395266, window=hide
Category:	dropped
Size (bytes):	1119
Entropy (8bit):	4.663314018874479
Encrypted:	false
SSDEEP:	24:8m+hZ68RpEWdOEchGwuALaXF4TdK75xdKXUUK/qyFm:8m+hZ68UWdOHj1LaXF4TdK75xdKEGyF
MD5:	F99872137866A9CF87587CB563DFD03D
SHA1:	DE2F7EB06375DBD74483DB646355ADFF9EF45F5F
SHA-256:	315F4546A2C3FB838C676E59EDF58178CDA6CA77B497F727A850E2063EE27C1B
SHA-512:	1C1875672485274ED42417FCB379768DD50E05A7B451B43259705DF32FF41BA75F2EFEC69DBC0071D5DEE9B0DE10F1E1AB980A4AA85F8488490CC796FD0BDA
Malicious:	false
Preview:	L.....F.....96hz.....96hz.....-kt.....C.....P.O. :i.....+00.../C:\.....1.....\G4..PROGRA~2.....O.I.\K4.....V.....e.P.r.o.g.r.a.m. .F.i.l.e.s. .(.x.8.6.)...@.s.h.e.l.l.3.2...d.l.l.,-2.1.8.1.7.....`1.....\K4..ISOMAT~1..H.....\G4.\K4....O.....!I.S.O.M.a.t.e. .P.r.o.....f.2...C:\B4 .unins000.exe..J.....\G4.\G4.....g.u.n.i.n.s.0.0.0...e.x.e.....^.....].....1.o.....C:\Program Files (x86)\ISOMate Pro\unins000.exe.>.....\.....\.....\.....\P.r.o.g.r.a.m. .F.i.l.e.s. .(.x.8.6.)\I.S.O.M.a.t.e. .P.r.o.\u.n.i.n.s.0.0.0...e.x.e.".C:\P.r.o.g.r.a.m. .F.i.l.e.s. .(.x.8.6.)\I.S.O.M.a.t.e. .P.r.o.....*.....@Z[...K.J.....`.....X.....ws-qks9827.....hT..CrF.f4... ..ji...4.....hT..CrF.f4... ..ji...4.....1SPS.XF.L8C....&m.q...../...S.-.1.-.5.-.2.1.-.2.2.4.6.1.2.2.6.5.8.-.3.6.9.

C:\Users\Public\Desktop\ISOMate Pro.lnk	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
File Type:	MS Windows shortcut, Item id list present, Points to a file or directory, Has Relative path, Has Working directory, Icon number=0, Archive, ctime=Thu Jun 18 05:34:14 2026, mtime=Thu Jun 18 05:34:20 2026, atime=Thu Apr 9 17:36:46 2026, length=3786920, window=hide
Category:	dropped
Size (bytes):	1198
Entropy (8bit):	4.617170314771379
Encrypted:	false
SSDEEP:	24:8md8RpEWdOEcho2B6tpNQAiaXYdKWH0xdK0jTfUUK3qyFm:8md8UWdOH96DtiaXYdKWH0xdK0j4eyF
MD5:	FF9342B7A0DB31F092E884EC4FD1569F
SHA1:	80F5C12ABBD3E9B31DE038503BB23719BCA0BB97
SHA-256:	FB65403E78A75CDF73401E10867505DE2ACC248D1ECA63BE83E2BA972E1F448A
SHA-512:	4D5A798A6E16E4221AE1C97CB13CCF907134AFB051D4A3DACD3B21D5887C89AE589A93D421126A3F94BF151DA8680F448761047018FF339209795DA2E0B21727
Malicious:	false

Preview:	L.....F.....v.....z.....p~.....O.....9.....P.O. .i.....+00../C:\.....1.....\G4..PROGRA~2.....O.I\K4.....V.....e.P.r.o.g.r.a.m. .F.i.l.e.s. .(x.8.6.)...@.s.h.e.l.l.3.2...d.l.l.,-2.1.8.1.7.....`1.....\K4..ISOMAT~1..H.....\G4\K4.....O.....I.I.S.O.M.a.t.e. .P.r.o.....l.2...9..\..ISOMAT~1.EXE..P.....\H4\H4.....I.S.O.M.a.t.e. .P.r.o...e.x.e.....a.....`.....1.o.....C:\Program Files (x86)\ISOMate Pro\ISOMate Pro.exe.8.....\.....\P.r.o.g.r.a.m. .F.i.l.e.s. .(x.8.6.)\I.I.S.O.M.a.t.e. .P.r.o.\I.I.S.O.M.a.t.e. .P.r.o...e.x.e."C:.\P.r.o.g.r.a.m. .F.i.l.e.s. .(x.8.6.)\I.I.S.O.M.a.t.e. .P.r.o.(%.P.r.o.g.r.a.m.F.i.l.e.s.(x.8.6.)%.)\I.I.S.O.M.a.t.e. .P.r.o.\l.o.g.o...i.c.o.....*.....@Z[...K.J.....`.....X.....ws-qks9827.....hT..CrF.f4... ..ji...4.....hT..CrF.f4... ..ji...4.....1SPS
----------	--

C:\Users\user\AppData\Local\Microsoft\Windows\PowerShell\StartupProfileData-NonInteractive	
Process:	C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe
File Type:	data
Category:	dropped
Size (bytes):	64
Entropy (8bit):	1.1940658735648508
Encrypted:	false
SSDEEP:	3:NllulZnq/h:NllUw
MD5:	150F1DA9DA64582872CE61A6D4D55835
SHA1:	B8EE164AC037FEC1F8DB64776265BFAE01B45012
SHA-256:	05C3115349DF6ABF7D00A8041EC5AB161AA0B236CCA6D3E51835603F12521C56
SHA-512:	6CFCC734CDB4A1E892D213F20D61CF8F850392970EE89C68E8A301554687698F1180137440F0280BB18C1EAECA7007C07A734D4F1FE5F8606ED50F3118D80A71
Malicious:	false
Preview:	@...e.....&.....@.....

C:\Users\user\AppData\Local\Temp__PSScriptPolicyTest_j3crelmn.oda.psm1	
Process:	C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe
File Type:	ASCII text, with no line terminators
Category:	dropped
Size (bytes):	60
Entropy (8bit):	4.038920595031593
Encrypted:	false
SSDEEP:	3:Si2NPqzAYMLAKVpKGOyzKtFS:SnqbKAKWGX
MD5:	D17FE0A3F47BE24A6453E9EF58C94641
SHA1:	6AB83620379FC69F80C0242105DDFFD7D98D5D9D
SHA-256:	96AD1146EB96877EAB5942AE0736B82D8B5E2039A80D3D6932665C1A4C87DCF7
SHA-512:	5B592E58F26C264604F98F6AA12860758CE606D1C63220736CF0C779E4E18E3CEC8706930A16C38B20161754D1017D1657D35258E58CA22B18F5B232880DEC82
Malicious:	false
Preview:	# PowerShell test file to determine AppLocker lockdown mode

C:\Users\user\AppData\Local\Temp__PSScriptPolicyTest_jbdp34xq.dd2.psm1	
Process:	C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe
File Type:	ASCII text, with no line terminators
Category:	dropped
Size (bytes):	60
Entropy (8bit):	4.038920595031593
Encrypted:	false
SSDEEP:	3:Si2NPqzAYMLAKVpKGOyzKtFS:SnqbKAKWGX
MD5:	D17FE0A3F47BE24A6453E9EF58C94641
SHA1:	6AB83620379FC69F80C0242105DDFFD7D98D5D9D
SHA-256:	96AD1146EB96877EAB5942AE0736B82D8B5E2039A80D3D6932665C1A4C87DCF7
SHA-512:	5B592E58F26C264604F98F6AA12860758CE606D1C63220736CF0C779E4E18E3CEC8706930A16C38B20161754D1017D1657D35258E58CA22B18F5B232880DEC82
Malicious:	false
Preview:	# PowerShell test file to determine AppLocker lockdown mode

C:\Users\user\AppData\Local\Temp__PSScriptPolicyTest_js32v3ex.35y.ps1	
Process:	C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe
File Type:	ASCII text, with no line terminators
Category:	dropped
Size (bytes):	60
Entropy (8bit):	4.038920595031593
Encrypted:	false

SSDEEP:	3:Si2NPqzAYMLAKVpKGOyzKtFS:SnqbKAKWGX
MD5:	D17FE0A3F47BE24A6453E9EF58C94641
SHA1:	6AB83620379FC69F80C0242105DDFFD7D98D5D9D
SHA-256:	96AD1146EB96877EAB5942AE0736B82D8B5E2039A80D3D6932665C1A4C87DCF7
SHA-512:	5B592E58F26C264604F98F6AA12860758CE606D1C63220736CF0C779E4E18E3CEC8706930A16C38B20161754D1017D1657D35258E58CA22B18F5B232880DEC82
Malicious:	false
Preview:	# PowerShell test file to determine AppLocker lockdown mode

C:\Users\user\AppData\Local\Temp__PSScriptPolicyTest_ujtyo1ks.1m2.ps1	
Process:	C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe
File Type:	ASCII text, with no line terminators
Category:	dropped
Size (bytes):	60
Entropy (8bit):	4.038920595031593
Encrypted:	false
SSDEEP:	3:Si2NPqzAYMLAKVpKGOyzKtFS:SnqbKAKWGX
MD5:	D17FE0A3F47BE24A6453E9EF58C94641
SHA1:	6AB83620379FC69F80C0242105DDFFD7D98D5D9D
SHA-256:	96AD1146EB96877EAB5942AE0736B82D8B5E2039A80D3D6932665C1A4C87DCF7
SHA-512:	5B592E58F26C264604F98F6AA12860758CE606D1C63220736CF0C779E4E18E3CEC8706930A16C38B20161754D1017D1657D35258E58CA22B18F5B232880DEC82
Malicious:	false
Preview:	# PowerShell test file to determine AppLocker lockdown mode

C:\Users\user\AppData\Local\Temp\is-LVBA40BZZO.tmp\ISOMate.tmp	
Process:	C:\Users\user\Desktop\ISOMate.exe
File Type:	PE32 executable (GUI) Intel 80386, for MS Windows
Category:	dropped
Size (bytes):	4369920
Entropy (8bit):	6.618874312550165
Encrypted:	false
SSDEEP:	98304:jYU5hnuOajWwMPdCpepl3GrwrA+J0333Y:9xuHjWfZlzt
MD5:	6D3892E64BA4DDEC7FAF8089DA8ACFF9
SHA1:	D9C4FBBAB0C5AD0E210997758ACAD6631FC61143
SHA-256:	50AAE5D26E217917F2FD1B7E42AF68F5D711F84039FC3C32664FBFCBA317FA8A
SHA-512:	1FBD04D3249EF5537548CD4BDA61DE06C78C0BB34F4B148F2A601823F3AA881B0BCA276BCDD661D0056EEC056B29CAB44DCBD8D5962ECB189C31404440241:86
Malicious:	false
Preview:	MZP.....@.....!..L!..This program must be run under Win32..\$7.....PE.L...j.i.....h.....@.....C.....@.....@.....<.n....@<..B...A.h).....<.....<..... ..K<.....<4.....text.....9....._itext....._`data.....@.....bss.....;.....idata...B...@<..D...d;.....@didata.4.....<.....;.....@....edata..n.....<.....;.....@...tIs....\....<.....rdata..].....<.....;.....@...@.reloc.....<.....;.....@...B.rsrc...h)....A.. *....@.....@...@.....D.....C.....@...@.....

C:\Users\user\AppData\Local\Temp\is-R8TDQKVVG4.tmp\isetup\setup64.tmp	
Process:	C:\Users\user\AppData\Local\Temp\is-LVBA40BZZO.tmp\ISOMate.tmp
File Type:	PE32+ executable (console) x86-64, for MS Windows
Category:	dropped
Size (bytes):	6144
Entropy (8bit):	4.720366600008286
Encrypted:	false
SSDEEP:	96:sfkcXegaJ/ZAYNzcld1xaX12p+gt1sONA0:sfJEVYlvxaX12C6A0
MD5:	E4211D6D009757C078A9FAC7FF4F03D4
SHA1:	019CD56BA687D39D12D4B13991C9A42EA6BA03DA
SHA-256:	388A796580234EFC95F3B1C70AD4CB44BFDDC7BA0F9203BF4902B9929B136F95
SHA-512:	17257F15D843E88BB78ADCFB48184B8CE22109CC2C99E709432728A392AFAE7B808ED32289BA397207172DE990A354F15C2459B6797317DA8EA18B040C85787E
Malicious:	false

Preview:	MZ.....@.....!..L!This program cannot be run in DOS mode...\$.....^.....!.....=\.....=\.....=\.....Rich.....PE.. d...R.....#.....@.....`.....<!.....P..H....@..0..... .....text.....`..rdata..@..@.data.....0.....@....pdata..0...@.....@...@.rsrc...H...P.....@..@.....
----------	---

Static File Info

General	
File type:	PE32 executable (GUI) Intel 80386, for MS Windows
Entropy (8bit):	7.993749541308388
TrID:	- Win32 Executable (generic) a (10002005/4) 98.45% - Inno Setup installer (109748/4) 1.08% - Win32 EXE PECompact compressed (generic) (41571/9) 0.41% - Win16/32 Executable Delphi generic (2074/23) 0.02% - Generic Win/DOS Executable (2004/3) 0.02%
File name:	ISOMate.exe
File size:	23'924'360 bytes
MD5:	b3f65cba5c826f067270866a47d64082
SHA1:	676fafa9964cfcba29b7bfbbe07161468742dea7
SHA256:	fedeaa108c4c0af0566d926878b12607ab8405ebe3be1c283eee761cda002cd4e
SHA512:	1875aa37af626a091ddfc78d18332c85dc318e3058790f0538b1aa7a5feccfca0b6cb792641d76ac2380bf6080197cd2177325cd58c42d2e17610b5bdfc26bc6
SSDEEP:	393216:LeM1T/inVBWcngSdXNSB0GhHWIQHn225EUvIP3r3AugQcXMnwxJ7vO:yMZaVMelQ6lE2IP3bAVQLUJ6
TLSH:	4537333FB24B353DE02A563979B68600543B6662B5564C47AAF4C4DCCF2A4B02E3E7C7
File Content Preview:	MZP.....@.....!..L!..This program must be run under Win32..\$7.....

File Icon

	
Icon Hash:	8e1e3b79792f160c

Static PE Info

General	
Entrypoint:	0x4b1e60
Entrypoint Section:	.itext
Digitally signed:	true
Imagebase:	0x400000
Subsystem:	windows gui
Image File Characteristics:	EXECUTABLE_IMAGE, 32BIT_MACHINE
DLL Characteristics:	DYNAMIC_BASE, NX_COMPAT, TERMINAL_SERVER_AWARE
Time Stamp:	0x698C6AAB [Wed Feb 11 11:40:27 2026 UTC]
TLS Callbacks:	
CLR (.Net) Version:	
OS Version Major:	6
OS Version Minor:	1
File Version Major:	6
File Version Minor:	1
Subsystem Version Major:	6
Subsystem Version Minor:	1
Import Hash:	88016fcdef7f227c62171d0afad9aae4

Authenticode Signature

Signature Valid:	true
Signature Issuer:	CN=SSL.com EV Code Signing Intermediate CA RSA R3, O=SSL Corp, L=Houston, S=Texas, C=US
Signature Validation Error:	The operation completed successfully
Error Number:	0

Not Before, Not After	29/10/2025 02:38:15 29/10/2027 02:37:50
Subject Chain	OID.1.3.6.1.4.1.311.60.2.1.3=CN, OID.2.5.4.15=Private Organization, CN=SYSGeeker Technology Limited, SERIALNUMBER=91440300MA5F16HJ5W, O=SYSGeeker Technology Limited, L=Shenzhen, S=Guangdong, C=CN
Version:	3
Thumbprint MD5:	9615672AB9BA00460973789C2C5F0AB0
Thumbprint SHA-1:	2D6AD591FADC7300EE5D014B8F509D87703B3C4C
Thumbprint SHA-256:	643D3BB0EC221F0D4B4F1B755BFDF26B9F7735CABCA66073B51D96556A7C2018
Serial:	161523FA9A15197552974771E4F5EE44

Entrypoint Preview	
Instruction	
push ebp	
mov ebp, esp	
mov ecx, 0000000Fh	
push 00000000h	
push 00000000h	
dec ecx	
jne 00007FC3986DAE3Bh	
push ecx	
push ebx	
push esi	
push edi	
mov eax, 004ABA78h	
call 00007FC39863766Ch	
xor eax, eax	
push ebp	
push 004B26C6h	
push dword ptr fs:[eax]	
mov dword ptr fs:[eax], esp	
xor edx, edx	
push ebp	
push 004B2680h	
push dword ptr fs:[edx]	
mov dword ptr fs:[edx], esp	
mov eax, dword ptr [004BA634h]	
call 00007FC3986D316Ah	
xor eax, eax	
mov dword ptr [ebp-14h], eax	
xor edx, edx	
push ebp	
push 004B266Fh	
push dword ptr fs:[edx]	
mov dword ptr fs:[edx], esp	
lea edx, dword ptr [ebp-14h]	
xor eax, eax	
call 00007FC3986CC2C1h	
lea eax, dword ptr [ebp-14h]	
call 00007FC3986D2AF9h	
push 00000002h	
push 00000000h	
push 00000001h	
mov ecx, dword ptr [ebp-14h]	
mov dl, 01h	
mov eax, dword ptr [004A4584h]	
call 00007FC3986CDA98h	
mov dword ptr [004BE2ACh], eax	
xor edx, edx	
push ebp	

Instruction

push 004B2604h

push dword ptr fs:[edx]

mov dword ptr fs:[edx], esp

xor eax, eax

mov dword ptr [ebp-18h], eax

lea edx, dword ptr [ebp-40h]

xor eax, eax

call 00007FC3986CC282h

mov edx, dword ptr [ebp-40h]

mov eax, dword ptr [ebp-14h]

call 00007FC3986CBE2Bh

test al, al

jne 00007FC3986DAE73h

push 00000002h

push 00000000h

mov eax, dword ptr [ebp-14h]

call 00007FC39863189Fh

push eax

call 00007FC39863897Dh

mov dword ptr [ebp-18h], eax

cmp dword ptr [ebp-18h], 00000000h

Data Directories

Name	Virtual Address	Virtual Size	Is in Section
IMAGE_DIRECTORY_ENTRY_EXPORT	0xc2000	0x71	.edata
IMAGE_DIRECTORY_ENTRY_IMPORT	0xbf000	0x1068	.idata
IMAGE_DIRECTORY_ENTRY_RESOURCE	0xd7000	0xb388	.rsrc
IMAGE_DIRECTORY_ENTRY_EXCEPTION	0x0	0x0	
IMAGE_DIRECTORY_ENTRY_SECURITY	0x16cfe0	0xea8	
IMAGE_DIRECTORY_ENTRY_BASERELOC	0xc5000	0x11fec	.reloc
IMAGE_DIRECTORY_ENTRY_DEBUG	0x0	0x0	
IMAGE_DIRECTORY_ENTRY_COPYRIGHT	0x0	0x0	
IMAGE_DIRECTORY_ENTRY_GLOBALPTR	0x0	0x0	
IMAGE_DIRECTORY_ENTRY_TLS	0xc4000	0x18	.rdata
IMAGE_DIRECTORY_ENTRY_LOAD_CONFIG	0x0	0x0	
IMAGE_DIRECTORY_ENTRY_BOUND_IMPORT	0x0	0x0	
IMAGE_DIRECTORY_ENTRY_IAT	0xbf2e4	0x26c	.idata
IMAGE_DIRECTORY_ENTRY_DELAY_IMPORT	0xc1000	0x1a4	.idata
IMAGE_DIRECTORY_ENTRY_COM_DESCRIPTOR	0x0	0x0	
IMAGE_DIRECTORY_ENTRY_RESERVED	0x0	0x0	

Sections

Name	Virtual Address	Virtual Size	Raw Size	MD5	Xored PE	ZLIB Complexity	File Type	Entropy	Characteristics
.text	0x1000	0xaf80c	0xafa00	1a67260023dfd031935bb7a42ed8c8b4	False	0.36682884786476866	data	6.383621392177825	IMAGE_SCN_CNT_CODE, IMAGE_SCN_MEM_EXECUTE, IMAGE_SCN_MEM_READ
.itext	0xb1000	0x18cc	0x1a00	cf1af4b55684ed040ce1bbd7f61e0612	False	0.5587439903846154	data	6.042248076122962	IMAGE_SCN_CNT_CODE, IMAGE_SCN_MEM_EXECUTE, IMAGE_SCN_MEM_READ
.data	0xb3000	0x3f3c	0x4000	572b4d77ead34ac8988afd3cc57c4cef	False	0.37921142578125	data	5.184114568769012	IMAGE_SCN_CNT_INITIALIZED_DATA, IMAGE_SCN_MEM_READ, IMAGE_SCN_MEM_WRITE
.bss	0xb7000	0x734c	0x0	d41d8cd98f00b204e9800998ecf8427e	False	0	empty	0.0	IMAGE_SCN_MEM_READ, IMAGE_SCN_MEM_WRITE


Name	Virtual Address	Virtual Size	Raw Size	MD5	Xored PE	ZLIB Complexity	File Type	Entropy	Characteristics
.idata	0xbf000	0x1068	0x1200	4a48c59cbaa4d331b6913c45047362ef	False	0.34765625	data	4.8230142485794465	IMAGE_SCN_CNT_INITIA LIZED_DATA, IMAGE_SCN_MEM_READ , IMAGE_SCN_MEM_WRIT E
.didata	0xc1000	0x1a4	0x200	f4dcdcd030805001df20b0fdd6c46cb2	False	0.34765625	data	2.7641753682496506	IMAGE_SCN_CNT_INITIA LIZED_DATA, IMAGE_SCN_MEM_READ , IMAGE_SCN_MEM_WRIT E
.edata	0xc2000	0x71	0x200	962159c3600d79cc1a32bd757eb6ad75	False	0.1796875	data	1.3350239298202073	IMAGE_SCN_CNT_INITIA LIZED_DATA, IMAGE_SCN_MEM_READ
.tls	0xc3000	0x18	0x0	d41d8cd98f00b204e9800998ecf8427e	False	0	empty	0.0	IMAGE_SCN_MEM_READ , IMAGE_SCN_MEM_WRIT E
.rdata	0xc4000	0x5d	0x200	4077d1dbe397a22f8d8c62a9ac2f87a2	False	0.189453125	data	1.3814625148744617	IMAGE_SCN_CNT_INITIA LIZED_DATA, IMAGE_SCN_MEM_READ
.reloc	0xc5000	0x11fec	0x12000	aa09d180bcb91ff38898ab2932fb8c55	False	0.5594211154513888	data	6.701744830431673	IMAGE_SCN_CNT_INITIA LIZED_DATA, IMAGE_SCN_MEM_DISC ARDABLE, IMAGE_SCN_MEM_READ
.rsrc	0xd7000	0xb388	0xb400	513e50da5fa3593834bf9aceaf901a44	False	0.7892144097222222	data	7.292568462101247	IMAGE_SCN_CNT_INITIA LIZED_DATA, IMAGE_SCN_MEM_READ

Resources

Name	RVA	Size	Type	Language	Country	ZLIB Complexity
RT_ICON	0xd7468	0x7aac	PNG image data, 256 x 256, 8-bit/color RGBA, non-interlaced	English	United States	0.9991402369124952
RT_STRING	0xdef14	0x24c	data			0.38945578231292516
RT_STRING	0xdf160	0x2e4	data			0.3081081081081081
RT_STRING	0xdf444	0x400	data			0.4130859375
RT_STRING	0xdf844	0x3d0	data			0.3770491803278688
RT_STRING	0xdfc14	0x3fc	data			0.37941176470588234
RT_STRING	0xe0010	0x2d4	data			0.39226519337016574
RT_STRING	0xe02e4	0xb8	data			0.6467391304347826
RT_STRING	0xe039c	0x9c	data			0.6410256410256411
RT_STRING	0xe0438	0x38c	data			0.42290748898678415
RT_STRING	0xe07c4	0x398	data			0.3358695652173913
RT_STRING	0xe0b5c	0x368	data			0.3795871559633027
RT_STRING	0xe0ec4	0x2a4	data			0.4275147928994083
RT_RCDATA	0xe1168	0x10	data			1.5
RT_RCDATA	0xe1178	0x490	data			0.5590753424657534
RT_RCDATA	0xe1608	0x40	data	English	United States	0.890625
RT_GROUP_ICON	0xe1648	0x14	data	English	United States	1.2
RT_VERSION	0xe165c	0x584	data	English	United States	0.25920679886685555
RT_MANIFEST	0xe1be0	0x7a8	XML 1.0 document, ASCII text, with CRLF line terminators	English	United States	0.3377551020408163

Imports

DLL	Import
-----	--------



TCP Packets				
Timestamp	Source Port	Dest Port	Source IP	Dest IP
Jun 18, 2026 08:34:44.640522957 CEST	49694	443	192.168.2.4	45.32.86.219
Jun 18, 2026 08:34:44.640613079 CEST	443	49694	45.32.86.219	192.168.2.4
Jun 18, 2026 08:34:44.640718937 CEST	49694	443	192.168.2.4	45.32.86.219
Jun 18, 2026 08:34:44.773248911 CEST	49694	443	192.168.2.4	45.32.86.219
Jun 18, 2026 08:34:44.773325920 CEST	443	49694	45.32.86.219	192.168.2.4
Jun 18, 2026 08:34:45.003547907 CEST	443	49694	45.32.86.219	192.168.2.4
Jun 18, 2026 08:34:45.003632069 CEST	49694	443	192.168.2.4	45.32.86.219
Jun 18, 2026 08:34:45.006019115 CEST	49694	443	192.168.2.4	45.32.86.219
Jun 18, 2026 08:34:45.006051064 CEST	443	49694	45.32.86.219	192.168.2.4
Jun 18, 2026 08:34:45.006854057 CEST	443	49694	45.32.86.219	192.168.2.4
Jun 18, 2026 08:34:45.049292088 CEST	49694	443	192.168.2.4	45.32.86.219
Jun 18, 2026 08:34:45.156105995 CEST	443	49694	45.32.86.219	192.168.2.4
Jun 18, 2026 08:34:45.205548048 CEST	49694	443	192.168.2.4	45.32.86.219
Jun 18, 2026 08:34:46.046709061 CEST	49694	443	192.168.2.4	45.32.86.219
Jun 18, 2026 08:34:46.049907923 CEST	443	49694	45.32.86.219	192.168.2.4
Jun 18, 2026 08:34:46.050096989 CEST	49694	443	192.168.2.4	45.32.86.219
Jun 18, 2026 08:34:46.091928959 CEST	443	49694	45.32.86.219	192.168.2.4
Jun 18, 2026 08:34:46.232976913 CEST	443	49694	45.32.86.219	192.168.2.4
Jun 18, 2026 08:34:46.233361006 CEST	49694	443	192.168.2.4	45.32.86.219
Jun 18, 2026 08:34:46.233427048 CEST	443	49694	45.32.86.219	192.168.2.4
Jun 18, 2026 08:34:46.233655930 CEST	443	49694	45.32.86.219	192.168.2.4
Jun 18, 2026 08:34:46.233684063 CEST	443	49694	45.32.86.219	192.168.2.4
Jun 18, 2026 08:34:46.233730078 CEST	49694	443	192.168.2.4	45.32.86.219
Jun 18, 2026 08:34:46.233767033 CEST	49694	443	192.168.2.4	45.32.86.219
Jun 18, 2026 08:34:46.233969927 CEST	49694	443	192.168.2.4	45.32.86.219
Jun 18, 2026 08:34:46.237231970 CEST	443	49694	45.32.86.219	192.168.2.4
Jun 18, 2026 08:34:46.238126993 CEST	443	49694	45.32.86.219	192.168.2.4
Jun 18, 2026 08:34:46.238183975 CEST	49694	443	192.168.2.4	45.32.86.219
Jun 18, 2026 08:34:46.238528013 CEST	49694	443	192.168.2.4	45.32.86.219
Jun 18, 2026 08:34:46.238558054 CEST	443	49694	45.32.86.219	192.168.2.4

UDP Packets				
Timestamp	Source Port	Dest Port	Source IP	Dest IP
Jun 18, 2026 08:34:44.454240084 CEST	54422	53	192.168.2.4	1.1.1.1
Jun 18, 2026 08:34:44.637478113 CEST	53	54422	1.1.1.1	192.168.2.4

DNS Queries				
-------------	--	--	--	--

Timestamp	Source IP	Dest IP	Trans ID	OP Code	Name	Type	Class	DNS over HTTPS
Jun 18, 2026 08:34:44.454240084 CEST	192.168.2.4	1.1.1.1	0xe111	Standard query (0)	www.syscut e.com	A (IP address)	IN (0x0001)	false

DNS Answers


Timestamp	Source IP	Dest IP	Trans ID	Reply Code	Name	CName	Address	Type	Class	DNS over HTTPS
Jun 18, 2026 08:34:44.637478113 CEST	1.1.1.1	192.168.2.4	0xe111	No error (0)	www.syscut e.com		45.32.86.219	A (IP address)	IN (0x0001)	false

HTTP Request Dependency Graph

- www.syscute.com

Statistics

Behavior



System Behavior

Analysis Process: ISOMate.exe PID: 6996, Parent PID: 3952

General

Target ID:	0
Start time:	02:34:03
Start date:	18/06/2026
Path:	C:\Users\user\Desktop\ISOMate.exe
Wow64 process (32bit):	true
Commandline:	"C:\Users\user\Desktop\ISOMate.exe"
Imagebase:	0xb50000
File size:	23'924'360 bytes
MD5 hash:	B3F65CBA5C826F067270866A47D64082
SHA1 hash:	676FAFA9964CFCBA29B7BFBBE07161468742DEA7
SHA256 hash:	FEDEA108C4C0AF0566D926878B12607AB8405EBE3BE1C283EEE761CDA002CD4E
Has elevated privileges:	true

Path:	C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp
Wow64 process (32bit):	true
Commandline:	"C:\Users\user\AppData\Local\Temp\is-LVBA4OBZZO.tmp\ISOMate.tmp" /SL5="\$30696,22693049,869376,C:\Users\user\Desktop\ISOMate.exe"
Imagebase:	0x3b0000
File size:	4'369'920 bytes
MD5 hash:	6D3892E64BA4DDEC7FAF8089DA8ACFF9
SHA1 hash:	D9C4FBBAB0C5AD0E210997758ACAD6631FC61143
SHA256 hash:	50AAE5D26E217917F2FD1B7E42AF68F5D711F84039FC3C32664FBFCBA317FA8A
Has elevated privileges:	true
Has administrator privileges:	true
Programmed in:	Borland Delphi
Reputation:	low
Has exited:	true

File Activities

File Created

File Path	Access	Attributes	Options	Completion	Count	Source Address	Symbol
C:\Users\user\AppData\Local\Temp\is-R8TDQKVWG4.tmp	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	success or wait	1	6553E9	CreateDirectoryW
C:\Users\user\AppData\Local\Temp\is-R8TDQKVWG4.tmp_isetup	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	success or wait	1	731D6A	CreateDirectoryW
C:\Users\user\AppData\Local\Temp\is-R8TDQKVWG4.tmp_isetup_setup64.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	3D8A36	CreateFileW
C:\Program Files (x86)\ISOMate Pro	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	success or wait	1	6546A0	CreateDirectoryW
C:\Program Files (x86)\ISOMate Pro\unins000.dat	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	6FC311	CreateFileW
C:\Program Files (x86)\ISOMate Pro\is-HDY97Y907D.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\is-Y9LHP1Z7KA.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\is-SAI8HICOQJ.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\is-6SWV4DBTJ2.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\is-DVYM691KXL.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\is-P5GDNSV1SS.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\is-1ADEF5YP6.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW

File Path	Access	Attributes	Options	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\ISOMate Pro\is-Q12XNBKP2F.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\is-KSISGWUAAK.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\is-0IH5DHGZ12.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\is-31W19VWZPW.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\is-8YCGS1FSHR.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\is-FNN5UAA397.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\is-W7MGKFGY01.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\is-WJM5R04NXH.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\is-ZIJRNR1QV1.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\iconengines	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	success or wait	1	6546A0	CreateDirect oryW
C:\Program Files (x86)\ISOMate Pro\iconengines\is-AU4ZA751IT.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\imageformats	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	success or wait	1	6546A0	CreateDirect oryW
C:\Program Files (x86)\ISOMate Pro\imageformats\is-R75ARGADBI.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\imageformats\is-T37SEREFHY.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\imageformats\is-9QZRK4UCS2.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\imageformats\is-UHR26NTAE3.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\imageformats\is-DT5SZLBJ0W.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\imageformats\is-L7LQJ0U36L.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW

File Path	Access	Attributes	Options	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\ISOMate Pro\imageformats\is-FUY78GLP4K.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\imageformats\is-GWKTFZ719O.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\imageformats\is-ZY54ZKOYSI.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\networkinformation	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	success or wait	1	6546A0	CreateDirect oryW
C:\Program Files (x86)\ISOMate Pro\networkinformation\is-D88DDHQSSS.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\platforms	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	success or wait	1	6546A0	CreateDirect oryW
C:\Program Files (x86)\ISOMate Pro\platforms\is-7MXKRY3N1K.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\tls	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	success or wait	1	6546A0	CreateDirect oryW
C:\Program Files (x86)\ISOMate Pro\tls\is-5IEISDNN1H.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\tls\is-2465YS86QS.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\sqldrivers	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	success or wait	1	6546A0	CreateDirect oryW
C:\Program Files (x86)\ISOMate Pro\sqldrivers\is-VXD7PY3JDV.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\sqldrivers\is-0CCG1JM3UT.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\sqldrivers\is-BC9HM6N504.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\sqldrivers\is-TG3G5SBPMD.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\sqldrivers\is-OZW4JIQ20M.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\sqldrivers\is-B9BLQQE3GN.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW

File Path	Access	Attributes	Options	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\ISOMate Pro\styles	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	success or wait	1	6546A0	CreateDirectoryW
C:\Program Files (x86)\ISOMate Pro\styles\is-M154K7JO1X.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\Program Files (x86)\ISOMate Pro\is-TCZ02XSFES.tmp	read attributes synchronize generic read generic write	device	synchronous io non alert non directory file	success or wait	1	5D261E	CreateFileW
C:\ProgramData\Microsoft\Windows\Start Menu\Programs\ISOMate Pro	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	success or wait	1	6546A0	CreateDirectoryW

File Deleted

File Path	Completion	Count	Source Address	Symbol
C:\Users\user\AppData\Local\Temp\is-R8TDQKVWG4.tmp_isetup_setup64.tmp	success or wait	1	654840	DeleteFileW

File Moved

Old File Path	New File Path	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\ISOMate Pro\is-HDY97Y907D.tmp	C:\Program Files (x86)\ISOMate Pro\unins000.exe	success or wait	1	654BDB	MoveFileW
C:\Program Files (x86)\ISOMate Pro\is-Y9LHP1Z7KA.tmp	C:\Program Files (x86)\ISOMate Pro\aria2c.exe	success or wait	1	654BDB	MoveFileW
C:\Program Files (x86)\ISOMate Pro\is-SAI8HICOQJ.tmp	C:\Program Files (x86)\ISOMate Pro\D3Dcompiler_47.dll	success or wait	1	654BDB	MoveFileW
C:\Program Files (x86)\ISOMate Pro\is-6SWV4DBTJ2.tmp	C:\Program Files (x86)\ISOMate Pro\ISOMate Pro.exe	success or wait	1	654BDB	MoveFileW
C:\Program Files (x86)\ISOMate Pro\is-DVYM691KXL.tmp	C:\Program Files (x86)\ISOMate Pro\msvcpl140.dll	success or wait	1	654BDB	MoveFileW
C:\Program Files (x86)\ISOMate Pro\is-P5GDNV1SS.tmp	C:\Program Files (x86)\ISOMate Pro\msvcpl140_1.dll	success or wait	1	654BDB	MoveFileW
C:\Program Files (x86)\ISOMate Pro\is-1ADEBF5YP6.tmp	C:\Program Files (x86)\ISOMate Pro\msvcpl140_2.dll	success or wait	1	654BDB	MoveFileW
C:\Program Files (x86)\ISOMate Pro\is-Q12XNBKP2F.tmp	C:\Program Files (x86)\ISOMate Pro\opengl32sw.dll	success or wait	1	654BDB	MoveFileW
C:\Program Files (x86)\ISOMate Pro\is-KSISGWUAAK.tmp	C:\Program Files (x86)\ISOMate Pro\Qt6Core.dll	success or wait	1	654BDB	MoveFileW
C:\Program Files (x86)\ISOMate Pro\is-0IH5DHGZ12.tmp	C:\Program Files (x86)\ISOMate Pro\Qt6Gui.dll	success or wait	1	654BDB	MoveFileW
C:\Program Files (x86)\ISOMate Pro\is-31W19VWZPW.tmp	C:\Program Files (x86)\ISOMate Pro\Qt6Network.dll	success or wait	1	654BDB	MoveFileW
C:\Program Files (x86)\ISOMate Pro\is-8YCGS1FSHR.tmp	C:\Program Files (x86)\ISOMate Pro\Qt6Sql.dll	success or wait	1	654BDB	MoveFileW
C:\Program Files (x86)\ISOMate Pro\is-FNN5UAA397.tmp	C:\Program Files (x86)\ISOMate Pro\Qt6Svg.dll	success or wait	1	654BDB	MoveFileW
C:\Program Files (x86)\ISOMate Pro\is-W7MGKFGY01.tmp	C:\Program Files (x86)\ISOMate Pro\Qt6Widgets.dll	success or wait	1	654BDB	MoveFileW
C:\Program Files (x86)\ISOMate Pro\is-WJM5R04NXH.tmp	C:\Program Files (x86)\ISOMate Pro\vcruntime140.dll	success or wait	1	654BDB	MoveFileW
C:\Program Files (x86)\ISOMate Pro\is-ZIJRNR1QVI.tmp	C:\Program Files (x86)\ISOMate Pro\vcruntime140_1.dll	success or wait	1	654BDB	MoveFileW
C:\Program Files (x86)\ISOMate Pro\iconengines\is-AU4ZA751IT.tmp	C:\Program Files (x86)\ISOMate Pro\iconengines\qsvgicon.dll	success or wait	1	654BDB	MoveFileW
C:\Program Files (x86)\ISOMate Pro\imageformats\is-R75ARGADBI.tmp	C:\Program Files (x86)\ISOMate Pro\imageformats\qgif.dll	success or wait	1	654BDB	MoveFileW
C:\Program Files (x86)\ISOMate Pro\imageformats\is-T37SEREFHY.tmp	C:\Program Files (x86)\ISOMate Pro\imageformats\qicns.dll	success or wait	1	654BDB	MoveFileW
C:\Program Files (x86)\ISOMate Pro\imageformats\is-9QZRK4UCS2.tmp	C:\Program Files (x86)\ISOMate Pro\imageformats\qico.dll	success or wait	1	654BDB	MoveFileW
C:\Program Files (x86)\ISOMate Pro\imageformats\is-UHR26NTAE3.tmp	C:\Program Files (x86)\ISOMate Pro\imageformats\qjpeg.dll	success or wait	1	654BDB	MoveFileW

File Path	Offset	Length	Value	Ascii	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\ISOMate Pro\is-SAI8HICOQJ.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 08 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 47 00 fd 28 03 61 fd 7b 03 61 fd 7b 03 61 fd 7b fd fd 6d 7b 35 61 fd 7b fd fd 6c 7b 02 61 fd 7b 9e 6d 7b 00 61 fd 7b 9e 6f 7b 01 61 fd 7b 03 61 fd 7b fd 61 fd 7b 9e 69 7b 0a 61 fd 7b 9e 6c 7b 12 61 fd 7b 9e 68 7b 02 61 fd 7b 9e 71 7b fd 61 fd 7b 9e 6b 7b 02 61 fd 7b 9e 6e 7b 02 61 fd 7b 52 69 63 68 03 61 fd 7b 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00	MZ@!L!This program cannot be run in DOS mode.\$G(a{a{a{m{5a{l{a{ m{a{o{a{a{a{i{a{l{a{h{a{q{a {k{a{n{a{Richa{	success or wait	64	5D2744	WriteFile
C:\Program Files (x86)\ISOMate Pro\is-6SWV4DBTJ2.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 18 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 2c fd fd fd 68 fd 3b 68 fd 3b 68 fd 3b 61 fd 4f fd 64 fd 3b fd 64 fa 6b fd 3b fd 64 3a 62 fd 3b fd 64 7a 77 fd 3b fd 64 7a 6e fd 3b fd 6f 7a 69 fd 3b 11 6c 7a 60 fd 3b fd 6f 7a 61 fd 3b 68 fd 7b 18 fd 3b fd 64 7a 69 fd 3b fd 64 7a 79 fd 3b fd 64 23 fd 69 fd 3b 68 fd 4b fd 69 fd 3b fd 64 ba 69 fd fd	MZ@!L!This program cannot be run in DOS mode.\$,hhhaOddkdbdwd noil'oahdidyd#ihKidi	success or wait	58	5D2744	WriteFile

File Path	Offset	Length	Value	Ascii	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\ISOMate Pro\is-DVYM691KXL.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 fd 00 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 6c 25 3f fd 28 44 51 fd 28 44 51 fd 28 44 51 fd 63 3c 50 fd 2a 44 51 fd 21 3c 8f 3e 44 51 fd 28 44 50 fd fd 44 51 fd fd fd 50 fd 2d 44 51 fd fd fd 52 fd 2c 44 51 fd fd fd 55 fd 20 44 51 fd fd fd 54 fd fd 44 51 fd fd fd 51 fd 29 44 51 fd fd 6e fd 29 44 51 fd fd fd 53 fd 29 44 51 fd 52 69 63 68 28 44 51 fd 00 00 00 00 00 00 00 00 50 45 00 00 64 fd 06 00 78 fd 3d 5d 00 00 00	MZ@!L!This program cannot be run in DOS mode.\$!%? (DQ(DQ(DQc<P*DQ! <>DQ(DPDQP- DQR,DQU DQTDQQ)DQ)DQS)DQRi ch(DQPEdx=]	success or wait	9	5D2744	WriteFile
C:\Program Files (x86)\ISOMate Pro\is-P5GDNSV1SS.tmp	0	35952	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 fd fd fd fd fd fd fd fd fd fd fd fd fd 90 fd fd fd fd fd fd 81 16 fd fd fd fd fd 5c 70 fd fd fd fd fd fd 5c 70 fd fd fd fd fd fd fd fd fd fd fd fd fd 5c 70 fd fd fd fd fd 5c 70 fd fd fd fd fd fd 5c 70 fd fd fd fd fd 5c 70 7a fd fd fd fd fd 5c 70 fd fd fd fd fd fd 52 69 63 68 fd fd fd fd 00	MZ@!L!This program cannot be run in DOS mode.\$\p\p\p\p\pz\pRic h	success or wait	1	5D2744	WriteFile

File Path	Offset	Length	Value	Ascii	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\ISOMate Pro\is-1ADEBF5YP6.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 fd 00 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 9c 2b fd fd fd 45 fd fd fd 45 fd fd fd 45 fd 6a fd 44 fd fd fd 45 fd fd fd ad fd fd 45 fd 08 41 fd fd fd 45 fd 08 46 fd fd fd 45 fd fd fd 44 fd fd fd 45 fd 08 44 fd fd fd 45 fd 08 40 fd fd fd 45 fd 08 45 fd fd fd 45 fd 08 fd fd fd fd 45 fd 08 47 fd fd fd 45 fd 52 69 63 68 fd fd 45 fd 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 50 45 00 00 64 fd 06	MZ@!L!This program cannot be run in DOS mode.\$+EEEJDEEAEFE DEDE@EEEEGERichEP Ed	success or wait	3	5D2744	WriteFile
C:\Program Files (x86)\ISOMate Pro\is-Q12XNBKP2F.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 20 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 fd 76 0e 6c fd 17 60 3f fd 17 60 3f fd 17 60 3f 2a fd fd 3f fd 17 60 3f 2a fd fd 3f 38 17 60 3f 2a fd fd 3f fd 17 60 3f 00 fd fd 3f fd 17 60 3f fd 4a 63 3e fd 17 60 3f fd 4a 65 3e fd 17 60 3f fd 4a 64 3e fd 17 60 3f 2a fd fd 3f fd 17 60 3f fd 17 61 3f 24 17 60 3f fd 4a 64 3e fd 17 60 3f fd 4a 65 3e 72 16 60 3f fd 4a 68 3e fd 15 60 3f fd 4a 60 3e fd 17 60 3f fd 4a 62 3e fd 17 60	MZ@ !L!This program cannot be run in DOS mode.\$vl'?'?'?'?'*?8`? *?'??`?Jc>`?Je>`?Jd>`? *?'?a?`\$`?Jd>`?Je>r`? Jh>`?J`>`?Jb>`	success or wait	315	5D2744	WriteFile

File Path	Offset	Length	Value	Ascii	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\ISOMate Pro\is-KSISGWUAAK.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 20 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 23 fd fd 16 67 fd fd 45 67 fd fd 45 67 fd fd 45 fd 10 fd 44 6f fd fd 45 fd 10 fd 44 63 fd fd 45 fd 10 fd 44 4e fd fd 45 fd 10 fd 44 6f fd fd 45 fd 13 fd 44 46 fd fd 45 15 10 fd 44 65 fd fd 45 15 10 fd 44 66 fd fd 45 15 10 fd 44 7d fd fd 45 6e fd 16 45 72 fd fd 45 67 fd fd 45 05 45 fd 13 fd 44 fd fd fd 45 fd 13 fd 44 66 fd fd 45 fd 13 7a 45 66 fd fd 45 67 fd 12 45 66 fd fd	MZ@ !L!This program cannot be run in DOS mode.\$#gEgEgEDoEDcE DNEDoEDFEDEEDfED}E nErEgEEDEDEfEzEfEgEf	success or wait	153	5D2744	WriteFile
C:\Program Files (x86)\ISOMate Pro\is-0IH5DHGZ12.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 30 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 0f fd 4e fd 4b fd 20 fd 4b fd 20 fd 4b fd 20 fd 42 c7 5f fd 20 fd fd 1f 47 4a fd 20 fd fd 1f 24 fd 43 fd 20 fd fd 1f 23 fd 4c fd 20 fd fd 1f 25 fd 50 fd 20 fd fd 1f 21 fd 41 fd 20 fd 39 1f 24 fd 49 fd 20 fd fd 1c 21 fd 49 fd 20 fd 39 1f 25 fd 4a fd 20 fd 39 1f 21 fd 5e fd 20 fd 4b fd 21 fd 75 fd 20 fd fd 1c 24 fd 67 fd 20 fd fd 1c 25 fd 67 fd 20 fd fd 1c 20 fd 4a fd 20	MZ@0!L!This program cannot be run in DOS mode.\$NK K K B_ J \$C #L %P !A 9\$I !! 9%J 9!^ Klu \$g %g J	success or wait	145	5D2744	WriteFile

File Path	Offset	Length	Value	Ascii	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\ISOMate Pro\is-31W19VWZPW.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 28 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 30 fd 19 fd 74 fd 77 fd 74 fd 77 fd 74 fd 77 fd 7d fd fd 7e fd 77 fd fd 39 73 fd 7c fd 77 fd fd 39 74 fd 70 fd 77 fd fd 39 72 fd 6f fd 77 fd fd 39 76 fd 7c fd 77 fd 06 39 73 fd 75 fd 77 fd 06 39 76 fd 64 fd 77 fd fd 3a 76 fd 77 fd 77 fd 74 fd 76 fd fd fd 77 fd fd 3a 73 fd 75 fd 77 fd fd 3a 72 fd 2a fd 77 fd fd 3a 77 fd 75 fd 77 fd fd 3a fd fd 75 fd 77 fd 74 fd fd fd 75 fd 77	MZ@!L!This program cannot be run in DOS mode.\$0twrtwtw}~w9s w9t pw9row9v w9suw9vdw:v wwtvw:suw:r*w:wuw:uwtu w	success or wait	27	5D2744	WriteFile
C:\Program Files (x86)\ISOMate Pro\is-8YCGS1FSHR.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 18 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 fd fd 0b fd fd fd fd fd fd fd fd fd fd fd fd fd 39 fd fd 34 29 fd fd fd fd fd 34 29 fd fd fd fd fd fd 34 29 fd fd 2a fd 34 29 fd fd fd 04 29 fd fd fd fd fd fd 06 2a fd fd fd fd fd fd fd fd a9 fd fd 06 2a fd fd 2a fd 06 2a fd fd fd fd fd 06 2a 55 fd fd fd fd fd fd 3d fd fd fd fd fd 06 2a fd fd fd fd fd 52 69 63 68 fd fd fd	MZ@!L!This program cannot be run in DOS mode.\$94)4)4)4)****U=* Rich	success or wait	5	5D2744	WriteFile

File Path	Offset	Length	Value	Ascii	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\ISOMate Pro\is-WJM5R04NXH.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 fd 00 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 fd 1d 6a fd fd 7c 04 fd 7c 04 fd 7c 04 fd fd 04 05 fd 7c 04 fd 04 fd fd 7c 04 fd 7c 05 fd 7c 04 fd 7c 04 fd 7c 04 fd 34 fd 00 fd 7c 04 fd 34 fd 01 fd 7c 04 fd 34 fd 07 fd 7c 04 fd 34 fd 04 fd 7c 04 fd 34 fd fd fd 7c 04 fd 34 fd 06 fd 7c 04 fd 52 69 63 68 fd 7c 04 fd 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 50 45 00 00 64 fd 08	MZ@!L!This program cannot be run in DOS mode.\$j 4 4 4 4 Ri ch PEd	success or wait	2	5D2744	WriteFile
C:\Program Files (x86)\ISOMate Pro\is-ZIJRNR1QVI.tmp	0	49792	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 fd 00 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 27 fd fd 5f 63 fd fd 0c 63 fd fd 0c 63 fd fd 0c 28 fd fd 0d 61 fd fd 0c fd 54 fd 0d 61 fd fd 0c 6a fd 4d 0c 68 fd fd 0c 63 fd fd 0c 56 fd fd 0c fd 54 fd 0d 64 fd fd 0c fd 54 fd 0d 78 fd fd 0c fd 54 fd 0d 66 fd fd 0c fd 54 fd 0d 62 fd fd 0c fd 54 21 0c 62 fd fd 0c fd 54 fd 0d 62 fd fd 0c 52 69 63 68 63 fd fd 0c 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 50 45 00 00 64 fd 06	MZ@!L!This program cannot be run in DOS mode.\$'_ccc(aTajMhcVT dTxFtTbT!bTbRichcPEd	success or wait	1	5D2744	WriteFile

File Path	Offset	Length	Value	Ascii	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\ISOMate Pro\iconengines\is-AU4ZA751IT.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 18 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 b3 0d 70 fd fd 63 23 fd fd 63 23 fd fd 63 23 fd fd 23 fd fd 63 23 48 53 62 22 fd fd 63 23 48 53 66 22 fd fd 63 23 48 53 67 22 fd fd 63 23 48 53 60 22 fd fd 63 23 fd 53 62 22 fd fd 63 23 7a 50 62 22 fd fd 63 23 fd fd 62 23 11 fd 63 23 7a 50 66 22 fd fd 63 23 7a 50 63 22 fd fd 63 23 7a 50 fd 23 fd fd 63 23 fd fd fd 23 fd fd 63 23 7a 50 61 22 fd fd 63 23 52 69 63 68 fd fd 63	MZ@!L!This program cannot be run in DOS mode.\$pc#c#c#c#HSb" c#HSf"c#HSg"c#HS`"c#S b"c#zPb"c#b#c#zPl"c#zP c"c#zP#c#c#zPa"c#Ric hc	success or wait	2	5D2744	WriteFile
C:\Program Files (x86)\ISOMate Pro\imageformats\is-R75ARGADBI.tmp	0	47752	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 18 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 57 fd fd 7a 13 fd fd 29 13 fd fd 29 13 fd fd 29 1a fd 35 29 15 fd fd 29 fd 3a fd 28 11 fd fd 29 fd 3a fd 28 06 fd fd 29 fd 3a fd 28 1b fd fd 29 fd 3a fd 28 10 fd fd 29 61 3a fd 28 11 fd fd 29 fd 39 fd 28 16 fd fd 29 13 fd fd 29 63 fd fd 29 fd 39 fd 28 10 fd fd 29 fd 39 fd 28 12 fd fd 29 fd 39 59 29 12 fd fd 29 13 fd 31 29 12 fd fd 29 fd 39 fd 28 12 fd fd 29 52 69 63 68 13 fd fd	MZ@!L!This program cannot be run in DOS mode.\$Wz))5)):():(): (a: (9())c)9()9Y))1))9()Rich	success or wait	1	5D2744	WriteFile

File Path	Offset	Length	Value	Ascii	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\ISOMate Pro\imageformats\is-T37SEREFHY.tmp	0	55944	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 18 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 fd fd 49 85 fd 27 fd fd fd 27 fd fd fd 27 fd fd b4 fd fd fd 27 fd 47 3b 26 fd fd fd 27 fd 47 3b 22 fd fd fd 27 fd 47 3b 23 fd fd fd 27 fd 47 3b 24 fd fd fd 27 fd fd 3b 26 fd fd fd 27 fd 75 38 26 fd fd fd 27 fd fd fd 26 fd 09 fd 27 fd 75 38 22 fd fd fd 27 fd 75 38 27 fd fd fd 27 fd 75 38 09 fd fd 27 fd fd fd fd fd fd fd 27 fd 75 38 25 fd fd fd 27 fd 52 69 63 68 fd fd 27	MZ@!L!This program cannot be run in DOS mode.\$!""G;&'G;"G;#G;\$' ;&'u8&'&'u8""u8"u8"u8%'Ri ch'	success or wait	1	5D2744	WriteFile
C:\Program Files (x86)\ISOMate Pro\imageformats\is-9QZRK4UCS2.tmp	0	46216	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 10 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 6e 0e 3c 05 2a 6f 52 56 2a 6f 52 56 2a 6f 52 56 23 17 fd 56 2e 6f 52 56 fd fd 53 57 2e 6f 52 56 fd fd 57 57 3c 6f 52 56 fd fd 56 57 22 6f 52 56 fd fd 51 57 29 6f 52 56 58 fd 53 57 28 6f 52 56 fd fd 53 57 2f 6f 52 56 2a 6f 53 56 fd 6f 52 56 fd fd 57 57 29 6f 52 56 fd fd 52 57 2b 6f 52 56 fd fd 56 2b 6f 52 56 2a 6f fd 56 2b 6f 52 56 fd fd 50 57 2b 6f 52 56 52 69 63 68 2a 6f 52	MZ@!L!This program cannot be run in DOS mode.\$n<*oRV*oRV*oRV #V.oRVSW.oRVWW<oR VWV*oRVQW)oRVXSW(oRVSW/oRV*oSVoRVW W)oRVRW+oRVV+oRV* oV+oRVPW+oRVRich*o R	success or wait	1	5D2744	WriteFile

File Path	Offset	Length	Value	Ascii	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\ISOMate Pro\imageformats\is-UHR26NTAE3.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 18 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 fd fd ad fd fd fd fd fd fd fd fd fd fd fd fd fd 3b fd fd fd fd 74 1e fd fd fd fd fd fd 74 1e 55 fd fd fd fd fd 74 1e fd fd fd fd fd fd 74 1e fd fd fd fd fd 74 1e fd fd fd fd fd fd fd 1e fd fd fd fd fd fd 46 1d fd fd e8 fd 46 1d fd fd fd fd fd fd fd fd fd 61 fd fd fd 46 1d fd fd fd fd fd fd 46 1d fd fd fd fd fd fd 46 1d 57 fd fd fd fd fd fd fd 3f fd fd fd fd	MZ@!L!This program cannot be run in DOS mode.\$;tttFFaFFFW?	success or wait	9	5D2744	WriteFile
C:\Program Files (x86)\ISOMate Pro\imageformats\is-DT5SZLBJ0W.tmp	0	39048	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 08 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 4e 22 1d 01 0a 43 73 52 0a 43 73 52 0a 43 73 52 03 3b fd 52 0e 43 73 52 fd fd 72 53 08 43 73 52 fd fd 76 53 1e 43 73 52 fd fd 77 53 02 43 73 52 fd fd 70 53 09 43 73 52 78 fd 72 53 08 43 73 52 fd fd 72 53 0d 43 73 52 0a 43 72 52 fd 43 73 52 fd fd 76 53 09 43 73 52 fd fd 73 53 0b 43 73 52 fd fd fd 52 0b 43 73 52 0a 43 fd 52 0b 43 73 52 fd fd 71 53 0b 43 73 52 52 69 63 68 0a 43 73	MZ@!L!This program cannot be run in DOS mode.\$N"CsRCsRCsR;R CsRrSCsRvSCsRwSCsR pSCsRxrSCsRrSCsRCrR CsRvSCsRsSCsRRCsR CRCsRqSCsRRichCs	success or wait	1	5D2744	WriteFile

File Path	Offset	Length	Value	Ascii	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\ISOMate Pro\imageformats\is-L7LQJ0U36L.tmp	0	38536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 10 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 4a fd fd 5b 0e fd fd 08 0e fd fd 08 0e fd fd 08 07 fd 31 08 08 fd fd 08 fd 3b fd 09 0c fd fd 08 fd 3b fd 09 1d fd fd 08 fd 3b fd 09 06 fd fd 08 fd 3b fd 09 0d fd fd 08 7c 3b fd 09 0c fd fd 08 fd 38 fd 09 0b fd fd 08 0e fd fd 08 66 fd fd 08 fd 38 fd 09 0a fd fd 08 fd 38 fd 09 0f fd fd 08 fd 38 5d 08 0f fd fd 08 0e fd 35 08 0f fd fd 08 fd 38 fd 09 0f fd fd 08 52 69 63 68 0e fd fd	MZ@!L!This program cannot be run in DOS mode.\$J[1;;;];8f888]58Ri ch	success or wait	1	5D2744	WriteFile
C:\Program Files (x86)\ISOMate Pro\imageformats\is-FUY78GLP4K.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 20 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 fd fd 3f fd fd fd 51 fd fd fd 51 fd fd fd 51 fd fd fd fd fd fd 51 fd 27 7e 50 fd fd fd 51 fd 27 7e 54 fd fd fd 51 fd 27 7e 55 fd fd fd 51 fd 27 7e 52 fd fd fd 51 57 7e 50 fd fd fd 51 fd 15 7d 50 fd fd fd 51 fd fd fd 50 fd 53 fd 51 fd 15 7d 54 fd fd fd 51 fd 15 7d 55 fd fd fd 51 fd 15 7d 51 fd fd fd 51 fd 15 7d fd fd fd fd 51 fd fd fd fd fd fd fd 51 fd 15 7d 53 fd fd fd 51	MZ@ !L!This program cannot be run in DOS mode.\$? QQQQ'~PQ'~TQ'~UQ'~R Q~PQ)PQPSQ)TQ)UQ)Q Q)QQ)SQ	success or wait	7	5D2744	WriteFile

File Path	Offset	Length	Value	Ascii	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\ISOMate Pro\imageformats\is- GWKTFZ719O.tmp	0	37000	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 18 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 fd 55 17 0b fd 34 79 58 fd 34 79 58 fd 34 79 58 fd 4c fd 58 fd 34 79 58 7d fd 78 59 fd 34 79 58 7d fd 7c 59 fd 34 79 58 7d fd 7d 59 fd 34 79 58 7d fd 7a 59 fd 34 79 58 75 78 59 fd 34 79 58 4f fd 78 59 fd 34 79 58 fd 34 78 58 fd 34 79 58 4f fd 7c 59 fd 34 79 58 4f fd 79 59 fd 34 79 58 4f fd fd 58 fd 34 79 58 fd 34 fd 58 fd 34 79 58 4f fd 7b 59 fd 34 79 58 52 69 63 68 fd 34 79	MZ@!L!This program cannot be run in DOS mode.\$U4yX4yX4yXLX4 yX}xY4yX} Y4yX} Y4yX}z Y4yXxY4yXOxY4yX4xX4 yXO Y4yXOyY4yXOX4yX 4X4yXO{Y4yXRich4y	success or wait	1	5D2744	WriteFile
C:\Program Files (x86)\ISOMate Pro\imageformats\is- ZY54ZKOYSI.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 18 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 3e fd fd fd d4 fd fd d4 fd fd d4 fd fd fd 07 fd fd d4 fd 52 5e fd fd fd d4 fd 52 5e fd fd fd d4 fd 52 5e fd fd fd d4 fd 52 5e fd fd fd d4 fd fd 5e fd fd fd d4 fd 60 5d fd fd fd d4 fd fd d5 fd 0a d4 fd 60 5d fd fd fd d4 fd 60 5d fd fd fd d4 fd 60 5d fd fd fd d4 fd 60 5d 6b fd fd d4 fd fd fd 03 fd fd d4 fd 60 5d fd fd fd d4	MZ@!L!This program cannot be run in DOS mode.\$R^R^R^R^]]]]]k`]	success or wait	9	5D2744	WriteFile

File Path	Offset	Length	Value	Ascii	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\ISOMate Pro\networkinformation\is-D88DDHQSSS.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 20 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 12 fd fd 5f 56 fd fd 0c 56 fd fd 0c 56 fd fd 0c 5f fd 7f 0c 50 fd fd 0c fd 4c fd 0d 50 fd fd 0c fd 4c fd 0d 40 fd fd 0c fd 4c fd 0d 5e fd fd 0c fd 4c fd 0d 55 fd fd 0c 24 4c fd 0d 57 fd fd 0c fd 4f fd 0d 52 fd fd 0c 24 4c fd 0d 51 fd fd 0c 56 fd fd 0c fd fd fd 0c fd 4f fd 0d 55 fd fd 0c fd 4f fd 0d 57 fd fd 0c fd 4f 13 0c 57 fd fd 0c 56 fd 7b 0c 57 fd fd 0c fd 4f fd 0d 57 fd fd	MZ@ !L!This program cannot be run in DOS mode.\$_VVV_PLPL@L^ LU\$LWOR\$LQVOUOWO WV{WOW	success or wait	2	5D2744	WriteFile
C:\Program Files (x86)\ISOMate Pro\platforms\is-7MXKRY3N1K.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 20 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 fd 04 6e 24 fd 65 00 77 fd 65 00 77 fd 65 00 77 37 fd 04 76 fd 65 00 77 37 fd 03 76 fd 65 00 77 37 fd 05 76 fd 65 00 77 37 fd 01 76 fd 65 00 77 fd fd 04 76 fd 65 00 77 fd fd 05 76 fd 65 00 77 05 fd 01 76 fd 65 00 77 fd 1d fd 77 fd 65 00 77 fd fd 06 76 fd 65 00 77 fd fd 01 76 fd 65 00 77 fd 65 01 77 35 63 00 77 05 fd 05 76 fd 65 00 77 05 fd 00 76 fd 65 00 77 05 fd fd 77 fd 65 00	MZ@ !L!This program cannot be run in DOS mode.\$n\$ewewew7vew7 vew7vew7vewvewvewve wwwvewvewew5cwvew vewwe	success or wait	15	5D2744	WriteFile

File Path	Offset	Length	Value	Ascii	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\ISOMate Pro\ts\is-5IEISDNN1H.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 10 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 fd 01 fd 0f fd 60 fd 5c fd 60 fd 5c fd 60 fd 5c fd 18 02 5c fd 60 fd 5c 54 fd 5d fd 60 fd 5c 54 fd 5d fd 60 fd 5c 54 fd 5d fd 60 fd 5c 54 fd 5d fd 60 fd 5c fd fd 5d fd 60 fd 5c 66 fd 5d fd 60 fd 5c fd 60 fd 5c 53 60 fd 5c 66 fd 5d fd 60 fd 5c 66 fd 5d fd 60 fd 5c 66 fd 6e 5c fd 60 fd 5c fd 60 06 5c fd 60 fd 5c 66 fd 5d fd 60 fd 5c 52 69 63 68 fd 60 fd	MZ@!L!This program cannot be run in DOS mode.\$\TJ\TJ\TJ\T J\TJ\TJ\T\S\TJ\TJ\Tn\TJ\T Rich`	success or wait	2	5D2744	WriteFile
C:\Program Files (x86)\ISOMate Pro\ts\is-2465YS86QS.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 18 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 fd 7f fd 1a fd 1e fd 49 fd 1e fd 49 fd 1e fd 49 fd 66 29 49 fd 1e fd 49 18 fd fd 48 fd 1e fd 49 18 fd fd 48 fd 1e fd 49 18 fd fd 48 fd 1e fd 49 18 fd fd 48 fd 1e fd 49 2a fd fd 48 fd 1e fd 49 fd fd fd 48 fd 1e fd 49 fd 1e fd 49 42 1f fd 49 2a fd fd 48 fd 1e fd 49 2a fd fd 48 fd 1e fd 49 2a fd 45 49 fd 1e fd 49 fd 1e 2d 49 fd 1e fd 49 2a fd fd 48 fd 1e fd 49 52 69 63 68 fd 1e fd	MZ@!L!This program cannot be run in DOS mode.\$\f)IIHIIHIIHII*HI HIIBI*HI*HI*EII-II*HIRich	success or wait	4	5D2744	WriteFile

File Path	Offset	Length	Value	Ascii	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\ISOMate Pro\sqldrivers\is-VXD7PY3JDV.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 10 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 fd fd 77 4c fd fd 19 1f fd fd 19 1f fd fd 19 1f fd fd 1f fd fd 19 1f 48 02 18 1e fd fd 19 1f 48 02 1c 1e fd fd 19 1f 48 02 1d 1e fd fd 19 1f 48 02 1a 1e fd fd 19 1f fd 02 18 1e fd fd 19 1f 7a 01 18 1e fd fd 19 1f fd 03 18 1e fd fd 19 1f fd fd 18 1f fd 19 1f 7a 01 1c 1e fd fd 19 1f 7a 01 19 1e fd fd 19 1f 7a 01 fd 1f fd fd 19 1f fd fd fd 1f fd fd 19 1f 7a 01 1b 1e fd fd 19	MZ@!L!This program cannot be run in DOS mode.\$wLHHHHzzzzz	success or wait	3	5D2744	WriteFile
C:\Program Files (x86)\ISOMate Pro\sqldrivers\is-0CCG1JM3UT.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 10 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 30 0f 03 fd 74 6e 6d fd 74 6e 6d fd 74 6e 6d fd 7d 16 fd fd 78 6e 6d fd fd 6c fd 70 6e 6d fd fd 68 fd 6c 6e 6d fd fd 69 fd 7c 6e 6d fd fd 6e fd 70 6e 6d fd 06 fd 6c fd 76 6e 6d fd fd 6c fd 71 6e 6d fd 74 6e 6c fd 02 6f 6d fd fd 68 fd 70 6e 6d fd fd 69 fd 75 6e 6d fd fd 6d fd 75 6e 6d fd fd 75 6e 6d fd 74 6e fd fd 75 6e 6d fd fd 6f fd 75 6e 6d	MZ@!L!This program cannot be run in DOS mode.\$0tnmtntnm}xnml pnmhlnmijnmnpnmlvnlq nmtnlomhpnmiunmmunm unmtntunmounm	success or wait	31	5D2744	WriteFile

File Path	Offset	Length	Value	Ascii	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\ISOMate Pro\sqldrivers\is-BC9HM6N504.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 20 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 56 7d fd 12 fd fd fd 12 fd fd fd 12 fd fd fd 1b fd 40 fd 16 fd fd fd fd 2d fd fd 10 fd fd fd fd 2d fd fd 06 fd fd fd fd 2d fd fd 1a fd fd fd fd 2d fd fd 11 fd fd fd 60 2d fd fd 10 fd fd fd fd 2e fd fd 16 fd fd fd fd fd fd 11 fd fd fd 12 fd fd fd 08 fd fd fd 2e fd fd 11 fd fd fd fd 2e fd fd 13 fd fd fd fd 2e 2c fd 13 fd fd fd 12 fd 44 fd 13 fd fd fd fd 2e fd fd 13 fd fd	MZ@!L!This program cannot be run in DOS mode.\$V@----`-.....,D.	success or wait	2	5D2744	WriteFile
C:\Program Files (x86)\ISOMate Pro\sqldrivers\is-TG3G5SBPMD.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 10 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 36 fd 3e 15 72 fd 50 46 72 fd 50 46 72 fd 50 46 7b fd fd 46 76 fd 50 46 fd 05 51 47 70 fd 50 46 fd 05 55 47 64 fd 50 46 fd 05 54 47 7a fd 50 46 fd 05 53 47 76 fd 50 46 00 05 51 47 70 fd 50 46 fd 06 51 47 76 fd 50 46 18 05 51 47 71 fd 50 46 72 fd 51 46 4c fd 50 46 fd 06 55 47 71 fd 50 46 fd 06 50 47 73 fd 50 46 fd 06 fd 46 73 fd 50 46 72 fd fd 46 73 fd 50 46 fd 06 52 47 73 fd 50	MZ@!L!This program cannot be run in DOS mode.\$6>rPFrPFrPF{FvP FQGpPFUGdPFTGzPFS GvPFQGPpPFQGvPFQGq PFrQFLPFUGqPFPGsPF FsPFRFsPFRGsP	success or wait	2	5D2744	WriteFile

File Path	Offset	Length	Value	Ascii	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\ISOMate Pro\sqldrivers\is-OZW4JIQ20M.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 08 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 76 fd fd 4a 32 fd fd 19 32 fd fd 19 32 fd fd 19 3b fd 0b 19 34 fd fd 19 fd 2d fd 18 30 fd fd 19 fd 2d fd 18 26 fd fd 19 fd 2d fd 18 3a fd fd 19 fd 2d fd 18 31 fd fd 19 fd 2e fd 18 36 fd fd 19 40 2d fd 18 37 fd fd 19 32 fd fd 19 09 fd fd 19 fd 2e fd 18 31 fd fd 19 fd 2e fd 18 33 fd fd 19 fd 2e 67 19 33 fd fd 19 32 fd 0f 19 33 fd fd 19 fd 2e fd 18 33 fd fd 19 52 69 63 68 32 fd fd	MZ@!L!This program cannot be run in DOS mode.\$vJ222;4-0-&-:- 1.6@- 72.1.3.g323.3Rich2	success or wait	2	5D2744	WriteFile
C:\Program Files (x86)\ISOMate Pro\sqldrivers\is-B9BLQQE3GN.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 00 20 01 00 00 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 fd 6f 04 fd fd 0e 6a fd fd 0e 6a fd fd 0e 6a fd fd 76 fd fd fd 0e 6a fd 30 fd 6b fd fd 0e 6a fd 30 fd 6f fd fd 0e 6a fd 30 fd 6e fd fd 0e 6a fd 30 fd 69 fd fd 0e 6a 40 fd 6b fd fd 0e 6a fd 02 fd 6b fd fd 0e 6a fd 47 fd fd fd fd 0e 6a fd fd 0e 6b fd fd 0f 6a fd 02 fd 6f fd fd 0e 6a fd 02 fd 6a fd fd 0e 6a fd 02 fd fd fd fd 0e 6a fd fd 0e fd fd fd 0e 6a fd 02 fd 68 fd fd 0e 6a	MZ@ !L!This program cannot be run in DOS mode.\$oijjvj0kj0oj0nj0ijkj kjGjkjojjjjhj	success or wait	2	5D2744	WriteFile

File Path	Offset	Length	Value	Ascii	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\ISOMate Pro\styles\is-M154K7JO1X.tmp	0	65536	4d 5a fd 00 03 00 00 00 04 00 00 00 fd fd 00 00 fd 00 00 00 00 00 00 00 40 0e 1f fd 0e 00 fd 09 fd 21 fd 01 4c fd 21 54 68 69 73 20 70 72 6f 67 72 61 6d 20 63 61 6e 6e 6f 74 20 62 65 20 72 75 6e 20 69 6e 20 44 4f 53 20 6d 6f 64 65 2e 0d 0d 0a 24 00 00 00 00 00 00 00 41 75 5b 2f 05 14 35 7c 05 14 35 7c 05 14 35 7c 0c 6c fd 7c 01 14 35 7c d5 31 7d 0d 14 35 7c d5 36 7d 06 14 35 7c d5 30 7d 1d 14 35 7c d5 34 7d 01 14 35 7c fd fd 34 7d 03 14 35 7c 77 fd 34 7d 0c 14 35 7c 05 14 34 7c 6a 16 35 7c fd fd 30 7d 03 14 35 7c fd fd 35 7d 04 14 35 7c fd fd fd 7c 04 14 35 7c 05 14 fd 7c 04 14 35 7c fd fd 37 7d 04 14 35 7c 52 69 63 68 05 14 35	MZ@!L!This program cannot be run in DOS mode.\$Au[/5]5 5 5 1}5 6} 5 0}5 4}5 4}5 w4}5 4 5 0}5 5}5 5 5 5}5 Rich5	success or wait	4	5D2744	WriteFile
C:\Program Files (x86)\ISOMate Pro\is-TCZ02XSFES.tmp	0	31426	00 00 01 00 01 00 00 00 00 00 01 00 20 00 fd 7a 00 00 16 00 00 00 fd 50 4e 47 0d 0a 1a 0a 00 00 00 0d 49 48 44 52 00 00 01 00 00 00 01 00 08 06 00 00 00 5c 72 fd 66 00 00 7a 73 49 44 41 54 78 fd fd 7d 77 fd 24 45 fd fd fd fd fd 49 fd fd fd 1d d1 fd fd 44 11 03 2a fd 2a 26 30 62 44 45 fd fd 45 5f 5f 23 28 26 44 54 54 0c fd 31 2b 3f 15 fd 1c 45 72 0e 77 fd 1d fd fd fd 6d fd 09 fd fd fd fd fd 30 fd 35 fd 3d 33 fd 3b fd 77 fd 7c fd 33 37 3b fd fd 55 4f 55 fd fd fd fd 3c fd 54 15 01 48 01 60 fd 03 00 04 33 38 fd fd 4c fd 0a fd fd fd 21 fd 27 fd 3f fd 3c 4a fd fd 26 fd fd fd c2 41 41 7a fd 7d fd 16 08 fd 02 fd fd 00 fd fd fd fd 6f 12 fd 20 df fd 10 7e fd 41 fd 7e 19 fd 2a fd 0d fd fd 35 52 fd 00 40 64 01 20 fd 50 fd fd 62 fd 66 21 01 02	zPNGIHDR\rfzs\IDATx}w \$EID**&0bDEE__# (&DTT1+? Erwm05=3;w 37;UOU<T H'38L!'?<J&AAz}o ~A~*5R@d Pbf!	success or wait	1	5D2744	WriteFile

Key Path	Name	Type	Data	Completion	Count	Source Address	Symbol
HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}_is1	Inno Setup: Icon Group	unicode	ISOMate Pro	success or wait	1	6F1A33	RegSetValueExW
HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}_is1	Inno Setup: User	unicode	jones	success or wait	1	6F1A33	RegSetValueExW
HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}_is1	Inno Setup: Selected Tasks	unicode	desktopicon	success or wait	1	6F1A33	RegSetValueExW
HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}_is1	Inno Setup: Deselected Tasks	unicode		success or wait	1	6F1A33	RegSetValueExW
HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}_is1	Inno Setup: Language	unicode	english	success or wait	1	6F1A33	RegSetValueExW
HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}_is1	DisplayName	unicode	Uninstall ISOMate Pro	success or wait	1	6F1A33	RegSetValueExW
HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}_is1	UninstallString	unicode	"C:\Program Files (x86)\ISOMate Pro\unins000.exe"	success or wait	1	6F1A33	RegSetValueExW
HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}_is1	QuietUninstallString	unicode	"C:\Program Files (x86)\ISOMate Pro\unins000.exe" /SILENT	success or wait	1	6F1A33	RegSetValueExW
HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}_is1	DisplayVersion	unicode	4.7.5	success or wait	1	6F1A33	RegSetValueExW
HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}_is1	Publisher	unicode	SYSCute	success or wait	1	6F1A33	RegSetValueExW
HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}_is1	URLInfoAbout	unicode	https://www.syscute.com/	success or wait	1	6F1A33	RegSetValueExW
HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}_is1	HelpLink	unicode	https://www.syscute.com/	success or wait	1	6F1A33	RegSetValueExW
HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}_is1	URLUpdateInfo	unicode	https://www.syscute.com/	success or wait	1	6F1A33	RegSetValueExW
HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}_is1	NoModify	dword	1	success or wait	1	6F1A9A	RegSetValueExW
HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}_is1	NoRepair	dword	1	success or wait	1	6F1A9A	RegSetValueExW

Key Path	Name	Type	Data	Completion	Count	Source Address	Symbol
HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}_is1	InstallDate	unicode	20260618	success or wait	1	6F1A33	RegSetValueExW
HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}_is1	MajorVersion	dword	4	success or wait	1	6F1A9A	RegSetValueExW
HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}_is1	MinorVersion	dword	7	success or wait	1	6F1A9A	RegSetValueExW
HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}_is1	VersionMajor	dword	4	success or wait	1	6F1A9A	RegSetValueExW
HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}_is1	VersionMinor	dword	7	success or wait	1	6F1A9A	RegSetValueExW
HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Uninstall\{1E3C2ED9-8462-41A9-822C-5470DBDC3CCC}_is1	EstimatedSize	dword	72569	success or wait	1	6F1A9A	RegSetValueExW

Analysis Process: ISOMate Pro.exe PID: 4856, Parent PID: 7084

General	
Target ID:	6
Start time:	02:34:22
Start date:	18/06/2026
Path:	C:\Program Files (x86)\ISOMate Pro\ISOMate Pro.exe
Wow64 process (32bit):	false
Commandline:	"C:\Program Files (x86)\ISOMate Pro\ISOMate Pro.exe"
Imagebase:	0x7ff72bd70000
File size:	3'786'920 bytes
MD5 hash:	A212E366E018D8629B4F84C44B747D4D
SHA1 hash:	B031D05336FD850383CC5DCB96BBCF5FEF25C48B
SHA256 hash:	F3423FF4436397F6D1FDE5EA30AB370EE372A8DAD7F0D3D9357EDCAF3689F7C4
Has elevated privileges:	true
Has administrator privileges:	true
Programmed in:	C, C++ or other language
Reputation:	low
Has exited:	false

File Activities

File Created							
File Path	Access	Attributes	Options	Completion	Count	Source Address	Symbol
C:\Users\user\AppData\Roaming\ISOMate Pro	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	success or wait	1	7FF99F9CC819	CreateDirectoryW

File Read						
File Path	Offset	Length	Completion	Count	Source Address	Symbol
\\pipe\\qt-12F8-350F668F	0	4096	pending	1	7FF99F9D76B9	ReadFile
\\pipe\\qt-12F8-5A713BA2	0	4096	pending	1	7FF99F9D76B9	ReadFile

Registry Activities

Key Created

Key Path	Completion	Count	Source Address	Symbol
HKEY_CURRENT_USER\SOFTWARE\SYSCute	success or wait	1	7FF99FA6E85A	RegCreateKeyExW
HKEY_CURRENT_USER\SOFTWARE\SYSCute\ISOMate7	success or wait	1	7FF99FA6E85A	RegCreateKeyExW

Analysis Process: powershell.exe PID: 2336, Parent PID: 4856

General

Target ID:	7
Start time:	02:34:35
Start date:	18/06/2026
Path:	C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe
Wow64 process (32bit):	false
Commandline:	powershell -NoProfile -Command "Get-Disk Where-Object { \$_.BusType -eq 'USB' } ForEach-Object { \$disk = \$_; \$partitions = Get-Partition -DiskNumber \$disk.Number -ErrorAction SilentlyContinue; \$letter = ""; if (\$partitions) { foreach (\$p in \$partitions) { \$vol = Get-Volume -Partition \$p -ErrorAction SilentlyContinue; if (\$vol -and \$vol.DriveLetter) { \$letter = \$vol.DriveLetter + ':'; break } } } Write-Output ('{0} {1} {2} {3}' -f \$disk.Number, \$disk.FriendlyName, \$disk.Size, \$letter) }"
Imagebase:	0x7ff72aa20000
File size:	452'608 bytes
MD5 hash:	04029E121A0CFA5991749937DD22A1D9
SHA1 hash:	F43D9BB316E30AE1A3494AC5B0624F6BEA1BF054
SHA256 hash:	9F914D42706FE215501044ACD85A32D58AAEF1419D404FDDFA5D3B48F66CCD9F
Has elevated privileges:	true
Has administrator privileges:	true
Programmed in:	.Net C# or VB.NET
Reputation:	high
Has exited:	true

File Activities

File Created

File Path	Access	Attributes	Options	Completion	Count	Source Address	Symbol
C:\Users\user\AppData\Local\Temp__PSscripPolicyTest_ujtyo1ks.1m2.ps1	read attributes synchronize generic write	device	sequential only synchronous io non alert non directory file open no recall	success or wait	1	7FF99D9A517F	CreateFileW
C:\Windows\system32\catroot	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	1	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot2	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	1	7FF99AC4DB8F	unknown
C:\Users\user\AppData\Local\Temp__PSscripPolicyTest_jbdp34xq.dd2.psm1	read attributes synchronize generic write	device	sequential only synchronous io non alert non directory file open no recall	success or wait	1	7FF99D9A517F	CreateFileW
C:\Users\user	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	1	7FF99EAA797B	unknown

File Path	Access	Attributes	Options	Completion	Count	Source Address	Symbol
C:\Users\user\AppData\Roaming	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	1	7FF99EAA797B	unknown
C:\Windows\system32\catroot	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	20	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot2	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	20	7FF99AC4DB8F	unknown
C:\Users\user\AppData\Local\Temp__PSscr iptPolicyTest_js32v3ex.35y.ps1	read attributes synchronize generic write	device	sequential only synchronous io non alert non directory file open no recall	success or wait	1	7FF99D9A517F	CreateFileW
C:\Users\user\AppData\Local\Temp__PSscr iptPolicyTest_j3crelmn.oda.psm1	read attributes synchronize generic write	device	sequential only synchronous io non alert non directory file open no recall	success or wait	1	7FF99D9A517F	CreateFileW
C:\Windows\system32\catroot	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	1	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot2	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	1	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	2	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot2	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	2	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	2	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot2	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	2	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	2	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot2	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	2	7FF99AC4DB8F	unknown

File Path	Access	Attributes	Options	Completion	Count	Source Address	Symbol
C:\Windows\system32\catroot	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	45	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot2	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	45	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	1	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot2	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	1	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	1	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot2	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	1	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	1	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot2	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	1	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	1	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot2	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	1	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	1	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot2	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	1	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	1	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot2	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	1	7FF99AC4DB8F	unknown
C:\Windows\system32\catroot	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	28	7FF99AC4DB8F	unknown

File Path	Access	Attributes	Options	Completion	Count	Source Address	Symbol
C:\Windows\system32\catroot2	read data or list directory synchronize	device	directory file synchronous io non alert open for backup ident open reparse point	object name collision	28	7FF99AC4DB8F	unknown

File Deleted							
File Path				Completion	Count	Source Address	Symbol
C:\Users\user\AppData\Local\Temp__PSscriptPolicyTest_ujtyo1ks.1m2.ps1				success or wait	1	7FF99D99A731	DeleteFileW
C:\Users\user\AppData\Local\Temp__PSscriptPolicyTest_jbdp34xq.dd2.psm1				success or wait	1	7FF99D99A731	DeleteFileW
C:\Users\user\AppData\Local\Temp__PSscriptPolicyTest_js32v3ex.35y.ps1				success or wait	1	7FF99D99A731	DeleteFileW
C:\Users\user\AppData\Local\Temp__PSscriptPolicyTest_j3crelmn.oda.psm1				success or wait	1	7FF99D99A731	DeleteFileW

File Written									
File Path	Offset	Length	Value	Ascii	Completion	Count	Source Address	Symbol	
C:\Users\user\AppData\Local\Temp__PSscri ptPolicyTest_ujtyo1ks.1m2.ps1	0	60	23 20 50 6f 77 65 72 53 68 65 6c 6c 20 74 65 73 74 20 66 69 6c 65 20 74 6f 20 64 65 74 65 72 6d 69 6e 65 20 41 70 70 4c 6f 63 6b 65 72 20 6c 6f 63 6b 64 6f 77 6e 20 6d 6f 64 65 20	# PowerShell test file to determine AppLocker lockdown mode	success or wait	1	7FF99D99C9C8	WriteFile	
C:\Users\user\AppData\Local\Temp__PSscri ptPolicyTest_jbdp34xq.dd2.psm1	0	60	23 20 50 6f 77 65 72 53 68 65 6c 6c 20 74 65 73 74 20 66 69 6c 65 20 74 6f 20 64 65 74 65 72 6d 69 6e 65 20 41 70 70 4c 6f 63 6b 65 72 20 6c 6f 63 6b 64 6f 77 6e 20 6d 6f 64 65 20	# PowerShell test file to determine AppLocker lockdown mode	success or wait	1	7FF99D99C9C8	WriteFile	
C:\Users\user\AppData\Local\Temp__PSscri ptPolicyTest_js32v3ex.35y.ps1	0	60	23 20 50 6f 77 65 72 53 68 65 6c 6c 20 74 65 73 74 20 66 69 6c 65 20 74 6f 20 64 65 74 65 72 6d 69 6e 65 20 41 70 70 4c 6f 63 6b 65 72 20 6c 6f 63 6b 64 6f 77 6e 20 6d 6f 64 65 20	# PowerShell test file to determine AppLocker lockdown mode	success or wait	1	7FF99D99C9C8	WriteFile	
C:\Users\user\AppData\Local\Temp__PSscri ptPolicyTest_j3crelmn.oda.psm1	0	60	23 20 50 6f 77 65 72 53 68 65 6c 6c 20 74 65 73 74 20 66 69 6c 65 20 74 6f 20 64 65 74 65 72 6d 69 6e 65 20 41 70 70 4c 6f 63 6b 65 72 20 6c 6f 63 6b 64 6f 77 6e 20 6d 6f 64 65 20	# PowerShell test file to determine AppLocker lockdown mode	success or wait	1	7FF99D99C9C8	WriteFile	
C:\Users\user\AppData\Local\Microsof t\Windows\PowerShell\StartupProfileD ata-NonInteractive	0	64	40 00 00 01 65 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 01 00 00 00 00 00 00 00 00 00 00 00 1a 00 26 02 0b 00 00 00 00 00 00 00 00 00 00 00 04 40 00 fd 00 00 00 00 00 00 00 00	@e&@	success or wait	1	7FF99EFF44D9	WriteFile	

File Read							
File Path	Offset	Length	Completion	Count	Source Address	Symbol	
C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe.config	0	4095	success or wait	1	7FF99EA86FE3	unknown	
C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe.config	0	8173	end of file	1	7FF99EA86FE3	unknown	
C:\Windows\Microsoft.NET\Framework64\v4.0.30319\Config\machine.config	0	4095	success or wait	1	7FF99EA86FE3	unknown	
C:\Windows\assembly\NativeImages_v4.0.30319_64\mscorlib\b8493bec853ac702d2188091d76ccffa\mscorlib.ni.dll.aux	0	176	success or wait	1	7FF99EA55F36	ReadFile	
C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe.config	0	4095	success or wait	1	7FF99EA7F056	ReadFile	
C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe.config	0	8173	end of file	1	7FF99EA7F056	ReadFile	
C:\Windows\Microsoft.NET\Framework64\v4.0.30319\Config\machine.config	0	4095	success or wait	1	7FF99EA7F056	ReadFile	
C:\Windows\Microsoft.NET\Framework64\v4.0.30319\Config\machine.config	0	6135	success or wait	1	7FF99EA7F056	ReadFile	

File Path	Offset	Length	Completion	Count	Source Address	Symbol
C:\Windows\assembly\NativeImages_v4.0.30319_64\Microsoft.Pb378ec07#0827b790b8e74d0d12643297a812ae07\Microsoft.PowerShell.ConsoleHost.ni.dll.aux	0	1248	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\System.b187b7f31ce3e87b56c8edca55324e0\System.ni.dll.aux	0	620	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\System.Core\31326613607f69254f3284ec964796c8\System.Core.ni.dll.aux	0	900	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\System.Manaa57fc8cc#27947b366dfb4feddb2be787d72ca90d\System.Management.Automation.ni.dll.aux	0	2764	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe.config	0	4095	success or wait	1	7FF99EA86FE3	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe.config	0	8173	end of file	1	7FF99EA86FE3	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe.config	0	4095	success or wait	1	7FF99EA86FE3	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe.config	0	8173	end of file	1	7FF99EA86FE3	unknown
C:\Windows\assembly\NativeImages_v4.0.30319_64\Microsoft.Mf49f6405#\7488c4f196cfa60a4ca5cca24e2169b0\Microsoft.Management.Infrastructure.ni.dll.aux	0	748	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\System.Management\8af759007c012da690062882e06694f1\System.Management.ni.dll.aux	0	764	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\System.Dired13b18a9#e9e64b91c0e4559f01e50ac43ffb9a2a\System.DirectoryServices.ni.dll.aux	0	752	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\System.Xml\db3df155ec9c0595b0198c4487f36ca1\System.Xml.ni.dll.aux	0	748	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\System.Numerics\ce1e4670373608336100bea63bbc8990\System.Numerics.ni.dll.aux	0	300	success or wait	1	7FF99EA55F36	ReadFile
C:\Users\user\AppData\Local\Microsoft\Windows\PowerShell\StartupProfileData-NonInteractive	0	64	success or wait	1	7FF99EAAC107	ReadFile
C:\Users\user\AppData\Local\Microsoft\Windows\PowerShell\StartupProfileData-NonInteractive	0	1324	success or wait	1	7FF99EAAC1E5	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\System.Configuration\915c1ee906bd8dfc15398a4bab4acb48\System.Configuration.ni.dll.aux	0	864	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\System.Data\545a9409c1765a7821d3e6c4319ecb2b\System.Data.ni.dll.aux	0	1540	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\Microsoft.NET\Framework64\v4.0.30319\Config\machine.config	0	4095	success or wait	1	7FF99EA86FE3	unknown
C:\Windows\Microsoft.NET\Framework64\v4.0.30319\Config\machine.config	0	6135	success or wait	1	7FF99EA86FE3	unknown
C:\Windows\Microsoft.NET\Framework64\v4.0.30319\Config\machine.config	0	8171	end of file	1	7FF99EA86FE3	unknown
C:\Windows\Microsoft.NET\Framework64\v4.0.30319\Config\machine.config	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\Microsoft.NET\Framework64\v4.0.30319\Config\machine.config	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\Microsoft.NET\Framework64\v4.0.30319\Config\machine.config	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Windows\Microsoft.NET\Framework64\v4.0.30319\Config\machine.config	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\Microsoft.NET\Framework64\v4.0.30319\Config\machine.config	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe.config	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe.config	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\Microsoft.P6f792626#6678f8d97608760913b0724754b6ee75\Microsoft.PowerShell.Security.ni.dll.aux	0	1268	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\System.Transactions\ce574ae4e11a47e97df21426503a82c9\System.Transactions.ni.dll.aux	0	924	success or wait	1	7FF99EA55F36	ReadFile
C:\Program Files (x86)\WindowsPowerShell\Modules\Microsoft.PowerShell.Operation.Validation\1.0.1\Microsoft.PowerShell.Operation.Validation.psd1	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Program Files (x86)\WindowsPowerShell\Modules\Microsoft.PowerShell.Operation.Validation\1.0.1\Microsoft.PowerShell.Operation.Validation.psd1	0	492	end of file	2	7FF99D99C9C8	ReadFile
C:\Program Files (x86)\WindowsPowerShell\Modules\Microsoft.PowerShell.Operation.Validation\1.0.1\Microsoft.PowerShell.Operation.Validation.psd1	0	4096	end of file	2	7FF99D99C9C8	ReadFile
C:\Program Files (x86)\WindowsPowerShell\Modules\PackageManagement\1.0.0.1\PackageManagement.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile

File Path	Offset	Length	Completion	Count	Source Address	Symbol
C:\Program Files (x86)\WindowsPowerShell\Modules\PackageManagement\1.0.0.1\PackageManagement.psd1	0	734	end of file	1	7FF99D99C9C8	ReadFile
C:\Program Files (x86)\WindowsPowerShell\Modules\PackageManagement\1.0.0.1\PackageManagement.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Program Files (x86)\WindowsPowerShell\Modules\Pester\3.4.0\Pester.psd1	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Program Files (x86)\WindowsPowerShell\Modules\Pester\3.4.0\Pester.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Program Files (x86)\WindowsPowerShell\Modules\Pester\3.4.0\Pester.psd1	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Program Files (x86)\WindowsPowerShell\Modules\Pester\3.4.0\Pester.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Program Files (x86)\WindowsPowerShell\Modules\Pester\3.4.0\Pester.psm1	0	4096	success or wait	7	7FF99D99C9C8	ReadFile
C:\Program Files (x86)\WindowsPowerShell\Modules\Pester\3.4.0\Pester.psm1	0	682	end of file	1	7FF99D99C9C8	ReadFile
C:\Program Files (x86)\WindowsPowerShell\Modules\Pester\3.4.0\Pester.psm1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Program Files (x86)\WindowsPowerShell\Modules\PowerShellGet\1.0.0.1\PowerShellGet.psd1	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Program Files (x86)\WindowsPowerShell\Modules\PowerShellGet\1.0.0.1\PowerShellGet.psd1	0	289	end of file	1	7FF99D99C9C8	ReadFile
C:\Program Files (x86)\WindowsPowerShell\Modules\PowerShellGet\1.0.0.1\PowerShellGet.psd1	0	4096	end of file	2	7FF99D99C9C8	ReadFile
C:\Program Files (x86)\WindowsPowerShell\Modules\PowerShellGet\1.0.0.1\PowerShellGet.psd1	0	4096	success or wait	4	7FF99D99C9C8	ReadFile
C:\Program Files (x86)\WindowsPowerShell\Modules\PowerShellGet\1.0.0.1\PowerShellGet.psd1	0	289	end of file	2	7FF99D99C9C8	ReadFile
C:\Program Files (x86)\WindowsPowerShell\Modules\PowerShellGet\1.0.0.1\PowerShellGet.psd1	0	4096	end of file	3	7FF99D99C9C8	ReadFile
C:\Program Files (x86)\WindowsPowerShell\Modules\PowerShellGet\1.0.0.1\PSModule.psm1	0	4096	success or wait	143	7FF99D99C9C8	ReadFile
C:\Program Files (x86)\WindowsPowerShell\Modules\PowerShellGet\1.0.0.1\PSModule.psm1	0	993	end of file	1	7FF99D99C9C8	ReadFile
C:\Program Files (x86)\WindowsPowerShell\Modules\PowerShellGet\1.0.0.1\PSModule.psm1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Program Files\WindowsPowerShell\Modules\Microsoft.PowerShell.Operation.Validation\1.0.1\Microsoft.PowerShell.Operation.Validation.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Program Files\WindowsPowerShell\Modules\Microsoft.PowerShell.Operation.Validation\1.0.1\Microsoft.PowerShell.Operation.Validation.psd1	0	492	end of file	1	7FF99D99C9C8	ReadFile
C:\Program Files\WindowsPowerShell\Modules\Microsoft.PowerShell.Operation.Validation\1.0.1\Microsoft.PowerShell.Operation.Validation.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Program Files\WindowsPowerShell\Modules\PackageManagement\1.0.0.1\PackageManagement.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Program Files\WindowsPowerShell\Modules\PackageManagement\1.0.0.1\PackageManagement.psd1	0	734	end of file	1	7FF99D99C9C8	ReadFile
C:\Program Files\WindowsPowerShell\Modules\PackageManagement\1.0.0.1\PackageManagement.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Program Files\WindowsPowerShell\Modules\Pester\3.4.0\Pester.psd1	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Program Files\WindowsPowerShell\Modules\Pester\3.4.0\Pester.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Program Files\WindowsPowerShell\Modules\Pester\3.4.0\Pester.psm1	0	4096	success or wait	6	7FF99D99C9C8	ReadFile
C:\Program Files\WindowsPowerShell\Modules\Pester\3.4.0\Pester.psm1	0	682	end of file	1	7FF99D99C9C8	ReadFile
C:\Program Files\WindowsPowerShell\Modules\Pester\3.4.0\Pester.psm1	0	4096	end of file	1	7FF99D99C9C8	ReadFile

File Path	Offset	Length	Completion	Count	Source Address	Symbol
C:\Program Files\WindowsPowerShell\Modules\PowerShellGet\1.0.0.1\PowerShellGet.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Program Files\WindowsPowerShell\Modules\PowerShellGet\1.0.0.1\PowerShellGet.psd1	0	289	end of file	1	7FF99D99C9C8	ReadFile
C:\Program Files\WindowsPowerShell\Modules\PowerShellGet\1.0.0.1\PowerShellGet.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Program Files\WindowsPowerShell\Modules\PowerShellGet\1.0.0.1\PSModule.psm1	0	4096	success or wait	140	7FF99D99C9C8	ReadFile
C:\Program Files\WindowsPowerShell\Modules\PowerShellGet\1.0.0.1\PSModule.psm1	0	993	end of file	1	7FF99D99C9C8	ReadFile
C:\Program Files\WindowsPowerShell\Modules\PowerShellGet\1.0.0.1\PSModule.psm1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Program Files\WindowsPowerShell\Modules\PSReadline\2.0.0\PSReadline.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Program Files\WindowsPowerShell\Modules\PSReadline\2.0.0\PSReadline.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.Management\Microsoft.PowerShell.Management.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.Management\Microsoft.PowerShell.Management.psd1	0	490	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\AppLocker\AppLocker.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\AppLocker\AppLocker.psd1	0	990	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\AppLocker\AppLocker.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\AppLocker\AppLocker.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\AppLocker\AppLocker.psd1	0	990	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\AppLocker\AppLocker.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\AppvClient\AppvClient.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\AppvClient\AppvClient.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\AppvClient\AppvClient.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\AppvClient\AppvClient.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\System.Manaa57fc8c#27947b366dfb4feddb2be787d72ca90d\System.Management.Automation.ni.dll.aux	0	2764	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\System.b187b7f31ce3e87b56c8edca55324e0\System.ni.dll.aux	0	620	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\System.Core\31326613607f69254f3284ec964796c8\System.Core.ni.dll.aux	0	900	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\Microsoft.Mf49f6405#\7488c4f196cfa60a4ca5cca24e2169b0\Microsoft.Management.Infrastructure.ni.dll.aux	0	748	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\Microsoft.M870d558a#30b81ee2f123dce6b3a8e3cd8ae30a01\Microsoft.Management.Infrastructure.Native.ni.dll.aux	0	328	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\Microsoft.M870d558a#30b81ee2f123dce6b3a8e3cd8ae30a01\Microsoft.Management.Infrastructure.Native.ni.dll.aux	0	328	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\System.Configuration\915c1ee906bd8dfc15398a4bab4acb48\System.Configuration.ni.dll.aux	0	864	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\System.Xml\db3df155ec9c0595b0198c4487f36ca1\System.Xml.ni.dll.aux	0	748	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\System.Dired13b18a9#e9e64b91c0e4559f01e50ac43ffb9a2a\System.DirectoryServices.ni.dll.aux	0	752	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\System.Management\8af759007c012da690062882e06694f1\System.Management.ni.dll.aux	0	764	success or wait	1	7FF99EA55F36	ReadFile

File Path	Offset	Length	Completion	Count	Source Address	Symbol
C:\Windows\assembly\NativeImages_v4.0.30319_64\System.Numerics\ce1e4670373608336100bea63bbc8990\System.Numerics.ni.dll.aux	0	300	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\System.Transactions\ce574ae4e11a47e97df21426503a82c9\System.Transactions.ni.dll.aux	0	924	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe.config	0	4095	success or wait	1	7FF99EA86FE3	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe.config	0	8173	end of file	1	7FF99EA86FE3	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Appx\Appx.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Appx\Appx.psd1	0	641	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Appx\Appx.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\AssignedAccess\AssignedAccess.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\AssignedAccess\AssignedAccess.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BitLocker\BitLocker.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BitLocker\BitLocker.psd1	0	278	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BitLocker\BitLocker.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BitLocker\BitLocker.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BitLocker\BitLocker.psd1	0	278	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BitLocker\BitLocker.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BitLocker\en-US\BitLocker.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BitLocker\en-US\BitLocker.psd1	0	768	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.Utility\Microsoft.PowerShell.Utility.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.Utility\Microsoft.PowerShell.Utility.psd1	0	599	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.Utility\Microsoft.PowerShell.Utility.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\Microsoft.P521220ea#4e979ea52142e3f41413c0b74e6f297b\Microsoft.PowerShell.Commands.Utility.ni.dll.aux	0	2264	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\System.Conf64a9051#434f871c532673e1359654ad68a1c225\System.Configuration.Install.ni.dll.aux	0	1260	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.Utility\Microsoft.PowerShell.Utility.psm1	0	4096	success or wait	8	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.Utility\Microsoft.PowerShell.Utility.psm1	0	128	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.Utility\Microsoft.PowerShell.Utility.psm1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe.config	0	4095	success or wait	1	7FF99EA86FE3	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe.config	0	8173	end of file	1	7FF99EA86FE3	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BitLocker\BitLocker.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BitLocker\BitLocker.psd1	0	278	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BitLocker\BitLocker.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BitLocker\en-US\BitLocker.psd1	0	4096	success or wait	3	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BitLocker\en-US\BitLocker.psd1	0	768	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BitLocker\en-US\BitLocker.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BitLocker\BitLocker.psm1	0	4096	success or wait	74	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BitLocker\BitLocker.psm1	0	104	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BitsTransfer\BitsTransfer.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile

File Path	Offset	Length	Completion	Count	Source Address	Symbol
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BitsTransfer\BitsTransfer.psd1	0	444	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BitsTransfer\BitsTransfer.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BranchCache\BranchCache.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BranchCache\BranchCache.psd1	0	309	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\BranchCache\BranchCache.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\CimCmdlets\CimCmdlets.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\CimCmdlets\CimCmdlets.psd1	0	160	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\CimCmdlets\CimCmdlets.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigCl\ConfigCl.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigCl\ConfigCl.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\ConfigDefender.psd1	0	4096	success or wait	4	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\ConfigDefender.psd1	0	31	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\ConfigDefender.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\ConfigDefender.psd1	0	4096	success or wait	4	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\ConfigDefender.psd1	0	31	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\ConfigDefender.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\ConfigDefender.psd1	0	512	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\ConfigDefender.psd1	0	4096	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\ConfigDefender.psd1	0	512	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\ConfigDefender.psd1	0	4096	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpComputerStatus.cdxml	0	512	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpComputerStatus.cdxml	0	4096	success or wait	36	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpComputerStatus.cdxml	0	571	end of file	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpComputerStatus.cdxml	0	4096	end of file	2	7FF99D99C9C8	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\Microsoft.Pae3498d9#4135231357d2e604d3b2e98c39d401a0\Microsoft.PowerShell.Commands.Management.ni.dll.aux	0	3148	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpPreference.cdxml	0	512	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpPreference.cdxml	0	4096	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpPreference.cdxml	0	512	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpThreat.cdxml	0	512	success or wait	3	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpThreat.cdxml	0	4096	success or wait	2	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpThreat.cdxml	0	512	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpThreat.cdxml	0	4096	success or wait	2	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpThreat.cdxml	0	4096	success or wait	5	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpThreat.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile

File Path	Offset	Length	Completion	Count	Source Address	Symbol
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpThreatCatalog.cdxml	0	512	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpThreatCatalog.cdxml	0	4096	success or wait	2	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpThreatCatalog.cdxml	0	512	success or wait	2	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpThreatCatalog.cdxml	0	4096	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpThreatCatalog.cdxml	0	4096	success or wait	9	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpThreatCatalog.cdxml	0	162	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpThreatCatalog.cdxml	0	4096	end of file	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpThreatDetection.cdxml	0	512	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpThreatDetection.cdxml	0	512	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpThreatDetection.cdxml	0	4096	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpThreatDetection.cdxml	0	4096	success or wait	4	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpThreatDetection.cdxml	0	135	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpScan.cdxml	0	512	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpScan.cdxml	0	4096	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpScan.cdxml	0	4096	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpSignature.cdxml	0	512	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpSignature.cdxml	0	4096	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpSignature.cdxml	0	512	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpSignature.cdxml	0	4096	success or wait	5	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpSignature.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpWDOScan.cdxml	0	512	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpWDOScan.cdxml	0	4096	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpWDOScan.cdxml	0	4096	success or wait	4	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpWDOScan.cdxml	0	356	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpWDOScan.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpRollback.cdxml	0	512	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpRollback.cdxml	0	4096	success or wait	5	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\MSFT_MpRollback.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\Performance\ConfigDefenderPerformance.psd1	0	4096	success or wait	4	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\Performance\ConfigDefenderPerformance.psd1	0	833	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\Performance\ConfigDefenderPerformance.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\Performance\ConfigDefenderPerformance.psd1	0	4096	success or wait	4	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\Performance\ConfigDefenderPerformance.psd1	0	833	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefender\Performance\ConfigDefenderPerformance.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile

File Path	Offset	Length	Completion	Count	Source Address	Symbol
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefenderPerformance\ConfigDefenderPerformance.psd1	0	512	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefenderPerformance\ConfigDefenderPerformance.psd1	0	4096	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefenderPerformance\ConfigDefenderPerformance.psd1	0	512	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ConfigDefenderPerformance\ConfigDefenderPerformance.psd1	0	4096	success or wait	1	7FF99AC4DB8F	unknown
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Defender\Defender.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Defender\Defender.psd1	0	467	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\DeliveryOptimization\DeliveryOptimization.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\DeliveryOptimization\DeliveryOptimization.psd1	0	557	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\DirectAccessClientComponents\DirectAccessClientComponents.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\DirectAccessClientComponents\DirectAccessClientComponents.psd1	0	870	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\DirectAccessClientComponents\DirectAccessClientComponents.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Dism\Dism.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Dism\Dism.psd1	0	105	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Dism\Dism.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\DnsClient\DnsClient.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\DnsClient\DnsClient.psd1	0	296	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\EventTracingManagement\EventTracingManagement.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\EventTracingManagement\EventTracingManagement.psd1	0	509	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\EventTracingManagement\EventTracingManagement.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\EventTracingManagement\EventTracingManagement.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\EventTracingManagement\EventTracingManagement.psd1	0	509	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\EventTracingManagement\EventTracingManagement.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\EventTracingManagement\MSFT_EtwTraceSession_v1.0.cdxml	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\EventTracingManagement\MSFT_EtwTraceSession_v1.0.cdxml	0	351	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\EventTracingManagement\MSFT_EtwTraceSession_v1.0.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\EventTracingManagement\MSFT_EtwTraceProvider_v1.0.cdxml	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\EventTracingManagement\MSFT_EtwTraceProvider_v1.0.cdxml	0	267	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\EventTracingManagement\MSFT_EtwTraceProvider_v1.0.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\EventTracingManagement\MSFT_AutologgerConfig_v1.0.cdxml	0	4096	success or wait	3	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\EventTracingManagement\MSFT_AutologgerConfig_v1.0.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\International\International.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\International\International.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\International\International.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\International\International.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\iSCSI\iSCSI.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\iSCSI\iSCSI.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile

File Path	Offset	Length	Completion	Count	Source Address	Symbol
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ISE\ise.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ISE\ise.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Kds\Kds.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Kds\Kds.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Kds\Kds.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Kds\Kds.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\Microsoft.Kd58820a5#85c57b7291b758355a5b5e2e1f49b4b1\Microsoft.KeyDistributionService.Cmdlets.ni.dll.aux	0	504	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\LanguagePackManagement\LanguagePackManagement.psd1	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\LanguagePackManagement\LanguagePackManagement.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.Archive\Microsoft.PowerShell.Archive.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.Archive\Microsoft.PowerShell.Archive.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.Diagnostics\Microsoft.PowerShell.Diagnostics.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.Diagnostics\Microsoft.PowerShell.Diagnostics.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.Host\Microsoft.PowerShell.Host.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.Host\Microsoft.PowerShell.Host.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.LocalAccounts\1.0.0.0\Microsoft.PowerShell.LocalAccounts.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.LocalAccounts\1.0.0.0\Microsoft.PowerShell.LocalAccounts.psd1	0	959	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.LocalAccounts\1.0.0.0\Microsoft.PowerShell.LocalAccounts.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.LocalAccounts\1.0.0.0\Microsoft.PowerShell.LocalAccounts.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.LocalAccounts\1.0.0.0\Microsoft.PowerShell.LocalAccounts.psd1	0	959	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.LocalAccounts\1.0.0.0\Microsoft.PowerShell.LocalAccounts.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.LocalAccounts\1.0.0.0\Microsoft.PowerShell.LocalAccounts.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.LocalAccounts\1.0.0.0\Microsoft.PowerShell.LocalAccounts.psd1	0	959	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.LocalAccounts\1.0.0.0\Microsoft.PowerShell.LocalAccounts.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.ODataUtils\Microsoft.PowerShell.ODataUtils.psd1	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.ODataUtils\Microsoft.PowerShell.ODataUtils.psd1	0	706	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.ODataUtils\Microsoft.PowerShell.ODataUtils.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.Security\Microsoft.PowerShell.Security.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.PowerShell.Security\Microsoft.PowerShell.Security.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.WSMan.Management\Microsoft.WSMan.Management.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Microsoft.WSMan.Management\Microsoft.WSMan.Management.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MMAgent\MMAgent.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MMAgent\MMAgent.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MsDtc.psd1	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MsDtc.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MsDtc.psd1	0	4096	success or wait	2	7FF99D99C9C8	ReadFile

File Path	Offset	Length	Completion	Count	Source Address	Symbol
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MsDtc.ps d1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cTask_v1.0.cdxml	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cTask_v1.0.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cLogTask_v1.0.cdxml	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cLogTask_v1.0.cdxml	0	444	end of file	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cLogTask_v1.0.cdxml	0	4096	end of file	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cAdvancedHostSettingTask_v1.0.cdxml	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cAdvancedHostSettingTask_v1.0.cdxml	0	828	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cAdvancedHostSettingTask_v1.0.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cAdvancedSettingTask_v1.0.cdxml	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cAdvancedSettingTask_v1.0.cdxml	0	264	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cAdvancedSettingTask_v1.0.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cClusterDefaultTask_v1.0.cdxml	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cClusterDefaultTask_v1.0.cdxml	0	459	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cClusterDefaultTask_v1.0.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cNetworkSettingTask_v1.0.cdxml	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cNetworkSettingTask_v1.0.cdxml	0	691	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cNetworkSettingTask_v1.0.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cTransactionTask_v1.0.cdxml	0	4096	success or wait	4	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cTransactionTask_v1.0.cdxml	0	154	end of file	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cTransactionTask_v1.0.cdxml	0	4096	end of file	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cTransactionsStatisticsTask_v1.0.cdxml	0	4096	success or wait	4	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cTransactionsStatisticsTask_v1.0.cdxml	0	808	end of file	3	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cTransactionsStatisticsTask_v1.0.cdxml	0	4096	end of file	3	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cTransactionsTraceSessionTask_v1.0.cdxml	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cTransactionsTraceSessionTask_v1.0.cdxml	0	380	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cTransactionsTraceSessionTask_v1.0.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cClusterTMMMappingTask_v1.0.cdxml	0	4096	success or wait	4	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cClusterTMMMappingTask_v1.0.cdxml	0	288	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cClusterTMMMappingTask_v1.0.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cTransactionsTraceSettingTask_v1.0.cdxml	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cTransactionsTraceSettingTask_v1.0.cdxml	0	348	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\MsDtc\MSFT_Dt cTransactionsTraceSettingTask_v1.0.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetAdapter\Net Adapter.psd1	0	4096	success or wait	2	7FF99D99C9C8	ReadFile

File Path	Offset	Length	Completion	Count	Source Address	Symbol
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetAdapter\NetAdapter.psd1	0	524	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetConnection\NetConnection.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetConnection\NetConnection.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetConnection\NetConnection.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetConnection\NetConnection.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetEventPacketCapture\NetEventPacketCapture.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetEventPacketCapture\NetEventPacketCapture.psd1	0	286	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetLbfo\NetLbfo.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetLbfo\NetLbfo.psd1	0	871	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetLbfo\NetLbfo.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetNat\NetNat.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetNat\NetNat.psd1	0	883	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetNat\NetNat.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetNat\NetNat.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetNat\NetNat.psd1	0	883	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetNat\NetNat.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetNat\MSFT_NetNatExternalAddress.cdxml	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetNat\MSFT_NetNatExternalAddress.cdxml	0	687	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetNat\MSFT_NetNatExternalAddress.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetNat\MSFT_NetNatStaticMapping.cdxml	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetNat\MSFT_NetNatStaticMapping.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetNat\MSFT_NetNatSession.cdxml	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetNat\MSFT_NetNatSession.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetQos\NetQos.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetQos\NetQos.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetQos\NetQos.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetQos\NetQos.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetQos\MSFT_NetQosPolicy.cdxml	0	4096	success or wait	15	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetQos\MSFT_NetQosPolicy.cdxml	0	719	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetQos\MSFT_NetQosPolicy.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetSecurity\NetSecurity.psd1	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetSecurity\NetSecurity.psd1	0	720	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetSecurity\NetSecurity.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetSwitchTeam\NetSwitchTeam.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile

File Path	Offset	Length	Completion	Count	Source Address	Symbol
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetSwitchTeam\NetSwitchTeam.psd1	0	887	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetSwitchTeam\NetSwitchTeam.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetTCPIP\NetTCPIP.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetTCPIP\NetTCPIP.psd1	0	895	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetTCPIP\NetTCPIP.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetworkConnectivityStatus\NetworkConnectivityStatus.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetworkConnectivityStatus\NetworkConnectivityStatus.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetworkSwitchManager\NetworkSwitchManager.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetworkSwitchManager\NetworkSwitchManager.psd1	0	849	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetworkSwitchManager\NetworkSwitchManager.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetworkSwitchManager\NetworkSwitchManager.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetworkSwitchManager\NetworkSwitchManager.psd1	0	849	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetworkSwitchManager\NetworkSwitchManager.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetworkTransition\NetworkTransition.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetworkTransition\NetworkTransition.psd1	0	303	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\NetworkTransition\NetworkTransition.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PcsvDevice\PcsvDevice.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PcsvDevice\PcsvDevice.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PersistentMemory\PersistentMemory.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PersistentMemory\PersistentMemory.psd1	0	667	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PersistentMemory\PersistentMemory.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PKI\pki.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PKI\pki.psd1	0	66	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PKI\pki.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PKI\pki.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PKI\pki.psd1	0	66	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PKI\pki.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PnpDevice\PnpDevice.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PnpDevice\PnpDevice.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagement\PrintManagement.psd1	0	4096	success or wait	3	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagement\PrintManagement.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagement\PrintManagement.psd1	0	4096	success or wait	3	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagement\PrintManagement.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagement\MSFT_Printer_v1.0.cdxml	0	4096	success or wait	9	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagement\MSFT_Printer_v1.0.cdxml	0	718	end of file	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagement\MSFT_Printer_v1.0.cdxml	0	4096	end of file	3	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagement\MSFT_PrinterPortTasks_v1.0.cdxml	0	4096	success or wait	8	7FF99D99C9C8	ReadFile

File Path	Offset	Length	Completion	Count	Source Address	Symbol
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagem nt\MSFT_PrinterPortTasks_v1.0.cdxml	0	385	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagem nt\MSFT_PrinterDriver_v1.0.cdxml	0	4096	success or wait	3	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagem nt\MSFT_PrinterDriver_v1.0.cdxml	0	4096	end of file	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagem nt\MSFT_PrintJob_v1.0.cdxml	0	4096	success or wait	5	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagem nt\MSFT_PrintJob_v1.0.cdxml	0	685	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagem nt\MSFT_PrintJob_v1.0.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagem nt\MSFT_LocalPrinterPort_v1.0.cdxml	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagem nt\MSFT_LocalPrinterPort_v1.0.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagem nt\MSFT_TcplpPrinterPort_v1.0.cdxml	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagem nt\MSFT_TcplpPrinterPort_v1.0.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagem nt\MSFT_PrinterProperty_v1.0.cdxml	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagem nt\MSFT_PrinterProperty_v1.0.cdxml	0	860	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagem nt\MSFT_PrinterProperty_v1.0.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagem nt\MSFT_PrinterNfcTag_v1.0.cdxml	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagem nt\MSFT_PrinterNfcTag_v1.0.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagem nt\MSFT_PrinterNfcTagTasks_v1.0.cdxml	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagem nt\MSFT_PrinterNfcTagTasks_v1.0.cdxml	0	901	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagem nt\MSFT_PrinterNfcTagTasks_v1.0.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagem nt\MSFT_3DPrinter_v1.0.cdxml	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PrintManagem nt\MSFT_3DPrinter_v1.0.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ProcessMitigatio ns\ProcessMitigations.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ProcessMitigatio ns\ProcessMitigations.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Provisioning\pro visioning.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Provisioning\pro visioning.psd1	0	732	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Provisioning\pro visioning.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PSDesiredState Configuration\PSDesiredStateConfiguration.psd1	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PSDesiredState Configuration\PSDesiredStateConfiguration.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PSDiagnostics\ PSDiagnostics.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PSDiagnostics\ PSDiagnostics.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PSScheduledJo b\PSScheduledJob.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PSScheduledJo b\PSScheduledJob.psd1	0	1005	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PSScheduledJo b\PSScheduledJob.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PSWorkflow\PS Workflow.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PSWorkflow\PS Workflow.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile

File Path	Offset	Length	Completion	Count	Source Address	Symbol
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PSWorkflowUtility\PSWorkflowUtility.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\PSWorkflowUtility\PSWorkflowUtility.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ScheduledTasks\ScheduledTasks.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ScheduledTasks\ScheduledTasks.psd1	0	143	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\ScheduledTasks\ScheduledTasks.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\SecureBoot\SecureBoot.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\SecureBoot\SecureBoot.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\SecureBoot\SecureBoot.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\SecureBoot\SecureBoot.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\assembly\NativeImages_v4.0.30319_64\Microsoft.S1bc92e04#cafa3506d46029bb2db683df8c72f284\Microsoft.SecureBoot.Commands.ni.dll.aux	0	608	success or wait	1	7FF99EA55F36	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\SmbShare\SmbShare.psd1	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\SmbShare\SmbShare.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\SmbWitness\SmbWitness.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\SmbWitness\SmbWitness.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\StartLayout\StartLayout.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\StartLayout\StartLayout.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\StartLayout\StartLayout.psd1	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\StartLayout\StartLayout.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\Storage.psd1	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\Storage.psd1	0	65	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\Storage.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\Storage.psd1	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\Storage.psd1	0	65	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\Storage.psd1	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\Storage.types.ps1xml	0	4096	success or wait	30	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\Storage.types.ps1xml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\Storage.format.ps1xml	0	4096	success or wait	26	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\Storage.format.ps1xml	0	607	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\Disk.cdxml	0	4096	success or wait	19	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\Disk.cdxml	0	750	end of file	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\Disk.cdxml	0	4096	end of file	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\DiskImage.cdxml	0	4096	success or wait	6	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\DiskImage.cdxml	0	578	end of file	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\FileShare.cdxml	0	4096	success or wait	5	7FF99D99C9C8	ReadFile

File Path	Offset	Length	Completion	Count	Source Address	Symbol
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\FileShare.cdxml	0	853	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\FileShare.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\FileStorageTier.cdxml	0	4096	success or wait	3	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\FileStorageTier.cdxml	0	207	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\FileStorageTier.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\InitiatorId.cdxml	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\InitiatorId.cdxml	0	632	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\InitiatorId.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\InitiatorPort.cdxml	0	4096	success or wait	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\InitiatorPort.cdxml	0	728	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\InitiatorPort.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\MaskingSet.cdxml	0	4096	success or wait	6	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\MaskingSet.cdxml	0	268	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\MaskingSet.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\OffloadDataTransferSetting.cdxml	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\OffloadDataTransferSetting.cdxml	0	803	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\OffloadDataTransferSetting.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\Partition.cdxml	0	4096	success or wait	7	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\Partition.cdxml	0	92	end of file	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\Partition.cdxml	0	4096	end of file	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\PhysicalDisk.cdxml	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\PhysicalDisk.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\ResiliencySetting.cdxml	0	4096	success or wait	5	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\ResiliencySetting.cdxml	0	803	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\ResiliencySetting.cdxml	0	4096	end of file	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\StorageCmdlets.cdxml	0	4096	success or wait	38	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\StorageCmdlets.cdxml	0	224	end of file	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\StorageCmdlets.cdxml	0	4096	end of file	2	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\StorageEnclosure.cdxml	0	4096	success or wait	9	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\StorageEnclosure.cdxml	0	672	end of file	3	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\StorageEnclosure.cdxml	0	4096	end of file	3	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\StorageJob.cdxml	0	4096	success or wait	3	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\StorageJob.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\StoragePool.cdxml	0	4096	success or wait	10	7FF99D99C9C8	ReadFile

File Path	Offset	Length	Completion	Count	Source Address	Symbol
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\StoragePool.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\StorageReliabilityCounter.cdxml	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\StorageReliabilityCounter.cdxml	0	935	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\StorageReliabilityCounter.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\StorageSetting.cdxml	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\StorageSetting.cdxml	0	96	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\StorageSetting.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\TargetPortal.cdxml	0	4096	success or wait	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\TargetPortal.cdxml	0	954	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\TargetPortal.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\VirtualDisk.cdxml	0	4096	success or wait	10	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\VirtualDisk.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\Volume.cdxml	0	4096	success or wait	10	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\Volume.cdxml	0	926	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\Volume.cdxml	0	4096	end of file	1	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\Storagescripts.psm1	0	4096	success or wait	71	7FF99D99C9C8	ReadFile
C:\Windows\System32\WindowsPowerShell\v1.0\Modules\Storage\Storagescripts.psm1	0	332	end of file	1	7FF99D99C9C8	ReadFile

Analysis Process: conhost.exe
PID: 352, Parent PID: 2336

General

Target ID:	8
Start time:	02:34:35
Start date:	18/06/2026
Path:	C:\Windows\System32\conhost.exe
Wow64 process (32bit):	false
Commandline:	C:\Windows\system32\conhost.exe 0xffffffff -ForceV1
Imagebase:	0x7ff751250000
File size:	862'208 bytes
MD5 hash:	0D698AF330FD17BEE3BF90011D49251D
SHA1 hash:	52A7274A0B4F9493632060FE25993A2EF24FE827
SHA256 hash:	3C1C6D813D2B031D988204155FC198FE4F32FF56C05DABBCFCD5486131F4FB9D
Has elevated privileges:	true
Has administrator privileges:	true
Programmed in:	C, C++ or other language
Reputation:	high
Has exited:	true

Disassembly

 No disassembly

