

Ship long-running agents. *Skip the runtime.*

Define an agent like a serverless function. Choose your model. OpenComputer handles the rest.

```
$ opencomputer deploy  
[] Deployed flag-  
cleaner@production  
model: "anthropic/claude-  
sonnet-4.6"  
ANTHROPIC_API_KEY not present
```

Three steps. *One function.*

You write the agent. They run the loop, the sessions, the streaming and the versions.

01

Define it

A TypeScript function with your model and tools.

```
useModel · useTool · useMcpServer
```



02

Deploy it

One command. A real computer for every session.

```
$ opencomputer deploy
```



03

Let it work

Long-running tasks, managed sessions and schedules.

```
cron: "0 9 * * 1-5"
```

Every session gets a *real Linux* *machine*.

Your tools and MCP servers run on it: clone a repo, run ffmpeg, drive a headless browser, install anything.

KEYS IT USES BUT NEVER SEES

Each secret is bound to one origin and injected after the request leaves the machine.

SHELL
bash · sh

FILESYSTEM
read-write

PACKAGES
apt · npm · pip

NETWORK
full egress

DURABLE SESSIONS – EXAMPLE TIMELINE

09:14

13:02



streaming

hibernated

resumed

Stream, steer mid-run, hibernate when idle, resume where it left off.

Pay only for *what runs.*

Model tokens at API rates, no markup. Machine time billed per second.

≈ \$1 / month

for a session that runs ten minutes a day, on the default 2 GB / 1 vCPU machine at \$0.00315/min.

PAYG	PRO	MAX	ENTERPRISE
Usage	\$20/mo	\$200/mo	Custom
\$10 free credit to start. Scales to zero when idle.	10× prepaid usage credit. Bring your Codex subscription.	10× credit at scale: 10+ default machines around the clock.	Your own cloud or VPC, SSO, audit log.

Get your first agent running *today.*

Deploy in minutes. No infrastructure to manage.
Start free.

START FROM A TEMPLATE

Your first agent

Workbench

GTM engineer

- 01 INSTALL THE CLI
`npm i -g @opencomputer/cli`
- 02 SIGN IN
`opencomputer login`
- 03 DESCRIBE & DEPLOY
`opencomputer deploy`