

Saturday May 16, 2020 04:22:13

Source Title: Unit List

Accessibility Review (Guidelines: WCAG 1.0 (Level A))

Report on known problems (0 found):

⊘ Congratulations! No known problems.



Report on likely problems (8 found):

Priority 1

6.1 Organize documents so they may be read without style sheets.

Check 94: Content possibly not readable when stylesheets are removed (SCRIPT).

Line 81, Column 5:

<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtlkvYIK3UENz ...</pre>

Line 83, Column 5:

<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js" integrity="s ...</pre>

🛕 Line 85, Column 5:

<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js" integrity="sha384- ...</pre>

Line 87, Column 5:

<script src="js/angular.min.js"></script>

Line 89, Column 5:

<script src="js/app.js"></script>

🛕 Line 91, Column 5:

<script src="highchart/highcharts.js"></script>

🛝 Line 93, Column 5:

<script src="highchart/modules/exporting.js"></script>

Line 95, Column 5:

<script src="highchart/modules/offline-exporting.js"></script>



Report on potential problems (30 found):

Priority 1

2.1 Ensure that all information conveyed with color is also available without color, for example from context or markup.

Check 55: input possibly using color alone.

• Line 20, Column 27:

<input type="text" data-ng-model="unit.code" />

1 Line 21, Column 34:

<input type="text" data-ng-model="unit.desc" />

Line 28, Column 29:

Line 34, Column 25:

<input class="form-check-input" id="All" type="radio" data-ng-model="radio.type" data-ng-value=""" ...

Check 86: script may use color alone.

Line 81, Column 5:

<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtlkvYIK3UENz ...</pre>

Line 83, Column 5:

<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js" integrity="s ...</pre>

Line 85, Column 5:

<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js" integrity="sha384- ...</pre>

Line 87, Column 5:

<script src="js/angular.min.js"></script>

💠 Line 89, Column 5:

<script src="js/app.js"></script>

Line 91, Column 5:

<script src="highchart/highcharts.js"></script>

Line 93, Column 5:

<script src="highchart/modules/exporting.js"></script>

Line 95, Column 5:

<script src="highchart/modules/offline-exporting.js"></script>

4.1 Clearly identify changes in the natural language of a document's text and any text equivalents (e.g., captions).

Check 110: Words or phrases that are not in the document's primary language may not be identified.

Line 15, Column 1:

<body>

<div class="container">



```
<div class="row">
<div class="col-12">
```

6.1 Organize documents so they may be read without style sheets.

Check 97: Document may not be readable when stylesheets are removed.

Line 10, Column 5:

link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css" ...

7.1 Until user agents allow users to control flickering, avoid causing the screen to flicker.

Check 87: script may cause screen flicker.

🐠 Line 81, Column 5:

<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtlkvYIK3UENz ...</pre>

• Line 83, Column 5:

<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js" integrity="s ...</pre>

Line 85, Column 5:

<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js" integrity="sha384- ...</pre>

Line 87, Column 5:

<script src="js/angular.min.js"></script>

Line 89. Column 5:

<script src="js/app.js"></script>

Line 91, Column 5:

<script src="highchart/highcharts.js"></script>

Line 93, Column 5:

<script src="highchart/modules/exporting.js"></script>

💠 Line 95, Column 5:

<script src="highchart/modules/offline-exporting.js"></script>

8.1 Make programmatic elements such as scripts and applets directly accessible or compatible with assistive technologies.

Check 89: script user interface may not be accessible.

Line 81, Column 5:

 $<\!\!\!\text{script src} = \text{"https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity} = \text{"sha384-KJ3o2DKtlkvYIK3UENz} \dots$

Line 83, Column 5:

<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js" integrity="s ...</pre>

Line 85, Column 5:

<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js" integrity="sha384-...</p>

Line 87, Column 5:

<script src="js/angular.min.js"></script>

👽 Line 89, Column 5:



<script src="js/app.js"></script>

Line 91, Column 5:

<script src="highchart/highcharts.js"></script>

Line 93, Column 5:

<script src="highchart/modules/exporting.js"></script>

Line 95, Column 5:

<script src="highchart/modules/offline-exporting.js"></script>