


**QUOTE BY:** Larry Sproul  
**SOLD TO:** BRANDON GALLAS

**QUOTE #:** JLES02191  
**SHIP TO:**


**PO#:**  
**Ship Via:** Ground/Next Truck

**PROJECT NAME:**  
**REFERENCE:**

LINE NO.	LOCATION SIZE INFO	BOOK CODE DESCRIPTION	NET UNIT PRICE	QTY	EXTENDED PRICE
Line-1	BEDROOM ID 1	Main Line Item			
	Rough Opening: 76 1/4 X 56 3/4	Frame Size : 75 1/2 X 56			
		W-2500 Std Clad Mull Auralast Pine, Double Hung Product, Brilliant White Exterior, Painted White Interior Frame/Vinyl Wrap Sash, Nail Fin (Standard), No DripCap, 2 Wide 1 High, 4 9/16 Jamb, US National-WDMA/ASTM, DP 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, This mull configuration complies with AAMA 450 standards and is professional engineer-approved. Vertical Spread Mull- 1 Vertical Spread, 3/4" Wide, PEV 2015.2.1.1309/PDV 6.294 (05/26/15) CW			
	Viewed from Exterior. Scale: 1/4" = 1'				
			\$740.75	1	\$740.75


Line-1-1 (A1)	25CDH3756
Rough Opening: 38 1/8 X 56 3/4	Frame Size : 37 3/8 X 56
	W-2500 Std Clad Double Hung, Auralast Pine, Brilliant White Exterior, Painted White Interior Frame/Vinyl Wrap Sash, Nail Fin (Standard), White Jambliner, White Hardware, US National-WDMA/ASTM, PG 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, BetterVue Mesh Brilliant White Screen, Clear Opening:34w, 24.3h, 5.7 sf
	U-Factor: 0.29, SHGC: 0.22, VLT: 0.51, CPD: JEL-N-850-00852-00001

LINE NO.	LOCATION SIZE INFO	BOOK CODE DESCRIPTION	NET UNIT PRICE	QTY	EXTENDED PRICE
Line-1-2 (A2)		25CDH3756			
Rough Opening: 38 1/8 X 56 3/4		Frame Size : 37 3/8 X 56 W-2500 Std Clad Double Hung, Auralast Pine, Brilliant White Exterior, Painted White Interior Frame/Vinyl Wrap Sash, Nail Fin (Standard), White Jambliner, White Hardware, US National-WDMA/ASTM, PG 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, BetterVue Mesh Brilliant White Screen, Clear Opening:34w, 24.3h, 5.7 sf  U-Factor: 0.29, SHGC: 0.22, VLT: 0.51, CPD: JEL-N-850-00852- 00001			

Line-2	FIRST FLOOR SUNROOM ID 2.A1	25CCMT2054-2			
Rough Opening: 40 3/4 X 54 3/4		Frame Size : 40 X 54 W-2500 Std Clad Casement, Auralast Pine, 2 Wide Brilliant White Exterior, Painted White Interior Frame/Sash, Nail Fin (Standard), No DripCap, 4 9/16 Jamb, Left/Right, White Hardware, Concealed/Stainless Hardware, US National-WDMA/ASTM, DP 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, BetterVue Mesh Brilliant White Screen, This mull configuration complies with AAMA 450 standards and is professional engineer-approved. <small>PEV 2015.2.1.1309/PDV 6.294 (05/26/15) CW</small>			
					
Viewed from Exterior. Scale: 1/2" = 1'					
			\$599.66	2	\$1,199.32


Line-2-1 (A1)		25CCMT2054			
Rough Opening: 20 3/4 X 54 3/4		Frame Size : 20 X 54 W-2500 Std Clad Casement, Auralast Pine, Brilliant White Exterior, Painted White Interior Frame/Sash, Nail Fin (Standard), Hinge Left, White Hardware, Concealed/Stainless Hardware (Dual Arm), US National-WDMA/ASTM, PG 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, BetterVue Mesh Brilliant White Screen, Clear Opening:12.1w, 49.7h, 4.1 sf  U-Factor: 0.28, SHGC: 0.21, VLT: 0.49, CPD: JEL-N-846-00605- 00001			

LINE NO.	LOCATION SIZE INFO	BOOK CODE DESCRIPTION	NET UNIT PRICE	QTY	EXTENDED PRICE
Line-2-2 (A2)		25CCMT2054			
Rough Opening: 20 3/4 X 54 3/4		Frame Size : 20 X 54 W-2500 Std Clad Casement, Auralast Pine, Brilliant White Exterior, Painted White Interior Frame/Sash, Nail Fin (Standard), Hinge Right, White Hardware, Concealed/Stainless Hardware (Dual Arm), US National-WDMA/ASTM, PG 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, BetterVue Mesh Brilliant White Screen, Clear Opening:12.1w, 49.7h, 4.1 sf  U-Factor: 0.28, SHGC: 0.21, VLT: 0.49, CPD: JEL-N-846-00605- 00001			

Line-3	FIRST FLOOR SUNROOM ID 2.A2	25CCMT2054-2			
Rough Opening: 40 3/4 X 54 3/4		Frame Size : 40 X 54 W-2500 Std Clad Casement, Auralast Pine, 2 Wide Brilliant White Exterior, Painted White Interior Frame/Sash, Nail Fin (Standard), No DripCap, 4 9/16 Jamb, Left/Right, White Hardware, Concealed/Stainless Hardware, US National-WDMA/ASTM, DP 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, BetterVue Mesh Brilliant White Screen, This mull configuration complies with AAMA 450 standards and is professional engineer-approved. <small>PEV 2015.2.1.1309/PDV 6.294 (05/26/15) CW</small>			
					
Viewed from Exterior. Scale: 1/2" = 1'					
			\$599.66	2	\$1,199.32


Line-3-1 (A1)		25CCMT2054			
Rough Opening: 20 3/4 X 54 3/4		Frame Size : 20 X 54 W-2500 Std Clad Casement, Auralast Pine, Brilliant White Exterior, Painted White Interior Frame/Sash, Nail Fin (Standard), Hinge Left, White Hardware, Concealed/Stainless Hardware (Dual Arm), US National-WDMA/ASTM, PG 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, BetterVue Mesh Brilliant White Screen, Clear Opening:12.1w, 49.7h, 4.1 sf  U-Factor: 0.28, SHGC: 0.21, VLT: 0.49, CPD: JEL-N-846-00605- 00001			

LINE NO.	LOCATION SIZE INFO	BOOK CODE DESCRIPTION	NET UNIT PRICE	QTY	EXTENDED PRICE
Line-3-2 (A2)		25CCMT2054			
Rough Opening: 20 3/4 X 54 3/4		Frame Size : 20 X 54 W-2500 Std Clad Casement, Auralast Pine, Brilliant White Exterior, Painted White Interior Frame/Sash, Nail Fin (Standard), Hinge Right, White Hardware, Concealed/Stainless Hardware (Dual Arm), US National-WDMA/ASTM, PG 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, BetterVue Mesh Brilliant White Screen, Clear Opening:12.1w, 49.7h, 4.1 sf  U-Factor: 0.28, SHGC: 0.21, VLT: 0.49, CPD: JEL-N-846-00605-00001			

Line-4	FIRST FLOOR SUNROOM ID 2.A3	25CCMT2054-2			
Rough Opening: 40 3/4 X 54 3/4		Frame Size : 40 X 54 W-2500 Std Clad Casement, Auralast Pine, 2 Wide Brilliant White Exterior, Painted White Interior Frame/Sash, Nail Fin (Standard), No DripCap, 4 9/16 Jamb, Left/Right, White Hardware, Concealed/Stainless Hardware, US National-WDMA/ASTM, DP 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, BetterVue Mesh Brilliant White Screen, This mull configuration complies with AAMA 450 standards and is professional engineer-approved. <small>PEV 2015.2.1.1309/PDV 6.294 (05/26/15) CW</small>			
					
Viewed from Exterior. Scale: 1/2" = 1'					
			\$599.66	2	\$1,199.32


Line-4-1 (A1)		25CCMT2054			
Rough Opening: 20 3/4 X 54 3/4		Frame Size : 20 X 54 W-2500 Std Clad Casement, Auralast Pine, Brilliant White Exterior, Painted White Interior Frame/Sash, Nail Fin (Standard), Hinge Left, White Hardware, Concealed/Stainless Hardware (Dual Arm), US National-WDMA/ASTM, PG 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, BetterVue Mesh Brilliant White Screen, Clear Opening:12.1w, 49.7h, 4.1 sf  U-Factor: 0.28, SHGC: 0.21, VLT: 0.49, CPD: JEL-N-846-00605-00001			

LINE NO.	LOCATION SIZE INFO	BOOK CODE DESCRIPTION	NET UNIT PRICE	QTY	EXTENDED PRICE
Line-4-2 (A2)		25CCMT2054			
Rough Opening: 20 3/4 X 54 3/4		Frame Size : 20 X 54 W-2500 Std Clad Casement, Auralast Pine, Brilliant White Exterior, Painted White Interior Frame/Sash, Nail Fin (Standard), Hinge Right, White Hardware, Concealed/Stainless Hardware (Dual Arm), US National-WDMA/ASTM, PG 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, BetterVue Mesh Brilliant White Screen, Clear Opening:12.1w, 49.7h, 4.1 sf  U-Factor: 0.28, SHGC: 0.21, VLT: 0.49, CPD: JEL-N-846-00605- 00001			



Line-5	FIRST FLOOR SUNROOM ID 2.A4	25CCMT2054-2			
Rough Opening: 40 3/4 X 54 3/4		Frame Size : 40 X 54 W-2500 Std Clad Casement, Auralast Pine, 2 Wide Brilliant White Exterior, Painted White Interior Frame/Sash, Nail Fin (Standard), No DripCap, 4 9/16 Jamb, Left/Right, White Hardware, Concealed/Stainless Hardware, US National-WDMA/ASTM, DP 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, BetterVue Mesh Brilliant White Screen, This mull configuration complies with AAMA 450 standards and is professional engineer-approved. <small>PEV 2015.2.1.1309/PDV 6.294 (05/26/15) CW</small>			
					
Viewed from Exterior. Scale: 1/2" = 1'					
			\$599.66	2	\$1,199.32


Line-5-1 (A1)		25CCMT2054			
Rough Opening: 20 3/4 X 54 3/4		Frame Size : 20 X 54 W-2500 Std Clad Casement, Auralast Pine, Brilliant White Exterior, Painted White Interior Frame/Sash, Nail Fin (Standard), Hinge Left, White Hardware, Concealed/Stainless Hardware (Dual Arm), US National-WDMA/ASTM, PG 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, BetterVue Mesh Brilliant White Screen, Clear Opening:12.1w, 49.7h, 4.1 sf  U-Factor: 0.28, SHGC: 0.21, VLT: 0.49, CPD: JEL-N-846-00605- 00001			


LINE NO.	LOCATION SIZE INFO	BOOK CODE DESCRIPTION	NET UNIT PRICE	QTY	EXTENDED PRICE
Line-5-2 (A2)		25CCMT2054			
Rough Opening: 20 3/4 X 54 3/4		Frame Size : 20 X 54 W-2500 Std Clad Casement, Auralast Pine, Brilliant White Exterior, Painted White Interior Frame/Sash, Nail Fin (Standard), Hinge Right, White Hardware, Concealed/Stainless Hardware (Dual Arm), US National-WDMA/ASTM, PG 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, BetterVue Mesh Brilliant White Screen, Clear Opening:12.1w, 49.7h, 4.1 sf  U-Factor: 0.28, SHGC: 0.21, VLT: 0.49, CPD: JEL-N-846-00605-00001			

Line-6	SECOND FLOORMASTER BATH ID 2.B	25CCMT2054-2			
Rough Opening: 40 3/4 X 54 3/4		Frame Size : 40 X 54 W-2500 Std Clad Casement, Auralast Pine, 2 Wide Brilliant White Exterior, Painted White Interior Frame/Sash, Nail Fin (Standard), No DripCap, 4 9/16 Jamb, Left/Right, White Hardware, Concealed/Stainless Hardware, US National-WDMA/ASTM, DP 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, BetterVue Mesh Brilliant White Screen, This mull configuration complies with AAMA 450 standards and is professional engineer-approved. <small>PEV 2015.2.1.1309/PDV 6.294 (05/26/15) CW</small>			
					
			\$599.66	3	\$1,798.98

Line-6-1 (A1)		25CCMT2054			
Rough Opening: 20 3/4 X 54 3/4		Frame Size : 20 X 54 W-2500 Std Clad Casement, Auralast Pine, Brilliant White Exterior, Painted White Interior Frame/Sash, Nail Fin (Standard), Hinge Left, White Hardware, Concealed/Stainless Hardware (Dual Arm), US National-WDMA/ASTM, PG 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, BetterVue Mesh Brilliant White Screen, Clear Opening:12.1w, 49.7h, 4.1 sf  U-Factor: 0.28, SHGC: 0.21, VLT: 0.49, CPD: JEL-N-846-00605-00001			

LINE NO.	LOCATION SIZE INFO	BOOK CODE DESCRIPTION	NET UNIT PRICE	QTY	EXTENDED PRICE
Line-6-2 (A2)		25CCMT2054			
Rough Opening: 20 3/4 X 54 3/4		Frame Size : 20 X 54 W-2500 Std Clad Casement, Auralast Pine, Brilliant White Exterior, Painted White Interior Frame/Sash, Nail Fin (Standard), Hinge Right, White Hardware, Concealed/Stainless Hardware (Dual Arm), US National-WDMA/ASTM, PG 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, BetterVue Mesh Brilliant White Screen, Clear Opening:12.1w, 49.7h, 4.1 sf  U-Factor: 0.28, SHGC: 0.21, VLT: 0.49, CPD: JEL-N-846-00605-00001			
Line-7	FIRST FLOOR SUNROOM ID 3	25CCMT2054			
Rough Opening: 20 3/4 X 54 3/4		Frame Size : 20 X 54 W-2500 Std Clad Casement, Auralast Pine, Brilliant White Exterior, Painted White Interior Frame/Sash, Nail Fin (Standard), No DripCap, 4 9/16 Jamb, Stationary, US National-WDMA/ASTM, PG 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, U-Factor: 0.26, SHGC: 0.23, VLT: 0.55, CPD: JEL-N-848-00605-00001 <small>PEV 2015.2.1.1309/PDV 6.294 (05/26/15) CW</small>			
					
Viewed from Exterior. Scale: 1/2" = 1'					
			\$254.90	2	\$509.80
Line-8	THIRD FLOOR BEDROOM ID 4.A	25CDH2956			
Rough Opening: 30 1/8 X 56 3/4		Frame Size : 29 3/8 X 56 W-2500 Std Clad Double Hung, Auralast Pine, Brilliant White Exterior, Painted White Interior Frame/Vinyl Wrap Sash, Nail Fin (Standard), No DripCap, 4 9/16 Jamb, White Jambliner, White Hardware, US National-WDMA/ASTM, PG 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, BetterVue Mesh Brilliant White Screen, Clear Opening:26w, 24.3h, 4.3 sf  U-Factor: 0.29, SHGC: 0.22, VLT: 0.51, CPD: JEL-N-850-00852-00001 <small>PEV 2015.2.1.1309/PDV 6.294 (05/26/15) CW</small>			
					
Viewed from Exterior. Scale: 1/4" = 1'					
			\$296.63	1	\$296.63

LINE NO.	LOCATION SIZE INFO	BOOK CODE DESCRIPTION	NET UNIT PRICE	QTY	EXTENDED PRICE
Line-9	THIRD FLOORRECREATION ROOM ID 4.B	25CDH2956			
	Rough Opening: 30 1/8 X 56 3/4	Frame Size : 29 3/8 X 56 W-2500 Std Clad Double Hung, Auralast Pine, Brilliant White Exterior, Painted White Interior Frame/Vinyl Wrap Sash, Nail Fin (Standard), No DripCap, 4 9/16 Jamb, White Jambliner, White Hardware, US National-WDMA/ASTM, PG 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, BetterVue Mesh Brilliant White Screen, Clear Opening:26w, 24.3h, 4.3 sf			
					
	Viewed from Exterior. Scale: 1/4" = 1'				
		U-Factor: 0.29, SHGC: 0.22, VLT: 0.51, CPD: JEL-N-850-00852-00001 PEV 2015.2.1.1309/PDV 6.294 (05/26/15) CW			
			\$296.63	1	\$296.63

Line-10	THIRD FLOOR BATHROOM ID 4.C	25CDH2956			
	Rough Opening: 30 1/8 X 56 3/4	Frame Size : 29 3/8 X 56 W-2500 Std Clad Double Hung, Auralast Pine, Brilliant White Exterior, Painted White Interior Frame/Vinyl Wrap Sash, Nail Fin (Standard), No DripCap, 4 9/16 Jamb, White Jambliner, White Hardware, US National-WDMA/ASTM, PG 35, Insulated Low-E 366 Annealed Glass, No Preserve Film, Argon Filled, BetterVue Mesh Brilliant White Screen, Clear Opening:26w, 24.3h, 4.3 sf			
					
	Viewed from Exterior. Scale: 1/4" = 1'				
		U-Factor: 0.29, SHGC: 0.22, VLT: 0.51, CPD: JEL-N-850-00852-00001 PEV 2015.2.1.1309/PDV 6.294 (05/26/15) CW			
			\$296.63	1	\$296.63

**Total:** \$8,736.70  
**DC TAX(5.75%)** \$502.36  
**NET TOTAL:** \$9,239.06  
**Total Units:** 17



Protect yourself when you choose JELD-WEN® Auralast® pine products backed by a limited lifetime warranty against wood rot and termite damage.