

SPECIFICATIONS:


- | | |
|-----------------------|---------------------------------------|
| 1. FRONT POLARIZER: | TRANSMISSIVE, ADHESIVE() |
| 2. BACK POLARIZER: | TRANSFLECTIVE, ADHESIVE() |
| 3. DISPLAY MODE: | FSTN |
| 4. VIEWING DIRECTION: | 6:00 O' CLOCK |
| 5. DRIVE IC: | ST7565P |
| 6. DRIVE CONDITIO : | 1/64DUTY, 1/9BIAS, VOP=9.0V, VDD=3.0V |
| 7. CUSTOMER DOTS: | 128X64 DOTS |
| 8. CONNECTOR: | COG+FPC |
| 9. OPERATING TEMP: | -20° C ~ +70° C |
| 10. STORAGE TEMP: | -30° C ~ +80° C |
| 11. MKT P/N | |
| 12. CUSTOMER NAME: | |



HUAWEI
Display
System

The LCD Specialist



	TOLERANCE	MATERIAL	FINISH	MODEL NAME	HW12864-0A-0C
	±0.2			TITLE	LCMSIZE
	VERSION	SCALE	NO.	UNIT	
	A	1:1	4/4	mm	
DATE	APPROVED	CHECKED	DRAWN	FILE NAME	E//HW12864
2006. 4. 24					