

Since 2010

ARTIZELITE®

Illuminating your life's path

Wall Light | Garden Light | Ceiling Surface
Foot Light | Burial Light | Bollard



ARTIZELITE

Illuminating your life's path



Introduction

For the past two decades, Artize lite have been at the forefront of the LED manufacturing industry, delivering innovative, high-quality, and energy-efficient lighting solutions. Our journey began with a commitment to revolutionize the lighting industry, and today, we are proud to be recognized as a trusted and leading name in the field.

Our Journey

Artize Lite established in 2010, we started a with a small team of dedicated professionals and a vision to provide superior LED lighting solutions.

Over the years, we have expanded our operations, investing in state-of-the-art manufacturing facilities and cutting-edge technology.

Innovation and Excellence:

Artize Lite commitment to innovation has driven us to develop a diverse range of products, from residential and commercial lighting to specialized industrial applications.

We continually strive to push the boundaries of LED technology, ensuring our products are at the cutting edge of performance, efficiency, and design.

Artize Lite Products Diverse Range:

- High-Quality Products
- Pioneering Innovation
- Custom Solutions
- Competitive Pricing
- Comprehensive Support
- Sustainable Future
- Customer-Centric Approach
- Safety and Compliance
- Community and Collaboration

ARTIZELITE

Illuminating your life's path

Why work with us?

We are committed to delivering the most innovative effective lighting solutions with world class products and service.

We create innovative and environmentally friendly products, providing for the optimum lighting result with the minimum possible consumption.

We consistently meet or exceed all customers' requirements, needs and expectations in order to be able to respond with the adequate product and services.

We keep our promises and provide products with guaranteed quality.

We are committed to our customers with an excellent customer service and sales force with a high knowledge in lighting.

We are flexible to adapt to our customers' needs enabling us to provide tailored solutions that are right for the specific customer.



ARTIZELITE®

Illuminating your life's path

Vision & Mission

To be the best one-stop solution provider for complete decorative lighting requirements from simple lamps to complete automated sophisticated space illumination projects.



To associate with business partners with the objective to bring to market a wider range of lights, so that customers can be given a choice in technology and products.

To increase our production capacity and turnover with an active marketing and sales strategy by specializing in manufacturing LED solutions in accordance with the domestic requirement by combining past experience with an innovative approach.

ARTIZELITE

Illuminating your life's path

Index:

1. OWL Outdoor Wall Light .....



2. OHL Outdoor Hanging Light.....



3. OGL Outdoor Garden Light.....



4. OCS Outdoor Ceiling Surface.....



5. Fs & Fc Footlight surface & Conceal.....




6. OBL Outdoor Burial Light.....




7. OB Outdoor Bollard.....




ROWL-9412 HARMONY








ROWL-9418 HARMONY




ROWL-9436 HARMONY



Product Code	Wattage	Color Temperature	Dimension	Beam Angle	Material	Body Color	IP Rating
ROWL-9412	12W	3000K-6000K CCT	170 x 112 x 90(H)mm	90°	Alu Die Cast + Glass Diffuser	Dark Grey	IP65
ROWL-9418	18W	3000K-6000K CCT	203 x 108 x 80(H)mm	90°	Alu Die Cast + Glass Diffuser	Dark Grey	IP65
ROWL-9436	36W	3000K-6000K CCT	364 x 112 x 90(H)mm	90°	Alu Die Cast + Glass Diffuser	Dark Grey	IP65


ROWL-9524 TAPER






ROWL-9512 TAPER








Product Code	Wattage	Color Temperature	Dimension	Beam Angle	Material	Body Color	IP Rating
ROWL-9512	12W	3000K-6000K CCT	110 x 132 x 136(H)mm	110°	Alu Die Cast + PC Diffuser	Dark Grey	IP54
ROWL-9524	24W	3000K-6000K CCT	160 x 202 x 195(H)mm	110°	Alu Die Cast + PC Diffuser	Dark Grey	IP54

ROWL-9624 MAXIMO








Product Code	Wattage	Color Temperature	Dimension	Beam Angle	Material	Body Color	IP Rating
ROWL-9624	2 x 12W	3000K-6000K CCT	Ø85 x 103 x 205(H)mm	60°	Alu Die Cast + Glass Diffuser	Dark Grey	IP54

ROWL-9700 SKYLUME








Product Code	Wattage	Dimension	Material	Body Color	IP Rating
ROWL-9700	GU-10	80 x 90 x 205(H)mm	Alu Die Cast + Toughened Glass	Dark Grey	IP54

ROWL-9900 HYDRA








Product Code	Wattage	Dimension	Material	Body Color	IP Rating
ROWL-9900	E-27	Ø220 x 260(H)mm	Alu Die Cast + Clear Glass	Dark Grey	IP44

ROHL-0100 ERA








Product Code	Wattage	Dimension	Material	Body Color	IP Rating
ROHL-0100	E-27	Ø220 x 900(H)mm	Alu Die Cast + Clear Glass	Graphite Grey	IP44


ROWL-10200-2 HYGLOW




ROWL-10200-1 HYGLOW











Product Code	Wattage	Dimension	Material	Body Color	IP Rating
ROWL-10200/1	GU-10	80 x 133 x 112(H)mm	Alu Die Cast + Toughened Glass	DarkGrey	IP54
ROWL-10200/2	GU-10	80 x 184 x 112(H)mm	Alu Die Cast + Toughened Glass	DarkGrey	IP54

ROWL-9308 RADIANCE








Product Code	Wattage	Color Temperature	Dimension	Beam Angle	Material	Body Color	IP Rating
ROWL-9308	8W	3000K/4000K/6000K	Ø110 x 75(H)mm	360°	Alu Die Cast + Acrylic	Graphite Grey	IP54

ROGL-2720 H RANGER







ROGL-2712 H RANGER




ROGL-2712 RANGER



Product Code	Wattage	Color Temperature	Dimension	Beam Angle	Material	Body Color	IP Rating
ROGL-2712	12W	3000K/4000K/6000K	Ø65 x 145 x 380(H)mm	15/23/38/45/60°	Alu Die Cast + Toughened Glass	Graphite Grey	IP65
ROGL-2712 H	12W	3000K/4000K/6000K	Ø65 x 178 x 380(H)mm	15/23/38/45/60°	Alu Die Cast + Toughened Glass	Graphite Grey	IP65
ROGL-2720 H	20W	3000K/4000K/6000K	Ø90 x 220 x 400(H)mm	15/23/38/45/60°	Alu Die Cast + Toughened Glass	Graphite Grey	IP65

ROGL-2803 RD RION







ROGL-2905 RD RION




ROGL-2803 SQ RION



Product Code	Wattage	Color Temperature	Dimension	Beam Angle	Material	Body Color	IP Rating
ROGL-2803 RD	3W	3000K	Ø30 x 100 x 390(H)mm	24°	Alu Die Cast + Glass	Black	IP65
ROGL-2905 RD	5W	3000K	Ø40 x 100 x 390(H)mm	24°	Alu Die Cast + Glass	Black	IP65
ROGL-2803 SQ	3W	3000K	30 x 100 x 390(H)mm	24°	Alu Die Cast + Glass	Black	IP65

ROGL-3005 ROAR








Product Code	Wattage	Color Temperature	Dimension	Beam Angle	Material	Body Color	IP Rating
ROGL-3005	5W	3000K	Ø50 X 105 X 115(H)mm	24°	Alu Die Cast + Glass	Black	IP65

ROGL-3100 & 3112 PIXEL









Product Code	Wattage	Dimension	Beam Angle	Material	Body Color	IP Rating
ROGL-3100	GU-10	Ø75*130*263mm (BASE) Ø75*130*420mm (SPIKE)	NA	Alu Die Cast + Glass	Graphite	IP54
ROGL-3112	12W	Ø75*130*263mm (BASE) Ø75*130*420mm (SPIKE)	10/20/30°	Alu Die Cast + Glass	Graphite Grey	IP65

ROGL-3208 PIXEL








Product Code	Wattage	Color Temperature	Dimension	Beam Angle	Material	Body Color	IP Rating
ROGL-3208	8W	3000K	70 x 263(H)mm (BASE) 70 x 77 x 420(H)mm (SPIKE)	10/20/30/55°	Alu Die Cast + Glass	Graphite Grey	IP65

ROGL-3324 SERIES PROJECTORE





































Product Code	Wattage	Color Temperature	Dimension	Beam Angle	Material	Body Color	IP Rating
ROGL-3324	E24W	3000K/4000K/6000K	Ø130 x 140x 180(H)mm	10/15/45/60°	Alu Die Cast + Glass	Graphite Grey	IP65
ROGL-3336	E36W	3000K/4000K/6000K	Ø150 x 180 x 300(H)mm	10/15/45/60°	Alu Die Cast + Glass	Graphite Grey	IP65
ROGL-3348	E48W	3000K/4000K/6000K	Ø170 x 190 x 340(H)mm	10/15/45/60°	Alu Die Cast + Glass	Graphite Grey	IP65
ROGL-3360	E60W	3000K/4000K/6000K	Ø200 x 210 x 370(H)mm	10/15/45/60°	Alu Die Cast + Glass	Graphite Grey	IP65
ROGL-3380	E80W	3000K/4000K/6000K	Ø220 x 240 x 400(H)mm	10/15/45/60°	Alu Die Cast + Glass	Graphite Grey	IP65
ROGL-33120	E120W	3000K/4000K/6000K	Ø260 x 280 x 420(H)mm	10/15/45/60°	Alu Die Cast + Glass	Graphite Grey	IP65

ROGL-2308 SKYLINE








Product Code	Wattage	Color Temperature	Dimension	Beam Angle	Material	Body Color	IP Rating
ROGL-2308	8W	3000K	125 X 100 X 135(H)mm	5°	Alu Die Cast + Tempered Glass	Graphite Grey	IP65


ROGL-2130 LOTUS



ROGL-1336 PILLAR HIGHLITER










Product Code	Wattage	Color Temperature	Dimension	Beam Angle	Material	Body Color	IP Rating
ROGL-2130	30W	3000K/4000K/6000K	Ø160 X 210 X 250(H)mm	120°	Alu Die Cast +Tempered Glass	Graphite Grey	IP65
ROGL-1336	36W	3000K/4000K/6000K	160 X 140 X 200(H)mm	20°	Alu Die Cast +Tempered Glass	Graphite Grey	IP65

ROCS-1206 KOSTER








Product Code	Wattage	Color Temperature	Dimension	Beam Angle	Material	Body Color	IP Rating
ROCS-1206	6W	3000K	Ø90 x 100(H)mm	110°	Alu Die Cast + Clear PC	Dark Grey	IP54


ROCS-1312 CHESTER



ROCS-1307 CHESTER










Product Code	Wattage	Color Temperature	Dimension	Beam Angle	Material	Body Color	IP Rating
ROCS-1312	12W	3000K	Ø108 x 112(H) mm	44°	Alu Die Cast + Glass Diffuser	Dark Grey	IP65
ROCS-1307	7W	3000K	Ø70 x 87(H)mm	44°	Alu Die Cast + Glass Diffuser	Dark Grey	IP65

ROCS-1412 CHESTER



ROCS-1407 CHESTER








Product Code	Wattage	Color Temperature	Dimension	Beam Angle	Material	Body Color	IP Rating
ROCS-1412	12W	3000K	108 x108 x 112(H)mm	44°	Alu Die Cast + Glass Diffuser	Dark Grey	IP65
ROCS-1407	7W	3000K	70 x70 x 87(H)mm	44°	Alu Die Cast + Glass Diffuser	Dark Grey	IP65


ROCS-1530 POLYRING





ROCS-1521 POLYRING









Product Code	Wattage	Color Temperature	Dimension	Beam Angle	Material	Body Color	IP Rating
ROCS-1530	30W	3000K	Ø310 x 61(H)mm	116°	Alu Die Cast + PC Diffuser	Dark Grey	IP65
ROCS-1521	21W	3000K	Ø210 x 61(H)mm	116°	Alu Die Cast + PC Diffuser	Dark Grey	IP65

ROFC-6720 STEPO









Product Code	Wattage	Color Temperature	Dimension	Cutout	Beam Angle	Material	Body Color	IP Rating
ROFC-6720	20W	3000K	220x220x95(H)mm	190 x 190mm	42°	Alu Die Cast + Acrylic	Dark Grey	IP65

ROBL-2415 TURBO








Product Code	Wattage	Color Temperature	Dimension	Cutout	Beam Angle	Material	Body Color	IP Rating
ROBL-2415	15W	3000K	Ø180 X 120(H)mm	165mm	30°	Aluminium+Tempered glass	SS Finish	IP67

ROBL-2920 GLARE








Product Code	Wattage	Color Temperature	Dimension	Cutout	Beam Angle	Material	Body Color	IP Rating
ROBL-2920	20W	3000K/4000K/6000K	182 x 160(H)mm	175mm	20°	Aluminium+Tempered glass	SS FINISH	IP67

ROB-4812 DELFINO




ROB-4806 S DELFINO





Product Code	Wattage	Color Temperature	Dimension	Beam Angle	Material	Body Color	IP Rating
ROB-4806 S	6W	3000K/4000K/6000K	Ø60 X 760(H)mm	38°	Alu Die Cast + Toughened Glass	Graphite Grey	IP65
ROB-4806 B	6W	3000K/4000K/6000K	Ø60 X 1260(H)mm	38°	Alu Die Cast + Toughened Glass	Graphite Grey	IP65
ROB-4812	12W	3000K/4000K/6000K	Ø60 X 1260(H)mm	38°	Alu Die Cast + Toughened Glass	Graphite Grey	IP65


ROB-4907 VINTAGE





Product Code	Wattage	Color Temperature	Dimension	Beam Angle	Material	Body Color	IP Rating
ROB-4907	7W	3000K	Ø85 x 700(H)mm	90°	Alu Die Cast + Toughened Glass	Sandy Black + Gold	IP54


ROB-5008 GLOW STICK





Product Code	Wattage	Color Temperature	Dimension	Material	Body Color	IP Rating
ROB-5008	8W	3000K	Ø30 x 800(H)mm	Alu Die Cast + Glass	Sandy Coffee	IP65

ROB-5104 LUXORA






Product Code	Wattage	Color Temperature	Dimension	Material	Body Color	IP Rating
ROB-5104	4W	3000K	Ø80 x 500(H)mm	Alu Die Cast + Lence	Anthracite Grey	IP54

ROB-5210 ROMANO










Product Code	Wattage	Color Temperature	Dimension	Material	Body Color	IP Rating
ROB-5210	10W	3000K	Ø40 x 750(H)mm	Alu Die Cast + PC	Anthracite Grey	IP54

ROB-5300 GLOBEX





ROB-5310 GLOBEX





Product Code	Wattage	Color Temperature	Dimension	Beam Angle	Material	Body Color	IP Rating
ROB-5300	E-27		Ø45 X 600		Alu Die Cast + Clear Glass	Graphite Grey	IP54
ROB-5310	10W	3000K/4000K/6000K	Ø180 X 700	132°	Alu Die Cast + PC Diffuser	Graphite Grey	IP54

ARTIZELITE®

Illuminating your life's path



www.artizelite.com

sales@starlightartize.com

Legal Notice:
All rights reserved. The content of this Catalogue is subject to change without any prior notice. All images, statements, designs, offerings included in this catalogue are of the Company. The Company reserves it's rights to suitable changes, alter or omit anything contained herein.