```
0022 19ad 5a0b 000d 65d2 4ae0 0800 4500
       0028 285b 4000 7d06 9a50 81ba 6086 81ba
      d729 d20f 0017 af9b 8a4a 58a1 9884 5010
       0041 773c 0000 0000 0000 0000
DA = 00:22:19:ad:5a:0b, SA = 00:0d:65:d2:4a:e0
Type = 0x800
Paylaod = IP
0 packets are broadcast packets
1 packets are IP packets
0 packets are ARP packets
       000d 65d2 4ae0 0022 19ad 5a0b 0800 4510
       0045 f38e 4000 4006 0bf0 81ba d729 81ba
       6086 0017 d20f 58al 9884 af9b 8a4a 5018
       2014 3b5c 0000 7275 6e5f 6475 6d70 3a20
       6c69 7374 656e 696e 6720 6f6e 2062 6365
       300d 0a
DA = 00:0d:65:d2:4a:e0, SA = 00:22:19:ad:5a:0b
Type = 0x800
Paylaod = IP
O packets are broadcast packets
2 packets are IP packets
0 packets are ARP packets
       0180 c200 0000 0001 63bf 5703 0026 4242
       0300 0000 0000 8000 0001 63bf 5700 0000
       0000 8000 0001 63bf 5700 800f 0000 1400
       0200 0f00 0000 0000 0000 0000
DA = 01:80:c2:00:00:00, SA = 00:01:63:bf:57:03
Len = 38
O packets are broadcast packets
2 packets are IP packets
0 packets are ARP packets
       0022 19ad 5a0b 000d 65d2 4ae0 0800 4500
       0028 285d 4000 7d06 9a4e 81ba 6086 81ba
      d729 d20f 0017 af9b 8a4a 58a1 98a1 5010
       0041 771f 0000 0000 0000 0000
DA = 00:22:19:ad:5a:0b, SA = 00:0d:65:d2:4a:e0
Type = 0x800
Paylaod = IP
0 packets are broadcast packets
3 packets are IP packets
0 packets are ARP packets
      ffff ffff ffff 0022 19ad 59d9 0806 0001
       0800 0604 0001 0022 19ad 59d9 81ba d728
       0000 0000 0000 81ba d730 0000 0000 0000
       0000 0000 0000 0000 0000 0000
```

```
DA = ff:ff:ff:ff:ff:ff: SA = 00:22:19:ad:59:d9
Type = 0x806
Payload = ARP
1 packets are broadcast packets
3 packets are IP packets
1 packets are ARP packets
      ffff ffff ffff 0022 19ad 37b6 0800 4500
      004e fab9 0000 4011 ce05 81ba d72b 81ba
      d73f 0089 0089 003a ad12 5009 0110 0001
      0000 0000 0000 2045 4a45 4245 4444 4143
      4143 4143 4143 4143 4143 4143 4143
      4143 4143 4142 4e00 0020 0001
DA = ff:ff:ff:ff:ff:ff: SA = 00:22:19:ad:37:b6
Type = 0x800
Paylaod = IP
2 packets are broadcast packets
4 packets are IP packets
1 packets are ARP packets
      ffff ffff ffff 0022 19ad 59d9 0800 4500
      004e ce7f 0000 4011 fa42 81ba d728 81ba
      d73f 0089 0089 003a a73e 55e0 0110 0001
      0000 0000 0000 2045 4a45 4245 4444 4143
      4143 4143 4142 4e00 0020 0001
DA = ff:ff:ff:ff:ff:ff: SA = 00:22:19:ad:59:d9
Type = 0x800
Paylaod = IP
3 packets are broadcast packets
5 packets are IP packets
1 packets are ARP packets
      ffff ffff ffff 0022 19ad 5a0b 0800 4500
      004e f38f 0000 4011 d531 81ba d729 81ba
      d73f 0089 0089 003a b229 3c2e 0110 0001
      0000 0000 0000 2045 4a45 4245 4444 4143
      4143 4143 4142 4e00 0020 0001
DA = ff:ff:ff:ff:ff:ff, SA = 00:22:19:ad:5a:0b
Type = 0x800
Paylaod = IP
4 packets are broadcast packets
6 packets are IP packets
1 packets are ARP packets
      ffff ffff ffff 0022 19ad 5a0b 0800 4500
      004e f38f 0000 4011 d531 81ba d729 81ba
      d73f 0089 0089 003a b229 3c2e 0110 0001
      0000 0000 0000 2045 4a45 4245 4444 4143
```

```
4143 4143 4142 4e00 0020 0001
DA = ff:ff:ff:ff:ff:ff, SA = 00:22:19:ad:5a:0b
Type = 0x800
Paylaod = IP
5 packets are broadcast packets
7 packets are IP packets
1 packets are ARP packets
      0022 19ad 5a0b 0013 d4b1 cbf4 0800 4500
      005a 6b5b 0000 8011 1d65 81ba d734 81ba
      d729 0089 0089 0046 5018 3c2e 8500 0000
      0001 0000 0000 2045 4a45 4245 4444 4143
      4143 4143 4143 4143 4143 4143 4143
      4143 4143 4142 4e00 0020 0001 0004 93e0
      0006 0000 81ba d734
DA = 00:22:19:ad:5a:0b, SA = 00:13:d4:b1:cb:f4
Type = 0x800
Paylaod = IP
5 packets are broadcast packets
8 packets are IP packets
1 packets are ARP packets
      ffff ffff ffff 0022 19ad 59d9 0806 0001
      0800 0604 0001 0022 19ad 59d9 81ba d728
      0000 0000 0000 81ba d730 0000 0000 0000
      0000 0000 0000 0000 0000 0000
DA = ff:ff:ff:ff:ff:ff:sA = 00:22:19:ad:59:d9
Type = 0x806
Payload = ARP
6 packets are broadcast packets
8 packets are IP packets
2 packets are ARP packets
      0180 c200 0000 0001 63bf 5703 0026 4242
      0300 0000 0000 8000 0001 63bf 5700 0000
      0000 8000 0001 63bf 5700 800f 0000 1400
      0200 0f00 0000 0000 0000 0000
DA = 01:80:c2:00:00:00, SA = 00:01:63:bf:57:03
Len = 38
6 packets are broadcast packets
8 packets are IP packets
2 packets are ARP packets
      ffff ffff ffff 0022 19ad 59d9 0806 0001
      0800 0604 0001 0022 19ad 59d9 81ba d728
      0000 0000 0000 81ba d730 0000 0000 0000
      0000 0000 0000 0000 0000 0000
DA = ff:ff:ff:ff:ff:ff:sA = 00:22:19:ad:59:d9
```

Type = 0x806Payload = ARP7 packets are broadcast packets 8 packets are IP packets 3 packets are ARP packets ffff ffff ffff 0022 19ad 59d9 0806 0001 0800 0604 0001 0022 19ad 59d9 81ba d728 0000 0000 0000 81ba d730 0000 0000 0000 0000 0000 0000 0000 0000 0000 DA = ff:ff:ff:ff:ff:ff:sA = 00:22:19:ad:59:d9Type = 0x806Payload = ARP8 packets are broadcast packets 8 packets are IP packets 4 packets are ARP packets 0180 c200 0000 0001 63bf 5703 0026 4242 0300 0000 0000 8000 0001 63bf 5700 0000 0000 8000 0001 63bf 5700 800f 0000 1400 0200 0f00 0000 0000 0000 0000 DA = 01:80:c2:00:00:00, SA = 00:01:63:bf:57:03Len = 388 packets are broadcast packets 8 packets are IP packets 4 packets are ARP packets ffff ffff ffff 0022 19ad 59d9 0806 0001 0800 0604 0001 0022 19ad 59d9 81ba d728 0000 0000 0000 81ba d730 0000 0000 0000 0000 0000 0000 0000 0000 0000 DA = ff:ff:ff:ff:ff:ff:sA = 00:22:19:ad:59:d9Type = 0x806Payload = ARP 9 packets are broadcast packets 8 packets are IP packets 5 packets are ARP packets 19 packets received by filter 0 packets dropped by kernel