


Q

RStudio IDE :: Cheatsheet

Documents and Apps

Open Shiny, Quarto, R Markdown, knitr, Sweave, LaTeX, .Rd files and more in Source Pane.



R Studio

시 Download PDF



Translations (PDF)


- 시French
- 셔Greek
- 🕹 Italian
- 🕹 Japanese
- A Portuguese
- ASpanish
- A Vietnamese

Expand to read about the features in the RStudio Source Pane

Access markdown guide at Help > Markdown Quick Reference.


See below for more on Visual Editor.

Source Editor



Expand to read about the features in the Source Editor

Tab Panes




Expand to read about the features in the Tab Panes

Version Control

Turn on at Tools > Project Options > Git/SVN

A - Added D - Deleted M - Modified R - Renamed ? - Untracked



Expand to read about the features in the version control view


Package Development

Create a new package with File > New Project > New Directory > R Package

Enable roxygen documentation with Tools > Project Options > Build Tools


Roxygen guide at Help > Roxygen Quick Reference

See package information in the Build Tab




Expand to read about the features in the Build Tab

RStudio opens plots in a dedicated Plots pane




Expand to read about the features in the Plots

GUI Package manager lists every installed package



Expand to read about the features in the Package manager

RStudio opens documentation in a dedicated Help pane




Expand to read about the features in the Help pane

Viewer pane displays HTML content, such as Shiny apps, R Markdown reports, and interactive visualizations



Expand to read about the features in the Viewer pane


View(<data>) opens spreadsheet like view of data set



Expand to read about the features in the data set spreadsheet

Debug Mode


Use <code>debug()</code>, <code>browser()</code>, or a breakpoint and execute your code to open the debugger mode.



Expand to read about the features in the debug console

Keyboard Shortcuts

View the Keyboard Shortcut Quick Reference with **Tools > Keyboard Shortcuts** or Alt/Option + Shift + K



Search for keyboard shortcuts with **Tools > Show Command Palette** or Ctrl/Cmd + Shift + P


History Send Command to Console

Create a New R Script

Ctrl Shift N

Create a new R Markdown document

Visual Editor



Expand to read about the features in the Visual Editor

Posit Workbench

Why Posit Workbench?

Extend the open source server with a commercial license, support, and more:


- open and run multiple R sessions at once
- tune your resources to improve performance
- · administrative tools for managing user sessions
- collaborate real-time with others in shared projects
- switch easily from one version of R to a different version
- integrate with your authentication, authorization, and audit practices
- work in the RStudio IDE, JupyterLab, Jupyter Notebooks, or VS Code

Download a free 45 day evaluation.

Share Projects

File > New Project


RStudio saves the call history, workspace, and working directory associated with a project. It reloads each when you re-open a project.



Expand to read about the features in the Share Project

Run Remote Jobs

Run R on remote clusters (Kubernetes/Slurm) via the Job Launcher



Expand to read about the features in the Job Launcher

CC BY SA Posit Software, PBC • info@posit.co • posit.co

Learn more at docs.posit.co/ide/user.

Updated: 2024-05.

RStudio IDE 2024.04.1+748.