`![P5L__hy5_p5_hydra_001_20260506141709](/Users/luka/Desktop/00 HSLU/20260422-COLABOR-Creative-Coding/documentation/week-2/images/P5L__hy5_p5_hydra_001_20260506141709.png)`

`![P5L__hy5_p5_hydra_001_20260506142337](/Users/luka/Desktop/00 HSLU/20260422-COLABOR-Creative-Coding/documentation/week-2/images/P5L__hy5_p5_hydra_001_20260506142337.png)`

`![P5L_new_001_20260508135219](/Users/luka/Desktop/00 HSLU/20260422-COLABOR-Creative-Coding/documentation/week-2/images/P5L_new_001_20260508135219.png)`

`![P5L_new_002_20260507134635](/Users/luka/Desktop/00 HSLU/20260422-COLABOR-Creative-Coding/documentation/week-2/images/P5L_new_002_20260507134635.png)`

`![P5L_new_002_20260507135217](/Users/luka/Desktop/00 HSLU/20260422-COLABOR-Creative-Coding/documentation/week-2/images/P5L_new_002_20260507135217.png)`

`![P5L_new_002_20260507135513](/Users/luka/Desktop/00 HSLU/20260422-COLABOR-Creative-Coding/documentation/week-2/images/P5L_new_002_20260507135513.png)`

`![P5L_new_002_20260507140239](/Users/luka/Desktop/00 HSLU/20260422-COLABOR-Creative-Coding/documentation/week-2/images/P5L_new_002_20260507140239.png)`

`![P5L_new_002_20260507140444](/Users/luka/Desktop/00 HSLU/20260422-COLABOR-Creative-Coding/documentation/week-2/images/P5L_new_002_20260507140444.png)`

`![P5L_new_002_20260508111638](/Users/luka/Desktop/00 HSLU/20260422-COLABOR-Creative-Coding/documentation/week-2/images/P5L_new_002_20260508111638.png)`

`![P5L_text_20260507112842](/Users/luka/Desktop/00 HSLU/20260422-COLABOR-Creative-Coding/documentation/week-2/images/P5L_text_20260507112842.png)`

```
// {"P5LIVE":{"name":"_hy5_p5_hydra_001","mod":1778077029543}}

/*
	_HY5_p5_hydra // cc teddavis.org 2024
	pass p5 into hydra
	docs: https://github.com/ffd8/hy5
*/

let libs = ['https://unpkg.com/hydra-synth', 'includes/libs/hydra-synth.js', 'https://cdn.jsdelivr.net/gh/ffd8/hy5@main/hy5.js', 'includes/libs/hy5.js']
```

```
// sandbox - start
H.pixelDensity(2) // 2x = retina, set <= 1 if laggy

s0.initP5() // send p5 to hydra
P5.toggle(0) // optionally hide p5
shape(4, 0.5, 0.1)
osc(27).rotate(10)
.kaleid(4).out();
// sandbox - end


function setup() {
     createCanvas(windowWidth, windowHeight)
}

function draw() {
     // clear()
     circle(mouseX, mouseY, 100)
}
```

```
// {"P5LIVE":{"name":"_hy5_p5_hydra_001","mod":1778077418007}}

/*
     _HY5_p5_hydra // cc teddavis.org 2024
     pass p5 into hydra
     docs: https://github.com/ffd8/hy5
*/

let libs = ['https://unpkg.com/hydra-synth', 'includes/libs/hydra-synth.js',
'https://cdn.jsdelivr.net/gh/ffd8/hy5@main/hy5.js', 'includes/libs/hy5.js']

// sandbox - start
H.pixelDensity(2) // 2x = retina, set <= 1 if laggy

s0.initP5() // send p5 to hydra
P5.toggle(0) // optionally hide p5
shape(4, 0.5, 0.1)
osc(27).rotate(() => a.fft[0] * 3).out()

// sandbox - end


function setup() {
     createCanvas(windowWidth, windowHeight)
}
```

```
function draw() {
	// clear()
	circle(mouseX, mouseY, 100)
}
```

```
// {"P5LIVE":{"name":"_hy5_p5_hydra_001","mod":1778079238913}}

/*
	_HY5_p5_hydra // cc teddavis.org 2024
	pass p5 into hydra
	docs: https://github.com/ffd8/hy5
*/

let libs = ['https://unpkg.com/hydra-synth', 'includes/libs/hydra-synth.js',
'https://cdn.jsdelivr.net/gh/ffd8/hy5@main/hy5.js', 'includes/libs/hy5.js']

// sandbox - start
H.pixelDensity(2) // 2x = retina, set <= 1 if laggy

s0.initP5() // send p5 to hydra
P5.toggle(0) // optionally hide p5


osc(27, 0.3, 3.9).kaleid(4).out(o0)
noise(4).pixelate(27, 12).out(o1)

render(o0)    // show stripes
render(o)    // show noise

// sandbox - end


function setup() {
	createCanvas(windowWidth, windowHeight)
}

function draw() {
	// clear()
	circle(mouseX, mouseY, 100)
}
```

```
// {"P5LIVE":{"name":"new_001","mod":1778248339087}}
```

```
//https://teachablemachine.withgoogle.com/models/5t_HGdWPx/

let libs =
["https://unpkg.com/ml5@1/dist/ml5.min.js",'https://unpkg.com/hydra-synth',
'includes/libs/hydra-synth.js',
'https://cdn.jsdelivr.net/gh/ffd8/hy5@main/hy5.js', 'includes/libs/hy5.js']

//sandbox - start
H.pixelDensity(1)
s0.initP5()
P5.toggle(0)

src(s0)
.modulate(noize(10000), () => strenght)
.luma(() => 0.2 * a.fft[0])

.out()

//sandbox - end

let modelLink = "https://teachablemachine.withgoogle.com/models/5t_HGdWPx/"

let classifier;

// A variable to hold the video we want to classify
let video;

// Variable for displaying the results on the canvas
let label = "Model loading...";

function preload() {
  classifier = ml5.imageClassifier(modelLink + "model.json");
}

function setup() {
  createCanvas(windowWidth, windowHeight);
  background(255);

  // Using webcam feed as video input, hiding html element to avoid
duplicate with canvas
  video = createCapture(VIDEO, {flipped:true});
  video.size(width, height);
  video.hide();
  classifyVideo()
```

```
}


function draw() {
  // Each video frame is painted on the canvas
  image(video, 0, 0);

  // Printing class with the highest probability on the canvas
  fill(255);
  textSize(32);
  text(label, width/2, height/2);

  if (label == "me"){
      circle(width/2, height/2, 100)
  }else if ( label == "phone"){
  rect(width/2, height/2, 100)
  }else {
      triangle(width/2, height/2, width/2 + 200, height/2 - 200, width/2 +
400, height/2)
  }







}

// Callback function for when classification has finished
function gotResult(results) {
  // Update label variable which is displayed on the canvas
  label = results[0].label;
  classifyVideo()

}

function classifyVideo() {

      classifier.classify(video, gotResult);

}
```

```
// {"P5LIVE":{"name":"new_002","mod":1778160653734}}

function setup() {
```

```
     createCanvas(windowWidth, windowHeight)

}

function draw() {
     let live = frameCount%10;
     let words = ["rain", "drops", "falling","into", "everything", "mankind",
"has", "created"]
     let rand = random(words)

frameRate(5)
background(230, 50, 100)
     fill(10)
     textSize(100)
     textWrap(WORD)
     textFont('american typewriter')
     textAlign(CENTER)
textStyle(NORMAL)
textLeading(100)
text(words[live] ,800,400)
windowWidth/1.1, windowHeight;



}
```

```
// {"P5LIVE":{"name":"new_002","mod":1778161595631}}

function setup() {
     createCanvas(windowWidth, windowHeight)

}

function draw() {
     let live = frameCount%8;
     let sine = floor(5*sin(frameCount/10)+5)
     let words = ["rain", "drops", "falling","into", "everything", "mankind",
"has", "created"]
     let rand = random(words);

frameRate(5)
background(230, 50, 200)
     fill(10)
     textSize(100)
     textWrap(CHAR)
```

```
     textFont('american typewriter')
     textAlign(CENTER)
textStyle(NORMAL)
textLeading(100)
text(words[live].replace(/[o]/g, "x").repeat(100),
10, 10, windowWidth/1.1, windowHeight);



}
```

```
// {"P5LIVE":{"name":"new_002","mod":1778161937619}}

function setup() {
     createCanvas(windowWidth, windowHeight)

}

function draw() {
     let live = frameCount%8;
     let sine = floor(5*sin(frameCount/10)+5)
     let words = ["nostalgia", "drops", "falling","into", "everything",
"mankind", "has", "created"]
     let rand = random(words);

frameRate(5)
background(230, 100, 20)
     fill(10)
     textSize(100)
     textWrap(CHAR)
     textFont('american typewriter')
     textAlign(CENTER)
textStyle(NORMAL)
textLeading(40)
 text(words[live].replace(/[o]/g, "x").repeat(100),
80, 100, windowWidth/1.1, windowHeight);



}
```

```
// {"P5LIVE":{"name":"new_002","mod":1778162113629}}

function setup() {
```

```
     createCanvas(windowWidth, windowHeight)

}

function draw() {
     let live = frameCount%8;
     let sine = floor(5*sin(frameCount/10)+5)
     let words = ["nostalgia", "drops", "falling","into", "everything",
"mankind", "has", "created"]
     let rand = random(words);

frameRate(5)
background(230, 100, 20)
     fill(10)
     textSize(400)
     textWrap(CHAR)
     textFont('chopinscript')
     textAlign(CENTER)
textStyle(NORMAL)
textLeading(40)
 text(words[live].replace(/[o]/g, "x"),
80, 400, windowWidth/1.1, windowHeight);



}
```

```
// {"P5LIVE":{"name":"new_002","mod":1778162559552}}

function setup() {
     createCanvas(windowWidth, windowHeight)

}

function draw() {
     let live = frameCount%10;
     let sine = floor(5*sin(frameCount/10)+5)
     let words = ["nostalgia", "drops", "falling","into", "everything",
"mankind", "has", "created", "pizza", "tank", ]
     let rand = random(words);

frameRate(3)
background(random(255),random(255),random(0), 150)
     fill(255)
     textSize(100)
```

```
     textWrap(CHAR)
     textFont('wingdings')
     textAlign(CENTER)
textStyle(NORMAL)
textLeading(60)
 text(words[live].replace(/[o]/g, "x").repeat(100),
100, 100, windowWidth/1.1, windowHeight);




}
```

```
// {"P5LIVE":{"name":"new_002","mod":1778162684433}}

function setup() {
     createCanvas(windowWidth, windowHeight)

}

function draw() {
     let live = frameCount%10;
     let sine = floor(5*sin(frameCount/10)+5)
     let words = ["nostalgia", "drops", "falling","into", "everything",
"mankind", "has", "created", "pizza", "tank", ]
     let rand = random(words);

frameRate(4.5)
background(random(200),random(0),random(255), 150)
     fill(255)
     textSize(100)
     textWrap(CHAR)
     textFont('wingdings')
     textAlign(CENTER)
textStyle(NORMAL)
textLeading(60)
 text(words[live].replace(/[o,g]/g, "-").repeat(100),
100, 100, windowWidth/1.1, windowHeight);




}
```

```
// {"P5LIVE":{"name":"new_002","mod":1778238998735}}
```

```
// https://teachablemachine.withgoogle.com/models/rOnTq7fyv4/
let libs = ["https://unpkg.com/ml5@1/dist/ml5.min.js"]
let modelLink = "https://teachablemachine.withgoogle.com/models/rOnTq7fyv4/"

// A variable to initialize the Image Classifier
let classifier;

// A variable to hold the video we want to classify
let video;

// Variable for displaying the results on the canvas
let label = "Model loading...";

function preload() {
  classifier = ml5.imageClassifier(modelLink + "model.json");
}

function setup() {
  createCanvas(640, 480);
  background(255);

  // Using webcam feed as video input, hiding html element to avoid
duplicate with canvas
  video = createCapture(VIDEO);
  video.size(640, 480);
  video.hide();
  classifier.classifyStart(video, gotResult);
}

function draw() {
  // Each video frame is painted on the canvas
  image(video, 0, 0);

  // Printing class with the highest probability on the canvas
  fill(255);
  textSize(32);
  text(label, 20, 50);
}

// Callback function for when classification has finished
function gotResult(results) {
  // Update label variable which is displayed on the canvas
  label = results[0].label;
}
```

```
// {"P5LIVE":{"name":"text","mod":1778153322582}}

function setup() {
     createCanvas(windowWidth, windowHeight)

}

function draw() {
     background (230);
     fill(10);
     textSize(100)
     textWrap(WORD)
     textFont ("american typewriter")
     textAlign (CENTER)
     textLeading(240)
     text("NACHBAR WIE GEHTS DIR HEUTE? GESTERN? MORGEN?", 0, 400,
windowWidth, windowHeight)
}
```