

# Day 1

---

27.04.2026

---

```
function setup() {
  createCanvas(windowWidth, windowHeight)
  background(0)
  rectMode(CENTER)
}


let dim = 200
let reduction = 20
let posX = 400
let posY = 200

function draw(){
  noFill()
  strokeWeight(1)
  stroke(255)
  square(400, 200, dim)
  square(400, 200, dim - (reduction * 1) )
  square(400, 200, dim - (reduction * 2) )
  square(400, 200, dim - (reduction * 3) )
  square(400, 200, dim - (reduction * 4) )
  square(400, 200, dim - (reduction * 5) )

  // for loop

  for(let i = 0; i < 6; i++){
    square(posX+300, posY, dim - (reduction * i))
  }

  for(let i = 0; i < 10; i++){
    square(posX+500, posY, dim - (reduction * i))
  }
}
```



# Day 2

28.04.2026

```
let dimX = 500
let dimY = dimX
let num = 17
let reduction = dimX / num
let posX = 0
let posY = 0

function setup() {
  createCanvas(windowWidth, windowHeight)
  background(255)
  rectMode(CENTER)
  angleMode(DEGREES)
  posX = width / 2
  posY = height / 2
}

function draw() {
  background(255)
  noFill()
  strokeWeight(2)
  stroke(0)
  let numX = 10
  noLoop()

  for(let i = 0; i < numX; i++){
```

```


    let dimension = width / numX
    let posX = dimension / 2 + (i * dimension)
    for(let j = 0; j < 10; j++){
        let posY = dimension / 2 + (j * dimension)
        coffee(posX, posY, dimension, 10, 5)
    }
}

// this function draws squares at position xy
function coffee(posX, posY, dim, num, speed) {

    let dimension = dim + (sin(frameCount * speed) * 30)
    //num = 5
    let reduction = dimension / num

    for(let i = 0; i < num; i++){
        let offsetX = noise(10)
        let offsetY = noise(10)
        stroke(0, 0, 255)
        if(i < 1){
            stroke(random(0,255),random(0,255), random(0,255))
        }
        square(posX + offsetX, posY + offsetY,(dimension) - (reduction * i))
    }
}

```



# Day 3

29.04.2026


```
let posX = 0
let posY = 0
let boxDim = 100
function setup() {
  createCanvas(windowWidth, windowHeight, WEBGL)
}
```

```
function draw() {
  background(0)
  orbitControl()
  fill(255)

  posX+= 5
  posY = posY - 10
  if(posX > (width / 2)+(boxDim / 2)){
    posX = -width/2
  }

  if(posY < height / 2){
    posY = posX
  }
  push()
  translate(posX, posY, 0)
  box(100)
  pop()

  strokeWeight(3)
  push()
  stroke(255, 0, 0)
  line(0,0,0, width, 0, 0)
  stroke(0, 255, 0)
  line(0,0,0,0, -height, 0)
  stroke(0, 0, 255)
  line(0,0,0,0,0, 1000)
  pop()
}
```



## Day 4

---

30.04.2026

---

On this day we received a VCV-Rack input. But I was more interested in p5live so i experimented there

```
function setup() {  
  createCanvas(windowwidth, windowHeight)  
  
}  
  
function draw(){  
  background(0)  
  line( 400, 400, 300, 600)  
  stroke('magenta')  
  strokeWeight(5)  
  
}
```

# Day 5

---

**31.04.2026**

---

On this day we had an online support session with Yann and had the opportunity to ask things that weren't clear.