

Week 1

Day 1

First sketch

started creating Molnar Mockups

```
// {"P5LIVE":{"name":"basic_molnar_tunnel","mod":1777994789362}}

let dimX = 453
let dimY = dimX
let num = 17
let reduction = dimX / num
let posX = 0
let posY = 0

function setup() {
  createCanvas(windowWidth, windowHeight)
  background(255, 255, 200)
  rectMode(CENTER)
  angleMode(DEGREES)
  posX = width * 0.5
  posY = height * 0.5
}

function draw() {
  background (255, 25)
  noFill()
  strokeWeight(1)
  stroke(0)
  dimX = 300 + (tan(frameCount * 3) * 600)*(sin(frameCount * 2))
  num = 20
  reduction = dimX / num
  //for loop
  for(let i = 0; i < num; i++){
    rect(posX, posY,
      (dimX) - (reduction * i))
  }
  text (frameCount, 400, 400)
}
```

![P5L_basic_molnar_tunnel_20260505152629](/Users/stash/Library/CloudStorage/OneDrive-Persönlich/03_DMI/4.Semester/CO_Creative_Coding/documentation/week_1/images/P5L_basic_molnar_tunnel_20260505152629.png)

Day 2

Introduction into functions to multiply molnar squares

```
// {"P5LIVE":{"name":"basic_molnar_animation","mod":1777462471483}}

let dimX = 453
let dimY = dimX
let num = 17
let reduction = dimX / num
let posX = 0
let posY = 0

function setup() {
  createCanvas(windowWidth, windowHeight)
  background(255, 255, 200)
  rectMode(CENTER)
  angleMode(DEGREES)
  posX = width * 0.5
  posY = height * 0.5
}

function draw() {
  background (100,100,255)
  noFill()
  strokeWeight (2)
  stroke(0)
  let count = 12
  for (let i = 0; i < count; i++){
    let dimension = width /count
    let posX = dimension / 2 + (i * dimension)
    for (let j = 0; j < count; j++){
      let posY = dimension / 2 + (j * dimension)
      tmcs (posX, posY, dimension, 10, 400)
    }
  }
}
```

```

// this function draws squares at position
// posX and posY, and they move randomly
// a tiny bit
function tmcs (x, y, dim, num, speed) {

  let dimension = dim + sin(frameCount * speed * 10)
  //num = 10
  reduction = dimension / num

  for(let i = 0; i < num; i++){
    let offsetX = random (7)
    let offsetY = random (7)
    stroke (255, 0, 255)
    strokeWeight (2)
    square(
      x + offsetX,
      y + offsetY,
      (dimension) - (reduction * i)
    )
  }
}

```

![P5L_basic_molnar_animation_20260429112940]

(/Users/stash/Library/CloudStorage/OneDrive-Persönlich/03_DMI/4.

Semester/CO_Creative_Coding/documentation/week_1/images/P5L_basic_molnar_animation_20260429112940.png)

![P5L_basic_molnar_animation_20260429113306]

(/Users/stash/Library/CloudStorage/OneDrive-Persönlich/03_DMI/4.

Semester/CO_Creative_Coding/documentation/week_1/images/P5L_basic_molnar_animation_20260429113306.png)

We also had our first Introduction into the 3rd (Z) dimension in P5

trying to place a cube and move it in a organic way.

```

// {"P5LIVE":{"name":"new_002","mod":1777474336597}}

let x;
let y;
let xspeed;
let yspeed;

```

```

let zspeed;
let depth = 2000
let dvd;
let r, g, b;

function setup() {
  createCanvas(windowWidth, windowHeight, WEBGL);
  //intitalize the variables
  //for the position of the cube
  //at the beginning
  x = random(width);
  y = random(height);
  z = random(-depth, 0);
  //initialize the speed at which the cube
  //moves!!!
  xspeed = 10;
  yspeed = 10;
  pickcolor();
}

function pickcolor() {
  r = random(255);
  g = random(255);
  b = random(255);
}

function draw() {
  translate (-width/2, -height/2)
  background(0);
  //noStroke(255);
  fill(255);
  fill (r, g, b);
  push ()
  translate (x, y, z)
  box (100)
  pop()
  //rect(x, y, 80, 60);
  //image(dvd, x, y, 80, 60);

  x = x + xspeed;
  y = y + yspeed;
  z = z + zspeed;
}

```

```

if (z >= 0) {
  zspeed = -zspeed;
  z = 0;
  pickcolor();
} else if (z <= -depth) {
  zspeed = -zspeed;
  z = -depth;
  pickcolor();
}

if (x >= width) {
  xspeed = -xspeed;
  x = width;
  pickcolor();
} else if (x <= 0) {
  xspeed = -xspeed;
  x = 0;
  pickcolor();
}

if (y >= height) {
  yspeed = -yspeed;
  y = height;
  pickcolor();
} else if (y <= 0) {
  yspeed = -yspeed;
  y = 0;
  pickcolor();
}
}

```

![P5L_new_002_20260429140922](/Users/stash/Library/CloudStorage/OneDrive-Persönlich/03_DMI/4.Semester/CO_Creative_Coding/documentation/week_1/images/P5L_new_002_20260429140922.png)

Day 3

Introduction into the soundapp

Software [VCV Rack](#)

- sound sources
- envelopes
- mixers

- modulation
- sequencies

![Bildschirmfoto 2026-04-30 um 14.27.59](/Users/stash/Library/CloudStorage/OneDrive-Persönlich/03_DMI/4.

Semester/CO_Creative_Coding/documentation/week_1/images/Bildschirmfoto 2026-04-30 um 14.27.59.png)