Index

A

- A* search, 54
- ad campaigns, 644
- Adams, Douglas (author), 42
- Adidas, 339
- ADKAR model, 324–325
- Adobe Firefly, 143, 345
- Adobe Photoshop, 379
- Adobe Sensei, 375
- Adobe Target, 376
- adversarial games, 54–55
- Agilisium, 165
- Ahrefs, 414, 417, 650–651
- AI chaining, 397
- AI Dungeon, 401
- AI effect, 48
- AI for Good, 114
- AI Governance Alliance, 113
- AI Partnership for Defense, 113
- AI-complete problem, 50
- Airbus, 339
- AIVA, 378
- Alan Turing Internet Scrapbook (website), 14
- Alexa, 77
- algorithms, 28–30, 29–30, 47–58
- alpha-beta pruning, 55
- AlphaGo, 54, 62–63
- AlphaGo Zero, 63
- Amper Music, 378
- Amtrak, 673
- analogizers, 20
- Anju, 460

- Anthropic, 163
- API plug-ins, 708
- application programming interface (APIs), 167, 708
- application-specific integrated circuits (ASICs), 73, 75
- ARIA (AI Research Assistant), 384
- Artbreeder, 379
- Arthrobot, 457
- artificial general intelligence (AGI), 138
- artificial intelligence (AI)
  - adoption of
    - benefits of, 319
    - models for, 322–327
    - organizational culture aligning with, 319–320
    - overcoming resistance to, 327–332
    - overview, 317–318
    - roadmap for, 320–322
    - stakeholders, 318–319
  - categories, 17–18
  - computing system for, 22–23
  - defining
    - by discerning intelligence, 10–13
    - four ways, 13–16
    - overview, 1, 9–10, 82
  - history of, 18
  - hype and overestimation, avoiding, 20–22
  - for ideation and planning
    - hallucinations and, 339–342
    - overview, 335–336
    - real-world examples, 338–339
    - steps for idea generation, 342–345
    - tools for idea generation, 345–347
    - Wharton study, 336–338
  - overview, 1
  - strong vs. weak, 17
  - uses of, 19–20
- artificial neural networks (ANNs), 82
- assumptions, 604–605
- Atlantic Council's GeoTech Center, 112
- Atomwise, 461
- attention, 194
- AudioCraft, 144
- Author's Guild v. Google case, 33–34

- Authors.ai, 401
- Autodesk, 375
- automated data collection, 33
- automation, 19
- autonomous AI agents, 169
- Autonomous Health, 460
- autonomous learning systems, 47
- AWS (Amazon Web Services), 165

B

- back end, 611
- backset navigator pair programming style, 537
- backward chaining, 61
- Barkeley, Edmund Callis (writer), 1
- Bayes, Thomas, 91
- Bayesians, 20
- Beatty, Joy, 605
- BenchSci, 384
- BERT, 95
- BertViz tool, 93–95
- best-first search, 53–54
- biased data, 40, 43–44
- big data, 26, 27
- Bilal, Mushtaq, 384
- Bing Chat, 191
- bio-inspired sensors, 77
- blind search, 53
- BMW, 378
- bodily-kinesthetic intelligence, 11
- boilerplate codes, 523–529
- Bombe machine, 68
- books, writing with GenAI, 399–401
- botnets, 45, 45–46
- brain imaging, 15
- Brainwave, 75
- branch nodes, 50
- Brandwatch, 653
- breadcrumb navigation, 410
- breadth-first search (BFS), 53
- Bridges, William, 326

- Bridges Transition Model, 326
- Brightedge, 417
- business communications, 390–391
- Butterfly Network, 461
- BuzzStream, 414
- BuzzSumo, 417, 652

C

- caching, 69
- Canva, 379
- Capterra, 351
- Caption Health, 458
- case studies, 645
- Catanzaro, Bryan, 71
- chain-of-thought prompting, 577–579
- CharacTour, 401
- charts, 258–261
- ChatBot, 128
- Chatbotly, 679
- chatbots. *See also* conversational AI chatbots
  - coding with
    - ChatGPT, 582–588
    - GitHub Copilot, 578–582
    - OpenAI platform, 588–599
  - creating assets using, 644–645
  - delivering info to customer using, 644–645
- Chatfuel, 678

- ChatGPT. *See also* OpenAI
  - account versions of, 176
  - chatting with, 582–588
  - vs. conversational AI chatbots, 667–668
  - email assistance with, 351
  - GPT minis, selecting, 184–185
  - GPT model, selecting, 182–183
  - integrating with other software, 167–168
  - managing chat history on, 219
  - memory
    - adding information to, 214–216
    - guidelines on limits of, 217–218
    - manipulating, 216–219
    - testing, 218–219
  - overview, 128, 175, 582–583
  - prompts
    - chained, 212–214
    - image inputs in, 208–214
    - pictures as inputs, 209
    - random brilliant thoughts as inputs, 209–212
  - pros and cons of, 187
  - rendering outputs to final forms, 185–186
  - setting custom instructions
    - overview, 584–588
    - telling GPT about yourself, 585–586
    - telling GPT your expectations, 586–588
  - setting up individual account with, 176–178, 583–584
  - signing up for, 583–584
  - text outputs in, 144
  - for translation, 422
  - user interface, 178–182
  - vs. Wharton MBA students, 336–338
- ChatGPT 4o (omni), 145
- checkers (game), 55
- Chen, Tianshi, 72
- chess, 62
- churn, 638, 644
- citations, 394–396
- Claude, 405
- Clearscope, 417
- Clippy (Office Assistant), 193
- cloud AI tools, 168

- CNET, 408–409
- Coca-Cola, 339, 373
- coding with AI
  - benefits of, 519–545
  - blending manually written and AI-generated code
    - few-shot prompting on server, 617–620
    - follow-up prompts, 615
    - improving client, 621–624
    - moving logic from AI to client, 624–626
    - testing server, 615–617
    - writing prompt, 611–612
    - writing server, 612–614
  - chatbots for, 571–599
  - code learning, 536
  - generating boilerplate codes
    - crafting CRUD with AI, 523–529
    - letting AI write template, 520–523
    - overview, 519–520
    - spotting task to automate, 520
  - generating code from SRS, 608–610
  - linting, 534–535
  - pair programming, 537–545
  - project requirements, 601–608
  - static code analysis, 534–535
  - syntax assistance, 529–533
  - tips and tricks for code generation, 627–629
  - tools for, 547–569
- Cohere, 164
- college expenses, 499–500
- COMPAS software, 44
- complex analysis, 19
- concept drift, 221
- conflict resolution, 61
- Connected Papers, 390
- connectionists, 20
- constraints, 605
- containers, 165
- content generation, 20
- ContextMinds, 346

- conversational AI chatbots. *See also* chatbots
  - vs. automated response systems, 669–670
  - benefits of, 668–669
  - best practices, 676–677
  - capabilities of, 666–667
  - vs. ChatGPT, 667–668
  - constructing, 670
  - hybrid model, 675–676
  - integrating into existing systems, 673–674
  - options for creating, 678–679
  - overview, 665–666
  - personalizing customer interactions with, 674–675
  - ROI on, 671–673
- convolutional neural networks (CNNs), 91
- Copilot. *See* GitHub Copilot; Microsoft Copilot
- Copilot agents. *See also* Microsoft Copilot
  - building with Copilot Studio, 681–685
  - creating by prompting, 686–688
  - overview, 681
  - plug-ins, 705–716
  - publishing, 703–704
  - templates for, 688–689
  - testing and editing, 690–703
- Copy.ai, 377
- CoSchedule, 378
- creative assets
  - enhancing
    - adding and modifying content, 372
    - audio, 371–372
    - images, 371
    - videos, 372
  - illustrations, 364–365
  - overview, 363–364
  - tools and techniques for, 373–377
  - visual assets, 365–370, 379–380
- creative intelligence, 12
- creative thinking, 116–117
- CRUD (creating, reading, updating, deleting), 523–529
- CUDA, 71
- customer data platform (CPD), 656

- customer journey
  - AI tools for, 637–638
  - chatbots and virtual assistants, 644–645
  - content delivery, 646–647
  - overview, 633–634
  - personalization of, 635–637
  - predictive analytics, 642–644
  - recommendation engines, 640–642
  - sentimental analysis, 638–640
  - stages of, 634–635
  - touch points, 635
- customer service, 19

O'REILLY

- da Vinci Surgical System, 458
- DALL-E 2, 143
- DALL-E 3, 379

- data
  - acquisition of, 41–43
  - algorithms and, 28–30
  - analysis of, 47, 250
  - automated data collection, 33
  - big, 26, 27
  - cleaning, 248–249
  - converting to table, 241–242
  - drift, 221
  - ethical collection of, 33
  - finding, 26–30
  - formatting, 245–246
  - human input, 31–33
  - inference, avoiding, 34
  - from internet, 27–28
  - labeled, 90
  - manicuring, 35–37
  - misalignments, 36–37
  - missing, 35–36
  - mistruths in
    - bias, 40
    - commission, 38
    - frame of reference, 41
    - omission, 38–39
    - overview, 37–38
    - perspective, 39–40
  - opening and cleaning, 257
  - overview, 25–26
  - record, 35
  - reliable, 31
  - security of
    - biased data, 43–44
    - botnets and, 45–46
    - data-source corruption, 44–45
    - overview, 43
  - separating useful data from other, 37
  - sorting, 247–248
  - sources of, 30,
    - corruption of, 44–45
    - free data, 240–241
    - overview, 30
  - structured, 26, 240

    - types, changing, 246–247
    - unstructured, 26, 239
    - visualizing, 256–261
- data analytics, 237
- Data.gov, 240
- Datahub.io, 241
- dataset, 35
- decision trees, 90
- Deep Dream Generator, 379
- Deep Genomics, 460
- deep learning, 29–30, 82
- deep learning processors (DLPs), 71–74
- DeepMind, 54, 62, 163–164
- Defense Advanced Research Projects Agency (DARPA), 74
- demand models, 86
- DENDRAL, 59–60
- density, 69
- depth-first search (DFS), 53
- Descript, 376
- DianNoa chips, 72
- digital assistants, 48
- digital rights management (DRM), 67
- digital watermarks, 103–104
- DIRECT model, 326–327
- Dirichlet, Peter Gustav Lejeune, 91
- display adapter, 70
- DistilBERT, 95
- domain requirements, 602
- driver-navigator pair programming style, 537
- Dropbox, 716

E

- economic constraints, 605

- education, AI in
  - AI detection tools and, 466
  - aiding overworked educators, 472–474
  - changing how subjects are taught, 474
  - collaborative learning, 475–476
  - drawbacks of banning, 478–480
  - flipping of teaching model, 470–471
  - nuanced approach in, 479
  - overview, 465–466
  - preparing students for future, 479–480
  - role in school and work, 467
  - safer spaces for learning, 474–475
  - shift in educator roles due to, 468–470
  - special education, 476–477
  - student progress tracking, 478
  - use in tutoring, testing, and updating curriculum, 468
  - using GenAI tools for efficiency, 477–478
- Electra, 95
- emails
  - AI as assistant for writing, 350–352
  - campaigns, 645
  - emailing with Copilot, 352–361
  - overview, 349
  - prompts for, 352
  - using GenAI with discernment, 362
- EmailTree, 351
- embedded systems, 168
- Emmons, Ethel, 673
- emojis, 437–438
- emoticons, 437–438
- emotional intelligence (EQ), 114
- engagement metrics, 672
- engineering models, 86
- Enlitic, 457
- environmental sensors, 77
- ephemeral processing, 558
- Epic Systems, 308
- estate planning, 511–515
- evolutionaries, 20
- exoskeletons, 451–452
- expert systems, 59–62
- eye-gaze systems, 454

F

- feature writing, 397–398
- Federal Drug Administration (FDA), 448
- few-shot prompting, 576–577, 617–618
- field programmable gate arrays (FPGAs), 75
- financial models, 86
- financial planning, stages of, 492–496
- first-order logic, 60
- forward chaining, 61
- frame interpolation, 372
- frame-of-reference mistruth, 41
- fraud detection, 19
- functional requirements, 603–604
- fuzzy logic, 61

G

- Gardner, Howard (psychologist), 11
- Gartner, 646
- Gemini, 145
- General AI, 138
- generative adversarial networks (GANs), 335

- generative AI (GenAI). *See also* artificial intelligence (AI)
  - *vs.* artificial general intelligence, 138
  - autonomous AI agents, 169
  - big secret to working with, 136–138
  - content originality/excellence
    - applying journalistic ethics, 106–109
    - joining the responsible AI movement, 110–114
    - maintaining quality standards, 105–106
    - overview, 101–102
    - strategies for, 102–103
  - defined, 134
  - effects of
    - on interpersonal skills, 489
    - overview, 488
    - protecting yourself from, 490
    - on thinking skills, 489
  - in finance, 310–311
  - in healthcare
    - applications, 309–310
    - identifying useful use cases, 307
  - in human resources, 295–296
  - integration with other software, 167–168
  - in IT operations, 312–313
  - in journalism
    - checking chat history, 307
    - exploring politics and current issues, 303
    - organizing notes, 304–306
    - overview, 302
    - pitching stories, 304–306
    - preparing interview questions, 306
    - prompting for facts, figures, and summaries, 303–304
    - translations, 306
  - keeping up with advancements on
    - adopting an agile mindset, 172–173
    - community engagement, 171
    - educational resources, 171–172
    - ethical considerations, 173
    - by following leaders, 170–171
    - investing in architecture, 173
    - research papers, 171
    - by upskilling, 172
  - key players in, 162–166

- in legal
  - drafting and editing legal documents, 298–300
  - drafting client responses or legal arguments, 301–302
  - overview, 297
  - researching for legal precedents and statutes, 301
- limitations of
  - accuracy issues, 98–99
  - lack of common sense, 98
  - language models are wordy, 97–98
  - limited knowledge, 98
  - mathematics, 96–97
  - overview, 139
  - potential for bias, 99
- in marketing
  - analyzing customer data, 294–295
  - creating general to detailed content, 294
  - overview, 293
- models, 95–96, 143–145
- myths vs. reality, 147–148
- new businesses based on, 313–315
- overview, 82, 133–134
- parameters, 96, 134–135
- practical applications of
  - problem-solving with creative projects, 234–236
  - visual assistant, 231–232
  - writing assistant, 225–231
- practical uses of, 145–147
- prompts, 140–142
- real-world use of
  - confirmation bias and, 487–488
  - as knowledge assistants, 484–485
  - limitations of information from AI, 487
  - misinformation and manipulation, 485–486
  - overview, 481
  - search engine optimization, 482–484
  - using varied information sources, 488
- services and solutions, 166–167
- vs. virtual assistants, 135–136

- as visual assistant
  - generating visual content, 232–233
  - graphic design and visual arts, 232
  - visual creativity, 234
- as writing assistant
  - drafting content, 227–230
  - enhancing creativity in writing, 230–231
  - generating ideas, 226–227
  - overview, 225–226
- generative pre-trained transformers (GPTs), 183
  - defined, 182
  - latest release, 183
  - model options, 182–183
- Genpact, 165
- GitHub Copilot
  - agents, 580
  - best practices, 549–553
  - chatting with, 579–582
  - installing, 547–548
  - keyboard shortcuts, 554
  - vs. Microsoft Copilot, 190
  - overview, 547
  - slash commands in, 579–580
- GitHub Global Campus, 540
- Global Index on Responsible AI, 112
- Global Partnership on Artificial Intelligence (GPAI), 113, 114
- Go (game), 62
- Google
  - algorithms, 29–30
  - AutoDraw, 345
  - Books, 34
  - Brain, 71
  - dataset search (website), 240
  - DeepMind, 54, 62, 163–164, 460
  - Health, 460
  - mT5, 422
  - overview, 165
  - Tensor, 72
  - Trends, 412, 417
  - Workspace, 352
- GPT-2, 95
- GPT-3, 95

- GPT-4, 95, 405, 413
- Gradio, 595
- Grammarly, 352, 390, 401
- Graphcore, 75
- graphics processing units (GPUs), 67–71
- graphs
  - creating, 258–259
  - defined, 50
  - nodes, 51–52
  - traversing, 52–53
- greedy search, 54

H

- hallucinations
  - causes of, 339–340
  - described, 138, 338
  - non-traditional storytelling from, 340–341
  - testing and experimentation with, 341
  - unexpected ideas and concepts from, 340
- hardware
  - deep learning processors, 71–74
  - GPUs, 67–71
  - Harvard architecture, 67
  - increasing capabilities of
    - ASICs, 75
    - FPGAs, 75
    - interactions with environment, 78–79
    - neuromorphic computing, 75–76
    - overview, 74–75
    - quantum processors, 76
    - sensors, 76–78
  - specialized processing environment, 74
  - standard, 65–67
  - von Neumann architecture, 66
- Harnad's Total Turing Test, 14
- Harvard architecture, 67
- Hauppauge 4860, 70
- headers, adding context to, 242–245
- heatmapping, 416
- Hemingway, 390

- Herr, Hugh, 79
- heuristic search, 53–54, 55–58
- heuristics, 49
- hidden Markov models (HMMs), 91
- hill climbing, 57
- Hintze, Arend, 17
- *Hitchhiker's Guide to the Galaxy, The* (Adams), 42
- Huawei, 72
- HubSpot, 352
- Hugging Face, 95, 163, 422
- HuggingChat, 144
- human acts, 14
- human interaction, AI-enhanced
  - in communication
    - automating language translation, 438–439
    - emojis and emoticons, 437–438
    - incorporating body language, 439–450
    - overview, 436–437
  - exchanging ideas
    - by augmenting communication, 440–441
    - by creating connections, 440
    - by defining trends, 441
  - in human sensory perception
    - augmentation, 443–444
    - shift in data spectrum, 443
  - multimedia use, 441–442
  - overview, 435–436
- human process, 16
- human thoughts, 15
- Humbly, Clive (mathematician), 237
- hype, sources of, 21–22
- HyperWrite, 346

I

- IBM TrueNorth chip, 75–76
- IEEE Global Initiative on Ethics of Autonomous and Intelligent Systems, 114
- Imagen, 143
- Imitation Game (movie), 68
- Imitation Game (test), 1
- inference engine, 60

- information retrieval AI, 137
- informed (heuristic) search, 53
- InnovateTech, 331–332
- Intel 80860 chip, 70
- Intel Loihi chip, 75–76
- intelligence
  - discerning, 10–11
  - mental activities list for, 10
  - process of, 10–11
  - types of, 11–13
- intelligence augmentation (IA), 444
- Intellisense, 530
- interface constraints, 605
- International Electrotechnical Commission (IEC), 113
- International Organization for Standardization (ISO), 113
- internet of things (IoT), 27
- intrapersonal/interpersonal intelligence, 12
- introspection, 15
- Iris.ai, 383
- iterative prompting, 151

J

- Jasper, 128, 346, 376, 377, 413
- Jintronix, 449
- Job Access With Speech (JAWS), 453

- job security
  - becoming an early adopter, 128–129
    - using AI for thought leadership, 129
  - career transitions
    - adapting to new realities, 125–126
    - shifting professional landscapes, 126–127
    - steering clear of pitfalls, 127–128
  - skills inventory and gap analysis, 120–121
  - tasks that AI can't replace
    - creative and strategic thinking, 116–117
    - emotional intelligence and human interaction, 116
    - jobs of the future, 118
    - new roles that use AI, 119
    - overview, 115
  - translating current skills into AI-proof roles
    - AI-resilient career journey, 124–125
    - overview, 121
    - role evolution and adaptation, 123–124
    - skill transferability analysis, 122–123
  - upskilling for AI-proof jobs, 119–121
- Jukebox, 144

K

- Kaggle, 240
- key performance indicators (KPIs), 661–662
- keyword analysis, 650–651
- KFC, 424
- Klaviyo, 656
- knowledge assistants, 484–485
- Krizhevsky, Alex, 71
- K'Watch, 447

L

- labeled data, 90
- Laird, Philip Johnson (researcher), 15

- large language models (LLMs)
  - defined, 134
  - multilingual, 421–422
  - parameters, 134
  - temperature, 220
  - weights, 220–221
- latency, 69
- latent Dirichlet allocation (LDA), 91
- lead generation, 672
- leaf nodes, 50
- Let's Enhance, 376
- life cycle constraints, 605
- limited memory, 17
- linguistic intelligence, 12
- Link Explorer, 415
- linters, 534
- LivePerson, 679
- local search, 55–58
- localization and translation
  - AI tools for, 424–426
  - applying AI'S capabilities in, 423–424
  - core strategies in
    - cultural adaptation tools, 427
    - enhancing efficiency, 428
    - leveraging machine learning, 426–427
    - quality control, 428–429
  - cultural context, 420–421
  - multilingual large language models for, 421–422
  - overview, 419–420
  - real-time, 429–432
- logical-mathematical intelligence, 13
- logistic regression, 90
- long-form content
  - academic papers, 382–388
  - books, 399–401
  - citations and references, 394–396
  - feature writing, 397–398
  - long-form articles, 396–399
  - overview, 381
  - research designs and outlines, 391–394
  - white papers and reports, 388–391
- long-tail keywords, 410

- Lovelace test 2.0, 14
- low-order polynomial time, 53–54
- Lumen5, 377, 380

M

- machine efficiency, 20
- machine learning
  - cloud-based, 168
  - defined, 82
  - fairness, 62–63
  - models, 86
  - overview, 43–44
- *Machines Who Think* (McCorduck), 48
- Magisto, 377
- Mailbutler, 352
- Mailshake, 414
- Majestic, 414
- Manychat, 678
- Marcus test, 14
- MarketMuse, 413, 417
- Markov, Andrey, 91
- Mass General Brigham, 308
- master algorithm, 20
- Mattel, 338–339
- McCorduck, Pamela (author), 48

- medicine, AI in
  - bias/sympathy/empathy and, 450
  - devising new surgical techniques, 457–459
  - diagnosis, 454–455
  - disruptions for medical professionals, 462–463
  - exoskeletons, 451–452
  - games for therapy, 449
  - hardware augmentation, 453–454
  - overview, 445–446
  - portable patient monitoring, 445–449
  - semiautonomous robots, 462
  - software-based solutions, 453
  - for special needs, 452–453
  - for task automation
    - creating better medications, 461–462
    - medical records, 460
    - overview, 459–460
    - predictive software, 460
    - safer procedures, 461
  - telepresence, 455–457
- memory speed, 69
- Meta, 422
- metadata, 104
- microservices architecture, 168
- Microsoft
  - Azure AI, 166
  - Brainwave, 75
  - collaboration with Epic Systems, 308
  - Tay chatbot, 99
  - Turing Multilingual Language Model, 422
- Microsoft 365 Copilot, 194–195, 352

- Microsoft Copilot
  - core functionalities and benefits, 192
  - eligibility criteria, 196
  - emailing with
    - drafting emails, 356–358
    - email coaching, 359–360
    - overview, 352–353
    - reply suggestions, 359
    - summarizing email threads, 353–355
    - summarizing long emails, 355
  - Excel, using in
    - automating data analysis, 250–253
    - creating formulas, 253–256
    - limitations of, 261
    - preparing data, 241–249
    - visualizing data, 256–261
    - working data, 239–241
  - features, 192
  - vs. GitHub Copilot versus, 191
  - history, 189–191
  - how it works, 193–194
  - installing on code editor, 538–540
  - integration with Microsoft 365 apps, 194–195
  - key differentiators from other assistants, 192–193
  - meeting management with, 361
  - overview, 145, 187,190, 191
  - PowerPoint, interacting in
    - built-in actions, 264–265
    - built-in prompts, 273–276
    - defining and refining topics, 265–266
    - designing slides with Designer, 271
    - evaluating generated content, 269
    - evaluating generated design, 269–270
    - evaluating generated presentation, 268
    - evaluating use of images, 270
    - organizing presentations, 277
    - personalizing ideas, 267–268
    - practicing with Copilot feedback, 277–279
    - redesigning slides, 272
  - prompting and interacting with, 201–202
  - signing up for, 195–201
  - subscription plans and pricing, 196–198

    - Teams, using in
        - accessing post-meeting summaries, 288–290
        - limitations of, 290–291
        - preparing for meetings, 283–286
        - real-time meeting assistance, 286–288
        - setting up meetings, 283–286
- Microsoft Copilot Studio
    - Agent Editor, 691–703
    - configuring generative AI, 690
    - demo, 682–684
    - home page, 682, 685
    - overview, 678
    - virtual assistant, 682–684
- Microsoft Teams, 714–716
- Midjourney, 143, 164, 380
- minimum intelligent signal test, 14
- min-max approximation, 54
- Moderna, 308
- Monday.com, 716
- Moov monitor, 446, 447
- Moz, 413, 415, 652
- Moz Pro, 417
- multithreading, 70
- Mural, 715
- MYCIN, 59–60. *See also* expert systems

N

- naïve Bayes classifiers, 90
- National AI Initiative (NAII), 113
- natural language, 102
- naturalistic intelligence, 13
- natural-language generation (NLG), 87
- natural-language processing (NLP), 87–91, 134, 427
- natural-language understanding (NLU), 87
- neural machine translation (NMT), 427
- neural networks, 82–86
- neural processing units (NPUs), 72
- Neural Radiance Fields (NeRFs), 144
- Neurala Inc., 74
- neuromorphic computing, 75–76

- neurons, 82
- Ng, Andrew, 71
- NightCafe Studio, 380
- nodes, 50–51
- non-functional requirements, 604–605
- NP-complete problems, 49–50
- numerical vectors, 93
- Nvidia, 71, 166
- NVIDIA A100 GPU, 71

O

- OECD, 114
- Oncora Medical, 461
- online business growth with AI
  - analyzing competitors' strategies
    - ad spending, 652
    - keywords, 650–651
    - social media performance, 653
    - traffic sources, 651–652
  - enhancing brand building, 653–655
  - generating creative concepts, 663
  - maximizing conversions
    - by audience segmentation, 655–657
    - by personalizing content, 657
  - refining innovation, 663
  - scaling paid advertising ROI, 657–660
  - tracking key performance indicators, 661–662
  - trend forecasting, 662

- OpenAI
  - API
    - accessing, 588–589
    - adjusting model's settings, 592–593
    - API key, 593
    - Chat mode, 590–591
    - checking credits, 589–590
    - developing chatbots, 595–599
    - playing roles, 592
    - running examples, 591–592
  - ChatGPT 4o (omni), 134
  - Codex, 144, 189–190
  - GPT-2, 95
  - GPT-3, 95, 134, 189
  - GPT-4, 95, 422
  - overview, 163
- operation, 48
- Optimizely, 413
- output stitching, 397
- overestimation, 22
- overfitting, 87, 221

P

- paid advertising, 652, 657–660
- pair programming. *See also* coding with AI
  - installing Copilot for, 538–540
  - pros and cons of, 537–538
  - styles, 537
  - using prompts to create trivia game, 540–545
- PaLM 2, 144
- parameters, GenAI, 134–135
- Partnership on AI (PAI), 114
- pathfinding algorithm, 58
- peaks, 57
- performance constraints, 605
- Perplexity AI, 406
- personally identifiable information, 34
- physical augmentation, 444
- Pictory, 346
- ping-pong pair programming style, 537

- plateaus, 57
- policy network, 63
- portable patient monitoring, 446–449

- “The Portrait of Edmond de Belamy,” 335

- predictive analytics, 642–644
- prefeteching, 69
- Primo.ai, 72
- processor caching, 69
- professional documents, 389–390
- Project Music GenAI Control, 144
- Prometheus, 194
- prompt, 571
- prompts and prompting
  - adding data to prompts, 208–214
  - adjusting temperature, 572–573
  - avoiding pitfalls, 158–160
  - creating effective, 154–155
  - for domain-specific applications, 154–155
  - elements of prompts, 574–576
  - for email, 352
  - guiding GenAI responses with, 152–153
  - iterative prompting, 151
  - Microsoft Copilot, 201–202
  - open-ender *vs.* closed-ended, 575
  - outputs, 203–207
  - overview, 140–142, 149–150, 192
  - prompt chaining, 151, 212–214
  - for providing models with supplemental data, 157–158
  - tips and tricks, 156–157, 578
  - types of, 575–578
- Prosci, 322
- ProWritingAid, 390, 401
- psychological testing, 15
- PUMA system, 458
- Python, 597

Q

- quantum bits (qubits), 76

- quantum processors, 76
- quantum sensors, 77
- QuickMail, 352

R

- Ragno, Marco (researcher), 15
- random access memory (RAM), 69
- RankBrain, 39
- rational acts, 16
- rational process, 16
- rational thoughts, 16
- reactive machines, 17
- recommendation engines, 640–642
- recurrent neural networks (RNNs), 91, 92
- Recursion Pharmaceuticals, 462
- references, 394–396
- reinforcement learning, 63
- Replit, 559–569
- research and academic writing
  - academic publication process, 387–388
  - overview, 382–383
  - pitfalls or AI limitations, 386–387
  - refining outputs, 384–386
  - tools for, 383–384
- research projects, 391–394
- Research Rabbit, 383
- resolution rate, 672
- Resoomer, 390
- Responsible AI Institute, 113
- responsible AI movement, 110–115
- retirement planning, 501–511
- retrieval-augmented generation, 137, 206
- reverse Turing test, 14
- rich snippets, 410
- Riffusion, 346
- Rivest, Ronald, 54
- RoBERTa, 95
- robot soccer, 17
- robotic legs, 79
- robotic monitoring system, 31

- Roomba, 55
- root nodes, 50
- Runway, 346, 376, 377, 380

S

- safety systems, 20
- sales conversions, 671–672
- Salesforce's Einstein, 413
- Samsung, 72
- Sanebox, 352
- sanitization technique, 34
- scheduling, 19
- schema markups, 409–410
- scientific models, 86
- SciWriter, 384
- Scrivener, 390
- search engine optimization (SEO)
  - AI tools for, 416–417
  - enhancing user experience with AI, 409–410
  - maximizing
    - content optimization, 413–414
    - keyword and metadata search, 411–412
    - link building, 414–415
    - predictive SEO, 415–416
  - search generative experiences, 404–405
  - success strategies in the AI era, 406–408
  - use of GenAI in, 482–484
- search generative experiences, 404–405
- Segment Personas, 656–657
- self-attention, 92–93
- self-awareness, 17
- self-improving systems, 47
- Semantic Scholar, 383
- Semrush, 412, 415, 417, 650–651
- sensor fusion, 77
- sensors, 76–78
- sentimental analysis, 638–640
- Shortliffe, Edward, 59
- Similarweb, 652
- simulated annealing, 57

- simulated neural networks (SNNs), 82
- simulations, 644
- singularity, 20–22
- skill transferability analysis, 122–123
- skills inventory and gap analysis, 120–121
- Slack, 168
- slash (/) commands, 579–580
- social media posts, 645
- software development kits (SDKs), 168
- software libraries, 168
- *Software Requirements* (Wiegers/Beatty), 605
- Sondergaard, Peter, 237
- spiking neural networks (SNNs), 76
- SpyFu, 417, 652
- Stability AI, 163
- Stable Diffusion, 143, 144, 347, 376, 380
- state spaces, 50
- state-space search, 50
- strategic thinking, 117
- Strateos, 461
- structured data, 26, 240
- StyleGAN 3, 143
- sub-word tokenization, 93
- supervised learning, 90
- Surfer SEO, 417
- symbologists, 20
- SyNAPSE, 74
- Synthesia, 128–129, 144, 347, 377
- system downtime, 313

T

- T5, 95
- Tableau, 390
- Tabnine, 555–559
- taboo search, 57
- Talkwalker, 653
- Tardiest, Christian, 335
- Tay chatbot, 99
- Teams Message Extensions plug-ins, 708
- telepresence, 455–457

- temperature setting, 220
- tensor processing unit (TPU), 72–74
- TensorFlow, 72–73
- tetrachromats, 77
- theory of mind, 17
- TheWordsmith.ai, 376
- Tiger Analytics, 165
- TikTok's Creative Assistant, 345–346
- tokens, 93–95
- touch points, 635
- tour guide pair programming style, 537
- transformer models, 91–95
- trees, 50–51
- Turbine, 461
- Turing, Alan, 1, 68
- Turing test, 1, 14, 15
- Twiddle algorithm, 57

U

- Ulrich, Karl (professor), 337
- underfitting, 221
- uninformed (blind search), 53
- University of Kansas Life Span Institute, 308
- unstructured data, 26, 239
- unsupervised learning, 90
- USAID’s Digital Strategy, 113
- user experience (UX), 409–410

V

- value network, 63
- VanceAI, 380
- Versace, Massimiliano, 74
- vertexes, 51
- VidMob, 376
- virtual assistants, 135–136, 644–645
- Vischeck, 453
- visual assets, 379–380
- Visual Studio Code, 538–540
- visual-spatial intelligence, 13

- von Neumann architecture, 66–67
- von Neumann bottleneck, 66, 69–70
- von Neumann, John, 66

W

- Watson, 27
- wearable monitors, 447
- Weichman, Gordon, 68
- weight, 51
- *Where's Waldo?* illustrations, 364–365
- white papers, 388–391
- Wiegers, Karl, 605
- Winograd schema challenge, 14
- Wondershare EdrawMind, 347
- word tokenization, 93
- Writer, 347, 376, 377, 413

X

- XLNET, 95

Y

- YAMM, 352
- Yewno Discover, 390

Z

- Zapier, 128
- zero-shot prompting, 575–576, 608–610
- Zotero, 383–384