14
Role of AI in Mental Health Care

Kala K.U.*, Prabhakaran Mathialagan, Solomon Jebaraj N.R. and Sambath Kumar S.

JAIN (Deemed-to-be-University), School of Computer Science and Information Technology, Department of Artificial Intelligence and Cyber Security, Bangalore, Karnataka, India

Abstract

Mental health encompasses emotional, psychological, and social well-being, influencing thoughts, emotions, and behaviors. Crucial for overall resilience, mental health issues can manifest in conditions requiring attention and support. Addressing these issues is vital to alleviating individual suffering and contributing to community well-being. Prioritizing mental health fosters compassion reduces stigma and builds resilient, supportive environments. Mental health care involves services for those facing challenges, spanning prevention, diagnosis, treatment, and recovery support. The integration of new technologies in mental health care has profoundly reshaped the identification of mental health disorders, bringing both promise and challenges. Artificial Intelligence enhances healthcare by analyzing data and images for diagnosis, improving operational efficiency, and personalizing medicine. In mental health, AI aids early detection, assesses conditions through data analysis, and offers personalized interven-

tions *via* chatbots and virtual assistants. This extends mental health service accessibility, demonstrating AI's significant role in holistic well-being. This survey paper aims to gather valuable perspectives on mental health care and data on the applications, benefits, and challenges of AI in healthcare for improved patient care and outcomes.

***Keywords*:** Mental health care, artificial intelligence, deep learning, diagnosis, early detection, data analysis

14.1 Introduction

Mental health refers to an individual's emotional, psychological, and social well-being, which reflects their mental condition and capacity to handle the difficulties of life [1]. It encompasses not only the lack of mental diseases but also desirable qualities such as resilience and efficient stress management. Mental health is a complex and ever-changing state that is shaped by a multitude of elements, such as biology and environment. Mental health difficulties encompass a range of illnesses that impact an individual's thoughts, emotions, or actions, resulting in notable distress. Advancing mental well-being entails establishing nurturing surroundings and diminishing social disapproval, while also guaranteeing the availability of resources for both prevention and intervention [2]. Mental health is an essential aspect of one's total well-being, affecting their ability to function, establish meaningful connections, and make valuable contributions to society.

Resolving mental health issues is integral not only for individual well-being but also for the broader social fabric. Mental health has been increasingly recognized as a crucial component of public health, influencing various aspects of daily life [3]. Addressing mental health concerns positively impacts cognitive functions, concentration, and decision-making abilities, leading to enhanced productivity in workplaces and academic settings [4]. Employers and educational institutions are acknowledging the importance of creating environments that prioritize mental health to foster the optimal functioning of individuals within these settings [5].

Furthermore, the economic implications of neglecting mental health underscore the urgency of resolution. Untreated mental health conditions contribute to significant economic costs through decreased workplace productivity, increased absenteeism, and elevated healthcare expenses [6]. Prioritizing mental health interventions can result in substantial cost savings in the long run. Additionally, a focus on mental health resolution is crucial for preventing the cycle of intergenerational mental health challenges. Early detection and intervention can break this cycle, promoting healthier families and communities.

In conclusion, the relevance of resolving mental health issues extends beyond individual well-being to encompass societal, economic, and intergenerational dimensions. A comprehensive approach that integrates mental health into public health policies, workplace practices, and educational systems is essential for building a resilient and flourishing society. By acknowledging the complex and diverse aspects of mental health and using effective techniques to tackle it, we can establish a more empathetic and encouraging global community for all individuals.

Artificial intelligence (AI) plays a pivotal role in transforming mental health care by offering early detection through data analysis, personalized treatment plans, and innovative digital interventions [7]. AI transforms mental health with early detection, personalized treatment plans, and accessible digital interventions. It analyzes diverse data for early signs, tailors treatments, and offers immediate support through chatbot [8]. AI enhances remote monitoring and crisis intervention and contributes to mental health research, making care more effective and accessible [9]. Ethical considerations are vital in maximizing AI's potential for mental health support.

14.2 Significance of Addressing Mental Health Challenges

Mental health issues within society are intricately woven into a tapestry of interconnected factors. Persistent stigma and discrimination surrounding mental health contribute to a culture of silence, hindering individuals from seeking help [10]. Socioeconomic inequalities, marked by disparities

in education, healthcare, and employment opportunities, foster stress and anxiety. Trauma during childhood, coupled with adverse experiences, can cast long shadows on mental well-being. Social isolation, accelerated by technological changes and shifting community dynamics, adds to the prevailing sense of loneliness [11, 12]. Workplace stress, familial discord, and substance abuse further compound these challenges. Cultural expectations and societal norms sometimes place unrealistic burdens on individuals, affecting their mental health. Environmental factors, including urban stressors and global events, also play a role. A collective effort is needed to destigmatize mental health, enhance access to care, and promote supportive societal structures that prioritize mental well-being, acknowledging the multifaceted nature of this intricate issue [13].

Mental health issues can vary across gender and age groups, reflecting the complex interplay of biological, psychological, and social factors.

In addressing mental health, it is crucial to consider the unique challenges faced by different genders. For women, depression and anxiety often arise from hormonal fluctuations, societal expectations, and significant life transitions. To mitigate these issues, precautions such as hormonal therapy, counseling, and fostering supportive environments that challenge gender-related stressors are essential. Additionally, eating disorders are a prevalent concern for women, driven by societal pressures on body image. Promoting body positivity, enhancing media literacy, and implementing early intervention through counseling and nutritional support can help address this issue.

In Women:

Depression and Anxiety: Causes include hormonal fluctuations, societal expectations, and life transitions [14]. Precautions involve hormonal therapy, counseling, and fostering supportive environments that challenge gender-related stressors.

Eating Disorders: Societal pressures on body image contribute, and precautions involve promoting body positivity, media literacy, and early intervention through counseling and nutritional support [15].

Postpartum Depression: Hormonal changes sleep deprivation, and adjustment challenges are causes. Precautions include prenatal mental health screenings, postpartum support groups, and accessible mental health services [16, 17].

In Men:

Substance Abuse: Cultural norms and coping mechanisms contribute. Precautions involve education on healthy coping strategies, accessible addiction treatment, and challenging stereotypes around masculinity [18].

Anger Issues: Societal expectations around emotional expression are the causes. Precautions involve promoting emotional literacy, anger management programs, and destigmatizing seeking help for mental health concerns [19].

Age-Based Mental Health Issues:

In Children and Adolescents:

ADHD: Genetic and environmental factors contribute. Precautions involve early detection, behavioral interventions, and support in academic settings [20].

Anxiety and Depression: Academic pressures and hormonal changes are the causes. Precautions include mental health education, counseling services in schools, and creating supportive environments [21].

Behavioral Disorders: Family dynamics and peer interactions are contributing factors. Precautions involve family counseling, social skills training, and positive behavioral support [22].

In Adults:

Depression: Work-related stress, relationship issues, and financial concerns are the causes. Precautions involve workplace mental health programs, relationship counseling, and financial literacy education.

Anxiety Disorders: Life transitions and societal expectations contribute. Precautions include stress management programs, mindfulness practices, and promoting work-life balance [23].

Substance Use Disorders: Coping mechanisms and societal influences contribute. Precautions involve substance abuse prevention programs, accessible addiction treatment, and community support [24].

In Elderly:

Dementia and Cognitive Disorders: Aging and chronic illnesses contribute. Precautions involve cognitive stimulation activities, regular health check-ups, and community programs for the elderly [25].

Isolation and Depression: Loss of social connections and physical limitations contribute. Precautions involve community engagement initiatives, elder care programs, and mental health outreach in healthcare services.

Figure 14.1 encapsulates key statistics and trends regarding mental health disorders globally and in India, highlighting the significant impact of mental health issues and the exacerbation of the COVID-19 pandemic.

14.3 Prevalent Mental Health Disorders

Delving into the realm of mental health, this exploration focuses on prevalent mental health disorders, aiming to unravel the nuances and impacts of these pervasive conditions [26]. By understanding the intricacies of these disorders, we contribute to fostering empathy, dispelling stigma, and building a more supportive and informed society. Several common mental health issues impact individuals globally, each with its own set of consequences [27, 28]. Some prevalent mental health disorders include:




Figure 14.1 Comparative analysis of global and Indian mental health statistics during COVID-19.

Depression: Persistent sadness, loss of interest in activities, impaired daily functioning, and, in severe cases, thoughts of self-harm or suicide.

Anxiety disorders are characterized by an excessive amount of anxiety, fear, or panic, which can manifest in bodily symptoms such as an elevated heart rate, muscle tightness, and difficulty focusing. Anxiety disorders have the potential to disrupt daily functioning and interpersonal connections.

Bipolar disorder is a mental illness characterized by intense fluctuations in mood, alternating between manic episodes of elevated mood and depressed episodes of low mood. These mood swings can significantly impact energy levels, impair judgment, and damage decision-making abilities. It has the potential to affect both personal and professional relationships.

Schizophrenia is a mental disorder characterized by distorted thinking, hallucinations, and difficulties in social interaction. Some people may have difficulty perceiving reality, which can make it hard for them to carry out everyday tasks and sustain relationships.

Post-traumatic stress disorder (PTSD) is a psychological condition characterized by the occurrence of flashbacks, nightmares, and intense anxiety in response to previous traumatic experiences. Post-traumatic stress disorder (PTSD) can result in challenges in forming and maintaining inter-

personal connections, as well as negatively impacting one's overall state of well-being.

Eating disorders, such as anorexia, bulimia, and binge eating, involve a distorted perception of one's body image, inappropriate eating habits, and various physical health consequences. Consuming disorders can result in profound malnutrition and affect both physical and mental well-being.

Attention-deficit/hyperactivity disorder (ADHD) is a condition characterized by difficulties in focusing, excessive restlessness, and impulsive behavior. These symptoms frequently have a negative impact on a person's ability to function well in school or work settings. ADHD can result in difficulties in interpersonal connections and self-worth.

Obsessive-Compulsive Disorder (OCD) is a mental health condition characterized by the presence of intrusive and repetitive thoughts, known as obsessions, and the performance of rituals or behaviors, known as compulsions, in order to reduce anxiety. Obsessive-compulsive disorder (OCD) can greatly disrupt daily functioning and interpersonal connections.

14.4 Impact of Mental Health on Physical Well-Being

The connection between mental and physical health is reciprocal and profound. Optimal mental health often aligns with healthier lifestyle choices and robust physical well-being, fostering a resilient immune system and overall vitality [29]. Conversely, untreated mental health disorders can contribute to a range of physical health challenges, from increased susceptibility to diseases to the exacerbation of existing conditions. The symbiotic relationship between mental and physical health is evident in real-life scenarios. Consider the impact of chronic stress on both mental well-being and physical health. Prolonged exposure to high levels of stress can lead to mental health challenges such as anxiety or depression. Simultaneously, the physiological response to chronic stress, including increased cortisol levels, has been linked to conditions like hypertension and cardiovascular diseases, showcasing the intricate connection

between mental and physical well-being [30]. This example underscores the importance of addressing mental health for the overall health and resilience of individuals.

In navigating this intricate relationship, a holistic approach is imperative. Integrating mental and physical health considerations in healthcare strategies, promoting healthy lifestyle habits, and cultivating strong support systems contribute to a comprehensive well-being framework. Recognizing the symbiotic nature of mental and physical health is essential for fostering resilience, preventing health disparities, and promoting a holistic understanding of individual health. Mental health issues can contribute to physical health problems through various interconnected mechanisms. One primary avenue is the physiological response to chronic stress. When individuals experience prolonged periods of stress, the body releases stress hormones like cortisol, which, over time, can have detrimental effects on physical health [31].

Impact on Cardiovascular Health: Chronic stress is associated with increased heart rate, elevated blood pressure, and inflammation, which are risk factors for cardiovascular diseases [32]. Individuals with untreated anxiety or chronic stress may face a higher likelihood of developing conditions like hypertension or coronary heart disease.

Weakening the Immune System: Prolonged stress can suppress the immune system, making individuals more susceptible to infections and illnesses [33]. Individuals experiencing chronic stress may find themselves more prone to frequent infections or prolonged recovery from illnesses.

Disruption of Sleep Patterns: Mental health issues, such as insomnia or anxiety disorders, can disrupt regular sleep patterns, impacting the body's ability to recover and regenerate during sleep [34]. Persistent sleep disturbances can lead to a range of physical health issues, including weakened immune function and an increased risk of metabolic disorders.

Unhealthy Coping Mechanisms: Individuals dealing with mental health issues may resort to unhealthy coping mechanisms, such as excessive alcohol consumption or substance abuse, which can have direct negative effects on physical health. Substance abuse linked to mental health disor-

ders can contribute to liver diseases, cardiovascular issues, and other physical health complications [35].

Impact on Digestive System: Mental health conditions like depression or anxiety can affect the digestive system, leading to issues such as irritable bowel syndrome (IBS) or gastrointestinal disorders. Chronic stress or anxiety may manifest in physical symptoms like stomach pain, nausea, or changes in bowel habits [36].

Recognizing and addressing the intricate interplay between mental and physical health is crucial for comprehensive healthcare. Integrated approaches that consider both aspects, such as mental health interventions alongside traditional medical treatments, can contribute to better overall well-being for individuals facing mental health challenges.

14.5 The Societal Implications of Mental Health Disorders

The societal implications of mental health disorders are multifaceted and extend across various domains. Individuals grappling with mental health challenges often experience social stigma, discrimination, and barriers to education and employment opportunities [37]. This not only hampers their personal development but also contributes to a broader societal issue of underutilizing human potential. Moreover, mental health disorders can strain social relationships, leading to increased rates of family disruption and strained interpersonal connections. The economic impact is notable as well, with mental health issues contributing to decreased workplace productivity, increased absenteeism, and higher healthcare costs for both individuals and society [38].

Addressing mental health disorders is crucial due to their profound impact on multiple facets of an individual's life and the general welfare of society. Here are some crucial factors emphasizing the significance of resolving mental health issues:

Personal Welfare: Psychological well-being is essential for full holistic health. Addressing mental health concerns enhances an individual's ca-

pacity to live a satisfying and fruitful life. Attending to mental health issues improves emotional resilience, coping strategies, and the ability to handle life's difficulties [39].

Physical health and mental health are interdependent. Impaired mental well-being can contribute to physical health issues and vice versa. Addressing mental health concerns can have a beneficial effect on physical health outcomes and lead to a healthier overall lifestyle [40].

Mental health has a direct impact on cognitive functioning, concentration, and decision-making abilities, which in turn affect productivity and performance. Attending to mental health issues can improve efficiency and achievement in professional, educational, and everyday tasks. Employers are increasingly acknowledging the significance of mental health in the workplace, as the well-being of employees is intricately linked to the overall performance of the organization.

Social Relationships: Healthy mental well-being fosters positive social relationships. Resolving mental health issues can improve communication skills, empathy, and the ability to build and maintain meaningful connections. Strong social support is often crucial in the recovery and maintenance of good mental health.

Reducing Stigma: Addressing mental health issues helps reduce the stigma surrounding mental health conditions. Open discussions and education about mental health contribute to a more empathetic and understanding society. By promoting a culture that supports mental health, individuals are more likely to seek help without fear of judgment or discrimination [41].

Economic Impact: Mental health issues can have significant economic consequences due to decreased productivity, absenteeism, and increased healthcare costs. By addressing mental health concerns, societies can potentially reduce the economic burden associated with untreated mental health conditions.

The connection extends to inflammation in the body, with chronic stress contributing to heightened inflammatory responses associated with vari-

ous physical health issues. Practices that reduce stress, such as mindfulness and regular exercise, serve as precautionary measures to counteract inflammation and foster a more balanced physiological state. Mental health also plays a role in chronic pain conditions, influencing the perception and management of pain. Integrating mental health interventions, particularly cognitive-behavioral therapy, alongside traditional pain management approaches can enhance outcomes for individuals dealing with persistent pain.

Sleep patterns, weight management, gastrointestinal health, hormonal balance, and various other aspects of physical well-being are intricately linked to mental health [42]. Disruptions in sleep caused by mental health issues can be addressed through a focus on mental well-being, while the influence of mental health on weight, metabolism, gastrointestinal health, and hormonal balance necessitates a comprehensive approach that includes psychological support and lifestyle adjustments.

14.6 Significance of Early Recognition of Mental Health Matters

Ultimately, understanding and actively addressing mental health concerns is not only fundamental for psychological health but also emerges as a critical component of maintaining holistic well-being. A concerted effort to integrate mental health care into overall health management, encompassing professional guidance, lifestyle modifications, and the cultivation of a robust support system, is vital for fostering a harmonious relationship between mental and physical health [43].

Understanding and taking precautionary measures or treatments at the early stages of mental health issues holds paramount importance on various fronts. Firstly, addressing mental health concerns in their nascent stages helps prevent their escalation into more severe and chronic conditions. Timely intervention allows for the identification and management of symptoms before they become entrenched, thereby reducing the risk of longterm consequences and the associated challenges of treating deeply rooted conditions [44].

Furthermore, early treatment has been consistently associated with more favorable outcomes. Mental health conditions are often more responsive to intervention when detected early. This can lead to the alleviation of symptoms, improved overall functioning, and a greater likelihood of individuals regaining a sense of normalcy in their lives [45]. Importantly, early intervention contributes to an enhanced quality of life for individuals experiencing mental health issues. It enables them to maintain healthier relationships, perform optimally in work or academic settings, and engage in meaningful activities, fostering a holistic sense of well-being.

Preventing mental health issues from reaching crisis levels is another critical aspect of early intervention. By identifying and addressing concerns promptly, the likelihood of individuals experiencing severe crises, such as suicidal ideation or hospitalization, is significantly reduced. Early intervention also plays a crucial role in reducing the stigma associated with mental health. Normalizing a proactive approach to mental health care helps create a culture where seeking help early is viewed positively, fostering a more supportive and understanding society.

Beyond individual well-being, early intervention is cost-effective in the long run. Preventing the progression of mental health issues reduces the need for extensive and costly treatments later, contributing to a more economically active and productive population [46, 47]. Moreover, early intervention provides an opportunity to develop effective coping strategies and educate individuals about their mental health. Understanding and addressing mental health issues early enable individuals to acquire skills and strategies to manage stressors, contributing to long-term resilience and well-being.

14.7 Strategies for the Early Recognition of Mental Health Challenges

Early identification of mental health problems is crucial for timely intervention and improved outcomes. Addressing mental health challenges proactively involves employing various approaches for early recognition. One crucial method involves implementing routine mental health screenings in healthcare settings, allowing for the timely identification of symp-

toms and risk factors [48, 49]. Additionally, educational initiatives that enhance mental health literacy empower individuals to recognize early signs in themselves and others, fostering a proactive approach to seeking help. Here are various ways to identify mental health issues at an early stage:

Encouraging regular mental health check-ups, similar to physical check-ups, is essential for detecting early signs of mental health issues. This practice is particularly important for individuals with a family history of mental health disorders, as early detection can lead to more effective interventions. Utilizing standardized mental health screening tools and assessments in healthcare settings, schools, and workplaces can aid in identifying potential issues. These tools are designed to evaluate symptoms and risk factors associated with various mental health conditions, ensuring a systematic approach to mental health evaluation.

Implementing educational programs to increase awareness about mental health and its early signs can empower individuals to recognize symptoms in themselves and others. Such initiatives are instrumental in reducing stigma and promoting early intervention. Paying attention to significant changes in behavior, mood, or personality is crucial. For instance, sudden withdrawal from social activities, altered sleep patterns, or changes in hygiene can indicate underlying mental health concerns.

Creating an open and non-judgmental environment for communication encourages individuals to express their thoughts and feelings. Regular conversations with friends, family, or colleagues can reveal changes in mood or behavior that may signal a mental health issue. Providing access to self-assessment tools, such as online mental health quizzes or apps, allows individuals to reflect on their mental well-being and seek help if they notice concerning patterns.

In educational settings, implementing mental health education and early intervention programs can help identify issues among students. Teachers and counselors can be trained to recognize signs of distress and provide necessary support. Similarly, integrating mental health components into workplace wellness programs creates an environment where employees feel comfortable discussing their mental well-being. Employee assistance

programs (EAPs) can offer confidential support, further encouraging a proactive approach to mental health.

Community-based initiatives that promote mental health awareness, such as workshops, seminars, and support groups, encourage early identification and intervention within local communities. Leveraging technology, such as mental health apps and telehealth services, provides accessible tools for individuals to monitor their mental health and seek guidance when needed. Establishing peer support programs or mentorship initiatives also encourages individuals to connect with others who may notice changes in behavior and provide assistance or encourage seeking professional help.

Training for healthcare professionals, educators, and first responders on recognizing early signs of mental health issues equips them with the skills to identify and address concerns in their respective fields. Combining these approaches creates a comprehensive strategy for early identification, reducing the stigma associated with mental health, and promoting a proactive and supportive culture that values mental well-being.

14.8 Role of Technology in Mental Health Care

The emergence of new technologies in mental health care has brought about a profound transformation in the identification of mental health disorders, offering both promising advancements and notable challenges. Among the forefront benefits is the revolutionary capacity for early detection and intervention facilitated by cutting-edge tools. Leveraging artificial intelligence (AI) and machine learning (ML), these technologies adeptly analyze extensive datasets; uncovering nuanced patterns associated with mental health disorders. This breakthrough allows for timely and precise interventions, marking a significant stride in the proactive management of mental well-being.

An additional stride in mental health care is the objectivity introduced by these automated tools in assessments. The inherent nature of these technologies diminishes the impact of subjective biases, contributing to more accurate and consistent evaluations. Scalability and accessibility are also

notable strengths, as these tools seamlessly integrate into online platforms and mobile applications, expanding the reach of mental health assessments across diverse populations. The fusion of automated tools with wearable technology further amplifies their impact, enabling the continuous monitoring of physiological and behavioral indicators in real time.

However, the infusion of these technologies into mental health care is not without its challenges. Ethical considerations, particularly concerning user privacy and data security, demand vigilant attention to ensure the responsible handling of sensitive mental health information. The accuracy and reliability of automated tools hinge on the quality of algorithms and data, necessitating ongoing refinement and validation. Furthermore, there's a need to address the potential cultural insensitivity of these tools, as they may not fully grasp the nuances of cultural expressions related to mental health symptoms, thereby posing a risk of misinterpretations or misdiagnoses [49].

In conclusion, the integration of new technologies in mental health care has ushered in an era of significant progress, offering efficiency, objectivity, and scalability. Navigating these technological advancements requires a careful balance, addressing ethical concerns, ensuring accuracy, and maintaining a human-centered approach to preserve the holistic understanding of mental well-being.

Recognizing and acting on mental health concerns at their early stages is a multifaceted approach that serves not only the individual but also the broader societal well-being [50]. Encouraging open conversations, reducing stigma, and ensuring access to early mental health interventions are fundamental steps toward building a proactive and supportive mental health culture that prioritizes prevention and timely care.

14.9 AI in Mental Health Care

Mental health care encompasses a variety of treatments and assistance offered to persons who are facing mental health difficulties or diseases. It includes a range of strategies focused on enhancing mental well-being, preventing mental health issues, identifying and treating mental disor-

ders, and assisting individuals in their journey toward recovery. A wide range of experts, such as psychiatrists, psychologists, therapists, counselors, social workers, and psychiatric nurses, can offer mental health care. These experts are educated to evaluate, diagnose, and address mental health disorders utilizing various treatment methods and strategies.

Artificial intelligence (AI) has the capacity to have a substantial impact on multiple facets of mental health care. It is crucial to acknowledge that AI should not substitute human specialists, but it can supplement and improve current mental health care. Here are some ways in which AI can contribute to mental health care:

Evaluation and Analysis: Artificial intelligence algorithms can aid in the process of evaluating and diagnosing mental health disorders. Through the analysis of extensive data sets, which encompass self-reported data and behavioral patterns, artificial intelligence (AI) has the capability to identify possible risk factors and offer timely identification of mental health problems. This can provide prompt action and suitable referrals.

AI can assist in creating customized treatment plans by analyzing individual data, such as symptoms, treatment history, genetics, and response to therapies. Machine learning algorithms can analyze this data to produce recommendations for precise treatments or therapies, maximizing the likelihood of achieving favorable results.

Digital Therapeutic Interventions: AI-powered applications and digital tools can deliver therapeutic interventions, such as cognitive-behavioral therapy (CBT), mindfulness exercises, and stress management techniques. These platforms provide accessible and scalable support, enabling individuals to engage in self-guided interventions outside traditional therapy sessions.

AI-powered chatbots and virtual assistants can provide instant assistance and information to persons facing mental health difficulties. They have the ability to engage in empathic and non-judgmental dialogs, provide effective coping techniques, and recommend relevant resources. Although they cannot substitute human interaction, they can function as a benefi-

cial initial point of contact and bridge the divide between professional sessions.

AI algorithms have the capability to analyze extensive datasets, such as electronic health records and research data, in order to detect patterns and gain valuable insights pertaining to mental health. This can aid in forecasting results, comprehending the effectiveness of treatments, and guiding evidence-based methodologies. AI can enhance suicide risk assessment by analyzing linguistic patterns and detecting indicators of distress in written or spoken communication.

AI-powered wearable devices and smartphone apps can provide continuous monitoring of physiological and behavioral data, including heart rate, sleep patterns, and physical activity, for the purpose of mental health monitoring. This data can offer valuable insights into an individual's psychological well-being and aid in the early identification of indications of mental health decline. Additionally, it has the capability to facilitate self-control and initiate timely interventions as required.

This survey seeks to examine the impact of artificial intelligence (AI) on mental health care by exploring its potential uses in screening and assessment, personalized treatment planning, digital therapeutic interventions, chatbots and virtual assistants, data analysis, and predictive modeling, as well as mental health monitoring.

14.10 AI in Screening and Assessment of Mental Health Issues

AI is utilized in the screening and assessment of mental health problems by employing algorithms to analyze data and detect potential risk factors and indicators of mental health disorders. Through the analysis of extensive datasets, which encompass self-reported data and behavioral patterns, artificial intelligence (AI) has the capability to aid in the early identification of mental health issues, deliver more precise evaluations, and facilitate prompt intervention and suitable referrals for those facing mental health difficulties. This can enhance the efficacy and productivity of mental health screening and evaluation procedures.

Huang *et al.* [51] introduced a technique based on machine learning to forecast the intensity of depression by utilizing a combination of neuroimaging and electroencephalography data. The researchers employed support vector regression (SVR) and random forest regression (RFR) models to forecast the level of depression severity in patients by utilizing data from both modalities. The study demonstrated a high level of accuracy in predicting the severity of depression, indicating the potential of machine learning to enhance the diagnosis and treatment of depression.

Kleiman *et al.* [52] utilized social media data and machine learning to develop a predictive model for suicidal ideation. The authors collected social media posts from 1,309 participants and used natural language processing techniques to extract features related to suicidal ideation. The study used a logistic regression model to predict suicidal ideation with high accuracy. The authors suggest that social media can be a valuable resource for early detection of suicidal ideation.

Courtney *et al.* [53] used machine learning to identify predictors and early warning signs of mental health conditions in electronic health records (EHRs). The authors developed a predictive model using a dataset of over 50,000 patients with mental health conditions. The study identified several predictors of mental health conditions, including demographic factors, comorbidities, and medication use. The authors suggest that machine learning can be a valuable tool for identifying individuals at risk of developing mental health conditions.

Alhilal *et al.* [54] undertook a survey on artificial intelligence-based behavioral health applications to offer a comprehensive assessment of the current research progress in this field. The researchers categorized AI-based mental health applications into four groups: diagnostic and screening, treatment and therapy, personalization and precision medicine, and monitoring and management. The study emphasized the capacity of artificial intelligence (AI) to enhance mental health results, while also recognizing many obstacles and constraints that must be resolved.

Westling *et al.* [55] performed a comprehensive analysis of machine learning techniques in forecasting the effectiveness of treatments for depression. The researchers conducted a comprehensive analysis of 19 pa-

pers that employed machine learning techniques to forecast the results of depression treatment. The study revealed that machine learning models possess the capability to precisely forecast treatment results in depression, indicating the promise of these models in enhancing the management of depression.

Weitzman *et al.* [56] conducted a systematic review that evaluates the feasibility and effectiveness of using passive phone sensors for automated mental health screening. The study included 26 articles, and the results showed that the use of passive phone sensors is a promising approach for mental health screening, with good accuracy, feasibility, and user acceptability.

Mahoney *et al.* [57] created a machine learning model that utilizes mobile phone metadata to forecast symptoms of depression and anxiety. The study comprised 153 participants, and the findings demonstrated that the model had commendable accuracy in forecasting symptoms of depression and anxiety. The study emphasized the potential of utilizing mobile phone information for the purpose of mental health screening and monitoring.

Franklin *et al.* [58] performed a comprehensive review to assess the application of machine learning in the field of mental health. The researchers conducted a comprehensive analysis of 112 articles and discovered that machine learning has been employed in a diverse range of mental health applications, encompassing the areas of diagnosis, prognosis, and treatment selection. The writers also recognized certain obstacles and constraints, such as the requirement for data of superior quality and the possibility of prejudice and ethical dilemmas.

Kornfield *et al.* [59] conducted a comprehensive review to assess the effectiveness of natural language processing and machine learning in identifying mental health problems in electronic health data. After reviewing 21 papers, the authors determined that these strategies possess the capacity to enhance the identification and assessment of mental health disorders. Nevertheless, they also recognized other obstacles, such as the requirement for data of superior quality and the possibility of bias and privacy issues.

Overall, these studies demonstrated the potential of using AI and machine learning for mental health screening and assessment. However, they also highlighted the need for careful evaluation of these techniques, as well as attention to ethical and privacy concerns as shown in Table 14.1.

14.11 AI in Personalized Treatment Planning

Artificial intelligence has the capacity to transform personalized treatment planning in healthcare. AI utilizes machine learning algorithms to analyze extensive information and detect patterns that may not be readily evident to human therapists. This can aid in the identification of patient attributes that are linked to favorable treatment outcomes, as well as those that may suggest the necessity for an alternative approach.

AI can also be utilized to create prognostic models that can assist clinicians in predicting which treatments are likely to provide the most efficacy for a specific patient. These criteria can include the patient's medical history, demographic information, and lifestyle issues. By customizing treatment regimens to suit the specific requirements of each patient, medical professionals can enhance patient outcomes and decrease the probability of negative incidents.

Table 14.1 Uses of AI and machine learning for mental health screening and assessment.

Authors	Year	Main subject	Technique
H. Huang *et al.* [51]	2022	Depression severity prediction	Machine learning, multi-modal neuroimaging, and electroencephalography data
E. Kleiman *et al.* [52]	2022	Suicidal ideation prediction	Machine learning, social media data
K. L. Courtney *et al.* [53]	2021	Early warning signs of mental health conditions	Machine learning, electronic health records
A. Alhilal *et al.* [54]	2021	AI-based mental health applications	Survey
C. E. I. Westling *et al.* [55]	2021	Treatment outcome prediction in depression	Machine learning
J. B. Weitzman *et al.* [56]	2020	Automated mental health screening	Systematic review
M. R. Mahoney *et al.* [57]	2020	Mental health screening using mobile phone metadata	Predictive modeling, machine learning

Authors	Year	Main subject	Technique
J. C. Franklin *et al.* [58]	2020	Machine learning in mental health	Systematic review
R. Kornfield *et al.* [59]	2020	Mental health condition identification using electronic health records	Natural language processing, machine learning, systematic review

Nevertheless, there are further obstacles linked to the utilization of AI in personalized treatment planning. An important obstacle is the requirement for data of superior quality, as machine learning algorithms necessitate substantial quantities of precise and pertinent data to achieve optimal results. AI algorithms can carry the potential for bias, leading to the generation of erroneous forecasts or recommendations.

In their study, N. Yang *et al.* [60] introduced a deep reinforcement learning (DRL) model for customizing the radiation dose prescription for patients with lung cancer. The DRL model is trained to optimize the distribution of radiation dose in a patient-specific manner, considering several clinical criteria such as tumor size, location, and the patient's anatomy. The model is trained using a dataset consisting of previous radiation plans and then assessed on a distinct validation group of patients.

Researchers J. K. Wong *et al.* [61] created a machine learning model to forecast the likelihood of cognitive deterioration in individuals diagnosed with Parkinson's disease. The model is trained using longitudinal data from the Parkinson's Progression Markers Initiative (PPMI) dataset, which consists of clinical assessments, neuroimaging data, and biological markers. The authors employed a gradient boosting machine (GBM) algorithm to forecast the trajectory of cognitive deterioration for each patient. They assessed the effectiveness of the model by employing several criteria, including accuracy, sensitivity, and specificity.

Liu *et al.* [62] introduced a multi-layered approach for tailoring treatment plans for chronic diseases in cases where biomarker data is unavailable. The framework comprises four layers: data pre-processing, feature selection, model training, and decision-making. The authors employed a hybrid feature selection technique that integrates genetic algorithms (GA) and the least absolute shrinkage and selection operator (LASSO) to identify the most informative features from the dataset. Subsequently, they employed diverse machine learning models to train on the chosen features and employed a decision tree to generate individualized treatment suggestions for each patient.

In their study, Gupta *et al.* [63] introduced a deep reinforcement learning (DRL) model designed specifically for personalized treatment planning in clinical trials. The DRL model is trained using a blend of observational data and clinical trial data and is specifically designed to optimize the treatment protocol for each patient by taking into account their unique characteristics and treatment history. The model is assessed using a generated dataset from a clinical trial and compared to various machine learning models, such as random forest and support vector machines. The authors demonstrated that the DRL model surpasses these alternative models in terms of predicted accuracy and personalized treatment planning. J.A. Tetteh *et al.* [64] conducted a study on utilizing machine learning to estimate the quality of personalized radiation plans based on limited data. The researchers utilized a dataset consisting of 124 individuals diagnosed with lung cancer who had received radiotherapy. The training phase involved 70% of the data, while the remaining 30% was allocated for testing purposes. They derived 9 features from the dataset and employed 4 machine learning algorithms (linear regression, random forest, support vector regression, and artificial neural networks) to forecast the quality of radiation programs. The findings demonstrated that the random forest method had superior performance, as evidenced by a correlation coefficient of 0.72 between the projected and actual plan features.

J. Wang *et al.* [65] investigated the effectiveness of an artificial intelligence-based mobile application in improving personalized treatment for alcohol use disorders. The authors developed an app that used machine learning algorithms to provide personalized treatment recommendations

to patients. They conducted a randomized controlled trial with 120 patients and found that the app was effective in reducing alcohol use and increasing treatment adherence. Patients who used the app had a significantly greater reduction in drinking days and higher treatment adherence than those in the control group.

S. Wang *et al.*, [66] focused on using artificial intelligence to develop personalized treatment plans for breast cancer patients. The authors used a deep learning algorithm to analyze gene expression data from breast cancer patients and identify optimal drug combinations for each patient. They tested their approach using a dataset of 250 breast cancer patients and found that the algorithm was able to predict optimal drug combinations with high accuracy. The authors suggested that this approach could lead to more effective and personalized treatment for breast cancer patients.

C. P. Ho *et al.* [67] developed a decision support system for personalized treatment planning in spinal cord injury rehabilitation. The authors used machine learning algorithms to analyze data from 271 patients with spinal cord injuries and identify key factors that influence rehabilitation outcomes. They developed a decision support system that could provide personalized treatment recommendations based on each patient's characteristics and the predicted outcomes of different treatments. The authors suggested that this approach could help improve rehabilitation outcomes and reduce healthcare costs.

A. R. Khosravi *et al.* [68] developed a machine learning model to provide personalized treatment recommendations for esophageal cancer patients based on clinical and demographic characteristics, as well as genomic data. The model achieved high accuracy in predicting treatment outcomes and could potentially improve clinical decision-making for personalized cancer treatment.

R. Alizadehsani *et al.* [69] presented a randomized controlled trial of a personalized treatment recommendation system for mental health care. The system used machine learning to predict treatment outcomes for patients with depression and anxiety and provided personalized treatment recommendations to clinicians. The trial showed that the system im-

proved patient outcomes compared to standard care, suggesting that personalized treatment recommendations could be a valuable tool in mental health care.

Overall, AI has the potential to be a valuable tool in personalized treatment planning, but it is important that its use is guided by ethical and transparent practices, and that clinicians are trained to interpret and use AI-generated insights appropriately.

14.12 AI in Digital Therapeutic Interventions

Digital treatment options are an expanding area in healthcare that utilize digital technologies to offer patients more comfortable and easily accessible care. Intelligent technology (AI) has become a viable tool for enhancing the efficacy of digital treatments. AI-driven digital medicines have the capability to assess vast quantities of patient data, tailor treatment strategies, and offer individualized suggestions to patients.

AI has demonstrated significant potential in the field of mental health. AI-powered digital treatments employ smartphone applications, chatbots, and other virtual tools to assist patients in effectively managing symptoms associated with depression, anxiety, and other mental health conditions. Artificial intelligence (AI) can assist therapists and healthcare personnel in remotely monitoring patients, identifying early indicators of relapse, and modifying treatment regimens as needed.

Garriga *et al.* [70] sought to create and evaluate a machine learning system capable of forecasting mental health outcomes in primary care patients. The researchers utilized electronic health information and employed machine learning algorithms to forecast the probability of experiencing depression or anxiety within a span of 6 months. The findings demonstrated that the algorithm exhibited a remarkable ability to accurately forecast mental health consequences.

Tucci *et al.* [71] conducted a study to assess the practicality and willingness of persons with depression and anxiety to use a web-based intervention for sleeplessness. The intervention employed artificial intelligence to

individualize treatment suggestions and track advancement. The findings demonstrated that the intervention was both practicable and well-received by the participants, resulting in enhancements in sleep quality and mental well-being.

Huang *et al.* [51] created and evaluated a machine learning system to forecast depressed symptoms in persons suffering from chronic pain. The researchers utilized the data obtained from self-reported questionnaires and employed machine learning techniques to forecast the probability of experiencing depressed symptoms. The findings demonstrated that the algorithm exhibited a remarkable ability to accurately forecast depression symptoms.

Tse *et al.* [72] evaluated the efficacy of a smartphone application, powered by artificial intelligence, in addressing depression and anxiety. The application utilized natural language processing and machine learning techniques to deliver individualized therapy suggestions and track the advancement of the user. The findings demonstrated that the application resulted in noteworthy enhancements in symptoms of despair and anxiety when compared to a control group.

Lau *et al.* [73] sought to create and evaluate a machine learning system for forecasting the response to treatment in persons diagnosed with major depressive disorder. The researchers utilized brain imaging and machine learning methodologies to forecast the probability of treatment response to either cognitive-behavioral therapy or medicine. The findings demonstrated that the algorithm exhibited a notable capacity to accurately forecast the response to therapy.

Ye *et al.* [74] presented a machine learning-based approach to classifying mental health disorders using electroencephalogram (EEG) signals. The authors collected EEG data from individuals diagnosed with either depression, anxiety, or schizophrenia, as well as healthy controls. They used machine learning algorithms to classify the EEG data and achieved high accuracy rates in distinguishing between the different groups.

Burns *et al.* [75] outlined a preliminary examination of a mobile application-based solution designed for teenagers who are dealing with both de-

pression and substance abuse issues. The application incorporated cognitive-behavioral therapy (CBT) methodologies and motivational interviewing. The study determined that the app was both viable and well-received for usage, with participants reporting enhancements in their mental health and substance use results.

Karyotaki *et al.* [76] conducted a randomized controlled study to evaluate the effectiveness of an Internet-based cognitive-behavioral therapy (iCBT) intervention for depression. The intervention featured an automated conversational agent designed to help patients adhere to the treatment. The study revealed that the iCBT intervention proved to be efficacious in diminishing depression symptoms, and the utilization of the conversational agent was linked to increased adherence to the treatment.

Xiao *et al.* [77] utilized machine learning algorithms to analyze data from a survey conducted among college students. The objective was to determine the parameters that are linked to major depressive disorder (MDD) and the risk of suicide. The researchers discovered that many demographic, lifestyle, and mental health parameters were indicative of major depressive disorder (MDD) and the risk of suicide. Furthermore, they observed that machine learning algorithms enhanced the accuracy of predictions when compared to conventional statistical models.

Torous *et al.* [78] published findings from a phase 1b randomized controlled trial investigating the efficacy of a digital solution for depression known as MoodTech. The intervention consisted of psychoeducation delivered through smartphones, cognitive-behavioral therapy approaches, and mindfulness activities. The study determined that the intervention was both safe and practicable, and participants reported notable enhancements in their symptoms of depression.

Coughlin *et al.* [79] utilized machine learning algorithms on electronic health record data to forecast psychiatric hospitalizations in children and adolescents. The study revealed that machine learning algorithms exhibited a high level of accuracy in forecasting hospitalizations. Additionally, specific clinical and demographic characteristics were identified as reliable predictors of the likelihood of hospitalization. Table 14.2 showcases

current AI-powered digital therapeutics designed for mental health applications.

AI-powered digital treatments are utilized not only for mental health but also for the management of chronic ailments including diabetes, heart disease, and cancer. These interventions have the capability to observe and assess the symptoms of patients, offer tailored education and assistance, and promote the adoption of healthy behaviors. Artificial intelligence (AI) can also be utilized to forecast the evolution of diseases and assist healthcare providers in making well-informed decisions regarding therapy.

Table 14.2 Existing AI-powered digital therapeutics in mental health.

Author	Year	Main subject	Technique
R. Garriga *et al.* [70]	2022	Mental health outcome prediction	Machine learning on electronic health records
M. Tucci *et al.* [71]	2022	Web-based intervention for insomnia	AI-powered intervention
Y. Huang *et al.* [51]	2022	Depressive symptom prediction in chronic pain	Machine learning on electronic health records
Y. Tse *et al.* [72]	2021	Smartphone app for depression and anxiety	Randomized controlled trial of AI-powered smartphone app
C. Lau *et al.* [73]	2021	Treatment response prediction for MDD	Machine learning on structural and functional neuroimaging data

In general, artificial intelligence (AI) is becoming more and more incorporated into digital therapeutic interventions in order to offer patients personalized and efficient care, especially in the realm of mental health. With the ongoing progress of technology, it is quite probable that artificial intelligence (AI) will continue to have a significant impact on molding the future of healthcare.

14.13 AI Chatbot's and Virtual Assistants in Mental Health Care

AI chatbots and virtual assistants are increasingly being recognized as a highly promising technology for providing mental health care services. These tools are specifically developed to replicate human communication and offer assistance, therapy, and direction to persons facing challenges related to mental health.

Key topics pertaining to the utilization of AI chatbots and virtual assistants in mental health care encompass:

Personalized Care

Accessibility

Real-time Support and

Data Privacy and Ethics

AI chatbots in mental health offer personalized, accessible, real-time support while addressing data privacy concerns and assessing their therapeutic efficacy.

Numerous studies have investigated the potential of chatbots and virtual assistants in predicting and treating depression and anxiety in persons. These technologies have the capability to give immediate and ongoing observation of symptoms, present effective techniques for managing symptoms, and facilitate communication between users and mental health experts as necessary.

Insomnia: AI-driven chatbots and virtual assistants have been experimented with as a means to enhance sleep quality in those suffering from depression and anxiety. These products provide sleep-related advice, relaxation techniques, and other methods to change behavior.

• Treatment adherence: Chatbots and virtual assistants can enhance treatment adherence for persons with mental health issues by delivering re-

minders, monitoring progress, and giving tailored assistance.

The methodologies employed in the creation of AI chatbots and virtual assistants for mental health treatment encompass natural language processing (NLP), machine learning, and deep learning. Natural language processing (NLP) empowers these technologies to comprehend and react to input in natural language, while machine learning and deep learning algorithms contribute to enhancing their precision and efficiency progressively.

Mahmood *et al.* [80] conducted a thorough review study that analyzes the present condition of chatbots for mental health. The writers performed a methodical review of the literature to discover pertinent studies and examined the results to gain an understanding of the advantages and drawbacks of current chatbots. The paper offers an intricate examination of the characteristics, capabilities, and user contentment of different mental health chatbots.

Kim, H. J. *et al.* [81] investigated the utilization of virtual assistants in the field of mental health care. The authors performed a methodical review of the existing literature to identify pertinent research and examined the results to offer valuable insights into the uses, advantages, and difficulties associated with virtual assistants in the field of mental health care. The study offered a thorough examination of the current body of literature on virtual assistants in mental health care and emphasized the necessity for more research in this domain. The author presented a thorough scoping assessment of the utilization of virtual assistants (VAs) in the field of mental health. The study initially established the definition of VAs and presented a comprehensive summary of the various categories of VAs employed in mental health, encompassing chatbots, voice assistants, and embodied agents. Subsequently, the article examined the possible advantages and constraints of using virtual assistants (VAs) in the field of mental health treatment. These include enhanced availability of service, diminished social disapproval, and apprehensions over confidentiality and safeguarding. The authors also presented a comprehensive analysis of several mental health initiatives that have employed virtual assistants (VAs), encompassing psychoeducation, symptom monitoring, therapy, and

crisis management. They emphasizedthe capacity of virtual assistants (VAs) to offer tailored and prompt assistance to persons experiencing mental health issues.

Kumar *et al.* [82] described the creation and advancement of an artificial intelligence-driven conversational bot for mental healthcare services. The researchers employed a fusion of machine learning algorithms and natural language processing techniques to create the conversational agent. In addition, they performed user testing to assess the efficacy of the conversational bot in delivering mental health assistance is shown in Table 14.3.

Ranjan *et al.* [83] conducted an investigative study on how Indian adolescents perceive and interact with mental health chatbots. The researchers conducted interviews with a representative group of Indian adolescents in order to investigate their perspectives on the utilization of mental health chatbots. The data were analyzed using qualitative methodologies to determine the elements that impact the acceptability and efficacy of mental health chatbots among Indian adolescents.

Harb *et al.* [84] investigated the utilization of virtual assistants in the field of mental health treatment. The authors performed a methodical search of the literature to uncover pertinent research and examined the results to offer insights into the uses, advantages, and difficulties associated with virtual assistants in the field of mental health care. The study presented a comprehensive examination of the present condition of virtual assistants in mental health care and emphasized the potential of these technologies in enhancing the delivery of mental health care.

The study conducted by Mahmoud *et al.* [85] investigated the utilization of chatbots in the field of mental health treatment. The authors performed a methodical examination of existing literature to discover pertinent research and examined the results to gain an understanding of the uses, advantages, and constraints of chatbots in mental health treatment. The study presented an intricate examination of the present condition of chatbots in mental health care and emphasized the potential of these technologies in enhancing the delivery of mental health care.

Overall, AI chatbots and virtual assistants hold significant potential for improving access to mental health care services and reducing the stigma associated with seeking help. However, further research is needed to validate their efficacy and ensure that they are used responsibly and ethically.

Table 14.3 Analysis of significant potential for improving mental health.

Author	Year	Main subject	Technique
Kumar *et al.* [82]	2022	AI-based conversational agent for mental healthcare services	Natural language processing (NLP) and machine learning
Ranjan and Banerjee [83]	2022	Perceptions and experiences of Indian youth regarding mental health chatbots	Qualitative study
Harb and El Saddik [84]	2022	Virtual assistants in mental health care	Literature review
Mahmoud and El Saddik [85]	2022	Chatbots for mental health	Literature review
Chen *et al.* [86]	2022	User needs and expectations of AI-based mental health chatbots	Qualitative study

14.14 Data Analysis and Predictive Modeling in Mental Health Care

Mental health is an intricate and diverse problem that impacts a substantial fraction of the worldwide population. Conditions pertaining to mental health, such as depression, anxiety, and bipolar illness, can significantly affect an individual's overall well-being, impeding their ability to perform tasks, interact socially, and participate in routine activities. Although mental health disorders are widespread, the availability of mental healthcare treatments is still restricted in numerous regions across the globe. Data analysis and predictive modeling are essential in this context.

Through the utilization of data analysis and predictive modeling, mental healthcare practitioners can acquire significant insights from patient data, enabling them to make well-informed decisions regarding treatment alternatives. For instance, data analysis can be employed to detect trends in patient data that can suggest the initial stages of a mental health disorder. Through early detection of these patterns, healthcare personnel can promptly intervene and administer treatment to prevent the illness from worse. Predictive modeling can be employed to forecast the results of various treatment alternatives for individual patients, enabling healthcare providers to make well-informed choices regarding which treatments to suggest.

A study conducted by Gupta *et al.* [87] provided a multicenter investigation that seeks to forecast the response to treatment in persons diagnosed with major depressive disorder (MDD) by employing deep learning algorithms. The authors gathered data from numerous clinical sites and constructed a deep learning model that can analyze different patient characteristics to forecast the probability of therapy response. By harnessing the capabilities of deep learning algorithms, the model demonstrated the potential to enhance individualized treatment strategies for major depressive disorder (MDD), ultimately resulting in more efficient and focused interventions.

The study conducted by S. Park *et al.* [88] was centered around the prediction of relapse in individuals diagnosed with schizophrenia. The re-

searchers employed a machine learning technique that combines multiple types of data to achieve this goal. The authors integrated clinical, neuroimaging, and genetic data to construct a prognostic model that can effectively identify individuals with a high likelihood of experiencing a relapse. Through the utilization of machine learning algorithms, the model exhibited enhanced precision in forecasting relapse as opposed to conventional approaches. The work emphasized the possibility of utilizing multimodal data analysis and machine learning to advance the prediction of relapse and enable prompt interventions for individuals diagnosed with schizophrenia.

The study conducted by L. A. R. McGuire *et al.* [89] investigated the use of machine learning approaches to forecast mood and anxiety disorders in young adults. The authors evaluated the efficacy of different machine learning algorithms in predicting these illnesses and compared them to conventional diagnostic approaches. The results suggested that machine learning models surpass traditional methods, emphasizing their ability to improve diagnostic precision, expedite early identification, and enable focused therapies for young individuals with mood and anxiety problems.

The paper by J. H. Lee *et al.* [90] introduced a method for predicting mental health recovery by analyzing data collected from wearable sensors. The authors constructed a model that utilizes data obtained from wearable devices to forecast the results of mental health recovery. Through the utilization of sophisticated predictive modeling approaches, the model showcased its capacity to predict the paths of recovery and had the potential to improve individualized treatment and recovery endeavors in the field of mental healthcare.

S. S. Bhatia *et al.* [91] utilized machine learning methods to forecast the occurrence of substance use disorders by analyzing electronic health record (EHR) data. A machine learning model was developed to analyze different patient features and electronic health record (EHR) information in order to effectively predict the probability of acquiring drug use disorders. The results indicated that machine learning models have the ability to surpass conventional methods and show potential for identifying and addressing substance use disorders at an early stage.

The study conducted by M. A. Reger *et al.* [92] presented a machine learning model that utilizes electronic health record (EHR) data to predict bipolar illness. The authors employed machine learning algorithms to analyze electronic health record (EHR) data and construct a predictive model that surpasses current methods in terms of accuracy. The study showcased the capacity of machine learning to identify and address bipolar disease at an early stage, resulting in enhanced patient results.

The study conducted by R. C. Kessler *et al.* [93] centered on the application of machine learning techniques to predict treatment results in patients diagnosed with post-traumatic stress disorder (PTSD). The authors gathered data from an extensive clinical trial and constructed a machine learning model capable of analyzing several patient characteristics to forecast treatment response and outcomes. The study showcased the capacity of machine learning to detect the elements that impact the success of treatment and customize interventions for individuals with PTSD.

In their study, J. F. McEvoy *et al.* [94] investigated the application of predictive modeling to inform personalized therapy choices for patients suffering from depression. The authors conducted a comprehensive analysis of previous studies and evaluated the efficacy of predictive modeling strategies in enhancing treatment outcomes. The results emphasized the potential of predictive modeling in customizing treatment strategies for depression, resulting in more efficient interventions and enhanced delivery of mental healthcare.

In their study, K. P. Hower *et al.* [95] provided a machine learning model that can accurately forecast the likelihood of suicide in patients diagnosed with bipolar disorder. The authors constructed a prognostic model employing machine learning techniques to examine diverse clinical and demographic parameters. The study illustrated that the model surpasses conventional prediction models and holds promise for enhancing suicide prevention endeavors in individuals diagnosed with bipolar disorder.

The study conducted by P. R. Selvaraj *et al.* [96] centered on the utilization of machine learning methods to identify and forecast relapse in persons suffering from depression. The authors conducted a comprehensive analysis of existing literature and evaluated the effectiveness of various

machine learning algorithms in detecting and predicting relapse. The review emphasized the capacity of machine learning models to detect early indications of relapse, facilitate prompt interventions, and enhance the treatment of depression.

In their study, Y. Chen *et al.* [97] investigated the application of machine learning methods in the field of mental health diagnostics. The authors conducted a comprehensive examination of current research and assessed the advantages and difficulties associated with employing machine learning algorithms for the purpose of diagnosing mental health conditions. The paper emphasized the promise of machine learning models in enhancing diagnostic accuracy, expediting early detection, and directing personalized treatment approaches in mental healthcare.

Data analysis and predictive modeling can enhance the allocation of healthcare resources, in addition to improving patient outcomes. Through the identification of the most efficacious resources for treating various mental health issues, healthcare practitioners may optimize resource allocation and guarantee that patients receive the necessary care. In addition, healthcare personnel can evaluate patient progress and modify treatment programs as necessary by continuously tracking patient data. Data analysis and predictive modeling can significantly contribute to enhancing mental healthcare outcomes and ensuring that patients receive the necessary care to achieve optimal mental well-being and satisfaction in their lives.

14.15 AI in Mental Health Monitoring

Artificial intelligence algorithms have the ability to examine a wide range of data sources, including social media, electronic health records, and wearable sensors, in order to identify minor trends and indicators of mental health disorders. This enables the identification of mental health disorders at an early stage and facilitates prompt intervention, hence potentially averting the progression of such issues.

Artificial intelligence (AI) also has a vital function in offering impartial evaluations and diagnosis. AI systems can uncover latent patterns in data

that may not be immediately discernible to human observers through the analysis of large datasets. This results in more precise and dependable evaluations, hence minimizing the likelihood of biases and fluctuations in diagnoses. AI-generated objective assessments can assist mental health providers in formulating suitable treatment strategies and actions.

Moreover, AI facilitates customized treatment strategies by examining individual patient data and adapting actions to meet specific requirements and preferences. AI algorithms can generate personalized recommendations by taking into account variables such as treatment history, genetics, and lifestyle, ensuring that the suggestions are tailored to the specific attributes of each person. This individualized approach promotes treatment outcomes and improves the overall quality of mental healthcare.

AI gadgets are playing a crucial part in monitoring mental health by offering convenient and user-friendly tools for individuals to monitor and regulate their mental well-being. Below are a few instances of artificial intelligence (AI) technologies employed for the purpose of monitoring mental health:

1. Smartphone applications: A multitude of smartphone applications utilize artificial intelligence algorithms to observe and record mental health issues. These applications frequently employ machine learning algorithms to examine user input, including mood, sleep patterns, and stress levels, in order to offer tailored insights and suggestions. In addition, they can provide guided meditation, stress management strategies, and exercises related to cognitive behavioral therapy.
2. Wearable gadgets, such as smartwatches and fitness trackers, are integrated with sensors and artificial intelligence capabilities. These devices can monitor physiological and behavioral data that are relevant to mental health. These gadgets have the capability to monitor heart rate, assess sleep quality, measure physical activity, and gauge stress levels. Artificial intelligence algorithms analyze this data to offer consumers immediate feedback and tailored suggestions for effectively managing their mental well-being.
3. Virtual assistants like Amazon's Alexa, Google Assistant, and Apple's Siri have incorporated mental health functionalities. They have the

ability to participate in discussions, provide comfort and assistance with emotions, and grant individuals the opportunity to obtain mental health services. Certain virtual assistants employ natural language processing and sentiment analysis methodologies to comprehend and empathetically address users' emotional conditions.

4. Chatbots: AI-driven chatbots are created to mimic human discussions and offer assistance for mental health. These chatbots utilize natural language processing to comprehend users' issues, deliver psychoeducation, present coping options, and even detect individuals who may be in danger of self-harm or suicide. These resources can be reached *via* websites, messaging applications, or specialized mental health platforms.

Virtual reality (VR) systems, when combined with artificial intelligence (AI), can create immersive environments that can be used for therapeutic purposes. VR systems can simulate anxiety-inducing events, allowing individuals to progressively face and overcome their fears. AI systems can adjust virtual environments based on user feedback, allowing for customized and controlled exposure therapy. These AI devices showcase the capacity of technology to empower individuals in monitoring and overseeing their mental well-being. Through the utilization of AI algorithms and sophisticated sensors, these gadgets provide tailored observations, assistance, and interventions that can improve mental wellness and complement conventional mental healthcare services.

The study conducted by S. R. Chowdhury *et al.* [98] concentrated on utilizing deep learning methods to automatically identify depression through the analysis of voice patterns. The authors constructed a sophisticated deep learning model that detects distinctive characteristics from speech signals and subsequently trains it on an extensive dataset comprising individuals both with and without depression. The model attained a commendable level of precision in identifying depression, showcasing the promise of employing speech analysis as a non-intrusive and economical approach for monitoring mental health.

The study conducted by L. Wang *et al.* [99] investigated the application of mobile sensing and smartphone data for the purpose of real-time moni-

toring of mental health. The authors utilized a range of sensors and data streams found on cellphones, including GPS, accelerometer, and call logs, to gather behavioral and contextual information. They created machine learning algorithms to examine this data and identify mental health disorders, such as depression and anxiety. The study showcased the practicality of utilizing smartphones as a widespread and inconspicuous instrument for ongoing monitoring of mental health.

The study conducted by A. M. da Silva *et al.* [100] explored the application of facial expressions and deep learning methods for the identification of depression. The researchers gathered facial expression data from both individuals with and without depression and then utilized a deep learning model to detect depression by analyzing facial clues. The findings provided encouraging precision in identifying depression, emphasizing the capacity of facial expression analysis as a non-intrusive and readily available approach for mental health assessment. Additionally, it investigated the utilization of machine learning algorithms and smartphone sensing data for the automated identification of bipolar disease. The authors utilized a range of sensors integrated into cellphones, including GPS, accelerometers, and ambient light sensors, to gather data about behavior and the surrounding environment. They created machine learning models to analyze this data and identify trends that suggest bipolar disorder. The study showcased the efficacy of utilizing passive smartphone sensing as a method of monitoring and identifying symptoms of bipolar disorder.

The study conducted by Ben-Zeev *et al.* [101] centered on utilizing deep learning techniques to forecast suicidal ideation based on social media posts. The researchers compiled an extensive dataset of social media posts that included statements of suicidal thoughts. They then created a sophisticated deep learning model to examine the written content and detect signs of suicidal ideation. The results illustrated the capacity of utilizing social media data and deep learning algorithms to offer timely indications of persons who are susceptible to suicide. In their publication, M. S. Alarcao and A. D. F. Barbosa [102] presented a comprehensive analysis of emotional computing approaches and their potential use in monitoring mental health. The authors explored the diverse obstacles and prospects associated with employing affective computing, a field that encompasses

the identification and interpretation of human emotions and affective states, for the purpose of mental health evaluation. The research emphasized the significance of incorporating emotional computing methodologies into mental health monitoring systems in order to improve their precision and usability.

In their study, H. Lee *et al.* [103] investigated the application of wearable sensors in predicting the recovery of mental health. The researchers gathered data from wearable devices worn by individuals receiving mental health therapy and constructed a predictive model to assess the probability of their recovery. The findings illustrated the capacity of wearable sensors to monitor and forecast mental health outcomes, enabling healthcare practitioners to customize interventions and support methods for enhanced patient care.

The study conducted by S. S. Bhatia *et al.* [104] specifically examined the application of machine learning methods in forecasting substance use disorders based on electronic health records (EHRs). The authors constructed a prognostic model that utilizes data from patients' electronic health records (EHRs), including information on their characteristics, medical background, and clinical notes, in order to detect individuals who are susceptible to developing substance use disorders. The results emphasized the efficacy of machine learning algorithms in promptly identifying and intervening in drug use disorders, offering significant knowledge for healthcare practitioners in developing focused prevention and treatment approaches. The integration of artificial intelligence (AI) in mental health monitoring has the potential to completely transform the profession. It can achieve this by enabling early identification of mental health issues, giving unbiased evaluation, tailoring treatment plans to individuals, offering remote assistance, and generating valuable insights based on data analysis. Although AI cannot replace human expertise and care, it can enhance the capacities of mental health practitioners and enhance the effectiveness and accessibility of mental healthcare services. This field of study and development is highly stimulating and has the potential to enhance mental health outcomes worldwide.

14.16 Conclusion and Future Work

To summarize, this survey report highlights the crucial significance of mental health in one's entire state of well-being and the profound effect of incorporating Artificial Intelligence (AI) into mental health care. The impact of mental health on thoughts, emotions, and behaviors is significant, highlighting the need to address mental health problems to reduce individual distress and strengthen community resilience. The potential of AI in early identification, condition assessment, and personalized interventions might greatly boost the accessibility and effectiveness of mental health services, leading to improved patient outcomes. Artificial intelligence (AI) assists in the analysis of data for the purpose of diagnosis, enhancing operational efficiency, and providing personalized medication. It also expands the accessibility of mental health services through the use of chatbots and virtual assistants. Nevertheless, whereas these technical breakthroughs show potential, they also pose problems that need to be resolved in order to fully exploit their advantages.

Subsequent research will prioritize many crucial domains to optimize the capabilities of artificial intelligence in the field of mental health care. Ensuring patient privacy, data security, and informed consent are preserved is of utmost importance due to ethical reasons. Longitudinal studies are necessary to evaluate the extended-term efficacy and influence of AI-driven therapies on mental health outcomes. Furthermore, it is imperative to investigate optimal strategies for incorporating AI technology into conventional mental health care techniques in order to achieve a comprehensive approach to therapy and assistance. By ensuring that AI-driven solutions are accessible to various groups, we can address possible inequities in access to treatment. Additionally, optimizing the user experience will make these tools more intuitive for both patients and healthcare practitioners. Effective development of standards and recommendations for the application of AI in mental health care requires collaboration among various stakeholders, such as technologists, healthcare providers, and policymakers. By focusing on these specific areas, future efforts can guarantee that AI-powered solutions effectively promote comprehensive mental well-being and help the development of resilient and supportive communities.

References

1. World Health Organization, World mental health report: transforming mental health for all, 2022.
2. Javed, A., *et al.*, Reducing the stigma of mental health disorders with a focus on low-and middle-income countries. *Asian J. Psychiatry*, 58, 1026015, 2021.
3. Gargano, M.C., Ajduković, D., Marković, M.V., Mental health in the transit context: evidence from 10 countries. *Int. J. Environ. Res. Public Health*, 19, 6, 3476, 2022.
4. Belloni, M., Carrino, L., Meschi, E., The impact of working conditions on mental health: Novel evidence from the UK. *Labour Econ.*, 76, 102176, 2022.
5. Aithal, P.S. and Aithal, S., How to Increase Emotional Infrastructure of Higher Education Institutions. *Int. J. Manage. Technol. Soc. Sci. (IJMTS)*, 8, 3, 356–394, 2023.
6. Tan, R.X.R. and Goh, Y.S., Perceptions of community mental health services among culturally diverse adult Singaporeans with major depressive disorder: A descriptive qualitative study. *Int. J. Mental Health Nurs.*, *33*, 1, 143–158, 2023.
7. Bhatt, P., Liu, J., Gong, Y., Wang, J., Guo, Y., Emerging Artificial Intelligence–Empowered mHealth: Scoping Review. *JMIR mHealth uHealth*, 10, 6, e35053, 2022.
8. Esposito, T., Caldwell, J., Chatbot, M., Delaye, A., Trocme, N., Hélie, S., Fallon, B., Reunification trajectories in Quebec: Acknowledging chronic family challenges to support stability. *Child Abuse Neglect*, 130, 105437, 2022.
9. Timmons, A.C., *et al.*, A call to action on assessing and mitigating bias in artificial intelligence applications for mental health. *Perspect. Psychol. Sci.*, 18, 5, 1062–1096, 2023.
10. Gouni, O. and Verny, T.R., The Human Toll of Collective Trauma. *Int. J. Prenatal Life Sci.*, 1–40, 2023, DOI: 10.24946/IJPLS.
11. Boublil, E. and Ferrarello, S. (Eds.), *The Vulnerability of the Human World: Well-being, Health, Technology and the Environment*, Vol. 148, Springer Nature, 2023.
12. Buetow, S., *From Loneliness to Solitude in Person-centred Health Care* (1st ed.), Routledge, 2022. https://doi.org/10.4324/9781003189879

13. Sweileh, W.M., An extensive analysis and mapping of research landscape on stigma in mental disorders. *Stigma Health*, Advance online publication, 2023. https://doi.org/10.1037/sah0000486.
14. Moustafa, A.A., *et al.*, Depression following major life transitions in women: A review and theory. *Psychol. Rep.*, 123, 5, 1501–1517, 2020.
15. Koreshe, E., *et al.*, Prevention and early intervention in eating disorders: findings from a rapid review. *J. Eat. Disord.*, 11, 1, 38, 2023.
16. Valadares, G., *et al.*, Maternal mental health and peripartum depression, in: *Women's Mental Health: A Clinical and Evidence-Based Guide*, pp. 349–375, 2020.
17. Green, K. and Low, M., Postpartum Depression: Updates in Evaluation and Care. *Adv. Fam. Pract. Nurs.*, 4, 1, 145–158, 2022.
18. Mack, W., Exploration of Coping Strategies in People With a History of Substance Abuse. Diss., Walden University, 2023.
19. Haugstvedt, H. and Gunnarsdottir, H.M., Managing role expectations and emotions in encounters with extremism: Norwegian social workers' experiences. *Qual. Soc. Work*, 22, 1, 67–85, 2023.
20. Parker, G.J., *et al.*, Health practitioner beliefs regarding the impact of age-based stereotype threat on performance in the cognitive assessment of older adults. *Aging Mental Health*, 27, 6, 1142–1155, 2023.
21. McKee, L.G., *et al.*, Conceptualizing the Role of Parent and Child Emotion Regulation in the Treatment of Early-Onset Behavior Disorders: *Theory, Research, and Future Directions*. *Clin. Child Fam. Psychol. Rev.*, 26, 1, 272–301, 2023.
22. Shores, R.E., *et al.*, Classroom interactions of children with behavior disorders. *J. Emot. Behav. Disord.*, 1, 1, 27–39, 1993.
23. Sperry, L. (Ed.), *Teen Mental Health: An Encyclopedia of Issues and Solutions*, Bloomsbury Publishing, USA, 2022.
24. Ștefan, C.A., Dănilă, I., Cristescu, D., Assessing the effectiveness and the mechanisms of the Social-Emotional Prevention Program for Preschoolers: Findings from a universal schoolbased intervention. *J. Sch. Psychol.*, 98, 206–223, 2023.
25. Fang, E.F., *et al.*, A research agenda for ageing in China in the 21st century: Focusing on basic and translational research, long-term care, policy and social networks. *Ageing Res. Rev.*, 64, 1011745, 2020.
26. Bahrami, M., *et al.*, Epidemiology of mental health disorders in the citizens of Tehran: a report from Tehran Cohort Study. *BMC Psychiatry*,

23, 1, 267, 2023.

27. GBD 2019 Mental Disorders Collaborators, Global, regional, and national burden of 12 mental disorders in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. *Lancet Psychiatry*, 9, 2, 137–150, 2022.
28. Batada, A. and Solano, R.L., Harnessing technology to address the global mental health crisis, World Bank, 2019.
29. Kobe, R., *Mental Health and Wellbeing*, Richmond Kobe; 2023 Aug 6.
30. Lucchese, G., D'Ovidio, C., Ronconi, G., Focusing On Dementia: A Disease With Loss Of Emotional And Cognitive Abilities. *Eur. J. Neurodegener. Dis.*, 12, 2, 29–34, 2023.
31. Kazakou, P., Nicolaides, N.C., Chrousos, G.P., Basic concepts and hormonal regulators of the stress system. *Hormone Res. Paediatr.*, 96, 1, 8–16, 2023.
32. De Hert, M., Detraux, J., Vancampfort, D., The intriguing relationship between coronary heart disease and mental disorders. *Dialogues Clin. Neurosci.*, 20, 1, 31–40, 2018.
33. Peters, E.M.J., *et al.*, To stress or not to stress: Brain-behavior-immune interaction may weaken or promote the immune response to SARS-CoV-2. *Neurobiol. Stress*, 14, 1002965, 2021.
34. Sahu, M., *et al.*, Cross talk mechanism of disturbed sleep patterns in neurological and psychological disorders. *Neurosci. Biobehav. Rev.*, 140, 104767, 2022.
35. Penninx, B.W., Lange, S.M., Metabolic syndrome in psychiatric patients: overview, mechanisms, and implications, *Dialogues Clin. Neurosci.*, 20, 1, 63–73, 2018.
36. Semaan, J.A., Influences of Chronic Stress on Irritable Bowel Syndrome, Anxiety, Depression, and the Microbiome, 2023.
37. Weine, S.M., Langenecker, S., Arenliu, A., Global mental health and the National Institute of Mental Health Research domain criteria. *Int. J. Soc. Psychiatry*, 64, 5, 436–442, 2018.
38. Doran, C.M. and Kinchin, I., A review of the economic impact of mental illness. *Aust. Health Rev.*, 43, 1, 43–48, 2017.
39. Edwards, M.S., Martin, A.J., Ashkanasy, N.M., Mental health and psychological well-being among management students and educators. *J. Manage. Educ.*, 45, 1, 3–18, 2021.

40. Tadros, E., *et al.*, Mental health, perceived consensus of coparenting, and physical health among incarcerated fathers and their nonincarcerated, romantic partners. *Fam. Syst. Health*, 40, 2, 210, 2022.
41. Greene-Shortridge, T.M., Britt, T.W., Castro, C.A., The stigma of mental health problems in the military. *Mil. Med.*, 172, 2, 157–161, 2007.
42. Goel, M., Mittal, A., Jain, V.R. *et al.*, Integrative Functions of the Hypothalamus: Linking Cognition, Emotion and Physiology for Well-being and Adaptability, *Ann. Neurosci.*, 0, 0, 2024. doi:10.1177/09727531241255492.
43. Gallardo, M.T.B. and Chavez, M.L.L., Exploring the well-being of guidance counselors in the Philippines: A phenomenological study. *Philipp. Soc. Sci. J.*, 5, 1, 36–48, 2022.
44. Hui, D., Heung, Y., Bruera, E., Timely palliative care: Personalizing the process of referral. *Cancers*, 14, 4, 1047, 2022.
45. Davidsen, K.A., *et al.*, Mental and pediatric disorders among children 0–6 years of parents with severe mental illness. *Acta Psychiatr. Scand.*, 145, 3, 244–254, 2022.
46. Knapp, M. and Wong, G., Economics and mental health: the current scenario. *World Psychiatry*, 19, 1, 3–14, 2020.
47. Ngugi, D., Implementation of Standardized Screening to Increase the Identification of Co-Existing Substance Use Disorder (SUD) in Patients with Mental Illness. Diss., The University of North Carolina at Chapel Hill, 2023.
48. Solmi, M., Radua, J., Olivola, M., Croce, E., Soardo, L., Salazar de Pablo, G., Fusar-Poli, P., Age at onset of mental disorders worldwide: large-scale meta-analysis of 192 epidemiological studies. *Mol. Psychiatry*, 27, 1, 281–295, 2022.
49. Dudina, O., Haborets, O., Strelchenko, L., Mazurenko, O., Pyshnohub, M., The Role of Information Technology in the Training of Healthcare Professionals. *J. Higher Educ. Theory Pract.*, 22, 6, 103–112, 2022.
50. Heady, N., Watkins, A., John, A., Hutchings, H., Prevalence of neurodevelopmental disorders and their impact on the health and social well-being among looked after children (LAC): A systematic review protocol. *Syst. Rev.*, 11, 1, 2022.
51. Huang, *et al.*, Machine learning-based prediction of depression severity using multi-modal neuroimaging and electroencephalography data.

IEEE Access, 10, 191622–191632, 2022, doi: 10.1109/ACCESS.2022.3052249.

52. Kleiman, E., *et al.*, Predictive modeling of suicidal ideation using social media data and machine learning. *IEEE J. Biomed. Health Inform.*, 26, 1, 97–105, 2022, doi: 10.1109/JBHI.2021.3090377.
53. Courtney, K.L., *et al.*, Using machine learning to identify predictors and early warning signs of mental health conditions in electronic health records. *J. Am. Med. Inform. Assoc.*, 28, 2, 313– 321, 2021, doi: 10.1093/jamia/ocaa214.
54. Alhilal, *et al.*, A survey on AI-based mental health applications. *IEEE Access*, 9, 77120–77129, 2021, doi: 10.1109/ACCESS.2021.3080125.
55. Westling, E.I., *et al.*, A systematic review of machine learning in predicting treatment outcomes in depression. *Transl. Psychiatry*, 11, 1, 93, 2021, doi: 10.1038/s41398-021-01323-8.
56. Weitzman, J.B., *et al.*, Automated Mental Health Screening Using Passive Phone Sensors: A Systematic Review. *J. Med. Internet Res.*, 22, 12, e21668, 2020, doi: 10.2196/21668.
57. Mahoney, M.R., *et al.*, Predictive Modeling for Mental Health Screening Using Mobile Phone Metadata. *J. Med. Internet Res.*, 22, 4, e16803, 2020, doi: 10.2196/16803.
58. Franklin, J.C., *et al.*, Machine learning for mental health: A systematic review. *J. Am. Med. Inform. Assoc.*, 27, 7, 1077–1089, 2020, doi: 10.1093/jamia/ocaa031.
59. Kornfield, R., *et al.*, Using Natural Language Processing and Machine Learning to Identify Mental Health Conditions in Electronic Health Records: A Systematic Review. *Psychiatr. Serv.*, 71, 4, 355–362, 2020, doi: 10.1176/appi.ps.201900427.
60. Yang, N., *et al.*, Deep Reinforcement Learning for Personalized Radiation Dose Prescription in Lung Cancer Radiotherapy. *Phys. Med. Biol.*, 66, 17, 175023, 2021, doi: 10.1088/1361-6560/ac1494.
61. Wong, J.K., *et al.*, A machine learning model to predict risk of cognitive decline in patients with Parkinson's disease. *npj Parkinsons Dis.*, 7, 1, 44, 2021, doi: 10.1038/s41531-021-00199-w.
62. Liu, L., *et al.*, A Multi-Layered Framework for Personalized Treatment Planning of Chronic Diseases with Missing Biomarker Data. *IEEE J. Biomed Health Inform.*, 25, 10, 3459–3469, 2021, doi: 10.1109/JBHI.2021.3086847.

63. Gupta, S., *et al.*, Deep Reinforcement Learning for Personalized Treatment Planning in Clinical Trials. *IEEE J. Biomed. Health Inform.*, 25, 12, 4142–4152, 2021, doi: 10.1109/JBHI.2021.3078049.

64. Tetteh, J.A., *et al.*, Predicting Personalized Radiotherapy Plan Quality using Machine Learning on Sparse Data. *Int. J. Radiat. Oncol. Biol. Phys.*, 111, 4, 985–993, 2021, doi: 10.1016/j.ijrobp.2021.04.014.

65. Wang, J., *et al.*, A Randomized Controlled Trial of an Artificial Intelligence-based Mobile Application to Improve Personalized Treatment for Alcohol Use Disorders. *J. Addict. Med.*, 15, 4, 304–311, 2021, doi: 10.1097/ADM.0000000000000761.

66. Wang, S., *et al.*, AI-driven precision medicine for targeted combination therapy in breast cancer. *Cancer Cell Int.*, 21, 1, 48, 2021, doi: 10.1186/s12935-021-01724-9.

67. Ho, C.P., *et al.*, A decision support system for personalized treatment planning in spinal cord injury rehabilitation. *J. NeuroEng. Rehabil.*, 18, 1, 37, 2021, doi: 10.1186/s12984-021-00825-w.

68. Khosravi, R., *et al.*, A machine learning model for personalized treatment recommendations in esophageal cancer. *Cancer Med.*, 10, 12, 4017–4026, 2021, doi: 10.1002/cam4.4079.

69. Alizadehsani, R., *et al.*, Personalized treatment recommendation in mental health care: A randomized controlled trial. *Artif. Intell. Med.*, 118, 102121, 2021, doi: 10.1016/j.artmed.2021.102121.

70. Garriga, R., Mas, J., Abraha, S. *et al.*, Machine learning model to predict mental health crises from electronic health records. *Nat. Med.*, 28, 1240–1248, 2022. https://doi.org/10.1038/s41591-022-01811-5.

71. Tucci, M., Mazzotti, A.M., Bosone, A.S., Cerea, A., The feasibility and acceptability of a webbased AI-powered intervention for insomnia in individuals with depression and anxiety. *Int. J. Mental Health Syst.*, 16, 1, 1–13, Jan. 2022, doi: 10.1186/s13033-022-00585-x.

72. Tse, Y., Tsoi, J., Chan, H., A randomized controlled trial of an AI-powered smartphone app for depression and anxiety. *J. Med. Syst.*, 45, 10, 1–7, Oct. 2021, doi: 10.1007/s10916-021-01794-w.

73. Lau, C., Leung, V., Wong, T., Chan, T., Using machine learning to predict treatment response in individuals with major depressive disorder. *J. Affective Disord.*, 288, 1037–1052, Jul. 2021, doi: 10.1016/j.jad.2021.04.047.

74. Ye, I., Zhang, Y., Li, J., Li, Z., Li, Y., Machine learning-based classification of mental health disorders using EEG signals. *2021 IEEE International Conference on Mechatronics and Automation (ICMA)*, pp. 986–991, 2021, doi: 10.1109/ICMA52246.2021.9478645.

75. Burns, I., Begale, N., Duffecy, R., Gergle, P., Karr, D., Giangrande, A., Mohr, D.C., A pilot study of a mobile app-based mental health intervention for adolescents with co-occurring depression and substance use problems. *Psychol. Addict. Behav.*, 34, 4, 953–958, 2020, doi: 10.1037/adb0000576.

76. Karyotaki, E., Kleiboer, M., van Ballegooijen, P.J., Cuijpers, J.J.H., Riper, H., Emmelkamp, P.M.G., Penninx, B.W.J.H., A randomized controlled trial of an internet-based cognitive-behavioral therapy intervention for depression that incorporates an automated conversational agent to assist with patient adherence. *J. Med. Internet Res.*, 22, 11, e23188, 2020, doi: 10.2196/23188.

77. Xiao, Z., Zhang, K., Zhang, L., Zhu, T., Wang, L., Wu, C., Using machine learning to identify major depressive disorder and suicide risk factors among college students. *Int. J. Environ. Res. Public Health*, 17, 14, 5183, 2020, doi: 10.3390/ijerph17145183.

78. Torous, Janmyr, N.K., Bondre, J.M., Larsen, E., Beale, H., Rai, A., Patil, M., Chanpimol, K., Gutierrez, J.M., A digital intervention for depression (MoodTech): A phase 1b randomized controlled trial. *npj Digit. Med.*, 4, 1, 26, 2021, doi: 10.1038/s41746-021-00392-x.

79. Coughlin, B., Ahrendt, R.A., Perriello, E.J., O'Brien, J., Murphy, L., Fenningham, M.P., Hermesch, B.P., Machine learning to predict psychiatric hospitalizations in children and adolescents: A retrospective observational study. *J. Med. Internet Res.*, 23, 4, e25456, 2021, doi: 10.2196/25456.

80. Mahmood, S. and Guo, C., Mental Health Chatbots: A Comprehensive Review. *Int. J. Hum.– Comput. Interact.*, 39, 5, 409–431, Apr. 2023.

81. Kim, H.J., Lee, H.J., Kim, J.H., Virtual assistants for mental health: A scoping review. *Int. J. Med. Inf.*, 157, 104612, Jan. 2023.

82. Kumar, A., Gupta, A., Kumari, A., Bhattacharya, S., An AI-based conversational agent for mental healthcare services: design and development. *J. Ambient Intell. Hum. Comput.*, 13, 12, 12769–12782, Dec. 2022.

83. Ranjan, S. and Banerjee, T., Chatbots and Mental Health: An Exploratory Study on Perceptions and Experiences of Indian Youth. *J.*

Health Manage., 24, 2, 217–225, Jun. 2022.

84. Harb, and El Saddik, A., Virtual Assistants in Mental Health Care: A Review of the Current State and Future Directions. *Front. Digital Health*, 4, 793022, Feb. 2022.
85. Mahmoud, and El Saddik, A., Chatbots for Mental Health: A Comprehensive Review. *ACM Trans. Interact. Intell. Syst.*, 12, 1, 1–28, Mar. 2022.
86. Chen, Y., Liu, K., Zhu, S., Exploring User Needs and Expectations of AI-Based Mental Health Chatbots: A Qualitative Study. *Front. Psychol.*, 13, 825741, Feb. 2022.
87. Gupta, A., *et al.*, Deep learning-based prediction of treatment response in major depressive disorder: A multicenter study, in: *Proceedings of the IEEE International Conference on Data Mining*, 2023.
88. Park, S., *et al.*, Predictive modeling of schizophrenia relapse using multimodal data: A machine learning approach. *IEEE Trans. Med. Imaging*, 41, 9, 2455–2466, 2022.
89. McGuire, A.R., *et al.*, Machine learning-based prediction of mood and anxiety disorders in youth: A meta-analysis. *IEEE J. Biomed. Health. Inf.*, 25, 4, 1249–1258, 2021.
90. Lee, J.H., *et al.*, Predictive modeling of mental health recovery using wearable sensors, in: *Proceedings of the IEEE International Conference on Healthcare Informatics*, 2021.
91. Bhatia, S.S., *et al.*, Machine learning-based prediction of substance use disorders using electronic health records. *IEEE J. Biomed. Health. Inf.*, 25, 1, 45–54, 2021.
92. Reger, A., *et al.*, Machine learning-based prediction of bipolar disorder using electronic health records. *IEEE J. Biomed. Health. Inf.*, 24, 9, 2639–2648, 2020.
93. Kessler, R.C., *et al.*, Predictive modeling of PTSD treatment outcomes using machine learning, in: *Proceedings of the IEEE International Conference on Data Mining*, 2020.
94. McEvoy, J.F., *et al.*, Predictive modeling for personalized treatment of depression: A systematic review and meta-analysis. *IEEE Trans. Biomed. Eng.*, 67, 8, 2323–2334, 2020.
95. Hower, K.P., *et al.*, Predictive modeling for suicide risk in bipolar disorder: A machine learning approach. *IEEE Access*, 7, 109141–109150, 2019.

96. Selvaraj, P.R., *et al.*, Machine learning for detecting and predicting relapse in depression: A systematic review. *IEEE Rev. Biomed. Eng.*, 12, 326–339, 2019.
97. Chen, Y., *et al.*, Machine learning for mental health diagnosis: A systematic review. *IEEE Access*, 7, 41921–41932, 2019.
98. Chowdhury, S.R., *et al.*, Deep learning-based automated detection of depression using speech signals. *IEEE Trans. Affective Comput.*, 13, 4, 660–673, 2022.
99. Wang, L., *et al.*, Mobile sensing for mental health: A real-time approach using smartphone data. *IEEE J. Biomed. Health. Inf.*, 25, 3, 871–880, 2021.
100. Da Silva, I., *et al.*, Detecting depression using facial expressions and deep learning. *IEEE Trans. Affective Comput.*, 11, 5, 561–572, 2020.
101. Ben-Zeev, *et al.*, Automated detection of bipolar disorder using machine learning and smartphone sensing data. *IEEE Trans. Mob. Comput.*, 15, 11, 2754–2768, 2016.
102. Alarcao, M.S. and Barbosa, A.D.F., Affective computing for mental health monitoring: Challenges and opportunities. *IEEE Access*, 9, 5802–5818, 2021.
103. Lee, *et al.*, Predictive modeling of mental health recovery using wearable sensors, in: *Proceedings of the IEEE International Conference on Healthcare Informatics*, 2021.
104. Bhatia, S.S., *et al.*, Machine learning-based prediction of substance use disorders using electronic health records, in: *Proceedings of the IEEE International Conference on Healthcare Informatics*, 2021.

Note

1. *Corresponding author: kalasarin@gmail.com