Index

- Activating function, 90
- Adaptive learning, 399
- Adaptive systems, 249
- Adversarial training, 218
- Agriculture, 327, 340, 342, 347, 349, 352, 358–360
- Agriculture applications, 228, 238
- AI ethics and regulations, 231–232, 243–244
- AI in defense and security, 236
- AI in energy management, 236
- AI in law enforcement, 236–237
- AI in science and technology, 237
- AI technologies, 327, 331–332
- AI-powered decision making, 241
- Artificial intelligence in vision, 499, 500
  - advanced algorithms, 502
  - deep learning techniques, 501
  - image classification, 500
  - natural language processing (NLP), 501
  - object detection, 500
  - object tracking, 500
- AlexNet, 220
- Algorithm, 120, 124, 127, 130, 132, 134–136, 137, 139, 473–476, 478–480, 482–484, 487, 489–490

O'REILLY

- American sign language (ASL), 188, 189
- Analysis of unstructured or semi-structured data, 76
- Anatomy, 494–502

- Anomaly detection, 210
- Anomaly identification, 172
- Anthropomorphic robots, 48–50, 72
- Anxiety disorders, 298, 299, 300
- Application areas of neuroscience in IAS (AAN -IAS), 415, 416
- Architecture of microservices, 272
- Artificial intelligence (AI), 1, 47, 119–120, 123, 126–127, 129, 132–136, 137–141, 227, 229–231, 233, 235–237, 242–244, 308, 309, 310, 407, 423, 424, 449–450, 464, 471, 473–474, 478
- Artificial neural networks (ANN), 234
- Artificial potential fields, 61, 63–64, 67, 70–71
- Attention mechanisms, 205, 219
- Audio conversion, 380
- Augmented reality (AR), 104, 186, 187, 188
- Augmented reality & virtual reality (AR&VR), 415–418
- Australian sign language (Auslan), 188, 189, 190, 191
- Automatic speech recognition, 371, 372, 387, 388
- Automation, 449–450, 458, 471, 473–474, 481–482, 484, 489, 490, 491, 492
- Automation systems, 227–229, 242–243
- Autonomous vehicles, 212, 213

- Backward propagation, 254
- Basic principles of industry 5.0
  - customization and flexibility, 19
  - data-driven insights, 20
  - evolving technologies, 19
  - human-machine collaboration, 19
  - sustainability and responsible manufacturing, 19
- Bayesian classifier, 231
- Behavioral analysis, 212
- Benchmarking, 219
- Bias, 119, 127, 132–137
  - algorithmic bias, 135
  - contextual bias, 133
  - historical bias, 132
  - sampling bias, 132

- Bias mitigation, 463–464
- Biometric feedback, 462–463
- Bisecting k-means clustering algorithms, 92
- Brain science, 471, 478, 484, 488
  - cognitive, 471–474, 476, 478, 482–484, 487, 489
- Brain-computer interface (BCI), 407, 412, 415, 416
- Brayden-Fletcher-Golfarb-Shanno algorithm, 90
- British sign language (BSL), 188, 189
- Business process automation (BPA), 407, 408
- Business process management (BPM), 119, 122–123, 125, 141, 410

- Case studies, 119, 121, 133, 135
- Cataract formation, 496
- Chatbots and virtual assistants, 391, 393, 397
- Chinese Sign Language (CSL), 190, 191
- Classification, 208, 210
- Clustering algorithm based on the square of the vector length, 92
- Cognitive enhancement technique, 412
- Cognitive functioning, 301
- Cognitive modelling (CM), 415, 416
- Collision avoidance, 47
- Communication skills, 108
- Computed tomography (CT), 417
- Computer vision (CV), 119, 164, 167, 203, 204, 205, 227–229, 237–242, 327–328, 329, 330, 340, 342, 346–347, 356, 358–362, 497
- Computer vision applications, 237–238
- Computer vision for biometrics, 242
- Consumer behavior, 452, 461
- Consumer neuroscience, 452, 461
- Contrast adjustment, 206
- Convolution neural network architectures, 279
- Convolutional neural network, 208, 215, 219, 371, 372, 379, 386
- Cornea, 495
- Correlation coefficient, 83
- Cross-attention, 221
- CURATE.AI, 417
- Customers, 131, 133, 135, 137

- Customized marketing campaigns, 161

- Data analysis and interpretation, 412
- Data analysis and pattern recognition (DAPR), 415, 416
- Data augmentation, 172, 218, 222
- Data collection, 457–458
- Data pre-processing, 175
- Data privacy, 127–128, 131, 136, 141
- Data processing, 458
- Data security, 124, 127
- Data sharing, 131–132
- Data visualization, 175
- DCGAN, 170, 173, 180
- Decision trees, 208
- Decision-making, 458, 461
- Deep learning (DL), 136, 204, 219, 229, 231, 233–234, 386, 387, 473–475, 479, 480, 483, 490
- Deep learning in automation, 248
- Deep learning methods
  - CAFFE object detection system, 281
  - Keras object detection model, 282
- Deep learning models
  - visual geometry group-16 (VGG-16), 284
  - visual geometry group-19 (VGG-19), 285
- Deep learning structures, 172
- Deep learning-based object detection, 279
- Deep neural network, 374
- Deep Q-learning network (DQN), 280
- Demand forecasting, 161
- Denavit-Hartenberg (DH) method, 53
- Depression, 311, 312
- Depth estimation, 213
- Design constraints, 177
- Digital robots, 104
- Digital therapeutic interventions, 313
- Digital therapeutics, 312
- Digital transformation, 104

- Digitization, 75, 76
- Discrete potential fields, 61, 63–64
- Discriminator, 165, 166, 167, 169
- Distributed computing systems, 76, 77, 79, 82
- Distribution module, 78, 81
- Dropout layer, 259
- Drug discovery and development, 412

- Early intervention, 302
- Edge computing, 228
- Edge detection, 208, 209
- Education 5.0, 33–34
- Efficient net, 220
- Electroencephalography (EEG), 412, 415, 416, 452–453
- Employee, 121–122, 125–127
- Ensemble methods, 218
- Environment, 119–120, 122, 133, 139–140
- Error dynamics, 66
- Ethical AI in NLP, 401
- Ethical implications, 124, 127, 132
- Explainable AI, 402
- Eye gaze, 188, 189
- Eye tracking, 455, 456

- Facial coding, 455, 456
- Facial electromyography, 456
- Facial expressions, 185, 186, 187, 188, 192, 193, 196, 198, 199
- Facial recognition, 211, 212
- False positives, 376
- Feature extraction, 208, 209
- Feedback control, 50
- Finance, 120, 121, 138
- Financial services/banking, 228, 239
- Fine-tuning, 180, 181
- Flexible operation, 48
- Forward dynamics, 52
- Forward kinematics, 50–51

- Frameworks, 119, 122–123, 127, 129, 132, 140
- Fraud detection, 159–160
- French sign language (FSL), 189, 190
- Frequency domain signals, 381, 382
- Fully connected layers, 215
- Functional magnetic resonance imaging (fMRI), 412, 416, 452–453

- Galvanic skin response (GSR), 455, 456
- GAN, 163, 165
- Gaussian filtering, 207
- General data protection regulation (GDPR), 129, 131
- Generative adversarial networks, 219
- German sign language (GSL), 188, 189
- GoogleNet, 220

- Hardware acceleration, 218
- Head-mounted display, 108
- Healthcare, 120–121, 124–125, 131, 133, 135–136, 138, 303, 310, 327–328, 336–349, 341, 347–348, 351–352, 354, 356, 359, 362
- Healthcare applications, 228, 236–237
- Hidden Markov model (HMM), 372–374
- Hierarchical clustering algorithms, 92
- Holistic well-being, 302
- Home automation, 407, 408
- Horizontally distributed tables, 79, 81, 84, 86, 87, 89, 90, 92
- Human cognition, 482, 490
- Human intelligence, 474, 476, 488–490
- Human-AI interaction, 423
- Humanoid robots, 49–50
- Hybrid object detection, 213
- Hyper parameters, 219

- Image acquisition, 205, 206
- Image classification, 208, 214
- Image enhancement, 206
- Image generation, 176
- Image processing, 230, 237, 239

- Image synthesis, 164, 165, 167, 168, 169, 170, 172–173
- ImageNet, 204, 282
- Implicit response testing (IRT), 455–456
- Indian sign language (ISL), 188, 189
- Individual healthcare and therapy optimization (IHTO), 415, 416
- Industrial robots, 48–49
- Industry 5.0 and sustainability, 36–37
- Information extraction, 399
- Input-output linearization, 66, 68, 70
- Insurance claims processing, 242
- Intelligent automation (IA), 48, 407–409, 449–450, 471, 473, 481–482
- Intelligent automation systems (IAS), 1, 119, 124, 127, 130–132, 134–140, 203, 204, 205, 210, 212, 389, 391, 393, 396, 407– 415, 423, 424, 429, 434, 443
- Intelligent decision-making, 247
- Interactive, 103, 104, 106, 108, 109, 115
- Internal distribution mechanism, 76, 78, 80, 81, 82, 83, 86, 92
- Internet of Things (IoT), 120, 139, 140, 228
- Interpretability, 219
- Intrusion detection structures (IDS), 410
- Inverse dynamics, 52
- Inverse kinematics, 51, 55

- Japanese sign language (JSL), 188, 189
- Job displacement, 125

- k-means clustering algorithms, 92
- K-nearest neighbor algorithm (KNN), 231
- K-nearest neighbors, 208
- Knowledge distillation, 218

- Large volumes of structured data streams, 76, 77
- Leveraging AI, 120
- LIDAR sensors, 221
- Linear control, 66–69, 71
- Linguistic structure of sign language, 191, 192, 193
- Localization, 215

- Locomotion mechanisms, 60
- Logistic regression, 90, 93, 210

- Machine learning (ML), 47, 119, 128, 132, 134, 138–139, 208, 227, 231, 233, 235, 237, 239–240, 243, 372–375, 394, 396, 409, 410, 423, 424, 457–458, 471, 473–476, 478–479, 481, 483–484, 486–490
- Machine learning algorithms, 84
- Magnetoencephalography (MEG), 453, 456
- Manufacturing, 327–328, 338, 340, 358
- Manufacturing and quality control, 228, 239
- Marketing automation, 449–450
- Mask R-CNN, 204
- Medical imaging, 158–159, 214, 215
- Memory, 472, 477, 479, 481–483, 490
- Mental health screening, 303, 308
- Mental skills, 107, 108, 112, 113, 114, 116
- Meta-learning, 222
- Mimicking the human eye, 497–498
- Mobile robots, 59–61, 72
- Model compression, 218
- Model selection, 174
- Monitoring in surveillance and security, 506, 507
- Multilayer neural networks, 84, 90, 91
- Multimodal biometrics, 145
- Multi-modal fusion, 221
- Multimodal NLP, 400
- Multivariable linear regression, 90, 92

- Natural language processing (NLP), 2, 126, 137–138, 148–150, 227, 231, 233, 313, 315, 389, 390, 392, 396, 400, 409–410, 415–418
- Navigation algorithms, 72
- Neural interfaces, 423, 428
- Neural network, 472, 474–481, 483–484, 486, 489–490
  - neurons, 472, 475, 477–479, 481, 485, 488–489
- Neural network-based decision making, 248
- Neural networks, 219, 231, 234, 458
- Neural networks in automation, 247

- Neurofeedback, 412
- Neurographic segmentation, 460–461
- Neuroimaing analysis, 412
- Neurological disorder, 407, 472, 479, 491
- Neurologists, 478, 489
- Neuromarketing, 451, 455–456, 487–488
- Neuroscience, 407, 411, 413, 423, 424, 425, 426, 471–473, 475–478, 482–484, 487–490
- Neuroscientists, 407
- Neurotechnology, 423, 427, 443, 445
- Neurology, 474, 476, 478, 489
- Noise reduction, 207
- Nonlinear control, 66–69
- NuScenes dataset, 219

- Object detection, 212, 213
- Object detection accuracy, 289
- Object recognition, 210, 212
- Obstacle avoidance, 61
- Operator 5.0, 31–33
- Optical character recognition (OCR), 410
- Optical flow, 213

- Pascal VOC, 204
- Path planning, 47, 53, 60, 63
- Pattern recognition, 214, 230, 237, 239, 373, 375
- Perceptron, 475– 476, 480, 488
- Performance, 329–331, 334, 341–344, 361–362
- Performance metrics, 378
  - precision, 383
  - recall, 384
- Personalization, 460–461
- Personalized treatment, 317
- Picture identification, 153–155
- Pixel classification method, 279
- Plausible image, 164, 180
- Polynomial regression, 90, 93

- Pooling layer, 258
- Positron emission tomography (PET), 454, 456
- Posture analysis, 186, 187, 192
- Posture regulation, 66, 71
- Powered computer vision, 498
- Predictive maintenance, 157–158
- Predictive modeling, 317
- Pre-processing, 206, 207
- Privacy and security in NLP, 403
- Privacy concerns, 219
- Progressive training, 179
- Prompt engineering, 126, 138
- Pruning, 218
- PSNR, 179
- Pupil regulation, 496

- Quantum computing, 219

- Real-time campaign optimization, 462–463
- Regularization techniques, 174
- Regulatory compliance, 160–161
- Reinforcement learning, 473–476, 490
- Retail automation, 228, 239–240
- Robotic process automation (RPA), 103, 104, 105, 107, 115, 119, 121–123, 126, 141, 390, 391, 394, 407, 408, 410
- Rotation-invariant approach, 280

- Scaling methods, 90, 92, 93
- Scene understanding, 208
- Scleral, 496
- Search and optimization in AI, 232
- Segmentation, 208, 215
- Self-aware AI, 235–236
- Self-driving cars/autonomous vehicles, 228, 236–237
- Self-supervised learning, 222
- Semantic segmentation, 212, 215
- Sensor fusion, 221

- Sensor-based automation systems, 48
- Sentiment analysis, 150–153, 389, 392, 398
- Sign language recognition (SLR), 185, 186, 187, 188, 189, 190, 191, 192, 194, 195, 196, 197, 198, 199, 200
- Simultaneous localization and mapping (SLAM), 60, 222
- Sobel operator, 208
- Social learning, 108, 113, 114, 116
- Social media, 128, 137
- Software automation, 407, 408
- Software robots, 103, 104, 116
- Spatiotemporal features, 186, 187, 188
- Speaker based models, 375
- Spectrogram, 385
- Speed optimization, 218
- SSI, 171
- Steady-state topography (SST), 453–454
- Stress management, 298, 295
- Structured data, 76, 85
- Structured fast data, 88
- StyleGAN, 173
- Suicide risk assessment, 305
- Supply chain management, 155–157
- Support vector machines (SVM), 208, 231
- Surveillance and security, 228, 238, 242
- Surveillance systems, 211

- Tangent hyperbolic, 252
- Teacher, 108, 112, 114, 115, 116

- Technologies and their roles in industry 5.0
  - additive manufacturing (3D Printing), 29–30
  - artificial intelligence, 22
  - blockchain, 23–24
  - cloud computing, 27–28
  - cybersecurity, 30–31
  - edge computing, 28–29
  - Internet of Things (IoT), 22–23
  - robotics and cobots, 26–27
  - virtual reality and augmented reality, 24–25
- Text analytics, 398
- Texture analysis, 209
- The algorithm for controlling structured data flows based on the mechanism of internal distribution, 89
- The California Consumer Privacy Act (CCPA), 131
- The optimal number of horizontally distributed tables, 84
- The time required to distribute data, 79
- Theory of mind AI, 235
- Time domain signals, 380, 381
- Training programs, 146– 147
- Training stability, 171
- Trajectory planning, 50
- Trajectory tracking, 47, 65–68, 70–71
- Transfer learning, 214
- Transformer models, 219
- Transportation, 327, 342, 344, 359–360
- True positives, 376
- Tumor segmentation, 215

- Unicycle model, 61–62
- Unity hub, 108
- Universal basic income (UBI), 10
- Unsupervised learning, 218

- Variational autoencoders, 219
- Virtual assistants, 313, 315

- Virtual reality (VR), 103, 104, 105, 106, 107, 108, 110, 111, 112, 113, 114, 115, 116, 186, 187, 188
- Visibility graphs, 61, 63, 65
- Vision across industries, 504–506
  - diagnosis, 504
  - immersive gaming, 506
  - navigation, 505
  - personalized shopping, 505
- Vision transformers, 219
- Voronoi diagrams, 61, 63
- VR-RPA, 105, 106, 107, 108, 110

- Wavelet-based de-noising, 207
- Wearable technology, 304
- Workforce development, 145–146
- Workplace productivity, 296, 301

- X-ray, 417

- Zero-shot learning, 402