### **Dynamic Template Files using DTL**

### templates/course

#### courseone.html

```
<html>
   <head>
     <style> ..... </style>
  </head>
  <body>
     <h1>Welcome to GeekyShows</h1>
     <h1>Hello {{cname}}}</h1>
</body>
                              Variable
  <script>...../script>
</html>
```

# **Dynamic Template Files**

#### views.py

```
from django.shortcuts import render

def function_name(request):

Dynamic Data, if else, any python code logic

return render(request, template_name, context=dict_name, content_type=MIME_type, status=None, using=None)
```

#### views.py

```
from django.shortcuts import render

def learn_django(request):
    coursename = {'cname': 'Django'}
    return render(request, 'course/courseone.html', context=coursename)
    return render(request, 'course/courseone.html', coursename)
    return render(request, 'course/courseone.html', {'cname': 'Django'})
```

# **Dynamic Template Files**

#### views.py

```
from django.shortcuts import render
def learn django(request):
     cname = 'Django'
     duration = '4 Months'
     seats = 10
     django details = {'nm':cname, 'du':duration, 'st':seats}
     return render(request, 'course/courseone.html', django details)
templates/course
courseone.html
<html>
 <body>
     <h2> Course Name: {{nm}} Duration: {{du}} and Total Seats: {{st}}}</h2>
  </body>
</html>
```

```
✓ ■ geekyshows

> migrations
    🌏 __init__.py
    鹬 admin.py
    apps.py
    models.py
    ests.py
   urls.py
   views.py
> fees
> iii _pycache_
    init_.py
    asgi.py
    settings.py
   urls.py
   e wsgi.py

√ 

← templates

 courseone.html
    coursetwo.html

✓ 

fees

    feesone.html
    feestwo.html
   💨 manage.py
```