

Customer Master x SerialServer x VIP HelpDesk x +

Not secure | 192.168.1.254

BluBoxx CRM ezeehRM 3 help RMS Oriole Payroll RUT240 HiveMQ Cumulocity TRB145 - 4G/LTE RS...

3onedata

Make network communication more reliable

Current Location>>Main Menu>>Serial Server>>Port Setting

Port Setting

Port : COM1

COM1

Settings	
Alias	energy-meter
BaudRate	9600
DataBits	8 bits
StopBits	1 bits
ParityBits	Even
Flow Control	No
Work Mode	RS485/RS422

Advance Settings ☐

Apply to All Port ☐

Submit Cancel

Best viewed with IE6.0 or above at resolution 1024x768.

Customer Master x SerialServer x VIP HelpDesk x +

Not secure | 192.168.1.254

BluBoxx CRM ezeehRM 3 help RMS Oriole Payroll RUT240 HiveMQ Cumulocity TRB145 - 4G/LTE RS...

3onedata

Make network communication more reliable

Current Local>>Main Menu>>COM Server>>COM Information

Port Setting

Port	Alias	BaudRate	DataBits	Port Setting	StopBits	ParityBits	Flow Control	FIFO	Work Mode
1	energy-meter	9600	8	1	Even	None	Disable	RS485	
2	energy-meter_2	9600	8	1	Even	None	Disable	RS485	
3	energy-meter_3	9600	8	1	Even	None	Disable	RS485	
4	energy-meter_4	9600	8	1	Even	None	Disable	RS485	

Best viewed with IE6.0 or above at resolution 1024x768.

192.168.1.254/SerialSetting.html

Customer Master SerialServer VIP HelpDesk

192.168.1.254

Not secure

3onedata
Make network communication more reliable

Current Location>>Main Menu>>Serial Server>>Mode Setting

Work Mode

Port : COM1

COM1	
Work Mode	Tcp Server Mode
Session Number	1
Local Port	1025 (1-65535)
pwd_check	Disable
send_msg	turnoff
Cmd Type	disable
TCP Alive Time	0 (0-65535 s)
TCP Timeout	0 (0-65535 s)
Ignore Jammed	Enable
Queue Access	Enable
Response Timeout	100 (10-65535 ms)
Frame Break	100 (10-65535 ms)
Apply to All Port	<input type="checkbox"/>

Submit Cancel

Expand ALL

- Main Menu
 - Overview
 - Network Setting
 - Serial Server
 - COM Settings
 - COM Information
 - COM Mode Settings
 - COM Mode Information
 - Reboot Port
 - State monitor
 - Access Ctrl
 - Remote Monitor
 - System Manage
 - IP Map
 - System Info
 - System File
 - Logout&Reboot

Best viewed with IE6.0 or above at resolution 1024x768.

Customer Master SerialServer VIP HelpDesk WhatsApp

192.168.1.254

Not secure

3onedata
Make network communication more reliable

Current Location>>Main Menu>>State Monitor>>Mode Information

Mode Setting

Port	Work Mode	Port	Work Mode
1	TCP Server Mode	2	TCP Server Mode
3	TCP Server Mode	4	TCP Server Mode

Expand ALL

- Main Menu
 - Overview
 - Network Setting
 - Serial Server
 - COM Settings
 - COM Information
 - COM Mode Settings
 - COM Mode Information
 - Reboot Port
 - State monitor
 - Access Ctrl
 - Remote Monitor
 - System Manage
 - IP Map
 - System Info
 - System File
 - Logout&Reboot

Best viewed with IE6.0 or above at resolution 1024x768.

Energy meter EM6400

