

Sections

- **Channels**

- Applications (104 entries)
- Blog (7 entries)
- Brochures (11 entries)
- Datasheets (243 entries)
- Events (3 entries)
- Glossary (417 entries)
- Locations (15 entries)
- Markets (9 entries)
- Pages (4 entries)

- **Singles**

- About
- Blog Index
- Brochures Page
- Careers
- Certifications
- Company
- Conflict Minerals
- Contact Us
- Development Partnership
- Diversity
- Family & Community
- Glossary Page
- History
- Homepage
- Locations Page
- Markets Page
- Opportunities
- Products Page
- Quality
- Resources
- Search Results
- Strip Datasheets
- Supply Chain
- Surcharges
- Testing
- Wire Datasheets

- **Structures**

- Products (85 entries)

Entries

- 924 entries by 3 authors
 - admin: 892
 - null: 26
 - Toby: 6
- 1 draft
- Most recent entry: 09/27/2017

Routes

URL Parts Template
/search/ * search

Basic Info

- Ulbrich
- <http://ulbrich.db.dsdev/>

Server

- Software: Apache
- Operating System: Darwin
- PHP Version: 5.6.30
- Document Root: /Users/dylan/Sites/ulbrich/public_html
- Craft Version: 2.6.2983

.htaccess

[Show / Hide](#)

```
# -----
# | Media types |
# -----

# Serve resources with the proper media types (f.k.a. MIME types).
#
# https://www.iana.org/assignments/media-types/media-types.xhtml
# https://httpd.apache.org/docs/current/mod/mod_mime.html#addtype

<IfModule mod_mime.c>

    # Data interchange

    AddType application/atom+xml          atom
    AddType application/json              json map topojson
    AddType application/ld+json           jsonld
    AddType application/rss+xml           rss
    AddType application/vnd.geo+json      geojson
    AddType application/xml               rdf xml

    # JavaScript

    # Normalize to standard type.
    # https://tools.ietf.org/html/rfc4329#section-7.2

    AddType application/javascript         js

    # Manifest files

    AddType application/manifest+json      webmanifest
    AddType application/x-web-app-manifest+json webapp
    AddType text/cache-manifest             appcache

    # Media files

    AddType audio/mp4                      f4a f4b m4a
    AddType audio/ogg                      oga ogg opus
    AddType image/bmp                      bmp
    AddType image/svg+xml                  svg svgz
    AddType image/webp                     webp
    AddType video/mp4                      f4v f4p m4v mp4
    AddType video/ogg                      ogv
    AddType video/webm                     webm
    AddType video/x-flv                    flv

    # Serving `.ico` image files with a different media type
    # prevents Internet Explorer from displaying them as images:
    # https://github.com/h5bp/html5-boilerplate/commit/37b5fec090d00f38de64b591bcddcb205aadf8ee

    AddType image/x-icon                   cur ico

    # Web fonts

    AddType application/font-woff          woff
    AddType application/font-woff2         woff2
    AddType application/vnd.ms-fontobject eot

    # Browsers usually ignore the font media types and simply sniff
    # the bytes to figure out the font type.
    # https://mimesniff.spec.whatwg.org/#matching-a-font-type-pattern
    #
    # However, Blink and WebKit based browsers will show a warning
    # in the console if the following font types are served with any
    # other media types.

    AddType application/x-font-ttf         ttc ttf
```

```

AddType font/opentype                                otf

# Other

AddType application/octet-stream                    safariextz
AddType application/x-bb-appworld                   bbaw
AddType application/x-chrome-extension              crx
AddType application/x-opera-extension               oex
AddType application/x-xpinstall                     xpi
AddType text/vcard                                  vcard vcf
AddType text/vnd.rim.location.xloc                  xloc
AddType text/vtt                                     vtt
AddType text/x-component                             htc

</IfModule>

# -----
# | Character encodings                               |
# -----

# Serve all resources labeled as `text/html` or `text/plain`
# with the media type `charset` parameter set to `UTF-8`.
#
# https://httpd.apache.org/docs/current/mod/core.html#adddefaultcharset

AddDefaultCharset utf-8

# - - - - -

# Serve the following file types with the media type `charset`
# parameter set to `UTF-8`.
#
# https://httpd.apache.org/docs/current/mod/mod_mime.html#addcharset

<IfModule mod_mime.c>
    AddCharset utf-8 .atom \
                    .bbaw \
                    .css \
                    .geojson \
                    .js \
                    .json \
                    .jsonld \
                    .manifest \
                    .rdf \
                    .rss \
                    .topojson \
                    .vtt \
                    .webapp \
                    .webmanifest \
                    .xloc \
                    .xml
</IfModule>

# -----
# | Compression                                     |
# -----

<IfModule mod_deflate.c>

    # Force compression for mangled `Accept-Encoding` request headers
    # https://developer.yahoo.com/blogs/ymn/pushing-beyond-gzipping-25601.html

    <IfModule mod_setenvif.c>
        <IfModule mod_headers.c>
            SetEnvIfNoCase ^(\Accept-EncodXng|X-cept-Encoding|X{15}|~{15}|-{15})$ ^((gzip|deflate)
            RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
        </IfModule>
    </IfModule>

    # - - - - -

    # Compress all output labeled with one of the following media types.
    #
    # (!) For Apache versions below version 2.3.7 you don't need to

```

```

# enable `mod_filter` and can remove the ``
# and `</IfModule>` lines as `AddOutputFilterByType` is still in
# the core directives.
#
# https://httpd.apache.org/docs/current/mod/mod\_filter.html#addoutputfilterbytype

<IfModule mod_filter.c>
    AddOutputFilterByType DEFLATE "application/atom+xml" \
        "application/javascript" \
        "application/json" \
        "application/ld+json" \
        "application/manifest+json" \
        "application/rdf+xml" \
        "application/rss+xml" \
        "application/schema+json" \
        "application/vnd.geo+json" \
        "application/vnd.ms-fontobject" \
        "application/x-font-ttf" \
        "application/x-javascript" \
        "application/x-web-app-manifest+json" \
        "application/xhtml+xml" \
        "application/xml" \
        "font/eot" \
        "font/opentype" \
        "image/bmp" \
        "image/svg+xml" \
        "image/vnd.microsoft.icon" \
        "image/x-icon" \
        "text/cache-manifest" \
        "text/css" \
        "text/html" \
        "text/javascript" \
        "text/plain" \
        "text/vcard" \
        "text/vnd.rim.location.xloc" \
        "text/vtt" \
        "text/x-component" \
        "text/x-cross-domain-policy" \
        "text/xml"

</IfModule>

# - - - - -

# Map the following filename extensions to the specified
# encoding type in order to make Apache serve the file types
# with the appropriate `Content-Encoding` response header
# (do note that this will NOT make Apache compress them!).
#
# If these files types would be served without an appropriate
# `Content-Enable` response header, client applications (e.g.:
# browsers) wouldn't know that they first need to uncompress
# the response, and thus, wouldn't be able to understand the
# content.
#
# https://httpd.apache.org/docs/current/mod/mod\_mime.html#addencoding

<IfModule mod_mime.c>
    AddEncoding gzip          svgz
</IfModule>

</IfModule>

# -----
# | Expires headers          |
# -----

# Serve resources with far-future expires headers.
#
# (!) If you don't control versioning with filename-based
# cache busting, you should consider lowering the cache times
# to something like one week.
#
# https://httpd.apache.org/docs/current/mod/mod\_expires.html

```

```

<IfModule mod_expires.c>

    ExpiresActive on
    ExpiresDefault                                     "access plus 1 month"

# CSS

    ExpiresByType text/css                             "access plus 1 year"

# Data interchange

    ExpiresByType application/atom+xml                 "access plus 1 hour"
    ExpiresByType application/rdf+xml                 "access plus 1 hour"
    ExpiresByType application/rss+xml                 "access plus 1 hour"

    ExpiresByType application/json                    "access plus 0 seconds"
    ExpiresByType application/ld+json                 "access plus 0 seconds"
    ExpiresByType application/schema+json             "access plus 0 seconds"
    ExpiresByType application/vnd.geo+json            "access plus 0 seconds"
    ExpiresByType application/xml                     "access plus 0 seconds"
    ExpiresByType text/xml                           "access plus 0 seconds"

# Favicon (cannot be renamed!) and cursor images

    ExpiresByType image/vnd.microsoft.icon            "access plus 1 week"
    ExpiresByType image/x-icon                        "access plus 1 week"

# HTML

    ExpiresByType text/html                           "access plus 0 seconds"

# JavaScript

    ExpiresByType application/javascript              "access plus 1 year"
    ExpiresByType application/x-javascript            "access plus 1 year"
    ExpiresByType text/javascript                     "access plus 1 year"

# Manifest files

    ExpiresByType application/manifest+json           "access plus 1 week"
    ExpiresByType application/x-web-app-manifest+json "access plus 0 seconds"
    ExpiresByType text/cache-manifest                 "access plus 0 seconds"

# Media files

    ExpiresByType audio/ogg                           "access plus 1 month"
    ExpiresByType image/bmp                           "access plus 1 month"
    ExpiresByType image/gif                           "access plus 1 month"
    ExpiresByType image/jpeg                          "access plus 1 month"
    ExpiresByType image/png                           "access plus 1 month"
    ExpiresByType image/svg+xml                       "access plus 1 month"
    ExpiresByType image/webp                           "access plus 1 month"
    ExpiresByType video/mp4                           "access plus 1 month"
    ExpiresByType video/ogg                           "access plus 1 month"
    ExpiresByType video/webm                          "access plus 1 month"

# Web fonts

# Embedded OpenType (EOT)
    ExpiresByType application/vnd.ms-fontobject       "access plus 1 month"
    ExpiresByType font/eot                            "access plus 1 month"

# OpenType
    ExpiresByType font/opentype                       "access plus 1 month"

# TrueType
    ExpiresByType application/x-font-ttf               "access plus 1 month"

# Web Open Font Format (WOFF) 1.0

```

```

ExpiresByType application/font-woff                "access plus 1 month"
ExpiresByType application/x-font-woff              "access plus 1 month"
ExpiresByType font/woff                            "access plus 1 month"

# Web Open Font Format (WOFF) 2.0
ExpiresByType application/font-woff2               "access plus 1 month"

# Other

ExpiresByType text/x-cross-domain-policy           "access plus 1 week"

</IfModule>

# -----
# | ETags                                           |
# -----

# Remove `ETags` as resources are sent with far-future expires headers.
#
# https://developer.yahoo.com/performance/rules.html#etags
# https://tools.ietf.org/html/rfc7232#section-2.3

# `FileETag None` doesn't work in all cases.
<IfModule mod_headers.c>
    Header unset ETag
</IfModule>

FileETag None

# -----
# | Content transformation                         |
# -----

# Prevent intermediate caches or proxies (e.g.: such as the ones
# used by mobile network providers) from modifying the website's
# content.
#
# https://tools.ietf.org/html/rfc2616#section-14.9.5
#
# (!) If you are using `mod_pagespeed`, please note that setting
# the `Cache-Control: no-transform` response header will prevent
# `PageSpeed` from rewriting `HTML` files, and, if the
# `ModPagespeedDisableRewriteOnNoTransform` directive isn't set
# to `off`, also from rewriting other resources.
#
# https://developers.google.com/speed/pagespeed/module/configuration#notransform

<IfModule mod_headers.c>
    Header merge Cache-Control "no-transform"
</IfModule>

<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteBase /

    Options +FollowSymlinks

# -----
# | Filename-based cache busting                   |
# -----

# If you're not using a build process to manage your filename version
# revving, you might want to consider enabling the following directives
# to route all requests such as `/style.12345.css` to `/style.css`.
#
# To understand why this is important and even a better solution than
# using something like `*.css?v231`, please see:
# http://www.stevesouders.com/blog/2008/08/23/revving-filenames-dont-use-querystring/
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^(.+)\.(\d+)\.(\b(?:mp|css|cur|gif|ico|jpe?g|js|png|svgz?|webp|webmanifest))$ $1.$3 [L]

# -----
# | Suppressing / Forcing the `www.` at the beginning of URLs |
# -----

```

```
# The same content should never be available under two different
# URLs, especially not with and without `www.` at the beginning.
# This can cause SEO problems (duplicate content), and therefore,
# you should choose one of the alternatives and redirect the other
# one.
```

```
RewriteCond %{HTTP_HOST} ^ulbrich\.com$ [NC]
RewriteRule ^ https://www.%{HTTP_HOST}%{REQUEST_URI} [R=301,L]
```

```
# -----
# | Forcing `https://` |
# -----
```

```
# Redirect from the `http://` to the `https://` version of the URL.
# https://wiki.apache.org/httpd/RewriteHTTPToHTTPS
```

```
RewriteCond %{HTTPS} off
RewriteCond %{HTTP:X-Forwarded-Proto} !https
RewriteCond %{HTTP_HOST} ulbrich\.com$ [NC]
RewriteRule ^(.*)$ https://%{HTTP_HOST}/$1 [R=301,L]
```

```
# -----
# | Suppressing / Forcing the "/" at the end of URLs |
# -----
```

```
# However, don't apply the trailing slash to sitemap.xml, which
# is actually not a real file so isn't caught by the !-f conditional.
# It's defined by a template route in the control panel, which maps
# it to /sitemap/ in the background.
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_URI} !(sitemap\.xml|robots\.txt|humans\.txt)$ [NC]
RewriteCond %{REQUEST_URI} !^/admin [NC]
RewriteCond %{REQUEST_URI} !freeform [NC]
RewriteRule ^(.*)([^\/]$) $1$2/ [L,R=301]
```

```
# -----
# | Suppressing index.php in Craft URLs |
# -----
```

```
# Removes index.php from Craft URLs,
RewriteCond %{THE_REQUEST} ^GET.*index\.php [NC]
RewriteRule ^(.*)index\.php/(.*) /$1$2 [R=301,NE,L]
```

```
    # Send would-be 404 requests to Craft
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-d
    RewriteCond %{REQUEST_URI} !^/(favicon\.ico|apple-touch-icon.*\.png)$ [NC]
    RewriteRule (.) index.php/$1 [QSA,L]
```

```
# Redirects from old ulbrich site
RedirectMatch 301 ^/17-4ph-stainless-steel/? /resources/strip-datasheets/
RedirectMatch 301 ^/204cu-stainless-steel/? /resources/strip-datasheets/
RedirectMatch 301 ^/24-stanat-slitte-installed-at-ulbrich-of-illinois/ /blog/
RedirectMatch 301 ^/301-stainless-steel/? /resources/strip-datasheets/
RedirectMatch 301 ^/302-stainless-steel/? /resources/strip-datasheets/
RedirectMatch 301 ^/303se-stainless-steel/? /resources/strip-datasheets/
RedirectMatch 301 ^/304l-stainless-steel/? /resources/strip-datasheets/
RedirectMatch 301 ^/304L-stainless-steel/? /resources/strip-datasheets/
RedirectMatch 301 ^/304-stainless-steel/? /resources/strip-datasheets/
RedirectMatch 301 ^/316L-stainless-steel/? /resources/strip-datasheets/
RedirectMatch 301 ^/316ti-stainless-steel/? /resources/strip-datasheets/
RedirectMatch 301 ^/317l-stainless-steel/? /resources/strip-datasheets/
RedirectMatch 301 ^/347-stainless-steel/? /resources/strip-datasheets/
RedirectMatch 301 ^/410-stainless-steel/? /resources/strip-datasheets/
RedirectMatch 301 ^/416-stainless-steel/? /resources/strip-datasheets/
RedirectMatch 301 ^/420-stainless-steel/? /resources/strip-datasheets/
RedirectMatch 301 ^/440a-stainless-steel/? /resources/strip-datasheets/
RedirectMatch 301 ^/444-stainless-steel/? /resources/strip-datasheets/
RedirectMatch 301 ^/90-years-of-ulbrich-stainless-steels-and-special-metals-inc/? /company/hi
RedirectMatch 301 ^/about/? /company/about/
RedirectMatch 301 ^/about/about-ulbrich/? /company/about/
RedirectMatch 301 ^/about/business-philosophy/? /company/about/
RedirectMatch 301 ^/about/company-video/? /company/about/
```


RedirectMatch 301 ^/about/engineered-material-solutions/? /company/development-partnership/
RedirectMatch 301 ^/about/theulbrichstory/? /company/history/
RedirectMatch 301 ^/about/ulbrichtimeline/? /company/history/
RedirectMatch 301 ^/alloy-29-17-kovar/? /uploads/data-sheets/ALLOY-29-17KOVAR%C2%AE-UNS-K9461
RedirectMatch 301 ^/alloy-52/? /uploads/data-sheets/ALLOY-52-UNS-N14052.pdf
RedirectMatch 301 ^/alloy-data-sheets/? /resources/strip-datasheets/
RedirectMatch 301 ^/alloy-data-sheets/cobalt/? /resources/strip-datasheets/
RedirectMatch 301 ^/alloy-data-sheets/controlled-expansion-alloys/? /resources/strip-datasheets/
RedirectMatch 301 ^/alloy-data-sheets/nickel-alloy/? /resources/strip-datasheets/
RedirectMatch 301 ^/alloy-data-sheets/niobium/? /resources/strip-datasheets/
RedirectMatch 301 ^/alloy-data-sheets/nitinol-datasheets/? /resources/strip-datasheets/
RedirectMatch 301 ^/alloy-data-sheets/stainless-steel/? /resources/strip-datasheets/
RedirectMatch 301 ^/alloy-data-sheets/titanium/? /resources/strip-datasheets/
RedirectMatch 301 ^/alloy-data-sheets/zirconium/? /resources/strip-datasheets/
RedirectMatch 301 ^/bar-and-tube/? https://www.diversifiedulbrich.ca/
RedirectMatch 301 ^/capabilities/certification-testing/? /company/quality/certifications/
RedirectMatch 301 ^/capabilities/coating-plating/? /products/strip-foil/strip-coil/
RedirectMatch 301 ^/capabilities/coating-plating/coil-coating-plating/? /products/strip-foil/
RedirectMatch 301 ^/capabilities/coating-plating/sheet-plate-pvc-coating/? https://www.diversifiedulbrich.ca/
RedirectMatch 301 ^/capabilities/coating-plating/wire-plating/? https://www.diversifiedulbrich.ca/
RedirectMatch 301 ^/capabilities/manufacturing-capabilities/? /products/
RedirectMatch 301 ^/capabilities/manufacturing-capabilities/fine-flat-shaped-wire/? /products/
RedirectMatch 301 ^/capabilities/manufacturing-capabilities/pv-ribbon/? http://pvribbon.com
RedirectMatch 301 ^/capabilities/manufacturing-capabilities/rolled-strip-strip-coil/? /products/
RedirectMatch 301 ^/capabilities/manufacturing-capabilities/sheet-plate-bar-tube/? /markets/
RedirectMatch 301 ^/capabilities/packaging/? /markets/
RedirectMatch 301 ^/capabilities/packaging/2013-05-23-16-57-20/? /markets/
RedirectMatch 301 ^/capabilities/packaging/pv-ribbon-packaging/? /markets/
RedirectMatch 301 ^/capabilities/packaging/rolled-strip-packaging/? /markets/
RedirectMatch 301 ^/capabilities/packaging/sheet-plate-bar-tube-packaging/? /markets/
RedirectMatch 301 ^/careers/careerscommercial-development-program/? /careers/opportunities/
RedirectMatch 301 ^/careers/job-application/? /careers/opportunities/
RedirectMatch 301 ^/careers/jobs-at-ulbrich-steel/? /careers/opportunities/
RedirectMatch 301 ^/careers/meet-us/? /company/
RedirectMatch 301 ^/careers/our-people/? /company/
RedirectMatch 301 ^/careers/totalrewards/? /total-rewards/
RedirectMatch 301 ^/careers/ulbrich-diversity/? /careers/diversity/
RedirectMatch 301 ^/careers/who-we-are-at-ulbrich-steel/? /company/about/
RedirectMatch 301 ^/community-outreach-team-serves-thanksgiving-dinner/? /blog/
RedirectMatch 301 ^/contact-us/all-locations/? /contact-us/
RedirectMatch 301 ^/contact-us/brochures/? /contact-us/
RedirectMatch 301 ^/contactus/contactus/? /contact-us/
RedirectMatch 301 ^/contact-us/newsletters/? /contact-us/
RedirectMatch 301 ^/contact-us/sendan-rfq/? /contact-us/
RedirectMatch 301 ^/corporate/products/? /products/
RedirectMatch 301 ^/design/design/? /markets/
RedirectMatch 301 ^/design/design/page/austria.html/? /markets/
RedirectMatch 301 ^/design/design/page/custom_shapes.html/? /markets/
RedirectMatch 301 ^/design/design/page/general_capabilities.html/? /markets/
RedirectMatch 301 ^/design/design/page/precision_flat.html/? /markets/
RedirectMatch 301 ^/design/design/page/precision_flatwire.html/? /markets/
RedirectMatch 301 ^/design/design/page/sheet.html/? /markets/
RedirectMatch 301 ^/design/design/page/strip_coil.html/? /markets/
RedirectMatch 301 ^/design/design/page/ultralite_foil.html/? /markets/
RedirectMatch 301 ^/developing-your-farm-system-ulbrich-steel/? /blog/
RedirectMatch 301 ^/duplex-2507/? /resources/strip-datasheets/
RedirectMatch 301 ^/economic-update-2/? /blog/
RedirectMatch 301 ^/feed/? /feed.rss
RedirectMatch 301 ^/fine-wire/? /products/wire/fine-wire/
RedirectMatch 301 ^/flat-wire/? /products/wire/flat-wire/
RedirectMatch 301 ^/free-metals-weight-calculator/? /resources/
RedirectMatch 301 ^/glossary-c/? /resources/glossary/?q=c
RedirectMatch 301 ^/good-coaching-you-know-it-when-you-see-it-by-bill-greider/? /blog/
RedirectMatch 301 ^/hastelloy-g-30/? /resources/strip-datasheets/
RedirectMatch 301 ^/hastelloy-x/? /resources/strip-datasheets/
RedirectMatch 301 ^/haynes-188/? /resources/strip-datasheets/
RedirectMatch 301 ^/haynes-25-1-605/? /resources/strip-datasheets/
RedirectMatch 301 ^/home.html /
RedirectMatch 301 ^/impact-of-saving-just-a-little-bit-more-for-retirement-by-david-carboni-p
RedirectMatch 301 ^/incoloy-825/? /resources/strip-datasheets/
RedirectMatch 301 ^/inconel-x-750/? /resources/strip-datasheets/
RedirectMatch 301 ^/index.php/design/design/? /markets/
RedirectMatch 301 ^/index.php/design/design/page/austria.html/? /markets/
RedirectMatch 301 ^/index.php/design/design/page/general_capabilities.html/? /markets/
RedirectMatch 301 ^/index.php/design/design/page/precision_flatwire.html/? /markets/

RedirectMatch 301 ^/index.php/design/design/page/rolling_annealing.html/? /markets/
RedirectMatch 301 ^/index.php/design/design/page/sheet.html/? /markets/
RedirectMatch 301 ^/index.php/design/design/page/ultralite_foil.html/? /markets/
RedirectMatch 301 ^/index.php/design/design/page/whats_new.html/? /markets/
RedirectMatch 301 ^/index.php/design/design/?ULBRICH=7rv0h7e87vdrh8cqiflobnf2v2&/1/page/montr
RedirectMatch 301 ^/index.php/shop/shop/frmCatID http://ulbrichdirect.com/
RedirectMatch 301 ^/index.php/shop/shop/frmCatID/6/ http://ulbrichdirect.com/
RedirectMatch 301 ^/index.php/shop/shop/frmCatID/8/ http://ulbrichdirect.com/
RedirectMatch 301 ^/industries/? /markets/
RedirectMatch 301 ^/locations/? /company/locations/
RedirectMatch 301 ^/locations/brazil/? /company/locations/
RedirectMatch 301 ^/locations/corporate/? /company/locations/
RedirectMatch 301 ^/locations/diversified-ulbrich-of-canada-montreal/? /company/locations/
RedirectMatch 301 ^/locations/diversified-ulbrich-of-canada-toronto/? /company/locations/
RedirectMatch 301 ^/locations/fine-wire-contact/? /company/locations/
RedirectMatch 301 ^/locations/ulbrich-asia-shanghai/? /company/locations/
RedirectMatch 301 ^/locations/ulbrich-of-austria/? /company/locations/
RedirectMatch 301 ^/locations/ulbrich-of-california/? /company/locations/
RedirectMatch 301 ^/locations/ulbrich-of-illinois/? /company/locations/
RedirectMatch 301 ^/locations/ulbrich-of-new-england/? /company/locations/
RedirectMatch 301 ^/locations/ulbrich-precision-flat-wire/? /company/locations/
RedirectMatch 301 ^/locations/ulbrich-shaped-wire/? /company/locations/
RedirectMatch 301 ^/locations/ulbrich-solar-technologies-oregon/? /company/locations/
RedirectMatch 301 ^/locations/ulbrich-solar-technologies-south-carolina/? /company/locations/
RedirectMatch 301 ^/locations/ulbrich-specialty-strip-mill/? /company/locations/
RedirectMatch 301 ^/locations/ulbrinox/? /company/locations/
RedirectMatch 301 ^/metals-glossary/? /resources/glossary/
RedirectMatch 301 ^/monel-400/? /resources/strip-datasheets/
RedirectMatch 301 ^/monel-k-500/? /resources/strip-datasheets/
RedirectMatch 301 ^/mp35n/? /resources/strip-datasheets/
RedirectMatch 301 ^/multi-tabbing-pv-wire-for-multi-busbar-cell-technology/ /blog/
RedirectMatch 301 ^/news/? /blog/
RedirectMatch 301 ^/nickel-200/? /resources/strip-datasheets/
RedirectMatch 301 ^/ni-span-c-902/? /resources/strip-datasheets/
RedirectMatch 301 ^/nitronic-33-uns-s24000/? /resources/strip-datasheets/
RedirectMatch 301 ^/nitronic-50-strip-coil-foil-and-wire/? /resources/strip-datasheets/
RedirectMatch 301 ^/nitronic-60/? /resources/strip-datasheets/
RedirectMatch 301 ^/pathway-to-the-future-ulbrichs-pursuit-of-creating-the-manufacturing-prof
RedirectMatch 301 ^/plate-sheet/? https://www.diversifiedulbrich.ca/
RedirectMatch 301 ^/products/bar-tube/? https://www.diversifiedulbrich.ca/
RedirectMatch 301 ^/products/fine-wire/? /products/wire/fine-wire/
RedirectMatch 301 ^/products/flat-wire/? /products/wire/flat-wire/
RedirectMatch 301 ^/products/pv-ribbons/? https://www.pvribbon.com/
RedirectMatch 301 ^/products/shaped-wire/? /products/wire/shaped-wire/
RedirectMatch 301 ^/products/sheet-plate/? https://www.diversifiedulbrich.ca/
RedirectMatch 301 ^/products/sheet-plate/aluminum-sheet/? https://www.diversifiedulbrich.ca/
RedirectMatch 301 ^/products/sheet-plate/stainless-sheet-plate/? https://www.diversifiedulbri
RedirectMatch 301 ^/products/slit-coil/? /products/strip-foil/strip-coil/
RedirectMatch 301 ^/products/slit-coil/stainless-steel-slit-coil/? /products/strip-foil/strip
RedirectMatch 301 ^/products/ulbrich-strip-coil-products/? /products/strip-foil/strip-coil/
RedirectMatch 301 ^/products/ulbrich-strip-coil-products/cobalt-strip-coil/? /products/strip-
RedirectMatch 301 ^/products/ulbrich-strip-coil-products/nickel-strip-coil/? /products/strip-
RedirectMatch 301 ^/products/ulbrich-strip-coil-products/niobium-strip-coil/? /products/strip
RedirectMatch 301 ^/products/ulbrich-strip-coil-products/nitinol-strip-coil/? /products/strip
RedirectMatch 301 ^/products/ulbrich-strip-coil-products/stainless-steel-strip/? /products/st
RedirectMatch 301 ^/products/ulbrich-strip-coil-products/titanium-strip-coil/? /products/stri
RedirectMatch 301 ^/products/ulbrich-strip-coil-products/zirconium-strip-coil/? /products/str
RedirectMatch 301 ^/products/ulbrich-ultralite-foil-products/? /products/strip-foil/foil-ultr
RedirectMatch 301 ^/products/ulbrich-ultralite-foil-products/cobalt-foil/? /products/strip-fo
RedirectMatch 301 ^/products/ulbrich-ultralite-foil-products/nickel-foil/? /products/strip-fo
RedirectMatch 301 ^/products/ulbrich-ultralite-foil-products/niobium-foil/? /products/strip-f
RedirectMatch 301 ^/products/ulbrich-ultralite-foil-products/stainless-foil/? /products/strip
RedirectMatch 301 ^/products/ulbrich-ultralite-foil-products/titanium-foil/? /products/strip-
RedirectMatch 301 ^/products/ulbrich-ultralite-foil-products/zirconium-foil/? /products/strip
RedirectMatch 301 ^/pv-ribbon/? https://www.pvribbon.com
RedirectMatch 301 ^/quality/? /company/quality/
RedirectMatch 301 ^/quality-2/? /company/quality/
RedirectMatch 301 ^/quality/conflict-minerals-declarations/? /company/quality/conflict-minera
RedirectMatch 301 ^/quality/msds-general-statements/? /company/quality/
RedirectMatch 301 ^/quality/testing/? /company/quality/testing/
RedirectMatch 301 ^/quality/ulbrich-quality-certifications/ /company/quality/certifications/
RedirectMatch 301 ^/quality/ulbrich-steel-quality-policy/? /company/quality/
RedirectMatch 301 ^/reducing-your-income-tax-bill-by-david-k-carboni-ph-d-cfp/? /blog/
RedirectMatch 301 ^/shaped-wire/? /products/wire/shaped-wire/
RedirectMatch 301 ^/strip-coil/? /products/strip-foil/strip-coil/

```
RedirectMatch 301 ^/surcharge/?$ /surcharges/
RedirectMatch 301 ^/surface-roughness-measurements-for-stainless-steels-special-metals/? /com
RedirectMatch 301 ^/tantalum/? /resources/strip-datasheets/
RedirectMatch 301 ^/titanium-grade-1/? /resources/strip-datasheets/
RedirectMatch 301 ^/titanium-grade-2/? /resources/strip-datasheets/
RedirectMatch 301 ^/ulbrich-community-outreach-team-keeps-busy-this-holiday-season/? /blog/
RedirectMatch 301 ^/ulbrich-stainless-steels-and-special-metals-blog/? /blog/
RedirectMatch 301 ^/ulbrich-stainless-steels-and-special-metals-blog/entry/ulbrich-installs-s
RedirectMatch 301 ^/ultralite-foil/? /products/strip-foil/foil-ultralite/
RedirectMatch 301 ^/upcoming-trade-shows-2/? /blog/
RedirectMatch 301 ^/upcoming-tradeshows-2/? /blog/
RedirectMatch 301 ^/women-in-manufacturing-visits-ulbrich/? /blog/
RedirectMatch 301 ^/wp-content/uploads/2014/10/MSDS-2014_R2.pdf /uploads/data-sheets/MSDS-201
RedirectMatch 301 ^/wp-content/uploads/2014/10/Solar-Brochure-2014.pdf /uploads/brochures/sol
RedirectMatch 301 ^/wp-content/uploads/2014/10/Ulbrich-Corporate-Brochure_July-2016-1.pdf /up
RedirectMatch 301 ^/wp-content/uploads/2014/10/Ulbrich-Credit-Application-Form-3-2-2016.pdf /
RedirectMatch 301 ^/wp-content/uploads/2015/06/201-Stainless-Steel_Ulbrich-Revision-06.01.201
RedirectMatch 301 ^/wp-content/uploads/2015/06/304-Stainless-Steel_Ulbrich-Revision-06.01.201
RedirectMatch 301 ^/wp-content/uploads/2015/08/Ulbrich-SDS-Stainless-Steels-and-Special-Metal
RedirectMatch 301 ^/wp-content/uploads/2016/07/CFSI_CMRT-4.10-Stainless-Steels.pdf /uploads/m
```

</IfModule>

```
# -----
# | File access |
# -----

# Block access to directories without a default document.
#
# You should leave the following uncommented, as you shouldn't allow
# anyone to surf through every directory on your server (which may
# includes rather private places such as the CMS's directories).
```

```
<IfModule mod_autoindex.c>
    Options -Indexes
</IfModule>
```

```
# - - - - -

# Block access to all hidden files and directories with the exception of
# the visible content from within the `/.well-known/` hidden directory.
#
# These types of files usually contain user preferences or the preserved
# state of an utility, and can include rather private places like, for
# example, the `.git` or `.svn` directories.
#
# The `/.well-known/` directory represents the standard (RFC 5785) path
# prefix for "well-known locations" (e.g.: `/.well-known/manifest.json`,
# `/.well-known/keybase.txt`), and therefore, access to its visible
# content should not be blocked.
#
# https://www.mnot.net/blog/2010/04/07/well-known
# https://tools.ietf.org/html/rfc5785
```

```
<IfModule mod_rewrite.c>
    RewriteCond %{REQUEST_URI} "!(^|/)\.well-known/([^.]+(?:.?)?)+$" [NC]
    RewriteCond %{SCRIPT_FILENAME} -d [OR]
    RewriteCond %{SCRIPT_FILENAME} -f
    RewriteRule "(^|/)\." - [F]
</IfModule>
```

```
# - - - - -

# Block access to files that can expose sensitive information.
#
# By default, block access to backup and source files that may be
# left by some text editors and can pose a security risk when anyone
# has access to them.
#
# http://feross.org/cmsploit/
#
# (!) Update the `<FilesMatch>` regular expression from below to
# include any files that might end up on your production server and
# can expose sensitive information about your website. These files may
# include: configuration files, files that contain metadata about the
```

```
# project (e.g.: project dependencies), build scripts, etc..
```

```
<FilesMatch "(^#.*#|\.(bak|conf|dist|fla|in[ci]|log|psd|sh|sql|sw[op])|~)$">
```

```
# Apache < 2.3
<IfModule !mod_authz_core.c>
    Order allow,deny
    Deny from all
    Satisfy All
</IfModule>

# Apache ? 2.3
<IfModule mod_authz_core.c>
    Require all denied
</IfModule>
```

```
</FilesMatch>
```

```
# -----
# | Reducing MIME type security risks |
# -----
```

```
# Prevent some browsers from MIME-sniffing the response.
```

```
#
# This reduces exposure to drive-by download attacks and cross-origin
# data leaks, and should be left uncommented, especially if the server
# is serving user-uploaded content or content that could potentially be
# treated as executable by the browser.
```

```
#
# http://www.slideshare.net/hasegawayosuke/owasp-hasegawa
# http://blogs.msdn.com/b/ie/archive/2008/07/02/ie8-security-part-v-comprehensive-protection.aspx
# https://msdn.microsoft.com/en-us/library/ie/gg622941.aspx
# https://mimesniff.spec.whatwg.org/
```

```
<IfModule mod_headers.c>
    Header set X-Content-Type-Options "nosniff"
</IfModule>
```

```
# -----
# | Clickjacking |
# -----
```

```
# Protect website against clickjacking.
```

```
#
# The example below sends the `X-Frame-Options` response header with
# the value `DENY`, informing browsers not to display the content of
# the web page in any frame.
```

```
#
# This might not be the best setting for everyone. You should read
# about the other two possible values the `X-Frame-Options` header
# field can have: `SAMEORIGIN` and `ALLOW-FROM`.
# https://tools.ietf.org/html/rfc7034#section-2.1.
```

```
#
# Keep in mind that while you could send the `X-Frame-Options` header
# for all of your website's pages, this has the potential downside that
# it forbids even non-malicious framing of your content (e.g.: when
# users visit your website using a Google Image Search results page).
```

```
#
# Nonetheless, you should ensure that you send the `X-Frame-Options`
# header for all pages that allow a user to make a state changing
# operation (e.g: pages that contain one-click purchase links, checkout
# or bank-transfer confirmation pages, pages that make permanent
# configuration changes, etc.).
```

```
#
# Sending the `X-Frame-Options` header can also protect your website
# against more than just clickjacking attacks:
# https://cure53.de/xfo-clickjacking.pdf.
```

```
#
# https://tools.ietf.org/html/rfc7034
# http://blogs.msdn.com/b/ieinternals/archive/2010/03/30/combating-clickjacking-with-x-frame-opti
# https://www.owasp.org/index.php/Clickjacking
```

```
<IfModule mod_headers.c>
```

```
    Header set X-Frame-Options "DENY"
```

```

# `mod_headers` cannot match based on the content-type, however,
# the `X-Frame-Options` response header should be send only for
# HTML documents and not for the other resources.

<FilesMatch "\.(appcache|atom|bbaw|bmp|crx|css|cur|eot|f4[abpv]|flv|geojson|gif|htc|ico|jpe?g
    Header unset X-Frame-Options
</FilesMatch>

</IfModule>
# -----
# | Reflected Cross-Site Scripting (XSS) attacks |
# -----

# (1) Try to re-enable the cross-site scripting (XSS) filter built
# into most web browsers.
#
# The filter is usually enabled by default, but in some cases it
# may be disabled by the user. However, in Internet Explorer for
# example, it can be re-enabled just by sending the
# `X-XSS-Protection` header with the value of `1`.
#
# (2) Prevent web browsers from rendering the web page if a potential
# reflected (a.k.a non-persistent) XSS attack is detected by the
# filter.
#
# By default, if the filter is enabled and browsers detect a
# reflected XSS attack, they will attempt to block the attack
# by making the smallest possible modifications to the returned
# web page.
#
# Unfortunately, in some browsers (e.g.: Internet Explorer),
# this default behavior may allow the XSS filter to be exploited,
# thereby, it's better to inform browsers to prevent the rendering
# of the page altogether, instead of attempting to modify it.
#
# https://hackademix.net/2009/11/21/ies-xss-filter-creates-xss-vulnerabilities
#
# (!) Do not rely on the XSS filter to prevent XSS attacks! Ensure that
# you are taking all possible measures to prevent XSS attacks, the
# most obvious being: validating and sanitizing your website's inputs.
#
# http://blogs.msdn.com/b/ie/archive/2008/07/02/ie8-security-part-iv-the-xss-filter.aspx
# http://blogs.msdn.com/b/ieinternals/archive/2011/01/31/controlling-the-internet-explorer-xss-fi
# https://www.owasp.org/index.php/Cross-site\_Scripting\_%28XSS%29

<IfModule mod_headers.c>

#                (1)    (2)
Header set X-XSS-Protection "1; mode=block"

# `mod_headers` cannot match based on the content-type, however,
# the `X-XSS-Protection` response header should be send only for
# HTML documents and not for the other resources.

<FilesMatch "\.(appcache|atom|bbaw|bmp|crx|css|cur|eot|f4[abpv]|flv|geojson|gif|htc|ico|jpe?g
    Header unset X-XSS-Protection
</FilesMatch>

</IfModule>

```

Globals

Google Insights

Enter your Google API key to use this feature

Plugins

- [Auditr](#)
- [Cache Buster](#)
- [ERP Sync](#)
- [Feed Me](#)
- [Freeform](#)
- [Link It](#)
- [Redactor Extras](#)
- [SEOmatic](#)
- [Shortcakes](#)
- [Super Table](#)
- [Surreal Memes](#)

Craft CMS Updates

Version 2.6.2993, released 2017-10-18

- Added the [preserveExifData](#) config setting, which determines whether EXIF data should be discarded when transforming an image (defaults to `false`).
- Client accounts are now allowed to access the edition upgrade modal.
- Added an `$ensureTempFileExists` argument to `UploadedFile::getInstanceByName()`, which will cause the method to return `null` if the matching file had already been moved out of its temp location (defaults to `true`).
- Added an `$ensureTempFilesExist` argument to `UploadedFile::getInstancesByName()`, which will filter out all files that have already been moved out of their temp locations (defaults to `true`).
- Fixed a PHP error that occurred if an empty array was passed to the `relatedTo` element criteria parameter.
- Fixed a PHP error that occurred when uploading a file to an Assets field on the front-end.
- Fixed a bug where `HttpRequestService::getQueryStringWithoutPath()` wasn't including duplicate param names in the returned string.

Version 2.6.2992, released 2017-10-13

- Reduced the chance of a deadlock occurring on sites that have a high concurrent volume of element writes.
- Updated Redactor II to 2.11.
- Fixed a bug where any plugin that listened to the `onEndRequest` event would be ignored.
- Fixed a bug where assets uploaded to an Assets field by a front-end form would not get related to the element being saved if `setContentFromPost()` was called more than once.
- Fixed a bug where it was not possible to create tags with multiple words.

Version 2.6.2991, released 2017-09-29

- Fixed a bug where Craft was allowing multiple tags with the same title to be added if they had leading/trailing whitespace.
- Fixed a MySQL error that could occur when saving a disabled element with a column value that was too large for its database column.
- Fixed a PHP warning that could occur when submitting a non-numeric value for a Number field, on servers running PHP 7.1.
- Fixed a bug where color inputs were really narrow in Safari 11.
- Fixed some buggy behavior on structured element index views when collapsing/expanding elements, if no elements had been collapsed before.
- Fixed an XSS vulnerability.

Version 2.6.2990, released 2017-09-15

- Added support for the `application/font-woff2` MIME type (`.woff2`).
- `div.matrixblock` elements in the Control Panel now have a `data-type` attribute set to the Matrix block type's handle.
- Global sets' global template variables are now available to all templates rendered when the Template Mode is set to `site`.
- Fixed a bug where you could get a PHP error uploading some JPG files on PHP 7.1.
- Fixed a bug where user photos and site logos/icons were not taking into account the [sanitizeSvgUploads](#) config setting.
- Fixed a CSRF validation error that would occur when attempting to re-login via the login modal in the Control Panel.
- Fixed a bug where transforms could break sometimes on external asset sources that used path prefix.
- Fixed a bug where transforms would not be deleted when an Asset was being moved in some cases.
- Implemented a workaround for [PHP bug #74980](#) that affected some Craft installs running PHP 7.1+.

Version 2.6.2989, released 2017-08-15

- Added the [onLockUser](#) event, which fires when a user account is locked.
- Fixed a bug where the PHP and DB versions the Craft Support widget passed to GitHub would not escape tildes (`~`), potentially having Markdown confuse them for strikethrough markup delimiters.
- Fixed a bug where it was possible for users to be redirected to a 404 in the Control Panel after logging in.
- Fixed a bug where users would get one extra login attempt than the [maxInvalidLogins](#) config setting was set to.

Version 2.6.2988, released 2017-07-28

- Added `.m2t` to the default [allowedFileExtensions](#) config setting value.
- `.m2t` files are now treated as videos.
- Images within field instructions are now given a max-width of 100%.
- Fixed a PHP error that could occur when logging a deprecation error in `DepreactorService`.
- Fixed a bug where Redactor was losing its custom styling in Live Preview and Element Editor modals.
- Fixed a bug where picturefill was not applied to thumbnails within lazy-loaded elements on element index pages.
- Fixed a visual alignment bug on Tags fields.
- Fixed a bug where admins could download arbitrary zip files from the server.
- Fixed a bug where a full server path would be disclosed if you were able to upload a file with a filename larger than 255 characters.

Version 2.6.2987, released 2017-07-14

- Added `.jp2` and `.jpx` to the default [allowedFileExtensions](#) config setting value.
- Plugin settings now get set once all plugin classes have been loaded.
- Fixed a PHP error that would occur when a Rich Text field's settings referenced an asset source that no longer existed.
- Fixed a PHP error that could occur when using HTML Purifier in a Rich Text field.
- Fixed an XSS bug in the Control Panel.

Version 2.6.2986, released 2017-06-30

- Improved the styling of locale menus on Edit Entry and Edit Categories pages.
- The Control Panel `font-family` declaration now checks for "Helvetica Neue" in addition to `HelveticaNeue`.
- Fixed a bug where emails that had inner-word underscores would get converted to `` tags if a HTML body was not provided in the email.
- Fixed a bug where the author of a draft could not delete their own draft if they did not have the "Publish Live Changes" permission.
- Fixed a Twig error that could occur when editing a locked user account.
- Fixed a bug where element source labels could get double-encoded.

Version 2.6.2985, released 2017-06-27

- `DateTime::createFromTimeString()` now supports dates formatted with `DateTime::ISO8601`, which is incorrectly missing the colon between the hours and minutes in the timezone offset declaration (e.g. `+0000` instead of `+00:00`).
- Fixed a bug where users would get an "Invalid Verification Code" error when clicking on the link in a verification email.

Version 2.6.2984, released 2017-06-26

- Added the [sanitizeSvgUploads](#) config setting, which determines whether SVG files should be sanitized on uploads (`true` by default).
- The `assets.onReplaceFile` event is now fired whenever a file is replaced, not only if it happens using the `Replace file` Asset action.
- Updated HTML Purifier to 4.9.3.
- Updated Redactor II to 2.7.
- Fixed a bug where changing a user account's email address to one that is already taken would silently fail.
- Fixed a bug where a validation error would occur when saving two routes with the same URL Pattern in different locales.
- Fixed a JavaScript error that would occur after sending in a support request from the Craft Support widget.
- Fixed a bug where Rackspace Asset Sources would corrupt files with trailing whitespaces when downloading them.
- Fixed a SQL error that would occur when saving a Dropdown or Radio Buttons field if the default option's value contained quotation marks.
- Fixed a bug where asset upload prompts would not always reset between uploads.
- Fixed several XSS vulnerabilities in the Control Panel.

Plugin Updates

Freeform

Version 1.6.3, released 2017-10-16

- Fixed a bug where single Checkbox fields would not remember their selection if the submitter went back a page in multi-page forms.
- Fixed a bug where Freeform "basic" installs were not creating the Export Profile database table and resulting in an error switched to Pro version later. Migration will correct affected installs.

- Fixed a bug where fields with array data would display as a literal array when exporting in CSV.
- Fixed a bug where an array of data in select fields for Salesforce API integration could cause an error.

Freeform

Version 1.6.2, released 2017-10-04

- Added form anchor to be automatically generated so inline error returns can focus down to form, if it's lower down on page.
- Fixed a bug where single Checkbox fields would always return the default value for the field in Submissions object and email notifications, whether or not the checkbox is checked.

Version 1.6.1, released 2017-09-01

- Added Incremental ID feature, which assigns a unique Freeform ID to each submission (different than element ID).
- Updated Composer to display hash value of HTML blocks and Submit buttons in property editor, for use with manual implementations.
- Updated Composer to allow forms with dashes in the handle name.
- Fixed a bug where the Form Color picker didn't show in Composer (used for specifying color of data in Pro Widget charts).
- Fixed a bug where 'ID' was not an available column to be displayed in Submissions list in CP.
- Fixed a bug where pressing TAB key through Select (or similar) fields with labels and values would reapply auto-population.
- Fixed a bug where Salesforce API integrations didn't work with custom Salesforce account URL's.
- Fixed a bug where the Set Status option would not show up in Submissions list in CP if the user/group only had access to some of the forms.

Version 1.6.0, released 2017-08-10

- Added new Field types for Pro version: Confirmation, Date & Time, Number, Phone, Rating, Regex, Website.
- Added advanced Quick Export and Export Profiles options in Pro version.
- Added Access / Manage Exports permission controls.
- Added a setting to hide Solospace default formatting templates from showing in Formatting Template dropdown list in Composer.
- Added an example formatting template and demo template for Materialize framework.
- Added a Sandbox option for Salesforce integration in Pro version.
- Updated Spam Honeytrap field JS to display at the bottom of the template.
- Fixed a bug where single checkbox fields were not saving the user's selection if errors were triggered.
- Fixed a bug where email validation was allowing some invalid syntax.
- Fixed a bug where filtering submissions based on more than one status on front end returned an error.
- Fixed a bug where Spam Honeytrap field attributes in HTML source were all missing spaces in between them.
- Fixed a bug where using the 'Export to CSV' (for Basic version) would display a permission error if user/group did not have access to ALL forms.
- Fixed a bug where calling `$submission->fieldMetadata` would get an error.
- Fixed a bug where orphaned mailing list setups would error in Composer.
- Fixed a bug where unchecking ALL filetype options for File Upload fields in Fields area would not save preferences.
- Fixed a bug where EPS files were not able to be uploaded.
- Fixed a bug where Dynamic Recipients field would not display an Email column in some cases.
- Fixed a bug where updating a submission in control panel would change single Checkbox values to 0 or 1.

Version 1.5.1, released 2017-06-09

- Fixed a bug where radio and checkbox group fields would not display the selected option(s) in email notifications or front end submission templates.

SEOmatic

- **Version 1.1.54, released 2017-10-10**

- - More intelligent handling of `addTrailingSlashesToUrls`

- **Version 1.1.53, released 2017-10-06**

- - Fixed a regression with certain types of localized sites

- **Version 1.1.52, released 2017-10-02**

- - Fixed breadcrumbs (and other URLs) for certain multi-locale setups
 - Fixed an issue with `hreflang='x-default'` with non-localized sites

- **Version 1.1.51, released 2017-09-21**

- - Handle localized elements for breadcrumbs
 - Added support for `hreflang='x-default'`
 - Fixed an issue where you could not change the Open Graph or Twitter title from a Twig template
 - Added availabilty to the default Offer Product JSON-LD

- **Version 1.1.50, released 2017-08-10**

- - Add the ability to override the canonicalUrl from an SEOMATIC Meta FieldType
 - Updated the documentation

- **Version 1.1.49, released 2017-08-02**

- - Don't render `article:tag` if there are no keywords
 - Changed `referrer` from `always` to `no-referrer-when-downgrade`
 - Fix issue when passing a string containing the `à` character to `_cleanupText()`
 - Fixed an issue where meta vars were not sanitized with a custom template passed via `seomaticTemplatePath`
 - Fixed a cosmetic bug where the SEOMATIC FieldType settings didn't display the 'OpenGraph Image Source Changeable' properly
 - Fixed an issue with template metas on Windows

- **Version 1.1.48, released 2017-06-18**

- - Fixed an issue on old versions of PHP < PHP 5.4 with `http_response_code()`
 - Added a safer default `robots.txt` template

- **Version 1.1.47, released 2017-06-08**

- - Fixed an issue with Live Preview and a previous or draft version of an entry
 - Fixed a problem where the `dataLayer` wasn't passed down to the Google Tag Manager script
 - Commerce products now have the `name` set to the variant + title

Users

Authors

No data

Authors

No dataNo data

Customers

- testuser

No Group

- admin (Ulbrich Admin)
- dylan
- Toby (Toby Carmody)