



	1	2	3	4	5	6	7	8
A	00_vehicle_input : 00_vehicle_input.kicad_sch		05_debug_clock_uart : 05_debug_clock_uart.kicad_sch			15_gnss_ins : 15_gnss_ins.kicad_sch		
B	00b_reverse_ov : 00b_reverse_ov.kicad_sch		06_esp32 : 06_esp32.kicad_sch			16_barometer : 16_barometer.kicad_sch		
	00c_auto_5v : 00c_auto_5v.kicad_sch		07_esp_service : 07_esp_service.kicad_sch			17_gps_ports : 17_gps_ports.kicad_sch		
	01_usb_c : 01_usb_c.kicad_sch		08_can_fd : 08_can_fd.kicad_sch			18_gps_protection : 18_gps_protection.kicad_sch		
C	01b_usb_limit : 01b_usb_limit.kicad_sch		09_can_ft : 09_can_ft.kicad_sch			20_test_points : 20_test_points.kicad_sch		
	02_system_power : 02_system_power.kicad_sch		10_tx_gate : 10_tx_gate.kicad_sch					
	03_reset : 03_reset.kicad_sch		11_phy_modes : 11_phy_modes.kicad_sch					
D	03b_phy_power : 03b_phy_power.kicad_sch		12_watchdog_latch : 12_watchdog_latch.kicad_sch					
	03c_auto_qualification : 03c_auto_qualification.kicad_sch		12b_latch_clear : 12b_latch_clear.kicad_sch					
	19_gps_power : 19_gps_power.kicad_sch		13_arm_switch : 13_arm_switch.kicad_sch					
E	04_stm32 : 04_stm32.kicad_sch		14_can_connectors : 14_can_connectors.kicad_sch					
F						SCHEMATIC REVIEW ONLY – PCB/HIL release gates remain open digitie/canview Sheet: / File: communicator.kicad_sch Title: CANView / communicator Size: A3 Date: 2026–09–05 Rev: R1 REVIEW KiCad E.D.A. 10.0.6 Id: 1/28		
	1	2	3	4	5	6	7	8





SCHEMATIC REVIEW ONLY – PCB/HIL release gates remain open

digitie/canview

Sheet: /00b_reverse_ov/

File: 00b_reverse_ov.kicad_sch

Title: CANView / 00b_reverse_ov


Size: A3

Date: 2026-09-05


Rev: R1 REVIEW


KiCad E.D.A. 10.0.6


Id: 3/28




REV: R1 REV
Id: 4/28










SCHEMATIC REVIEW ONLY – PCB/HIL release gates remain open		
digitie/canview		
Sheet: /03_reset/		
File: 03_reset.kicad_sch		
Title: CANView / 03_reset		
Size: A3	Date: 2026-09-05	Rev: R1 REVIEW
KiCad E.D.A. 10.0.6	Id: 8/28	



SCHEMATIC REVIEW ONLY – PCB/HIL release gates remain open

digitie/canview

Sheet: /03b_phy_power/

File: 03b_phy_power.kicad_sch

Title: CANView / 03b_phy_power


Size: A3


Date: 2026-09-05


Rev: R1 REVIEW


KiCad E.D.A. 10.0.6

Id: 9/28









SCHEMATIC REVIEW ONLY – PCB/HIL release gates remain open

digitie/canview

Sheet: /05_debug_clock_uart/
File: 05_debug_clock_uart.kicad_sch


Title: CANView / 05_debug_clock_uart


Size: A3
KiCad E.D.A. 10.0.6


Date: 2026-09-05


Rev: R1 REVIEW


Id: 13/28











SCHEMATIC REVIEW ONLY – PCB/HIL release gates remain open

digitie/canview

Sheet: /10_tx_gate/

File: 10_tx_gate.kicad_sch

Title: CANView / 10_tx_gate

Size: A3







Date: 2026-09-05

Rev: R1 REVIEW

KiCad E.D.A. 10.0.6

Id: 18/28

RX mode is independent of TX permit. On invalid automotive power all PHY enables return to hardware standby.



SCHEMATIC REVIEW ONLY – PCB/HIL release gates remain open

digitie/canview

Sheet: /11_phy_modes/

File: 11_phy_modes.kicad_sch

Title: CANView / 11_phy_modes

Size: A3







Date: 2026-09-05

Rev: R1 REVIEW

KiCad E.D.A. 10.0.6

Id: 19/28

120pF gives64.288ms nominal watchdog; budget<72ms with5% C and10pF stray. WDO recovery CANNOT re-arm TX; new ARM edge required.



SCHEMATIC REVIEW ONLY – PCB/HIL release gates remain open

digitie/canview

Sheet: /12_watchdog_latch/

File: 12_watchdog_latch.kicad_sch

Title: CANView / 12_watchdog_latch

Size: A3


Date: 2026-09-05


Rev: R1 REVIEW


KiCad E.D.A. 10.0.6

Id: 20/28

PHY-domain POR and physical disarm both CLEAR the latch, including USB-first automotive hot-plug. No stale Q reuse.







SCHEMATIC REVIEW ONLY – PCB/HIL release gates remain open

digitie/canview

Sheet: /14_can_connectors/
File: 14_can_connectors.kicad_sch

Title: CANView / 14_can_connectors

Size: A3 Date: 2026-09-05
KiCad E.D.A. 10.0.6

Rev: R1 REVIEW
Id: 23/28

