

BGCT · Manual Keyword Collection & Automated Backend Sync Workflow

Amazon UK LED Bulb Listings · Automation Team Reference · v2.1

Sources: BGCT Best Practice (T2) · Product Page Data Sheet · Seller Central SQP · SP-API Orders & Listings · Aug 2026

Document Purpose

This workflow defines the two-phase keyword process for Amazon UK LED bulb listings.

Phase 1 (Method A) collects high-volume, high-converting keywords for each Top-Moving ASIN from Amazon Brand Analytics (SQP) — unchanged from the original BGCT reference.

Phase 2 is new: it automatically checks whether other listings of the same SKU that are declining or generating no sales already carry those keywords, flags any gaps in the title/bullets/description and backend field, and pushes fixes to the listing with a single click. Run monthly, per brand account, end-to-end with no manual keyword lookup.

Phase 1 — Method A: Amazon Brand Analytics (SQP)

What it is: Amazon's Search Query Performance (SQP) report within Seller Central shows which actual search terms customers used to find and click your specific ASINs. This is first-party, highest-accuracy data — not estimated. It reflects real customer behaviour and is the most reliable keyword source available.

1

Identify Top-Moving ASINs (Business Report)

Pull the Business Report in Seller Central separately for DCVOLTAGE UK and LEDSone UK. Rank ASINs by units/sessions and record each Top-Moving ASIN together with its SKU. This list is the input for every step that follows — both in Phase 1 and Phase 2.

BUSINESS REPORT

2

Login → Seller Central → Brand Analytics

Navigate to: Brand Analytics → Search Analytics → Search Query Performance. Select the ASIN View tab. (Brand View gives aggregate brand data — use ASIN View for per-product precision.)

INTERNAL SOURCE

3

Enter One Top-Moving ASIN

Input one Top-Moving ASIN from Step 1 (e.g. B0CNPZ2FZZ). Only brand ASINs return data here. For multiple products, loop through each ASIN separately in automation.

1 ASIN / RUN

4

Set Reporting Period — Month by Month, 3-Month Window First

Set Reporting Range → Monthly. Check the last 3 consecutive months one month at a time, not as a combined range. If 3 months doesn't return enough usable data (low query volume, thin history) extend the check to the last 6 months, still reviewing month by month. Consistent date ranges are essential for reliable cross-source comparison.

3MO → 6MO FALLBACK

5

Sort Search Query Volume — High to Low

Click the Search Query Volume column header. Sort descending (highest first). This surfaces primary keyword candidates immediately. Record the top 30–50 terms per ASIN.

SORT DESCENDING

6

Apply Secondary Filters

Cross-filter by: Click Rate (high = customers click after seeing) and ASIN Share % (low share on high-volume = opportunity gap). Filter out terms with zero conversion to avoid wasted optimisation effort.

MULTI-FILTER

7

Identify Long-tail Candidates

Scroll past the top high-volume terms. Look for 3–6 word phrases with moderate volume (50–500/mo) and high click or conversion rates. These are your long-tail gold — specific, buyer-intent terms that competitors often miss.

LTK DISCOVERY

8

Export CSV

Export the full filtered report. Required columns: search_term, search_query_score, search_query_volume, total_count (impressions), asin_count, asin_share, click_rate. Save with naming: SQP_[ASIN]_[YYYY-MM].csv. The output of this step — the confirmed top search terms per Top-Moving ASIN — is the input to Phase 2.

EXPORT

What to Look For in SQP Data

- ✓ High Volume + High Conversion — These are your confirmed primary keywords — already driving sales. Must be in title Zone A.
- ✓ High Volume + Low ASIN Share — You appear in results but lose clicks. Optimise title Zone A for this term.
- ✓ Low Volume + High Click Rate — Niche but engaged audience — ideal long-tail for bullets and backend.
- ✓ 3–6 Word Phrases in Results — These are long-tail keywords naturally surfaced by real customer language.
- ✓ Seasonal Patterns — Compare months — terms spiking in Oct/Nov = gifting keywords. Plan listings ahead.

Phase 2 — Cross-ASIN Keyword Gap Detection & Automated Backend/Bullet Sync

What it is: Phase 2 takes the top search terms already confirmed for each Top-Moving ASIN in Phase 1 and checks whether other listings of the same product — declining or generating no sales — already carry those terms. Any gap in the title/bullets/description or the backend keyword field is flagged automatically and can be closed with one click. Per MD instruction, this runs end-to-end with zero manual keyword lookup, and is processed separately for each seller account.

1

Find Drop-Sales & Non-Sales ASINs

Across both accounts, find listings that are either: (a) Sales Drop — orders declined or stopped over the last 3 consecutive months, or (b) Zero Sales — no orders at all in the last 6 months. Record each flagged ASIN together with its SKU.

DROP & ZERO SALES

2

Normalise SKUs & Match to Top-Moving Group

Strip pack-size suffixes before matching — e.g. LDMG95E278 (single) vs LDMG95E2782PK / LDMG95E2785PK (2-pack / 5-pack) all resolve to the same base SKU. Check the base SKU against the Top-Moving list from Phase 1 Step 1, whichever variant (single or pack) is actually the Top-Moving one. Where a listing's stored SKU doesn't match its real product, correct it against the SKU mapping table before comparing. Only proceed with pairs that share the same base SKU.

SKU NORMALISE

3	Compare Top Search Terms Against the Underperforming Listing For each matched pair, take the confirmed top search terms for the Top-Moving ASIN (Phase 1 Step 8 export) and prepare them for the two checks below, run against its underperforming twin.	TERM COMPARE
4	Method 1 — Title / Bullets / Description Scan Scan Title, Bullets and Description together as one group. If a keyword appears in any one of these three places, that's enough — mark it placed (tick). If it appears in none of the three, mark it missing.	TITLE / BULLET / DESC
5	Method 2 — Backend / Generic Keyword Scan Separately scan the backend (generic) keyword field for the same term. Available → tick. Not available → mark missing. This check is independent of Method 1 — a term can pass one and fail the other.	BACKEND KEYWORDS
6	Automated Review Dashboard & Action Buttons The system pre-computes every check above — no manual cross-checking. Each ASIN pair shows a keyword-by-keyword tick/missing status for both methods, with exactly two possible actions (see 2.7 below).	ZERO MANUAL WORK
7	Monthly Automation Cadence The full Phase 2 pipeline (Steps 1–6) re-runs monthly, aligned with the Phase 1 refresh cadence, once per brand account — DCVOLTAGE UK and LEDSone UK are each run and reported independently.	RUN MONTHLY

2.7 Review Buttons & Directional Add Logic (One-Click, No Manual Editing)

- ✓ Button 1 — “All Keywords Present · Mark Reviewed”: shown only when a keyword ticks in BOTH Method 1 (title/bullet/description) AND Method 2 (backend) for every top search term. One click logs the ASIN as checked for this cycle.
- + Button 2 — “Add Missing Keywords”: shown whenever any gap exists. Where the keyword sends it depends on where it's missing, not a blanket backend push:
 - Present in title/bullet/description but missing from backend → add to the backend keyword field only.
 - Present in backend but missing from title/bullet/description → add to the bullets only (not title, not description).
 - Missing from both → add to backend AND bullets.
 - All writes happen automatically on click via the SP-API Listings endpoint — no copy-paste, no listing-page editing.

2.8 Automation Pseudocode

```
def run_phase2(account):
    drop_sales = find_sales_drop(account, window_months=3)    # Step 1a
    zero_sales = find_zero_sales(account, window_months=6)    # Step 1b
```

```

underperforming = drop_sales + zero_sales

top_moving = load_top_moving_asins(account)    # Phase 1, Step 1
top_base_sku = { normalise_sku(a.sku): a for a in top_moving }

for asin in underperforming:
    base_sku = normalise_sku(resolve_mapped_sku(asin.sku))    # Step 2
    if base_sku not in top_base_sku:
        continue
    top_asin = top_base_sku[base_sku]
    top_terms = load_sqp_top_terms(top_asin)                # Phase 1, Step 8

    for term in top_terms:                                  # Step 3
        in_front = scan_title_bullets_desc(asin, term)      # Step 4
        in_back  = scan_backend_keywords(asin, term)        # Step 5

        if in_front and in_back:
            status = 'present'
        elif in_front and not in_back:
            status, add_target = 'gap', 'backend'
        elif in_back and not in_front:
            status, add_target = 'gap', 'bullet'
        else:
            status, add_target = 'gap', 'backend_and_bullet'

        push_to_dashboard(account, top_asin, asin, term, status, add_target) # Step 6

# Button handlers:
# on_click('mark_reviewed', asin)          -> log_reviewed(asin, cycle_date)
# on_click('add_missing', asin, term, add_target)
#     -> if add_target in ('backend', 'backend_and_bullet'):
#         sp_api.update_backend_keywords(asin, term)
#     -> if add_target in ('bullet', 'backend_and_bullet'):
#         sp_api.update_bullet_points(asin, term)

```

2.9 Phase 2 Output Schema (Dashboard / CSV Contract)

Column	Type	Description
brand	enum	dcvoltage_uk / ledsone_uk — accounts never merged
top_asin	string	Top-Moving ASIN (source of top search terms)
base_sku	string	Normalised SKU — pack suffixes stripped, mapping applied
duplicate_asin	string	Underperforming ASIN sharing the same base SKU
duplicate_status	enum	sales_drop_3mo / zero_sales_6mo
keyword	string	Top search term being audited (from Phase 1 export)
in_frontend	bool	True if found in title, bullets or description
in_backend	bool	True if found in backend/generic keyword field
status	enum	present / gap
add_target	enum	backend / bullet / backend_and_bullet / none
action_state	enum	reviewed / pending_add / added
date_checked	date	ISO date of this monthly run

2.10 QA & Automation Checklist

- ✓ Account Separation — DCVOLTAGE UK and LEDSone UK processed and reported independently, never merged.
- ✓ SKU Normalisation Applied — pack-suffix variants (2PK, 5PK, etc.) resolved to base SKU before matching; mislabelled listing SKUs corrected via the SKU mapping table.
- ✓ One-Place-Is-Enough Rule — Method 1 ticks a keyword as placed if it appears in any one of title, bullets or description; it does not need to appear in all three.
- ✓ Dual-Method Coverage — front-end and backend checked independently; a term can pass one and fail the other.
- ✓ Directional Add Logic — the Add button routes each missing term to backend, bullet, or both, based on where the gap actually is — never a blanket backend-only push.
- ✓ Zero Manual Lookup — the only human actions are clicking “Mark Reviewed” or “Add Missing Keywords.”
- ✓ Monthly Cadence — full pipeline re-run once per month, per brand account.

BGCT · Keyword Collection & Automated Backend/Bullet Sync Workflow · v2.1 · For Automation Team Use · Internal Reference Only · Aug 2026