

The Lights Fest - Deployment Guide

Overview

This is a beautiful, secure lantern festival event website built with React, TypeScript, Tailwind CSS, and Supabase. It's designed to be hosted on deets.ai for maximum security and to prevent malicious third-party marketing scripts from loading.

Features

Frontend

- **Modern Design:** Clean, professional UI matching The Lights Fest aesthetic
- **Responsive Layout:** Fully responsive across mobile, tablet, and desktop
- **Navigation:** Fixed header with smooth scrolling navigation
- **Event Management:** Display upcoming events with date, location, and details
- **Registration System:** Modal-based registration form for each event
- **FAQ Section:** Expandable Q&A for common questions
- **Get Involved:** Opportunities for volunteers, charities, sponsors, and affiliates
- **Beautiful Footer:** Contact information and links

Backend

- **Supabase Database:** Secure PostgreSQL database with Row-Level Security (RLS)
- **Events Table:** Stores all festival events
- **Registrations Table:** Manages user registrations with validation
- **No Third-Party Scripts:** Clean, first-party only implementation

Architecture

Database Schema

Events Table

```
- id (UUID, primary key)
- title (text)
- date (text)
- location (text)
- city (text)
- description (text)
- image_url (text)
- ticket_url (text)
- capacity (integer)
- created_at (timestamp)
```

Registrations Table

```
- id (UUID, primary key)
- event_id (UUID, foreign key to events)
- email (text)
- first_name (text)
- last_name (text)
- phone (text)
- tickets_quantity (integer)
- created_at (timestamp)
```

Setup Instructions

Prerequisites

- Node.js 18+ installed
- npm or yarn package manager
- Supabase account (already configured)

Local Development

1. Install Dependencies

```
npm install
```

2. **Environment Variables** The `.env` file is already configured with Supabase credentials:

```
VITE_SUPABASE_URL=your_supabase_url
VITE_SUPABASE_ANON_KEY=your_supabase_anon_key
```

3. Start Development Server

```
npm run dev
```

The app will be available at `http://localhost:5173`

4. Build for Production

```
npm run build
```

Deployment to deets.ai

Step 1: Build the Project

```
npm run build
```

This creates optimized production files in the `dist/` folder.

Step 2: Upload to deets.ai

1. Log in to your deets.ai dashboard
2. Create a new deployment or select existing project
3. Upload the `dist/` folder contents
4. Set the build output directory to `dist/`

Step 3: Configure Environment

In deets.ai environment settings, add:

- `VITE_SUPABASE_URL` : Your Supabase project URL
- `VITE_SUPABASE_ANON_KEY` : Your Supabase anonymous key

Step 4: Deploy

Click "Deploy" to publish your site. deets.ai will:

- Serve your static files with optimal performance
- Provide SSL/TLS encryption
- Block malicious third-party scripts
- Handle CORS appropriately

Security Features

No Third-Party Scripts

- ✓ No Google Analytics trackers
- ✓ No Facebook Pixel
- ✓ No third-party marketing tools
- ✓ No external ad networks
- ✓ Complete first-party data handling

Data Protection

- Row-Level Security (RLS) enabled on all tables
- Email addresses validated before storage
- No sensitive data in localStorage
- HTTPS-only communication

Clean Code

- No console.log debugging in production
- No exposed API keys in client code

- Proper error handling
- CORS-safe API calls

Managing Events

Adding Events via Supabase

1. Log in to your Supabase dashboard
2. Go to the `events` table
3. Insert new events:

```
{
  "title": "Event Name",
  "date": "MONTH DAY, YEAR",
  "location": "City, State",
  "city": "CITY",
  "description": "Event description",
  "image_url": "https://...",
  "ticket_url": "#register-eventname"
}
```

Viewing Registrations

1. Log in to Supabase dashboard
2. View the `registrations` table
3. Export data as CSV for mailing lists or analysis

API Integration Points

Event Retrieval

The application fetches events from Supabase on page load:

```
const { data } = await supabase
  .from('events')
  .select('*')
  .order('date', { ascending: true });
```

Registration Submission

User registrations are saved directly to Supabase:

```
const { error } = await supabase
  .from('registrations')
  .insert([registrationData]);
```

Performance Optimizations

- Vite bundling for optimal asset sizes
- Tailwind CSS with PurgeCSS for minimal CSS
- Lazy image loading
- Smooth scroll behavior
- Responsive images with Pexels CDN

Troubleshooting

Events Not Loading

- Check Supabase connection in browser console
- Verify `VITE_SUPABASE_URL` and `VITE_SUPABASE_ANON_KEY` are set
- Ensure the `events` table exists and has data

Registration Errors

- Check Supabase RLS policies
- Verify form validation errors in console
- Check network tab for API errors

Styling Issues

- Run `npm run build` to rebuild CSS
- Clear browser cache
- Check Tailwind configuration

Maintenance

Regular Tasks

- Monitor registration submissions in Supabase
- Update event information as needed
- Check for any console errors in production
- Backup registration data regularly

Scaling

When scaling to multiple cities:

1. Add new events to the database
2. UI automatically adjusts
3. Each event gets its own registration flow
4. No code changes required

Support

For issues or questions:

1. Check the Supabase dashboard for data issues
2. Review browser console for errors
3. Verify environment variables are correctly set
4. Contact your development team

Next Steps

1. **Customize Content:** Update event details, descriptions, and images
 2. **Add Contact Form:** Implement backend email handling
 3. **Analytics:** Add privacy-respecting analytics if needed
 4. **Payment Integration:** Add Stripe for ticket purchases
 5. **Social Media:** Add social sharing functionality
-

Built with React, TypeScript, Tailwind CSS, and Supabase. Hosted securely on deets.ai with no third-party tracking.