

Get Your Digitzs Security Key - Step by Step

YOU NEED THIS KEY RIGHT NOW

Your application is showing "**DIGITZS_SECURITY_KEY not configured**" because this environment variable is missing from Supabase.

This is NOT in your TokenEx account - it's a separate key from your NMI gateway portal.

What You Need

- Access to **digitzs.transactiongateway.com**
 - Your Digitzs merchant login credentials
 - 5 minutes
-

Step-by-Step Instructions

Step 1: Log Into Digitzs Gateway Portal

1. Open your browser and go to:

```
https://digitzs.transactiongateway.com
```

2. Enter your merchant credentials:

- **Username:** Your Digitzs merchant username
- **Password:** Your gateway password

(If you don't have these, contact Laura@digitzs.com)

3. Click **Login**

Step 2: Navigate to Security Keys

Once logged in:

1. Look at the top navigation menu
 2. Click on **Settings**
 3. In the dropdown menu, select **Security Keys**
 4. Click on the **API Security Keys** tab
-

Step 3: Get Your Security Key

You should now see your API Security Key displayed.

It looks like this:

```
2F822Rw39fx762MaV7Yy86jXGTC7sCDy
```

Key characteristics:

- 32 characters long
- Mix of letters and numbers
- Alphanumeric only (no special characters)

Actions:

✓ **If you see a key:** Copy it to your clipboard (click the copy icon or select and copy)

✗ **If you don't see a key:** Click the "**Generate New Key**" button, then copy it

⚠ **Important:** Keep this key secure! It authenticates all API requests to your payment gateway.

Step 4: Add Key to Supabase Edge Functions

Now you need to add this key as a secret in Supabase:

Option A: Via Supabase Dashboard (Easiest)

1. Go to your Supabase project dashboard:

```
https://supabase.com/dashboard/project/hppsbqucfklrrytfftye
```

2. In the left sidebar, click **Edge Functions**
3. Click on **Secrets** in the Edge Functions menu
4. Click **Add new secret** button
5. Fill in the form:
 - **Name:** `DIGITZS_SECURITY_KEY`
 - **Value:** [Paste your 32-character key here]
6. Click **Save**

7.  Done! The secret is now available to all Edge Functions

Option B: Via Supabase CLI (Advanced)

If you prefer command line:

```
# Set the secret
supabase secrets set DIGITZS_SECURITY_KEY=<paste-your-key-here>

# Verify it was set
supabase secrets list
```

You should see `DIGITZS_SECURITY_KEY` in the output.

Step 5: Test Your Integration

Now let's verify everything works:

1. **Open your application** in a web browser
2. **Navigate to the ticket purchase page**
3. **Fill in customer information:**
 - First Name: Test
 - Last Name: User
 - Email: `test@example.com`
 - Phone: 555-123-4567
4. **Enter test card details:**
 - Card Number: `4242 4242 4242 4242`
 - Expiry Date: `12/25`
 - CVV: `123`

5. Click Submit Payment

Success Indicators

If everything is working correctly, you should see:

-  No "DIGITZS_SECURITY_KEY not configured" error
 -  Payment processes successfully
 -  You receive a transaction ID in the response
 -  Success confirmation message appears
 -  Transaction shows up in Digitzs gateway portal under **Reports** → **Transactions**
-

Troubleshooting

Still Getting "Security Key Not Configured"?

Check 1: Verify the secret exists

1. Go to Supabase Dashboard → Edge Functions → Secrets
2. Look for `DIGITZS_SECURITY_KEY` in the list
3. If missing, repeat Step 4

Check 2: Verify the key is correct

1. Log back into digitzs.transactiongateway.com
2. Go to Settings → Security Keys → API Security Keys
3. Copy the key again (make sure no spaces or line breaks)
4. Update the Supabase secret with the correct value

Check 3: Test the key directly

Run this command to test your security key:

```
curl -X POST https://digitzs.transactiongateway.com/api/transact.  
-d "security_key=YOUR_KEY_HERE" \  
-d "type=validate"
```

Expected response:

```
response=1&responsetext=SUCCESS
```

Error response:

```
response=3&responsetext=Invalid security key
```

If you get an error, your key is incorrect. Get a fresh copy from the portal.

Error: "Invalid Security Key"

Possible causes:

- Key was copied incorrectly (extra spaces, line breaks)
- Key was regenerated in the portal (old key no longer valid)
- Wrong merchant account / portal login

Solution:

1. Log into digitzs.transactiongateway.com
2. Generate a NEW security key
3. Update the Supabase secret with the new key

4. Test again

Transactions Declining

If the security key works but transactions are declining:

Check 1: Card number

- Use test card: 4242424242424242
- No spaces when testing the API
- Must be valid Luhn checksum

Check 2: MID status

1. Log into Digitzs portal
2. Click on **Account** → **Account Settings**
3. Verify Merchant ID **33595002** is active and approved

Check 3: Gateway logs

1. Go to **Reports** → **Transaction Search**
2. Look for your recent test transactions
3. Check decline reasons and response codes

Check 4: Processor status

- Contact Digitzs support if MID shows as inactive
 - Verify Propay MID 33595002 is configured correctly
-

Error: "Communication Error"

Possible causes:

- Network connectivity issues
- Gateway maintenance
- SSL/TLS certificate issues

Solution:

1. Check gateway status (contact Digitzs support)
2. Verify your Supabase Edge Function has internet access
3. Try again in a few minutes
4. Check Digitzs status page or support channels



Security Best Practices

Protecting Your Security Key

1. NEVER commit to Git

- Keys should only be in Supabase secrets
- Never in `.env` files that get committed
- Use `.gitignore` to exclude sensitive files

2. Rotate keys periodically

- Generate new keys quarterly
- Update in Supabase immediately after generating
- Revoke old keys after updating

3. Use different keys per environment

- Development: Test account security key
- Production: Live account security key

- Never mix test and live keys

4. Monitor for unauthorized usage

- Review transaction logs regularly
- Set up alerts for unusual activity
- Check for failed authentication attempts
- Investigate any suspicious patterns

Need Help?

Can't Log Into Digitzs Portal?

Contact your merchant account representative:

- **Email:** Laura@digitzs.com
- **Subject:** "Need Digitzs gateway login credentials"

Security Key Not Working?

Contact Digitzs technical support:

- **Email:** support@nmi.com
- **Phone:** 1-866-481-3280
- **Portal:** <https://digitzs.transactiongateway.com/merchants/support>

Still Having Issues?

Make sure you have:

-  Correct 32-character security key from Digitzs portal
-  Added key to Supabase as `DIGITZS_SECURITY_KEY`

-  No typos, spaces, or line breaks in the key
-  MID 33595002 is active in Digitzs portal
-  Using test card 4242424242424242 for testing

What This Key Does

Your Digitzs Security Key is used to:

1. **Authenticate API requests** to the NMI gateway
2. **Process credit card transactions** through Propay MID 33595002
3. **Submit sales, voids, refunds, and other operations**
4. **Query transaction status and reports**

Current flow:

```
Your App → DigitzsCheckout Component →  
digitzs-direct Edge Function (uses DIGITZS_SECURITY_KEY) →  
Digitzs Gateway API (digitzs.transactiongateway.com) →  
Propay MID 33595002 → Card Networks (Visa/MC/Amex)
```

Verification Checklist

Before moving forward, verify:

- ☐ Logged into digitzs.transactiongateway.com successfully
- ☐ Found Security Keys section under Settings
- ☐ Copied 32-character API Security Key
- ☐ Added key to Supabase Edge Functions Secrets

- ☐ Named the secret exactly: `DIGITZS_SECURITY_KEY`
 - ☐ No spaces or line breaks in the key value
 - ☐ Tested a transaction with card 4242424242424242
 - ☐ Received successful response with transaction ID
 - ☐ Transaction appears in Digitzs portal reports
-

Next Steps After Setup

Once your key is configured and working:

1. **Test thoroughly** with various test cards
 2. **Review transaction logs** in Digitzs portal
 3. **Set up error monitoring** for declined transactions
 4. **Configure email receipts** for customers
 5. **Review PCI compliance requirements** (you're now processing card data directly)
-

Related Documentation

- `QUICK_START_DIGITZS.md` - Quick 5-minute setup guide
- `DIGITZS_NMI_SECURITY_KEY.md` - Detailed security key documentation
- `TOKENEX_END_TO_END_PROCESS.md` - TokenEx recovery when account reactivates
- `DIGITZS_DIRECT_INTEGRATION.md` - Full API implementation guide
- `IMPLEMENTATION_STATUS.md` - Current system status

Last Updated: March 24, 2026 **Version:** 1.0 **Status:** Critical - Required for Payment Processing