

Tokenex End-to-End Payment Process Documentation

Overview

Payvia is a processor-agnostic embedded checkout that wraps Tokenex's iFrame and connects to 200+ payment processors through Tokenex's Transparent Gateway.

System Architecture

Components

1. **Payvia Checkout** - Wrapper around Tokenex iFrame
2. **Tokenex iFrame** - Secure tokenization interface
3. **Tokenex Transparent Gateway** - Routes to 200+ processors
4. **Processor MIDs** - Merchant accounts at various processors

Current Setup

Events & Their MIDs

- **Lights Fest** - Propay MID: 33595002
- **Escape from Dinosaur Island** - Propay MID: 33595002

MID Configuration

- **Digitzs MID:** `ticketso-clevergroup-33595002-4398786-1724692895`
 - Tier: TicketSocket-Tier
 - Connected to: Propay MID 33595002
 - White label of: NMI.com
- **NMI Direct MID:** Same Propay MID 33595002
 - Integrated directly to Propay (not through Digitzs)

Payment Flow (When Tokenex is Active)

Step 1: Customer Initiates Checkout

User clicks "Register" → Opens Payvia Checkout Modal

Step 2: Tokenex iFrame Loads

```
// TokenEx iFrame Configuration
{
  tokenExID: "YOUR_TOKENEX_ID",
  tokenScheme: "PCI",
  origin: "https://your-domain.com",
  timestamp: Date.now(),
  authenticationKey: "generated_hmac_key"
}
```

Step 3: Customer Enters Card Data

- Card data entered directly into Tokenex iFrame

- PCI compliance handled by Tokenex
- No card data touches your servers

Step 4: Tokenization

```
Tokenex creates token: "6f7d9a2b-4e3c-8f1a-0b5d-9e2c1f4a7b3d"  
Token represents card data securely
```

Step 5: Token Sent to Your Backend

```
// Frontend sends to your edge function  
POST /functions/v1/payvia-process  
{  
  tokenexToken: "6f7d9a2b-4e3c-8f1a-0b5d-9e2c1f4a7b3d",  
  amount: 45.00,  
  merchantId: "33595002",  
  processor: "propay",  
  gatewayType: "digitzs"  
}
```

Step 6: Your Backend Processes via Tokenex Transparent Gateway

```
// Your edge function calls Tokenex API
POST https://api.tokenex.com/v2/TransparentGatewayAPI
Headers:
  tx-tokenex-id: "YOUR_TOKENEX_ID"
  tx-apikey: "YOUR_API_KEY"

Body:
{
  Token: "6f7d9a2b-4e3c-8f1a-0b5d-9e2c1f4a7b3d",
  Amount: "45.00",
  Gateway: "NMI",
  MerchantID: "33595002",
  TransactionType: "sale"
}
```

Step 7: Tokenex Routes to Processor

```
Tokenex Transparent Gateway
→ Detokenizes card data
→ Routes to NMI/Digitzs
→ Forwards to Propay MID 33595002
→ Processes transaction
```

Step 8: Response Chain

```
Propay → NMI/Digitzs → Tokenex → Your Edge Function → Frontend
```

Step 9: Store Transaction

```
// Save to Supabase
INSERT INTO registrations (
  transaction_id,
  customer_email,
  amount,
  status,
  processor
)
```

Step 10: TicketSocket Integration

```
// Create ticket in TicketSocket
POST https://api.ticketsocket.com/v1/orders
{
  eventId: "ts_event_id",
  customerEmail: "user@example.com",
  ticketQuantity: 2,
  transactionId: "txn_123"
}
```

API Endpoints & Credentials

Tokenex

- **iFrame URL:** <https://http.tokenex.com/iframe/v3/>
- **API URL:** <https://api.tokenex.com/v2/TransparentGatewayAPI>
- **Credentials:**
 - TokenEx ID: (stored in edge function secrets)
 - API Key: (stored in edge function secrets)

- HMAC Key: (for iFrame authentication)

Digitzs (NMI White Label)

- **Gateway URL:**
`https://digitzs.transactiongateway.com/api/transact.php`
- **MID:** 33595002
- **Credentials:**
 - Security Key: (stored in edge function secrets)

TicketSocket

- **API URL:** `https://api.ticketsocket.com/v1/`
- **Credentials:**
 - API Key: (stored in edge function secrets)

Tokenex Configuration Steps (For Reactivation)

1. Login to Tokenex Dashboard

- URL: <https://portal.tokenex.com>

2. Configure Transparent Gateway

```
Settings → Transparent Gateway → Add Gateway  
Gateway: NMI  
MID: 33595002  
Credentials: [Propay credentials]
```

3. Generate API Keys

```
Settings → API Keys → Create New Key  
Permissions: Tokenize, Detokenize, TransparentGateway
```

4. Configure iFrame

```
Settings → iFrame → Configuration  
Allowed Origins: https://your-domain.com  
Token Scheme: PCI  
CVV Required: Yes  
Styles: Custom CSS
```

5. Update Edge Function Secrets

```
# These will be set via Supabase dashboard  
TOKENEX_ID=your_tokenex_id  
TOKENEX_API_KEY=your_api_key  
TOKENEX_HMAC_KEY=your_hmac_key
```

Security Features

PCI Compliance

- Card data never touches your servers
- Tokenex handles all PCI DSS requirements
- You only store tokens, not card data

3D Secure (Optional)

- Can be enabled in Tokenex settings
- Adds additional authentication layer
- Reduces chargeback liability

Device Fingerprinting

- Collect browser/device data
- Send with transaction for fraud detection
- Increases approval rates

Troubleshooting

iFrame Won't Load

- Check allowed origins in Tokenex dashboard
- Verify HMAC authentication key is correct
- Check timestamp is within 5-minute window

Tokenization Fails

- Verify API credentials
- Check card number is valid test card
- Ensure CVV is included if required

Transaction Declined

- Check MID is active with processor
- Verify amount format (decimal with 2 places)

- Check processor-specific requirements

TicketSocket Sync Issues

- Verify API key is valid
- Check event ID exists in TicketSocket
- Ensure customer data format is correct

Migration Path (Tokenex → Direct NMI)

When Tokenex is unavailable, you can process directly through Digitzs/NMI:

Differences

Feature	Tokenex	Direct NMI
PCI Scope	Tokenex handles	You must handle
iFrame	Tokenex hosted	Self-hosted form
Multi-processor	200+ processors	NMI/Digitzs only
Setup complexity	Higher	Lower
Monthly cost	Tokenex + processor	Processor only

Implementation

See `DIGITZS\_DIRECT\_INTEGRATION.md` for direct integration details.

Testing

Tokenex Test Cards

```
Visa: 4111111111111111
Mastercard: 5499740000000057
Amex: 371449635398431
CVV: Any 3-4 digits
Expiry: Any future date
```

Test Environment

- Tokenex Sandbox: Available when account is active
- Test MID: Separate test MID for non-production

Resume Checklist (When Tokenex Reactivates)

- ☐ Verify Tokenex account is active
- ☐ Confirm billing issue is resolved
- ☐ Test iFrame loads correctly
- ☐ Test tokenization flow
- ☐ Test transaction processing through Transparent Gateway
- ☐ Verify MID 33595002 is still connected
- ☐ Test both Lights Fest and Dinosaur Island events
- ☐ Verify TicketSocket integration still works
- ☐ Update edge function secrets if keys changed
- ☐ Run end-to-end test transaction
- ☐ Monitor first few live transactions

Support Contacts

Tokenex

- Support: support@tokenex.com
- Phone: (405) 546-0590
- Portal: <https://portal.tokenex.com>

NMI/Digitzs

- Support: support@nmi.com
- Portal: <https://secure.digitzs.transactiongateway.com>

Propay

- Support: propay.com/support
- Phone: Check your merchant portal

Notes

- Tokenex deactivated 2024-03-23 due to billing error on their part
- All MIDs remain active at processor level
- Direct NMI integration implemented as backup
- TicketSocket integration remains functional