

SEQUENCER

1

multiple user
profile per
residence or
commercial
establishment
E \$\$ <3<3

manual food
registration
E \$\$ <3<3<3

expiration
date control
with alerts
E \$\$ <3<3

2

manual
consumption
update
E \$\$ <3<3

automatic
shopping list
E \$\$ <3<3

MVP

physical layout
registration
(manual
measurements)
E \$\$ <3<3

3

alert for any
special
storage
conditions
E \$\$ <3<3<3

positioning
suggestion
based on food
compatibility
EEE \$\$\$ <3<3<3

INCREMENT

recipe
suggestions (web scraping -
crawlers)
EE \$\$ <3<3<3

4

domestic
module
EE \$\$ <3<3<3

INCREMENT

automatic
ingredient
discount per
recipe
E \$\$ <3<3

commercial
module
EEEE \$\$\$
<3<3<3

5

pantry and
fridge report
E \$\$ <3<3

INCREMENT

recipe
portion
adjustment
E \$\$ <3<3

3D volume and
2D area food
storage
calculation
EEEE \$\$\$ <3<3<3



Pesquisar no back



Filtrar



Epic



Sem epic

> Multiple user authentication and registration

> Food Management

> Expiry Date Control and Alerts

> Consumption and Stock Update

> Reports and Shopping List

> Physical Organization of Space

> Recipes

> Commercial Module

+ Criar epic

MGADPEP Sprint 1



Adicionar datas

(6 tickets)

23

0

0

Iniciar sprint



MGADPEP-2 Home user registration

MULTIPLE USER AUT...

A FAZER

3



RF

MGADPEP-4 Login and password recovery

MULTIPLE USER AUT...

A FAZER

2



RF

MGADPEP-7 Manual registration of food with expiration date

FOOD MANAGEMENT

A FAZER

5



RF

MGADPEP-14 Near expiry date alert

EXPIRY DATE CONTR...

A FAZER

5



RF

MGADPEP-23 Manual food consumption update

CONSUMPTION AND ...

A FAZER

3



RF

MGADPEP-27 Automatic shopping list by minimum stock

REPORTS AND SHOPP...

A FAZER

5



RF

+ Criar



6 de 6 tickets visíveis | Estimativa: 23 de 23

Backlog (24 tickets)

0

0

0



Criar sprint

MGADPEP-3 Commercial user registration

MULTIPLE USER AUT...

A FAZER

-



RF

MGADPEP-5 Managing multiple profiles per account

MULTIPLE USER AUT...

A FAZER

-



RF

MGADPEP-8 Barcode reader for registration

FOOD MANAGEMENT

A FAZER

-



RF

MGADPEP-9 Importing invoices via QR code

FOOD MANAGEMENT

A FAZER

-



RF

MGADPEP-11 Editing and deleting registered food items

FOOD MANAGEMENT

A FAZER

-



RF

MGADPEP-12 Definition of minimum stock level per food item

FOOD MANAGEMENT

A FAZER

-



RF

MGADPEP-15 Alert regarding special storage conditions

EXPIRY DATE CONTR...

A FAZER

-



RF

MGADPEP-16 Manual extension of the expiration date

EXPIRY DATE CONTR...

A FAZER

-



RF

MGADPEP-17 Risk classification by storage time

EXPIRY DATE CONTR...

A FAZER

-



RF

MGADPEP-24 Automatic ingredient discount after recipe use

CONSUMPTION AND ...

A FAZER

-



RF

MGADPEP-25 Portion adjustment in the recipe

CONSUMPTION AND ...

A FAZER

-



RF

MGADPEP-26 On-demand pantry report

REPORTS AND SHOPP...

A FAZER

-



RF

MGADPEP-28 Exporting the shopping list

REPORTS AND SHOPP...

A FAZER

-



RF

MGADPEP-29 Cabinet or pantry inventory with manual measurements

PHYSICAL ORGANIZ...

A FAZER

-



RF

MGADPEP-30 Refrigerator registration by model with dimension import

PHYSICAL ORGANIZ...

A FAZER

-



RF

Epic

Sem epic

Multiple user authentication and registration

Food Management

Expiry Date Control and Alerts

Consumption and Stock Update

Reports and Shopping List

Physical Organization of Space

Recipes

Commercial Module

+ Criar epic

Backlog (24 tickets)

000

Criar sprint

MGADPEP-3	Commercial user registration	MULTIPLE USER AUT...	A FAZER	-		RF
MGADPEP-5	Managing multiple profiles per account	MULTIPLE USER AUT...	A FAZER	-		RF
MGADPEP-8	Barcode reader for registration	FOOD MANAGEMENT	A FAZER	-		RF
MGADPEP-9	Importing invoices via QR code	FOOD MANAGEMENT	A FAZER	-		RF
MGADPEP-11	Editing and deleting registered food items	FOOD MANAGEMENT	A FAZER	-		RF
MGADPEP-12	Definition of minimum stock level per food item	FOOD MANAGEMENT	A FAZER	-		RF
MGADPEP-15	Alert regarding special storage conditions	EXPIRY DATE CONTR...	A FAZER	-		RF
MGADPEP-16	Manual extension of the expiration date	EXPIRY DATE CONTR...	A FAZER	-		RF
MGADPEP-17	Risk classification by storage time	EXPIRY DATE CONTR...	A FAZER	-		RF
MGADPEP-24	Automatic ingredient discount after recipe use	CONSUMPTION AND ...	A FAZER	-		RF
MGADPEP-25	Portion adjustment in the recipe	CONSUMPTION AND ...	A FAZER	-		RF
MGADPEP-26	On-demand pantry report	REPORTS AND SHOPP...	A FAZER	-		RF
MGADPEP-28	Exporting the shopping list	REPORTS AND SHOPP...	A FAZER	-		RF
MGADPEP-29	Cabinet or pantry inventory with manual measurements	PHYSICAL ORGANIZ...	A FAZER	-		RF
MGADPEP-30	Refrigerator registration by model with dimension import	PHYSICAL ORGANIZ...	A FAZER	-		RF
MGADPEP-31	Calculation of 3D volume and 2D area per compartment	PHYSICAL ORGANIZ...	A FAZER	-		RF
MGADPEP-32	Visual plan of the shelves with numbering and names	PHYSICAL ORGANIZ...	A FAZER	-		RF
MGADPEP-33	Suggested placement based on food compatibility	PHYSICAL ORGANIZ...	A FAZER	-		RF
MGADPEP-34	Recipe suggestions using ingredients nearing their expiration date	RECIPES	A FAZER	-		RF
MGADPEP-35	Scraping recipes from free websites	RECIPES	A FAZER	-		RF
MGADPEP-36	Favorite and save recipes	RECIPES	A FAZER	-		RF
MGADPEP-37	Establishment and staff registration	COMMERCIAL MODULE	A FAZER	-		RF
MGADPEP-38	Inventory Report for Commercial Purchases	COMMERCIAL MODULE	A FAZER	-		RF
MGADPEP-39	Control of multiple zones	COMMERCIAL MODULE	A FAZER	-		RF

+ Criar

Espaços /

MVP Gestão Ágil de P...

 /

MGADPEP-1

 /

MGADPEP-2

Home user registration

+

▼ Descrição

As a new home user, I wish to create an account on 3L by providing my basic information so that I can access the app and start managing my pantry and refrigerator.

Acceptance Criteria:

GIVEN THAT I am a new user, WHEN I access the registration screen, THEN I should see fields for full name, email, email confirmation, profile type (home/business), password and password confirmation.

GIVEN THAT I filled in all the fields correctly, WHEN I click on "Create account", THEN the system should create my account, send a confirmation email and redirect me to the welcome screen.

GIVEN THAT the email address provided is already registered, WHEN I click on "Create account" THEN the system should display the message "This email is already in use. Try logging in or recovering your password."

GIVEN THAT I left required fields blank, WHEN I click "Create account" THEN the system should highlight the empty fields in red and display a corresponding error message.

GIVEN THAT the passwords do not match, WHEN I click on "Create account", THEN the system should display the message "The passwords do not match. Please check and try again."

Subtarefas

Adicionar subarefa

Tickets vinculados

Adicionar ticket vinculado

Conteúdo do Confluence

DoR e DoD

Atualizado em anteontem

RF

Adicionar comentário...

Ficou bom!

Precisa de ajuda?

Este item está bloqueado...

Você pode esclarecer...?

A fazer

⚡

> Informações

Responsável, Pai, Data limite, C...

> Desenvolvimento

> Automação

⚡

Execuções de regras

> Checklist

Abrir Checklist

Criado anteontem

Atualizado há 4 segundos

Configurar

1

Confluence Page

Edit

Share

DoR e DoD

By Rodrigo Fernandes

1 min

See views

Add a reaction

Definition of Ready (DoR)

For a story to enter a sprint, it needs to:

be written in the INVEST model (Independent, Negotiable, Valuable, Estimable, Small enough, Testable);

be estimated in story points by the team;

have Acceptance Criteria written in the GIVEN THAT / WHEN / THEN format;

have defined test data;

have the architecture of external integrations validated (e.g. , barcode API, recipe scraping);

have development and staging environments ready and accessible; and

have been reviewed and approved by Product Owner.

Definiton of Done (DoD)

A story is complete when:

unit tests are written and passing;

functional tests have passed in a staging environment;

the code has been reviewed by at least one other developer;

regression test automation has been updated;

all acceptance criteria have been met and verified;

the Product Owner has formally accepted the delivery; and

the functionality is deployed in a production environment with no monitoring errors within the first 48 hours.

Add a comment

Add a reaction

Espaços

MVP Gestão Ágil de P...

MGADPEP-1

MGADPEP-4

Login and password recovery



Descrição

As a registered user, I wish to log in to the app with my email and password so that I can access my account and resume managing my pantry and refrigerator.

Acceptance Criteria:

GIVEN THAT I am a registered user, WHEN I enter my correct email and password and click "Login", THEN I should be redirected to the app's main screen.

GIVEN THAT I entered an incorrect password, WHEN I click "Login", the system should display the message "Incorrect email or password" without specifying which one is wrong for security.

GIVEN THAT I forgot my password, WHEN I click on "Forgot my password", THEN the system should ask me for the registered email and send a password reset link valid for 15 minutes.

GIVEN THAT I received the reset link, WHEN I click on the link and set a new password, THEN the system should confirm the change and redirect me to the login page.

Subtarefas

Adicionar sub tarefa

Tickets vinculados

Adicionar ticket vinculado

Conteúdo do Confluence

DoR e DoD

Atualizado em anteontem

Atividade

RF

Adicionar comentário...

Ficou bom!

Precisa de ajuda?

Este item está bloqueado...

Você pode esclai

Dica de ouro: aperte **M** para fazer comentários

A fazer

> Informações

Responsável, Pai, Data limite, Categorias, ...

> Desenvolvimento

> Automação

Execuções de regras

> Checklist

Abrir Checklist

Criado anteontem

Atualizado há 1 hora

Configurar

Confluence Page

Edit

Share

DoR e DoD

By Rodrigo Fernandes 1 min See views Add a reaction

Definition of Ready (DoR)

For a story to enter a sprint, it needs to:

be written in the INVEST model (Independent, Negotiable, Valuable, Estimable, Small enough, Testable);

be estimated in story points by the team;

have Acceptance Criteria written in the GIVEN THAT / WHEN / THEN format;

have defined test data;

have the architecture of external integrations validated (e.g., barcode API, recipe scraping);

have development and staging environments ready and accessible; and

have been reviewed and approved by Product Owner.

Definition of Done (DoD)

A story is complete when:

unit tests are written and passing;

functional tests have passed in a staging environment;

the code has been reviewed by at least one other developer;

regression test automation has been updated;

all acceptance criteria have been met and verified;

the Product Owner has formally accepted the delivery; and

the functionality is deployed in a production environment with no monitoring errors within the first 48 hours.

Add a comment

Add a reaction

Espaços / MVP Gestão Ágil de P... / MGADPEP-6 / MGADPEP-7

Manual registration of food with expiration date

▼ Descrição

As a home user, I want to manually register a food item by providing its name, quantity, unit of measure, and expiration date, so that the app can manage my inventory and notify me when a product is about to expire.

Acceptance Criteria:

GIVEN THAT I am on the pantry screen, WHEN I click on "Add food", THEN I should see a form with the following fields: food name, category (Dropdown menu: fresh/dry/perishable/beverage), quantity, unit (Dropdown menu: kg, g, l, ml, unit, box), expiration date, and storage location (Dropdown menu: pantry/refrigerator/other (empty checkbox/button "Create new spot")). Once I have filled in all the fields and clicked "Save", the food item should appear in the inventory list immediately, with a visual color indicator showing how close it is to its expiration date (green: > 7 days, yellow: 7-3 days, red: < 3 days).

GIVEN THAT I enter an expiration date that has already passed, WHEN I save, the system should display an alert: "This product is expired. Do you really want to add it?" with the options "Yes, add anyway" and "Cancel".

GIVEN THAT the food has special storage requirements (e.g., "refrigerate after opening"), WHEN registering, I should have the option to select this special condition and set a new expiration date after opening.

GIVEN THAT the product was marked as opened, WHEN I register the opening, THEN the system should recalculate the expiration date based on the post-opening period entered and issue alerts based on this new date.

Subtarefas

Adicionar subtarefa

Tickets vinculados

Adicionar ticket vinculado

Conteúdo do Confluence

DoR e DoD

Atualizado em anteontem

RF

Adicionar comentário...

1

A fazer

> Informações

Responsável, Pai, Data limite, Categorias, ...

> Desenvolvimento

> Automação

Execuções de regras

> Checklist

Abrir Checklist

Criado anteontem

Atualizado há 1 hora

Configurar

Confluence Page

Edit

Share

DoR e DoD

By Rodrigo Fernandes

1 min

See views

Add a reaction

Definition of Ready (DoR)

For a story to enter a sprint, it needs to:

be written in the INVEST model (Independent, Negotiable, Valuable, Estimable, Small enough, Testable);

be estimated in story points by the team;

have Acceptance Criteria written in the GIVEN THAT / WHEN / THEN format;

have defined test data;

have the architecture of external integrations validated (e.g., barcode API, recipe scraping);

have development and staging environments ready and accessible; and

have been reviewed and approved by Product Owner.

Definiton of Done (DoD)

A story is complete when:

unit tests are written and passing;

functional tests have passed in a staging environment;

the code has been reviewed by at least one other developer;

regression test automation has been updated;

all acceptance criteria have been met and verified;

the Product Owner has formally accepted the delivery; and

the functionality is deployed in a production environment with no monitoring errors within the first 48 hours.

Add a comment

Add a reaction

Espaços / MVP Gestão Ágil de P... / MGADPEP-13 / MGADPEP-14

Near expiry date alert

▼ Descrição

As a home user, I would like to receive push notifications and visual alerts in the app when any food is about to expire, so that I can consume or discard the product in time.

Acceptance Criteria:

GIVEN THAT I have a food item registered with an expiration date of 3 days or less, WHEN I open the app, a section called "Attention — Near Expiration" should appear at the top of the main screen with the items highlighted.

GIVEN THAT the expiration date is 3 days away, WHEN it is 8 AM on the corresponding day, THEN the system should send a yellow push notification: "[Product Name] expires in 3 days. Check out recipes to enjoy it!"

GIVEN THAT the expiration date is 1 day away, WHEN it is 8 AM, THEN the system should send an urgent red push notification: "[Product Name] expires tomorrow! Use today."

GIVEN THAT the product has expired, WHEN the user opens the app, the item should appear marked as "Expired" and the system should ask if it was discarded or consumed in order to update the inventory.

GIVEN THAT the user wishes to extend the expiration date on their own, WHEN they click on "Extend validity" in the alert, THEN the system should allow the extension up to 5 times the original deadline, displaying a risk warning: "Warning: manual extension of validity may pose health risks."

Subtarefas

Adicionar subtarefa

Tickets vinculados

Adicionar ticket vinculado

Conteúdo do Confluence

DoR e DoD

Atualizado em anteontem

1

A fazer

> Informações

Responsável...

> Desenvolvimento

> Automação

Execuções de re

> Checklist

Abrir Checklist

Criado anteontem

Atualizado há 2 horas

Configurar

RF

Adicionar comentário...

Ficou homl

Precisa de ajuda?

Este item está bloqueado

Você pode esclarecer ?

Este item

Confluence Page

Edit

Share

DoR e DoD

By Rodrigo Fernandes

1 min

See views

Add a reaction

Definition of Ready (DoR)

For a story to enter a sprint, it needs to:

be written in the INVEST model (Independent, Negotiable, Valuable, Estimable, Small enough, Testable);

be estimated in story points by the team;

have Acceptance Criteria written in the GIVEN THAT / WHEN / THEN format;

have defined test data;

have the architecture of external integrations validated (e.g. , barcode API, recipe scraping);

have development and staging environments ready and accessible; and

have been reviewed and approved by Product Owner.

Definiton of Done (DoD)

A story is complete when:

unit tests are written and passing;

functional tests have passed in a staging environment;

the code has been reviewed by at least one other developer;

regression test automation has been updated;

all acceptance criteria have been met and verified;

the Product Owner has formally accepted the delivery; and

the functionality is deployed in a production environment with no monitoring errors within the first 48 hours.

Add a comment

Add a reaction

Espaços / MVP Gestão Ágil de P... / MGADPEP-18 / MGADPEP-23

Manual food consumption update



Descrição

As a home user, I want to manually report when I have fully or partially consumed a food item, so that the app can accurately update the inventory.

Acceptance Criteria:

GIVEN THAT I am viewing a food item in the inventory, WHEN I click on "Register consumption" THEN I should see a field to enter the quantity consumed and the unit.

GIVEN THAT I report a quantity consumed that is less than the current stock, WHEN I confirm, THEN the stock should be updated by subtracting the reported quantity, and the item remains in the list.

GIVEN THAT I report the total remaining quantity as consumed, WHEN I confirm, THEN the item should be removed from active inventory and moved to the consumption history.

GIVEN THAT the consumed item is below the defined minimum stock level, WHEN the consumption is recorded, THEN the system should automatically add the item to the shopping list with the quantity needed to reach the minimum stock level.

Subtarefas

Adicionar sub tarefa

Tickets vinculados

Adicionar ticket vinculado

Conteúdo do Confluence

DoR e DoD

Atualizado em anteontem

Adicionar comentário...

Ficou bom!

Precisa de ajuda?

Este item está bloqueado...

Você pode esclai

Dica de ouro: aperte **M** para fazer comentários

A fazer

Informações

Responsável, Pai, Data limite, Categorias, ...

Desenvolvimento

Automação

Execuções de regras

Checklist

Abrir Checklist

Criado anteontem

Atualizado há 2 horas

Configurar

Confluence Page

Edit

Share

DoR e DoD

By Rodrigo Fernandes 1 min See views Add a reaction

Definition of Ready (DoR)

For a story to enter a sprint, it needs to:

- be written in the INVEST model (Independent, Negotiable, Valuable, Estimable, Small enough, Testable);
- be estimated in story points by the team;
- have Acceptance Criteria written in the GIVEN THAT / WHEN / THEN format;
- have defined test data;
- have the architecture of external integrations validated (e.g. , barcode API, recipe scraping);
- have development and staging environments ready and accessible; and
- have been reviewed and approved by Product Owner.

Definition of Done (DoD)

A story is complete when:

- unit tests are written and passing;
- functional tests have passed in a staging environment;
- the code has been reviewed by at least one other developer;
- regression test automation has been updated;
- all acceptance criteria have been met and verified;
- the Product Owner has formally accepted the delivery; and
- the functionality is deployed in a production environment with no monitoring errors within the first 48 hours.

Add a comment

Add a reaction

Espaços /

MVP Gestão Ágil de P...

 /

MGADPEP-19

 /

MGADPEP-27

Automatic shopping list by minimum stock

▼ Descrição

As a home user, I want the app to automatically generate a shopping list based on items that are below the minimum stock level I've set, so I never forget to restock what really needs to be bought.

Acceptance Criteria:

GIVEN THAT I have items with a defined minimum stock level, and the current stock is below that minimum, WHEN I access the "Shopping List" section, THEN the system should automatically display those items with the quantity needed for replenishment.

GIVEN THAT I am viewing the shopping list, WHEN I mark an item as "already purchased" THEN it should be removed from the list and the system should ask if I want to update the inventory now or later.

GIVEN THAT I want to manually add an item to the list, WHEN I click "Add item" THEN I should be able to type the product name and the desired quantity.

GIVEN THAT the list is ready, WHEN I click "Share" THEN the app should generate a formatted text version for sending via WhatsApp or exporting as a PDF.

Subtarefas

Adicionar subarefa

Tickets vinculados

Adicionar ticket vinculado

Conteúdo do Confluence

DoR e DoD

Atualizado em anteontem

Adicionar comentário...

Ficou bom!

Precisa de ajuda?

Este item está bloqueado...

Você pode esclai

>

Dica de ouro: aperte **M** para fazer comentários

1

A fazer

> Informações

Responsável, Pai, Data limite, Categorias, ...

> Desenvolvimento

> Automação

Execuções de regras

> Checklist

Abrir Checklist

Criado anteontem

Atualizado há 1 hora

Configurar

Confluence Page

Edit

Share

DoR e DoD

By Rodrigo Fernandes

1 min

See views

Add a reaction

Definition of Ready (DoR)

For a story to enter a sprint, it needs to:

be written in the INVEST model (Independent, Negotiable, Valuable, Estimable, Small enough, Testable);

be estimated in story points by the team;

have Acceptance Criteria written in the GIVEN THAT / WHEN / THEN format;

have defined test data;

have the architecture of external integrations validated (e.g., barcode API, recipe scraping);

have development and staging environments ready and accessible; and

have been reviewed and approved by Product Owner.

Definition of Done (DoD)

A story is complete when:

unit tests are written and passing;

functional tests have passed in a staging environment;

the code has been reviewed by at least one other developer;

regression test automation has been updated;

all acceptance criteria have been met and verified;

the Product Owner has formally accepted the delivery; and

the functionality is deployed in a production environment with no monitoring errors within the first 48 hours.

Add a comment

Add a reaction

Application Performance - Non-functional requirements



Descrição

Requirements related to the use of the application in terms of performance, usability, reliability, security, availability, maintainability, and technologies involved.

As a developer, I need the 3L app to respond any interaction within 2 seconds on a 4G/5G network, and queries to the local database should not exceed 500ms, to ensure a smooth experience on input devices.

Acceptance Criteria:

GIVEN THAT the user interacts with any screen of the app on a stable 4G network, WHEN the action is performed (e.g. , open inventory list, save food, generate shopping list), THEN the visual response should appear within a maximum of 2 seconds.

GIVEN THAT the app runs on a device with 2GB of RAM and Android 10, WHEN the user navigates between the main screens, THEN there should be no freezes, crashes, or unintentional reloads .

GIVEN THAT the user has more than 200 items registered in the inventory, WHEN the inventory screen is loaded, THEN the listing should appear in a maximum of 1.5 seconds with pagination or infinite scrolling.

GIVEN THAT the app is running in the background, WHEN an expiration notification is triggered, THEN it should appear on the device within 60 seconds of the scheduled time.

Subtarefas

Adicionar subtarefa

Tickets vinculados

Adicionar ticket vinculado

Atividade

- Tudo
- Comentários
- Histórico
- Registro de atividades
- Checklist history
- Checklist history



RF

Adicionar comentário...

-  Ficou bom!
-  Precisa de ajuda?
-  Este item está bloqueado...
-  Você pode esclarecer...?
-  Este item está em dia

Dica de ouro: aperte  para fazer comentários



A fazer ▾



Informações



Responsável	 Rodrigo Fernandes
Pai	Nenhum
Data limite	 17 de jul. de 2026
Categorias	Nenhum
Team	Nenhum
Data de início	16 de jun. de 2026
Sprint	MGADPEP Sprint 1
Story point estimate	
Relator	 Rodrigo Fernandes

> Desenvolvimento

> Automação Execuções de regras

> Checklist Abrir Checklist

Criado há 10 minutos
Atualizado há 32 segundos

 Configurar

 Pesquisar linha do tei

RF



Epic

▼

Categoria do st...

▼

Ticket		June	July	August	
Sprints		MGADPEP Sprint 1			
☐ > MGADPEP-1 Multiple user authentication and registration					
☐ > MGADPEP-6 Food Management					
☐ > MGADPEP-13 Expiry Date Control and Alerts					
☐ > MGADPEP-18 Consumption and Stock Update					
☐ > MGADPEP-19 Reports and Shopping List					
☐ > MGADPEP-20 Physical Organization of Space					
☐ > MGADPEP-21 Recipes					
☐ > MGADPEP-22 Commercial Module					
+ Criar Epic					

Pesquisar linha do tei

RF


Epic

Categoria do st...

Ticket		June	July	August
Sprints		MGADPEP Sprint 1		
☐ MGADPEP-1 Multiple user authentication and registration A FAZER				
☐ MGADPEP-2 Home user registration A FAZER				
☐ MGADPEP-4 Login and password recovery A FAZER				
☐ MGADPEP-3 Commercial user registration A FAZER				
☐ MGADPEP-5 Managing multiple profiles per account A FAZER				
☐ MGADPEP-6 Food Management				
☐ MGADPEP-7 Manual registration of food with expiration d... A FAZER				
☐ MGADPEP-8 Barcode reader for registration A FAZER				
☐ MGADPEP-9 Importing invoices via QR code A FAZER				
☐ MGADPEP-11 Editing and deleting registered food items A FAZER				
☐ MGADPEP-12 Definition of minimum stock level per food it... A FAZER				
☐ MGADPEP-13 Expiry Date Control and Alerts				
☐ MGADPEP-14 Near expiry date alert A FAZER				
☐ MGADPEP-15 Alert regarding special storage conditions A FAZER				
☐ MGADPEP-16 Manual extension of the expiration date A FAZER				
☐ MGADPEP-17 Risk classification by storage time A FAZER				
☐ MGADPEP-18 Consumption and Stock Update				
☐ MGADPEP-23 Manual food consumption update A FAZER				
☐ MGADPEP-24 Automatic ingredient discount after recipe u... A FAZER				
☐ MGADPEP-25 Portion adjustment in the recipe A FAZER				
☐ MGADPEP-19 Reports and Shopping List				
☐ MGADPEP-27 Automatic shopping list by minimum stock A FAZER				
☐ MGADPEP-26 On-demand pantry report A FAZER				
☐ MGADPEP-28 Exporting the shopping list A FAZER				