Table 1. General (uncompressed) circuits, all five encodings (commit 964bc05)

Encoding	Circuit	Qubits	CX	Rotations	Fixed T	T(1e-6)	Error	Source
1. 12-qubit (Paulo)	U_E (electric)	12	0	4	0	256	1.2e-13	results/twelve/UE.json @ a9702e5
1. 12-qubit (Paulo)	U_B (magnetic)	34	294	6	312	696	2.4e-13	results/twelve/UB.json @ a9702e5
1. 12-qubit (Paulo)	step, order 1	34	294	10	312	952	2.7e-13	results/twelve/step.json @ a9702e5
2. Spin network	U_E (electric)	8	0	4	0	256	4.4e-16	results/spinnet/UE.json @ d82a472
2. Spin network	U_B (magnetic)	15	54	4	56	310	1.1e-14	results/spinnet/UB.json @ d82a472
2. Spin network	step, order 1	15	54	8	56	566	1.1e-14	results/spinnet/step.json @ d82a472
3. Rishon	U_E (electric)	16	8	4	0	256	1.1e-16	results/rishon/UE.json @ b4c1917
3. Rishon	U_B (magnetic)	26	10094	162	10218	20394	3.4e-13	results/rishon/UB.json @ b4c1917
3. Rishon	step, order 1	26	10102	166	10218	20650	4.1e-13	results/rishon/step.json @ b4c1917
3. Rishon	U_D (det layer)	16	32	8	0	496	2.8e-15	results/rishon/UD.json @ 6fea036
3. Rishon	step + det, order 1	26	10134	174	10218	21146	5.0e-13	results/rishon/step3.json @ 6fea036
4. Loop-string-hadron	U_E (electric)	12	0	8	0	512	4.4e-16	results/lsh/UE.json @ 3d99f68
4. Loop-string-hadron	U_B (magnetic)	19	94	4	88	342	1.4e-14	results/lsh/UB.json @ 3d99f68
4. Loop-string-hadron	step, order 1	19	94	8	88	598	1.6e-14	results/lsh/step.json @ 3d99f68
5. Fuzzy	U_E (electric)	16	72	24	0	1584	4.3e-16	results/fuzzy/UE.json @ 8e71c38 (dirty)
5. Fuzzy	U_K (fuzzy kinetic)	16	72	16	0	992	1.5e-15	results/fuzzy/UK.json @ 8e71c38 (dirty)
5. Fuzzy	U_B (magnetic)	23	1718	16	1826	2822	3.8e-14	results/fuzzy/UB.json @ 8e71c38 (dirty)
5. Fuzzy	step, order 1	23	1862	56	1826	5398	1.0e-14	results/fuzzy/step.json @ 8e71c38 (dirty)

CX = CNOT count. Rotations = arbitrary-angle rotations. Fixed T = T gates already in the circuit (Toffoli-type parts).
T(1e-6) = fixed T + T gates of all rotations synthesised to accuracy 1e-6 each (pygridsynth). Error = largest operator-norm
  difference from the exact target over all Gauss-law states (433 states; rishon on its inner codes).
Table 1 counts the data register plus helper qubits; Table 2 uses each loop's own register (outer links included), so qubit
  totals differ between the tables. Compare rows within one encoding; the circuits differ (U_B only vs full step) across encodings.
Spin-network best = headline chosen by the robust rule (average T over 20 angle pairs, prompts/104), not the nominal-angle key.
Lean: certified = native Lean checker accepted that exact circuit; n_a = checker cannot handle it yet (rishon: 3 angles;
  fuzzy: angle form not checked); not_run = not attempted. Fuzzy general results were made on a dirty tree (8e71c38).
Generated by `python scripts/summary_table.py` at commit 964bc05 (results dirty).

Table 2. Compression loops: general vs best circuit (commit 964bc05)

Loop	Version	Qubits	CX	Rotations	T(1e-6)	Error	Lean	Entry	State
1. 12-qubit, step	general	50	294	10	952	2.7e-13	not_run	r00-seed-000	
	best	31	111	13	912	1.0e-13	certified	r05-F2-005	stopped after round 5
2. Spin network, step	general	23	54	8	566	1.2e-14	certified	r00-seed-000	
	best	17	31	17	1086	5.1e-15	certified	r02-F1-002 (headline)	stopped after round 5
3. Rishon, step (no det)	general	58	10102	166	20650	4.1e-13	n_a	r00-seed-000	
	best	53	228	10	846	1.5e-13	n_a	r04-F1-004	paused: replay rounds 0-4 under 10 % cap
5. Fuzzy, U_B	general	15	1718	16	2822	3.8e-14	not_run	r00-seed-000	
	best	11	87	9	650	4.6e-14	n_a	r06-F3-006	running (round 7)
5. Fuzzy, link U_E	general	4	36	10	644	3.4e-15	not_run	r00-seed-000	
	best	4	12	10	644	5.6e-15	n_a	r02-F2-001	finished
5. Fuzzy, full step + outer	general	55	2150	136	-	-	-	-	
	composed	53	295	148	-	1.7e-14	-	U_B r03-F3-003	uses the old U_B; to rebuild
4. Loop-string-hadron	-	-	-	-	-	-	-	-	M8 not started

CX = CNOT count. Rotations = arbitrary-angle rotations. Fixed T = T gates already in the circuit (Toffoli-type parts).
T(1e-6) = fixed T + T gates of all rotations synthesised to accuracy 1e-6 each (pygridsynth). Error = largest operator-norm
  difference from the exact target over all Gauss-law states (433 states; rishon on its inner codes).
Table 1 counts the data register plus helper qubits; Table 2 uses each loop's own register (outer links included), so qubit
  totals differ between the tables. Compare rows within one encoding; the circuits differ (U_B only vs full step) across encodings.
Spin-network best = headline chosen by the robust rule (average T over 20 angle pairs, prompts/104), not the nominal-angle key.
Lean: certified = native Lean checker accepted that exact circuit; n_a = checker cannot handle it yet (rishon: 3 angles;
  fuzzy: angle form not checked); not_run = not attempted. Fuzzy general results were made on a dirty tree (8e71c38).
Generated by `python scripts/summary_table.py` at commit 964bc05 (results dirty).