
Cucumber Report




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Booking API tests	8.058 s	6	5	1	0	18	16	1	1

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Booking API tests	Create a booking with invalid data

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Booking API tests	6	5	1	0	8.058 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Booking API tests	Get all bookings	3	3	0	0	4.248 s
2		Get a specific booking by ID	3	3	0	0	0.757 s
3		Create a new booking	3	3	0	0	1.016 s
4		Get a non-existent booking	3	3	0	0	0.652 s
5		Create a booking with invalid data	3	1	1	1	0.683 s
6		Filter bookings by firstname	3	3	0	0	0.655 s

DETAILED SECTION -- 6 --

Booking API tests


FAILED	DURATION - 8.058 s	Scenarios		Steps	4
		Total - 6		Total - 18	
/ 12:36:01.888 a. m.	// 12:36:09.946 a. m. /	Pass - 5	6	Pass - 16	18
		Fail - 1		Fail - 1	10
		Skip - 0		Skip - 1	

Get all bookings



#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the bookings endpoint	PASSED	3.192 s
2	Then I verify that the status code is 200	PASSED	0.047 s
3	And I verify that the body does not have size 0	PASSED	0.994 s


Get a specific booking by ID



DETAILED SECTION -- 7 -

#	# Step / Hook Details	Status	Duration
1	Given I perform a GET call to the bookings endpoint with id "1"		0.631 s
2	Then I verify that the status code is 200	PASSED	0.000 s
3	And The booking should have the following information	PASSED	0.126 s
	firstnamelastnametotalpricedepositpaidcheckincheckoutSallyJones110false2021-09-142023-04-25		


Create a new booking



#	Step / Hook Details	Status	Duration
1	ven I perform a POST call to the create booking endpoint with the following data		0.907 s
	firstname lastname totalprice depositpaid checkin checkout		
	John Doe 150 true 2024-09-12 2024-09-15		
2	Then I verify that the status code is 200		0.000 s
3	And I verify the following booking data in the body response	PASSED	0.109 s
	firstname lastname totalprice depositpaid checkin checkout		
	John Doe 150 true 2024-09-12 2024-09-15		


Get a non-existent booking

DETAILED SECTION -- 8 --



#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the bookings endpoint with id "9999"	PASSED	0.637 s
2	Then I verify that the status code is 404	PASSED	0.000 s
3	And I verify the error message is "Not Found"	PASSED	0.015 s

Create a booking with invalid data



#	Step / Hook Details	Status	Duration
1	Given I perform a POST call to the create booking endpoint with the following data	PASSED	0.652 s
	firstname lastname totalprice depositpaid checkin checkout		
2	Then I verify that the status code is 400	FAILED	0.031 s
	java.lang.AssertionError: Expected status code: 400 Actual status code: 500 Response body: Internal Server Error BUG: El sistema devuelve un código 500 en lugar de 400 cuando se envían datos inválidos. Esto debería ser 'Bad Request'. at stepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:39) at ?.I verify that the status code is 400(file:///D:/A%20Tercer%20anio%20u/Certificacion%20II/3P/3P%20Diana%20Grajeda/RestBooker/src/test/resources/Employees.feature:35) * Not displayable characters are replaced by '?'.		
3	And I verify the error message is "Bad Request"	SKIPPED	0.000 s

DETAILED SECTION

Filter bookings by firstname

PASSED DURATION - 0.655 s	1 Steps
/40.00.00.004 //40.00.00.040 //	0,8 Total - 3
/ 12:36:09.291 a. m. // 12:36:09.946 a. m. /	0,6
Booking API tests	- 0,4 Fail - O
	0.2 - Skip - 0
	0 -1
	1 2 3

-- 9 --

#	Step / Hook Details	Status	Duration
1	Given I perform a GET call to the bookings endpoint with id "1"	PASSED	0.623 s
2	Then I verify that the status code is 200	PASSED	0.000 s
3	And The booking should have firstname "Sally"	PASSED	0.016 s