Hello, World!



Website with examples

https://github.com/digshake/launchcode-helloworld

What is computer science?

- Math
- Logic
- Engineering
- Philosophy

What are computers?


LOGARITHMS, BASE 10 $\log_{10} x$ or $\lg x$																
x	o	I 2	3	4	5	6	7	8	9	I	2 3	4 A	5 6 DD	7	8	9
10	.0000	0043 00	86 0128	0170	0272	0253	0204				8 13		21 25		34	
11	.0414	0453 049	92 0531	0569		0253	'	•	0374	4	8 12 8 12 7 11	16	20 24	1 5	32 31	36 35
12	.0792	0828 08	64 0899	0934		1004			1106	4	7 II 7 IO	14	19 22 18 21 17 20	25	30 28 27	32
13	.1139	1173 120	06 1239	1271		1335			1430	3 '	7 10	13	16 20 16 19	23	26 26	31 30 29
14	.1461	1492 152			1614	1644	1673	1703	1732	3 (15 18		24	27
15	.1761	1790 181				1931			2014	3 (1	14 17		22	
16 17	.2041	2068 209				2201			2279	3 :		1	13 16		2 I	-
18	-2553	2577 260				2455 2695			2529 2765	2 4		1	12 15		20	
19	.2788	2810 285	_			2923			2989	2 5			12 14		18	
20	.3010	3032 305		3096	3118	3139	3160	3181	3201	2 4	6	8	11 13	15	17	19
21	.3222	3243 326				3345			3404	2 4			10 12	14	16	18
22	.3424 .361 <i>7</i>	3444 346			3522				3598	2 4		ı	11 01		15	17
23 24	.3802	3636 365 3820 383			3711 3892				3784	2 4	-	7	9 11	_	14	16
	-								3962	2 4	5	7	9 11	13	14	16
25	-3979	3997 401			4065				4133	2 3		7	9 10	12	14	15
26 27	.4150	4166 418	- •		4232			•	4298	2 3		6	8 10	1	13	14
28	.4314 .4472	4330 434 4487 450	. ,		4393				4456	2 3		6	8 10		13	
29	.4624	4639 465			4548 4698				4609 4757	2 3 1 3		6	8 9 7 9		12	
-	` '									_	-	1		10	12	13
30	.4771	4786 480			4843				4900	I 3		6	7 8	10		13
31 32	.4914 .5051	4928 494 5065 507			4983 5119			5024		1 3		6	7 8	10		13
33	.5185	5198 521			5250			5159 5289		I 3		5	7 8 6 8	1 -	10	12
34	.5315	5328 534			5378			5416		I 3		5	6 8	-	10	
														_		
35 36	.5441	5453 546		- :-	5502			5539		I 2	,	5	6 7		10	
37	.5563 .5682	5575 558 5694 570		_	5623			5658		I 2	•	5	6 7	8	10	ΙI
38	.5798	5809 582		-: -	5740 5855			5775 5888		I 2		5	67	8	10	11
39	.5911	5922 593			5966	-		5999		1 2			6 7 6 7	8	9	10 10
40	.6021	6031 604		6064							ΥÍ	•	,		-	
41	.6128	6138 614		6170				6107 6212		I 2			5 7 5 6	8	9	10
42	.6232	6243 625		6274				6314		I 2	3		5 6	7 7	8	9
43	.6335	6345 635		6375				6415		I 2	3		5 6	7	8	9
44	.6435	6444 645		6474				6513		I 2	3		5 6	7	8	9
45	.6532	6542 655	1 6561	6571	6580	6590	6599	6609	6618	I 2	3	4	5 6	7	8	9
46	.6628	6637 664	6 6656	6665	6675	6684		6702		1 2	3 .		5 5	6	7	8
47	.6721	6730 673		6758			6785	6794	6803	I 2	3		5 5	6	7	8
48	.6812	6821 683		6848				6884		I 2	3	-	4 5	6	7	8
49	.6902	6911 692	0 6928	6937	0946	6955	6964	6972	6981	I 2	3	4	4 5	6	7	8

Examples:

lg 3.674 = 0.5647 + 0.0005 = 0.5652lg 367.4 =lg $(3.674 \times 10^2) = 2.5652$ lg 0.003674 =lg $(3.674 \times 10^{-3}) = \tilde{3}.5652$

Constant	π	e	lg e	ln10		
Value	3.14159	2.71828	0.43429	2.30259		
log (base 10)	0.49715	0.43429	Ī.63778	0.36222		

What are computers?




What are computers?



What are computers used for?







What do you use computers for?

A brief history lesson



Turing Machines

https://www.youtube.com/watch?v=E3keLeMwfHY

How non-programmers interact







How programmers interact


```
#include <stdio.h>
int main()
   printf("hello, world!");
   return Di
```

What is code?


```
11(",", " ", a); a
a.split(" "); } $("#uniq
array_from_string($(*****
   c = use_unique(array
 ); if (c < 2 * b -
  mis.trigger("clic
```

But wait.....

Do computers really speak in code?



Binary!



Programs

```
function check(n)
 { // check if the number n is a prime
  var factor; // if the checked number is not a prime, this is its first factor
  var c:
  factor = 0;
  // try to divide the checked number by all numbers till its square root
  for (c=2; (c <= Math.sgrt(n)); c++)
      if (n%c == 0) // is n divisible by c?
         { factor = c; break}
  return (factor);
 } // end of check function
function communicate()
 { // communicate with the user
  var i; // i is the checked number
  var factor; // if the checked number is not a prime, this is its first factor
  i = document.primetest.number.value; // get the checked number
  // is it a valid input?
  if ((isNaN(i)) || (i <= 0) || (Math.floor(i) != i))
    { alert ("The checked object should be a whole positive number")} ;
  else
     factor = check (i);
     if (factor == 0)
        {alert (i + " is a prime")} ;
     else
        {alert (i + " is not a prime, " + i + "=" + factor + "X" + i/factor) }
      // end of communicate function
```

Characteristics of Programs

One instruction at a time

Can make decisions

Can reuse code

Can store something for later use

Can utilize an algorithm

What is an Algorithm?



Computers are very explicit

Goals

Pseudocode

Javascript

HTML/CSS

Project

Exercise

Suppose that someone buys an item from you for \$x, where x is a value less than 20. They pay for this item with a \$20 bill. Explain how you would give them change, being as specific as possible. Make sure you use the smallest number of bills and coins.