

DIHWorld Audio

Creative Transform Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 3 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

SlotMachine

RELEASE	FAMILY	PLACEMENT
v1.0.1	Creative Transform	Creative Transform

Three-chamber creative host that combines source, opposition, and resolution through architecture, blend, morph, and containment.

Recommended use: creative transform

Customer formats: AU, VST3, Standalone

Primary controls

Chamber A Source • Chamber B Opposition • Chamber C Resolution • Architecture • Blend • Morph • Containment • Channel Mode • Dual Mono Link • Gain Match

Factory starting points — source-derived purpose

SLOTMACHINE CANON RESET [Stereo]

SLOTMACHINE CANON RESET — Returns the three chambers and containment to the canonical transformation start point. Stereo variant: keep the linked center intact and audition width in the full mix.

RELIC SPIN [Stereo]

RELIC SPIN — Re-routes a relic-like source through the three-chamber path with the original voice still audible. Stereo variant: keep the linked center intact and audition width in the full mix.

IMPACT REROUTE [Stereo]

IMPACT REROUTE — Favors the impact/resolve chamber for a pronounced transformation event. Stereo variant: keep the linked center intact and audition width in the full mix.

GOLDEN COLLISION [Stereo]

GOLDEN COLLISION — Uses the color/resolution chamber to turn the reroute into a polished authority move. Stereo variant: keep the linked center intact and audition width in the full mix.

SOVEREIGN FLIP [Stereo]

SOVEREIGN FLIP — Uses the color/resolution chamber to turn the reroute into a polished authority move. Stereo variant: keep the linked center intact and audition width in the full mix.

WORMHOLE PRIZE [Stereo]

WORMHOLE PRIZE — Uses Morph and Architecture for an animated spatial reroute. Stereo variant: keep the linked center intact and audition width in the full mix.

PARALLAX JACKPOT [Stereo]

PARALLAX JACKPOT — Uses Morph and Architecture for an animated spatial reroute. Stereo variant: keep the linked center intact and audition width in the full mix.

FOCUSED CHAMBER [Stereo]

FOCUSED CHAMBER — Keeps the transformation inside a focused chamber so the source remains intelligible. Stereo variant: keep the linked center intact and audition width in the full mix.

SLOTMACHINE CANON RESET [Mono]

SLOTMACHINE CANON RESET — Returns the three chambers and containment to the canonical transformation start point. Mono variant: collapse the field and use it as a center-focused insert.

RELIC SPIN [Mono]

RELIC SPIN — Re-routes a relic-like source through the three-chamber path with the original voice still audible. Mono variant: collapse the field and use it as a center-focused insert.

IMPACT REROUTE [Mono]

IMPACT REROUTE — Favors the impact/resolve chamber for a pronounced transformation event. Mono variant: collapse the field and use it as a center-focused insert.

GOLDEN COLLISION [Mono]

GOLDEN COLLISION — Uses the color/resolution chamber to turn the reroute into a polished authority move. Mono variant: collapse the field and use it as a center-focused insert.

SOVEREIGN FLIP [Mono]

SOVEREIGN FLIP — Uses the color/resolution chamber to turn the reroute into a polished authority move. Mono variant: collapse the field and use it as a center-focused insert.

WORMHOLE PRIZE [Mono]

WORMHOLE PRIZE — Uses Morph and Architecture for an animated spatial reroute. Mono variant: collapse the field and use it as a center-focused insert.

PARALLAX JACKPOT [Mono]

PARALLAX JACKPOT — Uses Morph and Architecture for an animated spatial reroute. Mono variant: collapse the field and use it as a center-focused insert.

FOCUSED CHAMBER [Mono]

FOCUSED CHAMBER — Keeps the transformation inside a focused chamber so the source remains intelligible. Mono variant: collapse the field and use it as a center-focused insert.

SLOT MACHINE CANON RESET [Dual Mono]

SLOT MACHINE CANON RESET — Returns the three chambers and containment to the canonical transformation start point. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

RELIC SPIN [Dual Mono]

RELIC SPIN — Re-routes a relic-like source through the three-chamber path with the original voice still audible. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

IMPACT REROUTE [Dual Mono]

IMPACT REROUTE — Favors the impact/resolve chamber for a pronounced transformation event. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

GOLDEN COLLISION [Dual Mono]

GOLDEN COLLISION — Uses the color/resolution chamber to turn the reroute into a polished authority move. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SOVEREIGN FLIP [Dual Mono]

SOVEREIGN FLIP — Uses the color/resolution chamber to turn the reroute into a polished authority move. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

WORMHOLE PRIZE [Dual Mono]

WORMHOLE PRIZE — Uses Morph and Architecture for an animated spatial reroute. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

PARALLAX JACKPOT [Dual Mono]

PARALLAX JACKPOT — Uses Morph and Architecture for an animated spatial reroute. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

FOCUSED CHAMBER [Dual Mono]

FOCUSED CHAMBER — Keeps the transformation inside a focused chamber so the source remains intelligible. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

INPUT: Input peak. Confirms level entering the three chambers.

OUTPUT: Output peak. Use for level matching.

RMS: Average program body. Shows sustained density.

CREST: Peak-to-RMS relationship. Higher values mean sharper transients; lower values mean denser material.

ARCHAEOLOGIST X

RELEASE	FAMILY	PLACEMENT
v1.0.1	Creative Transform	Creative Transform

Forensic recovery processor for excavation, recovery field, harmonic extraction, layer selection, gate, and parallel mix.

Recommended use: creative recovery/excavation

Customer formats: AU, VST3, Standalone

Primary controls

Power • Gain Match • Excavation Engine • Recovery Field • Harmonic Extraction • Forensic Layer • Gate • Mix • Output • Profile • Mode • Channel Mode

Factory starting points — source-derived purpose

ARCHX CANON RESET [Stereo]

ARCHX CANON RESET — Sets excavation, recovery, extraction, and gating for the named source-recovery task. Stereo variant: keep the linked center intact and audition width in the full mix.

RELIC VOICE [Stereo]

RELIC VOICE — Recovers a damaged/aged voice while keeping the historical character audible. Stereo variant: keep the linked center intact and audition width in the full mix.

DUST DETAIL [Stereo]

DUST DETAIL — Lifts fine source detail without opening the entire noise floor. Stereo variant: keep the linked center intact and audition width in the full mix.

BODY RECOVERY [Stereo]

BODY RECOVERY — Restores missing body with Recovery Field before adding harmonic extraction. Stereo variant: keep the linked center intact and audition width in the full mix.

AIR SCRIPT [Stereo]

AIR SCRIPT — Recovers upper articulation and spoken detail with the forensic layer controlled. Stereo variant: keep the linked center intact and audition width in the full mix.

FORENSIC LENS [Stereo]

FORENSIC LENS — Uses the diagnostic layer to inspect and extract a problem area before a full mix decision. Stereo variant: keep the linked center intact and audition width in the full mix.

TEMPLE MEMORY [Stereo]

TEMPLE MEMORY — Recovers a damaged/aged voice while keeping the historical character audible. Stereo variant: keep the linked center intact and audition width in the full mix.

FULL EXCAVATION FIELD [Stereo]

FULL EXCAVATION FIELD — Engages the complete excavation field as a deliberate effect or restoration stress test. Stereo variant: keep the linked center intact and audition width in the full mix.

ARCHX CANON RESET [Mono]

ARCHX CANON RESET — Sets excavation, recovery, extraction, and gating for the named source-recovery task. Mono variant: collapse the field and use it as a center-focused insert.

RELIC VOICE [Mono]

RELIC VOICE — Recovers a damaged/aged voice while keeping the historical character audible. Mono variant: collapse the field and use it as a center-focused insert.

DUST DETAIL [Mono]

DUST DETAIL — Lifts fine source detail without opening the entire noise floor. Mono variant: collapse the field and use it as a center-focused insert.

BODY RECOVERY [Mono]

BODY RECOVERY — Restores missing body with Recovery Field before adding harmonic extraction. Mono variant: collapse the field and use it as a center-focused insert.

AIR SCRIPT [Mono]

AIR SCRIPT — Recovers upper articulation and spoken detail with the forensic layer controlled. Mono variant: collapse the field and use it as a center-focused insert.

FORENSIC LENS [Mono]

FORENSIC LENS — Uses the diagnostic layer to inspect and extract a problem area before a full mix decision. Mono variant: collapse the field and use it as a center-focused insert.

TEMPLE MEMORY [Mono]

TEMPLE MEMORY — Recovers a damaged/aged voice while keeping the historical character audible. Mono variant: collapse the field and use it as a center-focused insert.

FULL EXCAVATION FIELD [Mono]

FULL EXCAVATION FIELD — Engages the complete excavation field as a deliberate effect or restoration stress test. Mono variant: collapse the field and use it as a center-focused insert.

ARCHX CANON RESET [Dual Mono]

ARCHX CANON RESET — Sets excavation, recovery, extraction, and gating for the named source-recovery task. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

RELIC VOICE [Dual Mono]

RELIC VOICE — Recovers a damaged/aged voice while keeping the historical character audible. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

DUST DETAIL [Dual Mono]

DUST DETAIL — Lifts fine source detail without opening the entire noise floor. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

BODY RECOVERY [Dual Mono]

BODY RECOVERY — Restores missing body with Recovery Field before adding harmonic extraction. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AIR SCRIPT [Dual Mono]

AIR SCRIPT — Recovers upper articulation and spoken detail with the forensic layer controlled. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

FORENSIC LENS [Dual Mono]

FORENSIC LENS — Uses the diagnostic layer to inspect and extract a problem area before a full mix decision. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

TEMPLE MEMORY [Dual Mono]

TEMPLE MEMORY — Recovers a damaged/aged voice while keeping the historical character audible. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

FULL EXCAVATION FIELD [Dual Mono]

FULL EXCAVATION FIELD — Engages the complete excavation field as a deliberate effect or restoration stress test. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

INPUT / OUTPUT: Live pre/post peak. Use for bypass and level matching.

EXCAVATION: Low/deep recovery activity. Shows energy being uncovered by excavation.

RECOVERY: Recovered-source contribution. Shows how much repaired material is active.

HARMONIC: Extracted harmonic activity. Shows reconstructed tonal information.

FORENSIC: Forensic layer/gate activity. Shows the selective analysis path at work.

Observation Field: Combined four-process activity. A process summary, not a spectrum.

SERQET

RELEASE	FAMILY	PLACEMENT
v1.0.1	Creative Transform	Creative Transform

Creative sting and width processor with intensity, venom saturation, convergence focus, and output control.

Recommended use: width/creative secondary

Customer formats: AU, VST3

Primary controls

Width Reach • Movement Trace • Prism Focus • Output Master • Gain Match • Channel Mode • Dual Mono Link

Factory starting points — source-derived purpose

SERQET CANON WIDTH [Stereo]

SERQET CANON WIDTH — Returns Width Reach, Movement Trace, and Prism Focus to the canonical spatial center. Factory recipe: Sting 38%, Venom 24%, Focus 62%. Stereo variant: keep the linked center intact and audition width in the full mix.

SERQET VEIL MOTION [Stereo]

SERQET VEIL MOTION — Uses Movement Trace for a controlled veil that moves around—but does not replace—the dry source. Factory recipe: Sting 24%, Venom 24%, Focus 62%. Stereo variant: keep the linked center intact and audition width in the full mix.

SERQET PRISM LENS [Stereo]

SERQET PRISM LENS — Uses Prism Focus to separate a concentrated spectral image inside the field. Factory recipe: Sting 38%, Venom 15%, Focus 100%. Stereo variant: keep the linked center intact and audition width in the full mix.

SERQET WIDE FIELD [Stereo]

SERQET WIDE FIELD — Expands Width Reach for a broad field while keeping the axis readable. Factory recipe: Sting 62%, Venom 38%, Focus 62%. Stereo variant: keep the linked center intact and audition width in the full mix.

SERQET BUS VEIL [Stereo]

SERQET BUS VEIL — Uses Movement Trace for a controlled veil that moves around—but does not replace—the dry source. Factory recipe: Sting 38%, Venom 24%, Focus 38%. Stereo variant: keep the linked center intact and audition width in the full mix.

SERQET CANON WIDTH [Mono]

SERQET CANON WIDTH — Returns Width Reach, Movement Trace, and Prism Focus to the canonical spatial center. Factory recipe: Sting 38%, Venom 24%, Focus 62%. Mono variant: collapse the field and use it as a center-focused insert.

SERQET VEIL MOTION [Mono]

SERQET VEIL MOTION — Uses Movement Trace for a controlled veil that moves around—but does not replace—the dry source. Factory recipe: Sting 24%, Venom 24%, Focus 62%. Mono variant: collapse the field and use it as a center-focused insert.

SERQET PRISM LENS [Mono]

SERQET PRISM LENS — Uses Prism Focus to separate a concentrated spectral image inside the field. Factory recipe: Sting 38%, Venom 15%, Focus 100%. Mono variant: collapse the field and use it as a center-focused insert.

SERQET WIDE FIELD [Mono]

SERQET WIDE FIELD — Expands Width Reach for a broad field while keeping the axis readable. Factory recipe: Sting 62%, Venom 38%, Focus 62%. Mono variant: collapse the field and use it as a center-focused insert.

SERQET BUS VEIL [Mono]

SERQET BUS VEIL — Uses Movement Trace for a controlled veil that moves around—but does not replace—the dry source. Factory recipe: Sting 38%, Venom 24%, Focus 38%. Mono variant: collapse the field and use it as a center-focused insert.

SERQET CANON WIDTH [Dual Mono]

SERQET CANON WIDTH — Returns Width Reach, Movement Trace, and Prism Focus to the canonical spatial center. Factory recipe: Sting 38%, Venom 24%, Focus 62%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SERQET VEIL MOTION [Dual Mono]

SERQET VEIL MOTION — Uses Movement Trace for a controlled veil that moves around—but does not replace—the dry source. Factory recipe: Sting 24%, Venom 24%, Focus 62%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SERQET PRISM LENS [Dual Mono]

SERQET PRISM LENS — Uses Prism Focus to separate a concentrated spectral image inside the field. Factory recipe: Sting 38%, Venom 15%, Focus 100%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SERQET WIDE FIELD [Dual Mono]

SERQET WIDE FIELD — Expands Width Reach for a broad field while keeping the axis readable. Factory recipe: Sting 62%, Venom 38%, Focus 62%.

Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SERQET BUS VEIL [Dual Mono]

SERQET BUS VEIL — Uses Movement Trace for a controlled veil that moves around—but does not replace—the dry source. Factory recipe: Sting 38%, Venom 24%, Focus 38%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

RMS WIDTH: Input RMS feeding the width field. Shows source energy available for widening.

PRISM WIDTH: Measured side-field width. Higher values indicate a broader stereo prism.

OUTPUT FIELD: Post-process RMS energy. Use with RMS WIDTH for level context.

Prism visualizer: Width, motion, focus, and output state. The polygon is a spatial-state map, not a loudness target.