

DIHWorld Audio

Dimensional / Impact / Move Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 3 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

Depth Impact Hybrid X

RELEASE	FAMILY	PLACEMENT
v1.0.1	Dimensional / Impact / Move	Insert Safe

Six-mode spatial field for clarity, depth, low bloom, front push, hybrid pressure, fold, freeze, and source-to-horizon movement.

Recommended use: spectral clarity, harmonic depth, and hybrid spatial field

Customer formats: AU, VST3, Standalone

Primary controls

Output • Hybrid X Mode • Channel Mode • Dual Mono Link • Horizon Fold • Event Freeze • Echo • CPU Saver • Bypass • Gain Match • spectralClarity • spatialDepth

Factory starting points — source-derived purpose

Balanced Field

Balanced Field — Sets a named Hybrid X depth/impact relationship for the source or bus.

Vocal Focus

Vocal Focus — Keeps a vocal forward while using the hybrid field for controlled depth.

Drum Front

Drum Front — Brings the drum front forward and preserves impact before the spatial return.

Bass Foundation

Bass Foundation — Builds a stable bass foundation with depth that remains center-safe.

Wide Atmosphere

Wide Atmosphere — Opens the atmosphere/return field for a wider, less center-bound image.

Pushback Space

Pushback Space — Moves the source deeper into the scene with Event Freeze/Echo used as motion support.

Deep Immersion

Deep Immersion — Moves the source deeper into the scene with Event Freeze/Echo used as motion support.

Hybrid Motion

Hybrid Motion — Uses Hybrid X motion to move between impact and spatial states rather than a static width boost.

Meters and visualizers

RMS FIELD: Overall sustained field energy. Shows the body of the dimensional result.

LEFT / RIGHT: Per-channel output activity. Use to spot unintended channel imbalance.

HORIZON: Depth and distant-field contribution. Higher values indicate stronger rearward space.

EVENT: Transient/front-push contribution. Higher values indicate stronger forward impact.

Immersion / Foundation / Motion: Three-part dimensional activity summary. Read together to distinguish depth, low support, and movement.

PARALLAX

RELEASE	FAMILY	PLACEMENT
v1.0.1	Dimensional / Impact / Move	Bus Preferred

Bus-preferred width and depth field with focus, spread, axis core, link, mix, and output control.

Recommended use: bus-preferred dimensional placement

Customer formats: AU, VST3

Primary controls

Width • Depth • Focus • Stereo Spread • Axis Core • Mix • Output • Field Link • Power • Gain Match • Channel Mode • Dual Mono Link

Factory starting points — source-derived purpose

Deep Space [Stereo]

Deep Space — Opens a large depth/width scene with Focus keeping the center from dissolving. Stereo variant: keep the linked center intact and audition width in the full mix.

Wormhole [Stereo]

Wormhole — Uses animated axis movement and depth to create a traveling return around the dry source. Stereo variant: keep the linked center intact and audition width in the full mix.

Nebula Shift [Stereo]

Nebula Shift — Adds soft drifting width and depth rather than a rigid stereo spread. Stereo variant: keep the linked center intact and audition width in the full mix.

Stellar Grid [Stereo]

Stellar Grid — Uses Axis Core and Focus to build a structured spatial grid. Stereo variant: keep the linked center intact and audition width in the full mix.

Planetary Orbits [Stereo]

Planetary Orbits — Links width/depth movement into a balanced orbital field. Stereo variant: keep the linked center intact and audition width in the full mix.

Light Speed [Stereo]

Light Speed — Uses faster motion and a wide spread for an energetic moving return. Stereo variant: keep the linked center intact and audition width in the full mix.

Quantum Field [Stereo]

Quantum Field — Adds fine-grained field texture with the dry center still readable. Stereo variant: keep the linked center intact and audition width in the full mix.

Dimensional Gate [Stereo]

Dimensional Gate — Opens a controlled dimensional gate, then uses Focus to keep the axis stable. Stereo variant: keep the linked center intact and audition width in the full mix.

Gravity Well [Stereo]

Gravity Well — Pulls the return inward toward a dense depth center before any final width. Stereo variant: keep the linked center intact and audition width in the full mix.

Ascension [Stereo]

Ascension — Raises the field into an open, elevated wide scene. Stereo variant: keep the linked center intact and audition width in the full mix.

Deep Space [Mono]

Deep Space — Opens a large depth/width scene with Focus keeping the center from dissolving. Mono variant: collapse the field and use it as a center-focused insert.

Wormhole [Mono]

Wormhole — Uses animated axis movement and depth to create a traveling return around the dry source. Mono variant: collapse the field and use it as a center-focused insert.

Nebula Shift [Mono]

Nebula Shift — Adds soft drifting width and depth rather than a rigid stereo spread. Mono variant: collapse the field and use it as a center-focused insert.

Stellar Grid [Mono]

Stellar Grid — Uses Axis Core and Focus to build a structured spatial grid. Mono variant: collapse the field and use it as a center-focused insert.

Planetary Orbits [Mono]

Planetary Orbits — Links width/depth movement into a balanced orbital field. Mono variant: collapse the field and use it as a center-focused insert.

Light Speed [Mono]

Light Speed — Uses faster motion and a wide spread for an energetic moving return. Mono variant: collapse the field and use it as a center-focused insert.

Quantum Field [Mono]

Quantum Field — Adds fine-grained field texture with the dry center still readable. Mono variant: collapse the field and use it as a center-focused insert.

Dimensional Gate [Mono]

Dimensional Gate — Opens a controlled dimensional gate, then uses Focus to keep the axis stable. Mono variant: collapse the field and use it as a center-focused insert.

Gravity Well [Mono]

Gravity Well — Pulls the return inward toward a dense depth center before any final width. Mono variant: collapse the field and use it as a center-focused insert.

Ascension [Mono]

Ascension — Raises the field into an open, elevated wide scene. Mono variant: collapse the field and use it as a center-focused insert.

Deep Space [Dual Mono]

Deep Space — Opens a large depth/width scene with Focus keeping the center from dissolving. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Wormhole [Dual Mono]

Wormhole — Uses animated axis movement and depth to create a traveling return around the dry source. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Nebula Shift [Dual Mono]

Nebula Shift — Adds soft drifting width and depth rather than a rigid stereo spread. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Stellar Grid [Dual Mono]

Stellar Grid — Uses Axis Core and Focus to build a structured spatial grid. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Planetary Orbits [Dual Mono]

Planetary Orbits — Links width/depth movement into a balanced orbital field. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Light Speed [Dual Mono]

Light Speed — Uses faster motion and a wide spread for an energetic moving return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Quantum Field [Dual Mono]

Quantum Field — Adds fine-grained field texture with the dry center still readable. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Dimensional Gate [Dual Mono]

Dimensional Gate — Opens a controlled dimensional gate, then uses Focus to keep the axis stable. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Gravity Well [Dual Mono]

Gravity Well — Pulls the return inward toward a dense depth center before any final width. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Ascension [Dual Mono]

Ascension — Raises the field into an open, elevated wide scene. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

INPUT / OUTPUT: Live pre/post level. Use for level matching around the width field.

Field visualizer: Width, depth, focus, spread, and axis state. Motion shows spatial behavior; it is not a frequency plot.

NSR

RELEASE	FAMILY	PLACEMENT
v1.0.1	Dimensional / Impact / Move	Bus Preferred

Phi-ratio spatial delay and movement field combining travel, microphase, air, anchor, spread, time delay, flange, and mix.

Recommended use: phi-based spatial delay, microphase, and flange field

Customer formats: AU, VST3, Standalone

Primary controls

Telescope • Gain Match • travel • microphase • air • anchor • spread • field • timeDelay • flange • mix

Factory starting points — source-derived purpose

Ankh Source Field

Ankh Source Field — Uses Telescope/Field/Anchor to establish the source field before adding timed travel.

Ra Side Light

Ra Side Light — Adds a side-light return that opens the source without moving its center.

Ausar Depth Gate

Ausar Depth Gate — Uses travel and time delay to place a deeper return behind the dry source.

Ma'at Balance

Ma'at Balance — Sets NSR's telescope, delay, phase, and field movement for the named space.

Horus Wide Eye

Horus Wide Eye — Spreads the return with controlled microphase and field movement.

Seshat Trace

Seshat Trace — Sets NSR's telescope, delay, phase, and field movement for the named space.

Thoth Phase Door

Thoth Phase Door — Uses microphase/flange movement for an orbiting, animated field.

Sekhem Phi Orbit

Sekhem Phi Orbit — Uses microphase/flange movement for an orbiting, animated field.

Neteru Full Field

Neteru Full Field — Uses Telescope/Field/Anchor to establish the source field before adding timed travel.

Chain: Depth Parallax Finish

Chain: Depth Parallax Finish — Defines NSR's position in a DIH routing chain—depth finish, vocal halo, bus tuck, or stereo motion.

Chain: Vocal Halo Motion

Chain: Vocal Halo Motion — Defines NSR's position in a DIH routing chain—depth finish, vocal halo, bus tuck, or stereo motion.

Chain: Music Bus Tuck

Chain: Music Bus Tuck — Defines NSR's position in a DIH routing chain—depth finish, vocal halo, bus tuck, or stereo motion.

Chain: Drum Return Motion

Chain: Drum Return Motion — Defines NSR's position in a DIH routing chain—depth finish, vocal halo, bus tuck, or stereo motion.

Chain: Parallel Bloom

Chain: Parallel Bloom — Defines NSR's position in a DIH routing chain—depth finish, vocal halo, bus tuck, or stereo motion.

Studio Vocal - Focus 40/55 ms

Studio Vocal - Focus 40/55 ms — Sets NSR's telescope, delay, phase, and field movement for the named space.

Studio Vocal - Double 75/105 ms

Studio Vocal - Double 75/105 ms — Sets NSR's telescope, delay, phase, and field movement for the named space.

Studio Vocal - Throw 165/230 ms

Studio Vocal - Throw 165/230 ms — Sets NSR's telescope, delay, phase, and field movement for the named space.

Studio Instrument - Pocket 60/85 ms

Studio Instrument - Pocket 60/85 ms — Sets NSR's telescope, delay, phase, and field movement for the named space.

Studio Guitar - Spread 100/140 ms

Studio Guitar - Spread 100/140 ms — Sets NSR's telescope, delay, phase, and field movement for the named space.

Studio Keys - Bloom 210/295 ms

Studio Keys - Bloom 210/295 ms — Sets NSR's telescope, delay, phase, and field movement for the named space.

Meters and visualizers

SPECTRUM: Energy across displayed frequency bands. Shows tonal distribution of the current signal.

CORRELATION: Left/right phase similarity. +1 is mono-coherent, 0 is decorrelated, negative values risk cancellation.

L / R: Channel activity. Use to detect imbalance before and after the field.

PHI FIELD VIEW: Combined spatial-field intensity. Shows overall activity of the responder.

STEREO FIELD / WIDTH: Side-to-mid spatial width. Check correlation whenever width stays high.

FIELD ACTIVITY: Wet spatial-path energy. Shows how much processed field is actually active.

DRY / WET waveform: Recent source and processed traces. Compare timing, shape, and motion between paths.

Signal Path: Activity at each processing stage. Locates where energy enters, moves, feeds back, and is contained.