

DIHWorld Audio

Master Field Technical Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 1 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\text{Phi}/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

IMHOTEP

RELEASE	FAMILY	PLACEMENT
v1.0.1	Master Field	Master Field

Macro master-field builder for foundation, architecture, dimension, finish, tonal axis, I/O trim, and Flower of Life dispersal.

Recommended use: macro master-field structure and finish

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
dispersal	Flower of Life Dispersal	Bool
gainmatch	Gain Match	Bool
channelmode	Channel Mode	Choice
foundation	Foundation	Factory
architecture	Architecture	Factory
dimension	Dimension	Factory
finish	Finish	Factory
tilt	Tonal Axis	Factory
input	Input Trim	Factory
output	Output Trim	Factory

Factory starting points — source-derived purpose

MASTER BUILDER CANON

MASTER BUILDER CANON — The canonical balanced build: Foundation and Architecture are both centered, Dimension is moderate, and Finish stays musical for a controlled master field. Factory recipe: Foundation 62%, Architecture 62%, Dimension 52%, Finish 62%, Tilt 50%, Dispersal off.

CLEAN PRINT FRAME

CLEAN PRINT FRAME — A restrained print-preparation recipe with lower Foundation/Architecture and moderate Finish; use it before committing a clean stereo print. Factory recipe: Foundation 32%, Architecture 42%, Dimension 46%, Finish 52%, Tilt 50%, Dispersal off.

FOUNDATION MONUMENT

FOUNDATION MONUMENT — Weight-first architecture: high Foundation, modest Dimension, and restrained Finish establish a stable low-center before adding width. Factory recipe: Foundation 94%, Architecture 52%, Dimension 26%, Finish 42%, Tilt 38%, Dispersal off.

VOCAL MASTER ORDER

VOCAL MASTER ORDER — Voice-first organization: Architecture and Finish lead while Foundation remains light, keeping the vocal ordered and present without a heavy low build. Factory recipe: Foundation 36%, Architecture 76%, Dimension 56%, Finish 88%, Tilt 64%, Dispersal off.

DENSE MIX REBUILD

DENSE MIX REBUILD — Containment for crowded arrangements: higher Architecture and Foundation with reduced Dimension keep competing layers in one coherent field. Factory recipe: Foundation 76%, Architecture 86%, Dimension 38%, Finish 68%, Tilt 46%, Dispersal off.

OPEN PYRAMID FIELD

OPEN PYRAMID FIELD — An expansive architectural build with high Dimension and Architecture; use on open material and verify mono before committing. Factory recipe: Foundation 42%, Architecture 90%, Dimension 92%, Finish 74%, Tilt 58%, Dispersal off.

TRANSIENT STONEMWORK

TRANSIENT STONEMWORK — Transient-focused containment: Architecture is firm while Finish is held back so attacks remain defined instead of glossy. Factory recipe: Foundation 62%, Architecture 78%, Dimension 44%, Finish 36%, Tilt 44%, Dispersal off.

GREAT PYRAMID

GREAT PYRAMID — The broadest IMHOTEP construction: high Foundation, Architecture, Dimension, and Finish with Flower dispersal enabled for a large master field. Factory recipe: Foundation 86%, Architecture 100%, Dimension 88%, Finish 86%, Tilt 66%, Dispersal on.

Meters and visualizers

INPUT PEAK: Peak entering the master builder. Confirms headroom before macro shaping.

FIELD ACTIVITY: Combined foundation, architecture, dimension, and finish activity. Shows how strongly the macro field is engaged.

OUTPUT / PHI CEILING: Output level relative to containment. Persistent maximum readings mean less available headroom.