

COLOR AMP TAPE

Saturation, amplifier, tape, and harmonic color


Add character through distinct amp, tube, tape, and body-focused engines.

Included products: APIS, PtahTube, KHEPRI, SOVEREIGN

Recommended route: Music/color route: KHEPRI -> PTAHTUBE -> APIS. SOVEREIGN is a source-oriented amp alternative.

Family preset law: Factory presets describe musical intent and expose the useful range of the plugin. They do not change protected Input, Mix, Output, Power, or final ceiling controls unless the plugin's explicit canon requires it. Cathedral and SacredVerb retain their protected preset behavior. Preset changes must remain clickless.

APIS



Body and color processor built around color, body, petal dispersion, air, protected I/O, and channel-mode support.

Preferred placement: Insert Safe. Use directly on a source or instrument channel and bypass-match before committing.


Core controls

- Input
- Color
- Body
- Flower Petal
- Air
- Output
- Gain Match

Working method

Load a purpose-matched preset or begin from reset, bypass-match the result, then move one control at a time. Presets are starting points; protected gain and final output remain user decisions unless the plugin canon explicitly states otherwise.

PtahTube



Phi-based tube color processor with input, drive, energy, balance, focus, output, and Flower of Life dispersal tied to its illuminated tube field.

Preferred placement: Insert Safe. Use directly on a source or instrument channel and bypass-match before committing.

Core controls

- Input
- Drive
- Output
- Energy
- Balance
- Power
- Focus
- Flower of Life Dispersal
- Gain Match

Current factory programs detected

MANUAL | USER SETTINGS

Working method

Load a purpose-matched preset or begin from reset, bypass-match the result, then move one control at a time. Presets are starting points; protected gain and final output remain user decisions unless the plugin canon explicitly states otherwise.

KHEPRI



Sacred tape machine with selectable machine, Phi formula, tape type (Gold Alloy, Ferric Oxide, Metal Alloy), speed, drive, bias, wow, flutter, head bump, HF rolloff, and parallel mix.

Preferred placement: Insert Safe. Use directly on a source or instrument channel and bypass-match before committing.

Core controls

- Power
- Gain Match
- Machine
- Phi Formula
- Tape Type
- Speed
- Input
- Drive
- Bias

Tape stock changes the machine's magnetic character. Gold Alloy is the balanced general-purpose stock; Ferric Oxide is warmer, denser, and better suited to body or vintage motion; Metal Alloy is cleaner, tighter, and more extended for transient detail and open high-frequency reproduction.

The current factory bank is Canon Reset, Clean Print, Vocal Silk, Bass Foundation, Drum Punch, Bus Glue, Air Repro, Vintage Drift, and Dual Reel. Full Reel and the excessive Low Reel program have been removed; Bass Foundation is the restrained low-end replacement.

Start with the source-matched program, enable Gain Match, and compare at equal loudness. Reduce Drive first when the tape color becomes too forward; reduce Wow or Flutter when transport motion distracts from the performance.

Meter and visualizer guide

These displays observe audio or processing state. They do not move controls unless the product description explicitly says otherwise.

Display	What it measures	How to read it
INPUT VU	Ballistic input level	Calibrated to the printed analog VU scale.
OUTPUT VU	Ballistic post-tape level	Compare with INPUT to avoid loudness bias.
Waveform	Recent live output samples	Shows real signal motion, not a decorative animation.
Reels / beetle glow	Tape motion and drive state	Operational feedback; not a calibrated level meter.

Additional controls are mapped in the family technical manual.

Working method

Load a purpose-matched preset or begin from reset, bypass-match the result, then move one control at a time. Presets are starting points; protected gain and final output remain user decisions unless the plugin canon explicitly states otherwise.

SOVEREIGN



Source-oriented amplifier and tone stage with drive, bass, mid, treble, presence, and master controls.

Preferred placement: Mix Bus. Use on the appropriate family bus, mix bus, or mastering chain with careful bypass matching.

Core controls

- Power
- Drive
- Bass
- Mid
- Treble
- Presence
- Master
- Gain Match

Working method

Load a purpose-matched preset or begin from reset, bypass-match the result, then move one control at a time. Presets are starting points; protected gain and final output remain user decisions unless the plugin canon explicitly states otherwise.