

DIMENSIONAL IMPACT MOVE Technical Manual

Dimension, width, impact, and motion

Shape depth, front-to-back position, movement, and spatial delay as a coordinated field.

Included products: Depth Impact Hybrid X, PARALLAX, NSR

Routing authority: Width/depth route: Depth Impact Hybrid X -> Parallax -> NSR.

Canon baseline

Normalized control 1 equals 0.809016994 ($\text{PHI}/2$). Standard knob travel is 7 o'clock to 5 o'clock. Factory programs must be clickless and must honor protected I/O, Mix, Power, and ceiling controls. Smart Position remains the placement authority.

Depth Impact Hybrid X

Six-mode spatial field for clarity, depth, low bloom, front push, hybrid pressure, fold, freeze, and source-to-horizon movement.

Declared product: Depth | **Version:** 3.22 | **Customer formats:** macOS: Audio Unit (AU) and VST3; Windows beta: VST3 x64

Placement: Insert Safe | **Channel mode:** detected | **Dual-mono link:** detected

Source-review status

- Exact DIHEngine::processSample call detected
- outputCeiling call detected
- No restricted DSP marker detected by the current source scan

Parameter surface

ID	Display name	Type
output	Output	Float
mode	Hybrid X Mode	Choice
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice
horizonFold	Horizon Fold	Bool
freeze	Event Freeze	Bool
echo	Echo	Bool
cpuSaver	CPU Saver	Bool
bypass	Bypass	Bool
gainmatch	Gain Match	Bool
spectralClarity	spectralClarity	Referenced
spatialDepth	spatialDepth	Referenced
loContour	loContour	Referenced
subPressure	subPressure	Referenced
foundation	foundation	Referenced
ground	ground	Referenced
mass	mass	Referenced
presenceLift	presenceLift	Referenced
frontPush	frontPush	Referenced
dimensionalGain	dimensionalGain	Referenced
extension	extension	Referenced
horizonDrive	horizonDrive	Referenced
horizonMaximizer	horizonMaximizer	Referenced
eventSmear	eventSmear	Referenced
eventGravity	eventGravity	Referenced
hybridAmount	hybridAmount	Referenced
immersionBlend	immersionBlend	Referenced
marianaBlend	marianaBlend	Referenced
boostBlend	boostBlend	Referenced
horizonBlend	horizonBlend	Referenced
eventBlend	eventBlend	Referenced
pressureBlend	pressureBlend	Referenced

Artwork authority

Meter and visualizer semantics

Display	What it measures	How to read it
RMS FIELD	Overall sustained field energy	Shows the body of the dimensional result.
LEFT / RIGHT	Per-channel output activity	Use to spot unintended channel imbalance.
HORIZON	Depth and distant-field contribution	Higher values indicate stronger rearward space.
EVENT	Transient/front-push contribution	Higher values indicate stronger forward impact.
Immersion / Foundation / Motion	Three-part dimensional activity summary	Read together to distinguish depth, low support, and movement.

PARALLAX

Bus-preferred width and depth field with focus, spread, axis core, link, mix, and output control.

Declared product: PARALLAX | **Version:** 3.22 | **Customer formats:** macOS: Audio Unit (AU) and VST3; Windows beta: VST3 x64

Placement: Bus Preferred | **Channel mode:** detected | **Dual-mono link:** detected

Source-review status

- Exact DIHEngine::processSample call detected
- outputCeiling call detected
- No restricted DSP marker detected by the current source scan

Parameter surface

ID	Display name	Type
width	Width	Float
depth	Depth	Float
focus	Focus	Float
spread	Stereo Spread	Float
axis	Axis Core	Float
mix	Mix	Float
output	Output	Float
field_link	Field Link	Bool
power	Power	Bool
gainmatch	Gain Match	Bool
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice

Artwork authority

assets/parallax_preset_00_deep_space.png

Meter and visualizer semantics

Display	What it measures	How to read it
INPUT / OUTPUT	Live pre/post level	Use for level matching around the width field.
Field visualizer	Width, depth, focus, spread, and axis state	Motion shows spatial behavior; it is not a frequency plot.

Factory programs

Deep Space; Wormhole; Nebula Shift; Stellar Grid; Planetary Orbits; Light Speed; Quantum Field; Dimensional Gate; Gravity Well; Ascension

NSR

Phi-ratio spatial delay and movement field combining travel, microphase, air, anchor, spread, time delay, flange, and mix.

Declared product: NSR | **Version:** 3.22 | **Customer formats:** macOS: Audio Unit (AU) and VST3; Windows beta: VST3 x64

Placement: Bus Preferred | **Channel mode:** not detected | **Dual-mono link:** not detected

Source-review status

- Exact DIHEngine::processSample call detected
- outputCeiling call detected
- No restricted DSP marker detected by the current source scan

Parameter surface

ID	Display name	Type
gainmatch	Gain Match	Bool
travel	travel	Referenced
microphase	microphase	Referenced
air	air	Referenced
anchor	anchor	Referenced
spread	spread	Referenced
field	field	Referenced
timeDelay	timeDelay	Referenced
flange	flange	Referenced
mix	mix	Referenced

Artwork authority

Resources/NSR_bg.png

Meter and visualizer semantics

Display	What it measures	How to read it
SPECTRUM	Energy across displayed frequency bands	Shows tonal distribution of the current signal.
CORRELATION	Left/right phase similarity	+1 is mono-coherent, 0 is decorrelated, negative values risk cancellation.
L / R	Channel activity	Use to detect imbalance before and after the field.
PHI FIELD VIEW	Combined spatial-field intensity	Shows overall activity of the responder.
STEREO FIELD / WIDTH	Side-to-mid spatial width	Check correlation whenever width stays high.
FIELD ACTIVITY	Wet spatial-path energy	Shows how much processed field is actually active.
DRY / WET waveform	Recent source and processed traces	Compare timing, shape, and motion between paths.
Signal Path	Activity at each processing stage	Locates where energy enters, moves, feeds back, and is contained.