

DIHWorld Audio Feature Language Reference

Current: 2026-08-12

Purpose

This customer reference explains recurring DIHWorld Audio feature names in plain language. These terms describe signal behavior, routing, visual feedback, and level protection inside the plugins. They are not medical, therapeutic, or healing claims.

Use this sheet when a product page, manual, or preset description mentions DIH Guard, Momentum Bend, Dynamics Guard, Smart Position dots, Flower of Life, sidechain control, or similar DIH language.

Core DIH Features

Feature	Customer meaning	What you should hear or see
DIH Engine	The shared DIHWorld signal foundation used across the plugins.	Consistent gain behavior, protected output, and family-specific motion or tone shaping.
DIH Guard	The protection and canon-compliance layer behind the plugins.	Safer output behavior, fewer runaway gain jumps, and a more controlled signal path.
Momentum Bend	A subtle DIH motion curve that gives movement without obvious pitch-warping.	The sound can feel less static, with gentle directional push or elastic response.
Output Ceiling	A protected final-output boundary.	Helps prevent unsafe peaks while preserving the character of the plugin.
Phi Ceiling	The DIH output ceiling based on the system's phi relationship.	Keeps intensity controlled; it is a ceiling, not a loudness target.
Gain Match	A level-fair comparison switch.	Lets users compare processed and bypassed sound without being fooled by volume.
Preset Smoothing	Clickless transition behavior when changing presets.	Presets should switch without pops, clicks, or sudden level jumps.
Power	The plugin's active state.	When off, the plugin should pass or bypass according to its product design.

Motion, Field, and Harmonic Language

Feature	Customer meaning	What you should hear or see
Flower of Life	A harmonic spreading or dispersal mode used only where the plugin family allows it.	More animated harmonic movement, shimmer, bloom, or field spread.
3-6-9 Dispersal	A DIH timing/energy structure used for macro movement and visual rhythm.	Motion or metering may feel organized in three nested time scales.
Field State	The internal map of energy, position, and output behavior.	Visualizers, dots, and meters respond to the current signal state.
Harmonic Motion	Movement in tone or spectrum instead of simple volume change.	The sound can open, duck, shimmer, or shift by band or frequency range.
Spatial Response	Movement, width, depth, or placement behavior.	The sound may feel wider, deeper, closer, farther, or more animated.
Field Density	How concentrated or spread the plugin's effect feels.	Higher density usually feels thicker, more present, or more layered.

Feature	Customer meaning	What you should hear or see
Field Pressure	How strongly the processor is reacting.	Meters or visuals show more activity when the plugin is working harder.

Dynamics and Guard Language

Feature	Customer meaning	What you should hear or see
Dynamics Guard	The DIH family focused on envelope, transient, pressure, and containment control.	Cleaner gates, controlled impact, protected peaks, and readable movement.
Transparent Pass	A low-interference dynamics state.	The sound should pass naturally unless the detector requires action.
Sidechain Key	An external signal used only to control detection.	The key triggers movement or detection but is not mixed into the output.
Sidechain Duck	External-key-driven gain reduction.	The main sound moves down or opens space when the key hits.
Gate Pressure	How much the gate/expander is closing or opening.	More pressure means more attenuation or stronger control.
Guard Pressure	The combined containment demand inside a dynamics processor.	More activity means the plugin is holding back more energy.
Transient Watch	Fast attack monitoring.	Useful for drums, plucks, and sharp front-edge control.
Sustain Shape	Medium-to-long envelope shaping.	Helps control body, tail, room, or held notes.

Visual and Placement Language

Feature	Customer meaning	What you should hear or see
Smart Position	DIH guidance for where a plugin usually works best.	The plugin may show dots or status hints for insert, bus, master, or parallel use.
DIH Dot Protocol	The color-dot placement and family-role language.	Gold, blue, silver, purple, cyan, green, and other dots summarize plugin role.
Bright Dot	Confirmed or active role.	The current signal or placement matches the plugin's intended behavior.
Dim Dot	Available but inactive role.	The role exists, but the signal is not currently confirming it.
Pulse / Warning Dot	Placement, level, phase, or routing should be checked.	The plugin is warning the user to review signal flow or gain.
Analyzer / Meter	Visual feedback based on real signal activity.	Use meters to confirm input, output, sidechain, ducking, gate, or field motion.

Sidechain-Capable DIHWorld Audio Plugins

These DIHWorld Audio plugins are documented as sidechain-capable in the current routing material:

Plugin	Sidechain role
ANUBIS	External key for gate/expander detection and ducking.
TEHUTI	External key drives low, mid, and high spectral ducking.
NTRPL	External key creates space in the rewrite layer while the main program remains present.

Plugin	Sidechain role
MARIANA	External key controls the generated low-end layer.
MONOLITH	External key shapes low-frequency space and pocket.
DrumKrushGlue	External key controls drum impact and glue intensity.

Product-Family Language

Family	Feature language users may see	Plain meaning
Harmonics / Pitch	Flower of Life, harmonic motion, sidechain bands, generated voices	Tone, pitch, harmonic shape, and musical movement.
Dynamics Guard	Guard pressure, key, duck, transparent pass, transient watch	Gating, ducking, containment, envelope, and safety.
Bass / Low End	Rewrite, foundation, low-end layer, sub pressure	Bass support, generated weight, and low-frequency control.
FX / Spatial	Width, depth, field, placement, prism, orbit	Space, position, spread, and movement.
Color / Amp / Tape	Tube, tape, bias, drive, flower dispersal	Character, warmth, saturation, and analog-style motion.
Mastering Core	Ceiling, polish, balance, final guard	Final-stage tonal and level control.
Utility / Observation	Advisor, print scan, metering, analysis	Read-only or guidance tools for better decisions.

Customer-Safe Usage Notes

- DIHWorld feature names describe sound design, audio engineering, routing, and visual-feedback behavior.
- Frequency, harmonic, and geometry names describe creative tuning or signal organization; they do not promise medical effects.
- Presets are starting points. Users should compare with Gain Match and adjust Input, Mix, Output, and family controls by ear.
- Sidechain features require the DAW's native Side Chain menu. The sidechain signal is a control input and should not enter the audible output unless the user routes it separately.
- If a plugin sounds better only because it is louder, turn on Gain Match and compare again.
- If a dot pulses or flashes, check placement, routing, gain, phase, and sidechain activity before printing.