

DIHWorld Audio

Drum / Instrument Technical Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 3 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\text{Phi}/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

DIH Drum Morpher

RELEASE	FAMILY	PLACEMENT
v1.0.1	Drum / Instrument	Creative Transform

Sixteen-pad DIH drum sampler and host-timeline sequencer with sample loading, pad shaping, restored factory programs, pattern memory, capture, live sidechain/MPC morph, and performance controls. The current 1.0.1 factory bank is organized around distinct modern patterns including 808, trap, R&B, drill, Afro, Latin, house, pop, cinema, and Bay Area grooves. Selectable MPC C1 chromatic mapping covers Bank A Pads 1-16 on MIDI notes 36-51 while the released GM map remains available for existing sessions. WAV, AIFF, CAF, FLAC, MP3, and OGG loading plus live sidechain return are supported; user-owned third-party samples remain local and are not embedded in public installers.

Recommended use: instrument/plugin generator

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
--------------	--------------	------

Factory starting points — source-derived purpose

MODERN 808

MODERN 808 — A current half-time trap foundation with a real 808 lane: kick and 808 anchor the record while the paired backbeat and short hat rolls leave room for the vocal. Use the Miami kit for the sampled/synth 808 blend; other kits use the tuned synth fallback. Starting point: 142 BPM, 32 steps, 10% swing, 12% Morph, 26% Governor.

ATL TRAP 2K26

ATL TRAP 2K26 — Punchy Atlanta trap with kicks pushed off the grid, a tight snare/clap backbeat, and short hat rolls. Use it when a trap beat feels too quantized; start with Swing, then adjust kick punch. Starting point: 136 BPM, 32 steps, 20% swing, 16% Morph, 30% Governor.

ALT RNB POCKET

ALT RNB POCKET — A supportive trap-soul/R&B pocket: filtered kick, restrained backbeat, eighth-note hats, and shaker off-beats keep the drums behind the vocal. Start with kick punch before changing Morph. Starting point: 72 BPM, 32 steps, 16% swing, 22% Morph, 44% Governor.

LOW-END DRILL

LOW-END DRILL — Heavy UK/low-end drill with a synth-forward kick and tuned low support voice, minimal top-end, and high containment. Use Layer for weight, then ease Governor if the sub feels clamped. Starting point: 138 BPM, 32 steps, 6% swing, 32% Morph, 68% Governor.

HALF-TIME GLIDE

HALF-TIME GLIDE — Half-time trap with a descending tom pickup that creates the glide into each turnaround. Adjust Swing for feel, then the tom lanes for the audible fall. Starting point: 88 BPM, 32 steps, 18% swing, 42% Morph, 56% Governor.

UK DRILL CURRENT

UK DRILL CURRENT — A modern UK drill pocket with the beat-3 snare/clap identity, syncopated kick/808 bounce, and hats rushing into the backbeat. Governor controls how tightly the low end is held. Starting point: 140 BPM, 32 steps, 8% swing, 62% Morph, 80% Governor.

GLITCH HAT CUT

GLITCH HAT CUT — Stuttered, unswung hat pairs with large gaps; the hat grid is the feature while kick, snare, clap, and ride stay simple. Adjust Hat Air for brightness and bite. Starting point: 150 BPM, 32 steps, 0% swing, 38% Morph, 64% Governor.

PLUGGNB BOUNCE

PLUGGNB BOUNCE — Sparse, relaxed plugg/pluggnb drums with uneven kick spacing, half-beat claps, a small hat cluster, and one off-grid crash punctuation. Start with kick punch. Starting point: 132 BPM, 32 steps, 8% swing, 30% Morph, 48% Governor.

SPACE TRAP

SPACE TRAP — Atmospheric trap with only a few kicks, snare/rim hits, and a ride wash instead of a busy hat grid. Hybrid percussion supplies air while Governor keeps the field contained. Starting point: 100 BPM, 32 steps, 10% swing, 46% Morph, 72% Governor.

WEST COAST BOUNCE

WEST COAST BOUNCE — Straight West Coast bounce: un-swung eighth-note hats, shaker glue, and a kick that drives the pocket. Use kick punch to move the groove forward. Starting point: 96 BPM, 32 steps, 0% swing, 22% Morph, 44% Governor.

MINIMAL CLUB

MINIMAL CLUB — A sparse 64-step club loop with only a few kicks, snares, hats, and shaker hits, leaving headroom for arrangement and automation. Use Morph to decide how much the sparse hits transform. Starting point: 118 BPM, 64 steps, 0% swing, 46% Morph, 60% Governor.

JERSEY CLUB

JERSEY CLUB — Modern Jersey club bounce with chopped kick accents, clap/snare responses, triplet-feel percussion, open hats, and shaker lift. Starting

point: 140 BPM, 32 steps, 6% swing, 48% Morph, 44% Governor.

FUTURE PERC

FUTURE PERC — A percussion-led groove that drifts against the beat: one percussion lane repeats on a 7-step cycle instead of realigning every bar. Adjust Perc 1 level before changing the global field. Starting point: 100 BPM, 32 steps, 6% swing, 40% Morph, 50% Governor.

SUB BASS SPACE

SUB BASS SPACE — A sparse, deliberate sub pocket with room for the 808 to ring: synth-forward low kick, tuned support, minimal clutter, and a trimmed master. Start with kick filter, then ease Governor. Starting point: 82 BPM, 32 steps, 0% swing, 66% Morph, 80% Governor.

CINEMATIC DRILL

CINEMATIC DRILL — Dense drill tension with fourteen closed-hat hits, open-hat accents, five kicks, and a contained low field. Hat Air determines how aggressive the top becomes. Starting point: 146 BPM, 32 steps, 0% swing, 68% Morph, 80% Governor.

AFRO ROOTS

AFRO ROOTS — A 108 BPM low-foundation pocket for vocals and bass, using a compact hand-percussion call-and-response lattice instead of a percussion wall. Swing is the first adjustment. Starting point: 108 BPM, 16 steps, 18% swing, 20% Morph, 30% Governor.

TECH HOUSE

TECH HOUSE — Production-ready tech house: four-on-the-floor kick, offbeat hats, short clap, and restrained percussion with a strict grid. Adjust Hat Air before Morph. Starting point: 128 BPM, 32 steps, 0% swing, 34% Morph, 38% Governor.

ALT POP FUTURE

ALT POP FUTURE — Bright, glassy modern pop drums with straight hats, four kicks, snare/clap lift, crash, and ride. Use clap air to open the top without increasing output. Starting point: 115 BPM, 16 steps, 0% swing, 54% Morph, 64% Governor.

DROP FRAME

DROP FRAME — A held-silence-then-hit transition preset: hats stop before the end of the bar and a crash lands the drop. Swing controls how loose the tension feels. Starting point: 86 BPM, 32 steps, 20% swing, 44% Morph, 70% Governor.

RNB AFTER DARK

RNB AFTER DARK — Late-night R&B with a slow swung pocket, sparse kick/snare/clap, shaker, and ride, plus a trimmed master for vocal space. Start with Swing, then Morph. Starting point: 76 BPM, 16 steps, 18% swing, 62% Morph, 66% Governor.

DEMBOW 2K26

DEMBOW 2K26 — A modern dembow/reggaeton tresillo: kick and rim call-and-response doubled across the loop with steady eighth-note hats. Kick punch is the first control. Starting point: 95 BPM, 32 steps, 0% swing, 20% Morph, 35% Governor.

CINEMA DRILL

CINEMA DRILL — Sparse cinematic drill with open hat clusters and crash/ride stabs used as orchestral accents. Morph is deliberately high; use it to move the scene rather than adding more hits. Starting point: 138 BPM, 32 steps, 0% swing, 76% Morph, 70% Governor.

HYPERTRAP

HYPERTRAP — High-speed trap with controlled hat rolls, double-kick answers, clipped clap backbeat, and a brighter top. Adjust Hat Air for energy. Starting point: 160 BPM, 32 steps, 0% swing, 62% Morph, 46% Governor.

GLOBAL FUTURE

GLOBAL FUTURE — A modern world-percussion field with layered hand percussion, rim, toms, and shaker over a simple kick/snare frame. Morph changes how far the percussion moves. Starting point: 118 BPM, 16 steps, 16% swing, 66% Morph, 72% Governor.

AFRO PERCUSSION ROOTS

AFRO PERCUSSION ROOTS — Afro-rooted percussion with a firm low anchor, hand-drum lattice, shaker motion, and restrained top-end; it is the denser companion to AFRO ROOTS. Starting point: 108 BPM, 16 steps, 20% swing, 24% Morph, 32% Governor.

LATIN SWING

LATIN SWING — A Latin/Brazilian swing pocket with tresillo-like kick, rim and hand percussion interlock, and a controlled 16-step call-and-response. Starting point: 118 BPM, 16 steps, 14% swing, 10% Morph, 26% Governor.

SLIDE POCKET

SLIDE POCKET — An 808-slide-driven trap pocket: spaced kick, low tom glide accents, and open room for the bass movement. Use the low lanes before adding more hats. Starting point: 100 BPM, 32 steps, 0% swing, 20% Morph, 46% Governor.

BAY AREA

BAY AREA — Contemporary Bay bounce with syncopated kick answers, clap backbeat, clipped hats, and restrained shaker grid. Start with kick punch, then adjust Swing. Starting point: 100 BPM, 32 steps, 14% swing, 30% Morph, 44% Governor.

Meters and visualizers

L / R output: Left and right output activity. Confirms stereo drum output and imbalance.

GOVERNOR: Output containment activity. More activity means protection is holding energy back.

MORPH: Current metamorphosis activity. Shows how strongly the active pads are transforming.

Pad waveform: Loaded sample amplitude over time. Use to identify attacks, tails, and silence in each pad.

Ballpark

RELEASE	FAMILY	PLACEMENT
v1.0.1	Drum / Instrument	Creative Transform

Drum impact and placement processor whose base progression and hit calls turn performance energy into an audible stadium-response field.

Recommended use: instrument/drum function

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
--------------	--------------	------

Factory starting points — source-derived purpose

- BALLPARK CANON (Mu Metal)**
BALLPARK CANON (Mu Metal) — Uses the Mu Metal/shielded material for tight containment and low stray color.
- SINGLE TIGHT (Nickel Focus)**
SINGLE TIGHT (Nickel Focus) — Keeps the material focused and tight with a Nickel-weighted center.
- DOUBLE WIDTH (Copper Body)**
DOUBLE WIDTH (Copper Body) — Adds conductive warmth and body with a Copper-centered field.
- TRIPLE ENERGY (Iron Weight)**
TRIPLE ENERGY (Iron Weight) — Adds firmer iron/steel authority and a more assertive center.
- HOME RUN LIFT (Gold Presence)**
HOME RUN LIFT (Gold Presence) — Raises presence/authority toward a polished, finished material response.
- DUGOUT WARM (Brass)**
DUGOUT WARM (Brass) — Rounds the source with brass-like warmth while preserving its core.
- STADIUM AIR (Silver Air)**
STADIUM AIR (Silver Air) — Chooses a named material response for the source; compare it against the dry track before combining materials.
- GLUE DEFENSE (Mu Metal Shield)**
GLUE DEFENSE (Mu Metal Shield) — Uses the Mu Metal/shielded material for tight containment and low stray color.
- BULLPEN LOCK (Steel)**
BULLPEN LOCK (Steel) — Adds firmer iron/steel authority and a more assertive center.
- NINTH INNING (Platinum Authority)**
NINTH INNING (Platinum Authority) — Raises presence/authority toward a polished, finished material response.
- FIFTH TOOL (Alloy)**
FIFTH TOOL (Alloy) — Chooses a named material response for the source; compare it against the dry track before combining materials.
- CROWDPULSE (Copper Ground)**
CROWDPULSE (Copper Ground) — Adds conductive warmth and body with a Copper-centered field.
- GRANDSTAND (Bronze)**
GRANDSTAND (Bronze) — Chooses a named material response for the source; compare it against the dry track before combining materials.
- EXTRA BASES (Titanium)**
EXTRA BASES (Titanium) — Chooses a named material response for the source; compare it against the dry track before combining materials.

Meters and visualizers

- IN:** Input level. Confirms drum energy entering the stadium model.
- GR:** Gain reduction. Shows active impact containment.
- OUT:** Output level. Use with IN for level matching.
- RMS / PEAK:** Body level and fast peak. Their separation describes drum crest and punch.
- Ceiling score / hit call:** Composite impact, control, and ceiling score. Walk through Home Run describes response intensity, not sports prediction.

DrumKrushGlue

RELEASE	FAMILY	PLACEMENT
v3.6.9	Drum / Instrument	Bus Preferred

Bus-preferred drum cohesion stage for binding hits into one controlled impact field, with secondary dynamics-guard/cyan-dot behavior. A named optional Sidechain enables keyed pocket ducking and remains inactive until Sidechain Key is enabled.

Recommended use: drum-family percussion adhesive; use on drum bus or parallel drum-impact return; secondary dynamics guard/cyan dot

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
power	Power	Bool
gainmatch	Gain Match	Bool
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice

Factory starting points — source-derived purpose

- DRUM KRUSH GLUE [Stereo]**
DRUM KRUSH GLUE — Sets a drum-bus glue/crush balance with the dry hit still authoritative. Stereo variant: keep the linked center intact and audition width in the full mix.
- TIGHT BUS GLUE [Stereo]**
TIGHT BUS GLUE — Sets a drum-bus glue/crush balance with the dry hit still authoritative. Stereo variant: keep the linked center intact and audition width in the full mix.
- BOOM BAP BODY [Stereo]**
BOOM BAP BODY — Sets a drum-bus glue/crush balance with the dry hit still authoritative. Stereo variant: keep the linked center intact and audition width in the full mix.
- TRAP SNAP KRUSH [Stereo]**
TRAP SNAP KRUSH — Favors fast snap and transient edge for trap percussion. Stereo variant: keep the linked center intact and audition width in the full mix.
- DRILL KICK ANCHOR [Mono]**
DRILL KICK ANCHOR — Anchors the drill kick while keeping the rest of the bus from collapsing inward. Mono variant: collapse the field and use it as a center-focused insert.
- 808 KRUSH WEIGHT [Stereo]**
808 KRUSH WEIGHT — Adds controlled low-end crush and weight for an 808/kick-centered drum bus. Stereo variant: keep the linked center intact and audition width in the full mix.
- PARALLEL KRUSH RETURN [Stereo]**
PARALLEL KRUSH RETURN — Sets a parallel return so crush density can sit beside the dry transient. Stereo variant: keep the linked center intact and audition width in the full mix.
- DUAL MONO DRUM LOCK**
DUAL MONO DRUM LOCK — Applies glue in the selected channel layout; check the center before widening the return.

Meters and visualizers

- IMPACT:** Detected drum peak activity. Shows hit strength entering the impact path.
- BODY:** Sustained drum energy. Shows weight carried between hits.
- REPAIR:** Glue/control activity. Shows how strongly cohesion is correcting the bus.
- CEILING:** Protected output pressure. Persistent maximum activity means the chain is overdriven.