

DIHWorld Audio

Complete Audio Manual

42 plugins · 13 families · visual guides and current technical reference

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 42 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

DIHWorld Audio

Vocal / Mic / Source Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 6 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

Silver reference / Gold color / WPR adaptive ribbon

SILVER is the M50-referenced neutral comparison stage. Use it to establish an honest, level-matched baseline for vocal, acoustic, and monitoring decisions: truth, air, articulation, transient precision, and spatial reveal. It is a reference voicing, not an automatic correction or universal flat-response promise.

GOLD uses the M50-referenced input followed by deliberate color. Use it only when the arrangement benefits from harmonic body, presence, soul, weight, or dimensional lift. **GOLD** is not a substitute reference and **SILVER** is not a downstream color stage.

WPR is the pressure-responsive ribbon stage. It adapts Damping, Excursion, and Ribbon Guard to the incoming pressure envelope before the ribbon/transformer path. **WPR** is model- and price-agnostic; exact microphone correction requires measured calibration data.

Decision order: gain-match the dry source and **SILVER** first; compare **GOLD** at the same level when color is wanted; use **WPR** when pressure-responsive ribbon behavior is the intended source stage. Do not prescribe a serial **GOLD**-to-**SILVER** chain as a default.

GOLD

RELEASE	FAMILY	PLACEMENT
v1.0.1	Vocal / Mic / Source	Insert Safe

M50-referenced input response followed by deliberate harmonic color for body, presence, soul, weight, and dimensional lift. GOLD is a creative color stage, not an automatic correction or neutral reference.

Recommended use: Creative mic-color stage after a level-matched reference comparison; use only when deliberate harmonic character is wanted.

Customer formats: AU, VST3, Standalone

Primary controls

Channel Mode • Dual Mono Link • Gain Match • Source / Mic Array • Ag Air • Cu Body • Fe Weight • Au Presence • Pt Authority • Ni Focus

Factory starting points — source-derived purpose

Canon Open
Canon Open — Neutral GOLD starting point: keep the mic/source array centered and compare the color lanes at equal loudness before adding presence.

Source True
Source True — Preserves the microphone's identity while the GOLD color path stays restrained; use it as a source-first vocal or acoustic reference.

Root Anchor
Root Anchor — Centers the lower body and Fe Weight so the source has a stable foundation without a hyped top.

Earth Hold
Earth Hold — Adds grounded body and authority for thin or wandering sources; check the low-mid against the arrangement before increasing level.

Body Open
Body Open — Balances Cu Body with Ag Air so a dense source gains chest and breathing room together.

Spirit Lift
Spirit Lift — Moves emphasis toward Au Presence/Pt Authority for articulation and lift after the source has a solid center.

Sacred Push
Sacred Push — A forward, colored GOLD push for a lead that must sit above the bus; match output before deciding it is better.

Full Field
Full Field — The broadest GOLD color field: body, presence, and air are all engaged for a deliberate finished source rather than a neutral capture.

SILVER

RELEASE	FAMILY	PLACEMENT
v1.0.1	Vocal / Mic / Source	Insert Safe

M50-referenced neutral source voicing for truthful level and tone comparisons: air, articulation, transient precision, and spatial reveal. SILVER is a reference voicing, not an automatic correction or universal flat-response promise.

Recommended use: Neutral reference stage: establish a level-matched baseline before deciding whether GOLD color is musically useful.

Customer formats: AU, VST3

Primary controls

Channel Mode • Dual Mono Link • Gain Match • Truth Field • Precision • Ground • Air • Transient • Output • Input • Mix

Factory starting points — source-derived purpose

- Silver Prep [Stereo]**
Silver Prep — Silver Prep establishes the M50-referenced source center with Truth Field and Precision balanced for an honest first listen. Stereo variant: keep the linked center intact and audition width in the full mix.
- Reference Truth [Stereo]**
Reference Truth — Reference Truth minimizes deliberate color so mic identity, level, and room contribution can be judged before processing. Stereo variant: keep the linked center intact and audition width in the full mix.
- Air Open [Stereo]**
Air Open — Air Open lifts the upper reference field for openness while Ground and Truth keep the source anchored. Stereo variant: keep the linked center intact and audition width in the full mix.
- Transient Detail [Stereo]**
Transient Detail — Transient Detail favors the Precision/Transient lanes so consonants, pick, and attack can be edited without a loudness lift. Stereo variant: keep the linked center intact and audition width in the full mix.
- Vocal Reveal [Stereo]**
Vocal Reveal — Vocal Reveal brings diction and breath forward while preserving a stable vocal center. Stereo variant: keep the linked center intact and audition width in the full mix.
- String Clarity [Stereo]**
String Clarity — String Clarity exposes bow, pick, and finger detail while keeping the instrument’s body from becoming brittle. Stereo variant: keep the linked center intact and audition width in the full mix.
- Piano Glass [Stereo]**
Piano Glass — Piano Glass opens the upper piano harmonics and attack for a clean, articulated keyboard image. Stereo variant: keep the linked center intact and audition width in the full mix.
- Room Truth [Stereo]**
Room Truth — Room Truth lets the real room and stereo edges speak so ambience can be evaluated before color. Stereo variant: keep the linked center intact and audition width in the full mix.
- Source True [Stereo]**
Source True — Source True is the restrained mic-identity pass for comparing a take against the dry source. Stereo variant: keep the linked center intact and audition width in the full mix.
- Phi Balance [Stereo]**
Phi Balance — Phi Balance places Truth, Ground, Air, and Transient in a centered reference relationship for mix decisions. Stereo variant: keep the linked center intact and audition width in the full mix.
- Breath Silver [Stereo]**
Breath Silver — Breath Silver reveals low-level breath and release detail without turning the entire source into a bright effect. Stereo variant: keep the linked center intact and audition width in the full mix.
- Precision Field [Stereo]**
Precision Field — Precision Field prioritizes attack and center placement for surgical edit and translation checks. Stereo variant: keep the linked center intact and audition width in the full mix.
- Expansion Air [Stereo]**
Expansion Air — Expansion Air gives the reference field more upper openness and side information while retaining a stable center. Stereo variant: keep the linked center intact and audition width in the full mix.

Neutral Transfer [Stereo]

Neutral Transfer — Neutral Transfer is the final comparison pass: keep the source honest while checking how the take travels between systems. Stereo variant: keep the linked center intact and audition width in the full mix.

Silver Prep [Mono]

Silver Prep — Silver Prep establishes the M50-referenced source center with Truth Field and Precision balanced for an honest first listen. Mono variant: collapse the field and use it as a center-focused insert.

Reference Truth [Mono]

Reference Truth — Reference Truth minimizes deliberate color so mic identity, level, and room contribution can be judged before processing. Mono variant: collapse the field and use it as a center-focused insert.

Air Open [Mono]

Air Open — Air Open lifts the upper reference field for openness while Ground and Truth keep the source anchored. Mono variant: collapse the field and use it as a center-focused insert.

Transient Detail [Mono]

Transient Detail — Transient Detail favors the Precision/Transient lanes so consonants, pick, and attack can be edited without a loudness lift. Mono variant: collapse the field and use it as a center-focused insert.

Vocal Reveal [Mono]

Vocal Reveal — Vocal Reveal brings diction and breath forward while preserving a stable vocal center. Mono variant: collapse the field and use it as a center-focused insert.

String Clarity [Mono]

String Clarity — String Clarity exposes bow, pick, and finger detail while keeping the instrument's body from becoming brittle. Mono variant: collapse the field and use it as a center-focused insert.

Piano Glass [Mono]

Piano Glass — Piano Glass opens the upper piano harmonics and attack for a clean, articulated keyboard image. Mono variant: collapse the field and use it as a center-focused insert.

Room Truth [Mono]

Room Truth — Room Truth lets the real room and stereo edges speak so ambience can be evaluated before color. Mono variant: collapse the field and use it as a center-focused insert.

Source True [Mono]

Source True — Source True is the restrained mic-identity pass for comparing a take against the dry source. Mono variant: collapse the field and use it as a center-focused insert.

Phi Balance [Mono]

Phi Balance — Phi Balance places Truth, Ground, Air, and Transient in a centered reference relationship for mix decisions. Mono variant: collapse the field and use it as a center-focused insert.

Breath Silver [Mono]

Breath Silver — Breath Silver reveals low-level breath and release detail without turning the entire source into a bright effect. Mono variant: collapse the field and use it as a center-focused insert.

Precision Field [Mono]

Precision Field — Precision Field prioritizes attack and center placement for surgical edit and translation checks. Mono variant: collapse the field and use it as a center-focused insert.

Expansion Air [Mono]

Expansion Air — Expansion Air gives the reference field more upper openness and side information while retaining a stable center. Mono variant: collapse the field and use it as a center-focused insert.

Neutral Transfer [Mono]

Neutral Transfer — Neutral Transfer is the final comparison pass: keep the source honest while checking how the take travels between systems. Mono variant: collapse the field and use it as a center-focused insert.

Silver Prep [Dual Mono]

Silver Prep — Silver Prep establishes the M50-referenced source center with Truth Field and Precision balanced for an honest first listen. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Reference Truth [Dual Mono]

Reference Truth — Reference Truth minimizes deliberate color so mic identity, level, and room contribution can be judged before processing. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Air Open [Dual Mono]

Air Open — Air Open lifts the upper reference field for openness while Ground and Truth keep the source anchored. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Transient Detail [Dual Mono]

Transient Detail — Transient Detail favors the Precision/Transient lanes so consonants, pick, and attack can be edited without a loudness lift. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Vocal Reveal [Dual Mono]

Vocal Reveal — Vocal Reveal brings diction and breath forward while preserving a stable vocal center. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

String Clarity [Dual Mono]

String Clarity — String Clarity exposes bow, pick, and finger detail while keeping the instrument's body from becoming brittle. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Piano Glass [Dual Mono]

Piano Glass — Piano Glass opens the upper piano harmonics and attack for a clean, articulated keyboard image. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Room Truth [Dual Mono]

Room Truth — Room Truth lets the real room and stereo edges speak so ambience can be evaluated before color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Source True [Dual Mono]

Source True — Source True is the restrained mic-identity pass for comparing a take against the dry source. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Phi Balance [Dual Mono]

Phi Balance — Phi Balance places Truth, Ground, Air, and Transient in a centered reference relationship for mix decisions. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Breath Silver [Dual Mono]

Breath Silver — Breath Silver reveals low-level breath and release detail without turning the entire source into a bright effect. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Precision Field [Dual Mono]

Precision Field — Precision Field prioritizes attack and center placement for surgical edit and translation checks. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Expansion Air [Dual Mono]

Expansion Air — Expansion Air gives the reference field more upper openness and side information while retaining a stable center. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Neutral Transfer [Dual Mono]

Neutral Transfer — Neutral Transfer is the final comparison pass: keep the source honest while checking how the take travels between systems. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

RELEASE	FAMILY	PLACEMENT
v1.0.1	Vocal / Mic / Source	Insert Safe

Pressure-responsive Phi ribbon channel for any user microphone: a mechanical pressure/excursion stage responds to the incoming signal before the transformer/core model. Ribbon Damping, Ribbon Excursion, and Ribbon Guard shape recovery and transient protection without assuming a microphone price, brand, or hidden flat-response correction.

Recommended use: adaptive ribbon source shaping; use after level-matching the user mic

Customer formats: AU, VST3

Primary controls

Transformer • Ribbon Tone • Ribbon Mass • Side Width • Polar Focus • Output Trim • Air Edge • Ribbon Blend • Proximity • Ribbon Damping • Ribbon Excursion • Ribbon Guard

Factory starting points — source-derived purpose

- WP-R MKVI CANON [Stereo]**
WP-R MKVI CANON — Returns the ribbon mechanics and polar field to the controlled MKVI reference point. Stereo variant: keep the linked center intact and audition width in the full mix.
- VINTAGE VELVET [Stereo]**
VINTAGE VELVET — Softens the ribbon/transformer contour for intimate, rounded sources. Stereo variant: keep the linked center intact and audition width in the full mix.
- ROOM AMBIENCE [Stereo]**
ROOM AMBIENCE — Uses pattern, proximity, and side width to turn the ribbon into a room/ambience capture. Stereo variant: keep the linked center intact and audition width in the full mix.
- AIR EDGE [Stereo]**
AIR EDGE — Lets the upper ribbon edge speak while Damping and Guard keep bursts contained. Stereo variant: keep the linked center intact and audition width in the full mix.
- ORCHESTRAL PAIR [Stereo]**
ORCHESTRAL PAIR — Lets the upper ribbon edge speak while Damping and Guard keep bursts contained. Stereo variant: keep the linked center intact and audition width in the full mix.
- BRASS TAMER [Stereo]**
BRASS TAMER — Uses Damping and Ribbon Guard to keep brass pressure energetic but controlled. Stereo variant: keep the linked center intact and audition width in the full mix.
- VOCAL INTIMACY [Stereo]**
VOCAL INTIMACY — Sets a close, protected ribbon vocal perspective with proximity body and a stable center. Stereo variant: keep the linked center intact and audition width in the full mix.
- BROADCAST WARMTH [Stereo]**
BROADCAST WARMTH — Softens the ribbon/transformer contour for intimate, rounded sources. Stereo variant: keep the linked center intact and audition width in the full mix.
- DARK SHADOW [Stereo]**
DARK SHADOW — Uses a darker ribbon/transformer contour for harsh or over-bright sources. Stereo variant: keep the linked center intact and audition width in the full mix.
- IRON DRIVE CORE [Stereo]**
IRON DRIVE CORE — Moves the transformer and hysteresis lanes forward for deliberate iron color. Stereo variant: keep the linked center intact and audition width in the full mix.
- SILVER FOIL JENSEN [Stereo]**
SILVER FOIL JENSEN — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Stereo variant: keep the linked center intact and audition width in the full mix.
- MAGNETIC CRUNCH [Stereo]**
MAGNETIC CRUNCH — Moves the transformer and hysteresis lanes forward for deliberate iron color. Stereo variant: keep the linked center intact and audition width in the full mix.
- LUNDAHL DEEP OPEN [Stereo]**
LUNDAHL DEEP OPEN — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Stereo variant: keep

the linked center intact and audition width in the full mix.

CINEMAG FAT BOTTOM [Stereo]

CINEMAG FAT BOTTOM — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Stereo variant: keep the linked center intact and audition width in the full mix.

MU-METAL SILK [Stereo]

MU-METAL SILK — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Stereo variant: keep the linked center intact and audition width in the full mix.

HYSTERESIS HEAT [Stereo]

HYSTERESIS HEAT — Adds controlled hysteresis heat after the ribbon mechanics are stable. Stereo variant: keep the linked center intact and audition width in the full mix.

BIFILAR FOCUS [Stereo]

BIFILAR FOCUS — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Stereo variant: keep the linked center intact and audition width in the full mix.

VINTAGE CORE AGE [Stereo]

VINTAGE CORE AGE — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Stereo variant: keep the linked center intact and audition width in the full mix.

FIGURE 8 BLISS [Stereo]

FIGURE 8 BLISS — Favors the selected two-sided pattern for a coherent stereo pair; check mono before widening. Stereo variant: keep the linked center intact and audition width in the full mix.

BLUMLEIN CORE [Stereo]

BLUMLEIN CORE — Favors the selected two-sided pattern for a coherent stereo pair; check mono before widening. Stereo variant: keep the linked center intact and audition width in the full mix.

GUITAR CAB FOCUS [Stereo]

GUITAR CAB FOCUS — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Stereo variant: keep the linked center intact and audition width in the full mix.

DRUM OVERHEAD PHI [Stereo]

DRUM OVERHEAD PHI — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Stereo variant: keep the linked center intact and audition width in the full mix.

ACOUSTIC CLARITY [Stereo]

ACOUSTIC CLARITY — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Stereo variant: keep the linked center intact and audition width in the full mix.

INFINITE MOMENTUM [Stereo]

INFINITE MOMENTUM — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Stereo variant: keep the linked center intact and audition width in the full mix.

RESONANT SPACE [Stereo]

RESONANT SPACE — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Stereo variant: keep the linked center intact and audition width in the full mix.

DIH WORLD AUDIO [Stereo]

DIH WORLD AUDIO — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Stereo variant: keep the linked center intact and audition width in the full mix.

ULTRA CEILING 369 [Stereo]

ULTRA CEILING 369 — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Stereo variant: keep the linked center intact and audition width in the full mix.

WP-R MKVI CANON [Mono]

WP-R MKVI CANON — Returns the ribbon mechanics and polar field to the controlled MKVI reference point. Mono variant: collapse the field and use it as a center-focused insert.

VINTAGE VELVET [Mono]

VINTAGE VELVET — Softens the ribbon/transformer contour for intimate, rounded sources. Mono variant: collapse the field and use it as a center-focused insert.

ROOM AMBIENCE [Mono]

ROOM AMBIENCE — Uses pattern, proximity, and side width to turn the ribbon into a room/ambience capture. Mono variant: collapse the field and use it as a center-focused insert.

AIR EDGE [Mono]

AIR EDGE — Lets the upper ribbon edge speak while Damping and Guard keep bursts contained. Mono variant: collapse the field and use it as a center-focused insert.

ORCHESTRAL PAIR [Mono]

ORCHESTRAL PAIR — Lets the upper ribbon edge speak while Damping and Guard keep bursts contained. Mono variant: collapse the field and use it as a center-focused insert.

BRASS TAMER [Mono]

BRASS TAMER — Uses Damping and Ribbon Guard to keep brass pressure energetic but controlled. Mono variant: collapse the field and use it as a center-focused insert.

VOCAL INTIMACY [Mono]

VOCAL INTIMACY — Sets a close, protected ribbon vocal perspective with proximity body and a stable center. Mono variant: collapse the field and use it as a center-focused insert.

BROADCAST WARMTH [Mono]

BROADCAST WARMTH — Softens the ribbon/transformer contour for intimate, rounded sources. Mono variant: collapse the field and use it as a center-focused insert.

DARK SHADOW [Mono]

DARK SHADOW — Uses a darker ribbon/transformer contour for harsh or over-bright sources. Mono variant: collapse the field and use it as a center-focused insert.

IRON DRIVE CORE [Mono]

IRON DRIVE CORE — Moves the transformer and hysteresis lanes forward for deliberate iron color. Mono variant: collapse the field and use it as a center-focused insert.

SILVER FOIL JENSEN [Mono]

SILVER FOIL JENSEN — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Mono variant: collapse the field and use it as a center-focused insert.

MAGNETIC CRUNCH [Mono]

MAGNETIC CRUNCH — Moves the transformer and hysteresis lanes forward for deliberate iron color. Mono variant: collapse the field and use it as a center-focused insert.

LUNDAHL DEEP OPEN [Mono]

LUNDAHL DEEP OPEN — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Mono variant: collapse the field and use it as a center-focused insert.

CINEMAG FAT BOTTOM [Mono]

CINEMAG FAT BOTTOM — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Mono variant: collapse the field and use it as a center-focused insert.

MU-METAL SILK [Mono]

MU-METAL SILK — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Mono variant: collapse the field and use it as a center-focused insert.

HYSTERESIS HEAT [Mono]

HYSTERESIS HEAT — Adds controlled hysteresis heat after the ribbon mechanics are stable. Mono variant: collapse the field and use it as a center-focused insert.

BIFILAR FOCUS [Mono]

BIFILAR FOCUS — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Mono variant: collapse the field and use it as a center-focused insert.

VINTAGE CORE AGE [Mono]

VINTAGE CORE AGE — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Mono variant: collapse the field and use it as a center-focused insert.

FIGURE 8 BLISS [Mono]

FIGURE 8 BLISS — Favors the selected two-sided pattern for a coherent stereo pair; check mono before widening. Mono variant: collapse the field and use it as a center-focused insert.

BLUMLEIN CORE [Mono]

BLUMLEIN CORE — Favors the selected two-sided pattern for a coherent stereo pair; check mono before widening. Mono variant: collapse the field and use it as a center-focused insert.

GUITAR CAB FOCUS [Mono]

GUITAR CAB FOCUS — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Mono variant: collapse the field and use it as a center-focused insert.

DRUM OVERHEAD PHI [Mono]

DRUM OVERHEAD PHI — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Mono variant: collapse the field and use it as a center-focused insert.

ACOUSTIC CLARITY [Mono]

ACOUSTIC CLARITY — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Mono variant: collapse the field and use it as a center-focused insert.

INFINITE MOMENTUM [Mono]

INFINITE MOMENTUM — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Mono variant: collapse the field and use it as a center-focused insert.

RESONANT SPACE [Mono]

RESONANT SPACE — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Mono variant: collapse the field and use it as a center-focused insert.

DIH WORLD AUDIO [Mono]

DIH WORLD AUDIO — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Mono variant: collapse the field and use it as a center-focused insert.

ULTRA CEILING 369 [Mono]

ULTRA CEILING 369 — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Mono variant: collapse the field and use it as a center-focused insert.

WP-R MKVI CANON [Dual Mono]

WP-R MKVI CANON — Returns the ribbon mechanics and polar field to the controlled MKVI reference point. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

VINTAGE VELVET [Dual Mono]

VINTAGE VELVET — Softens the ribbon/transformer contour for intimate, rounded sources. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

ROOM AMBIENCE [Dual Mono]

ROOM AMBIENCE — Uses pattern, proximity, and side width to turn the ribbon into a room/ambience capture. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AIR EDGE [Dual Mono]

AIR EDGE — Lets the upper ribbon edge speak while Damping and Guard keep bursts contained. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

ORCHESTRAL PAIR [Dual Mono]

ORCHESTRAL PAIR — Lets the upper ribbon edge speak while Damping and Guard keep bursts contained. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

BRASS TAMER [Dual Mono]

BRASS TAMER — Uses Damping and Ribbon Guard to keep brass pressure energetic but controlled. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

VOCAL INTIMACY [Dual Mono]

VOCAL INTIMACY — Sets a close, protected ribbon vocal perspective with proximity body and a stable center. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

BROADCAST WARMTH [Dual Mono]

BROADCAST WARMTH — Softens the ribbon/transformer contour for intimate, rounded sources. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

DARK SHADOW [Dual Mono]

DARK SHADOW — Uses a darker ribbon/transformer contour for harsh or over-bright sources. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

IRON DRIVE CORE [Dual Mono]

IRON DRIVE CORE — Moves the transformer and hysteresis lanes forward for deliberate iron color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SILVER FOIL JENSEN [Dual Mono]

SILVER FOIL JENSEN — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MAGNETIC CRUNCH [Dual Mono]

MAGNETIC CRUNCH — Moves the transformer and hysteresis lanes forward for deliberate iron color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

LUNDAHL DEEP OPEN [Dual Mono]

LUNDAHL DEEP OPEN — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

CINEMAG FAT BOTTOM [Dual Mono]

CINEMAG FAT BOTTOM — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MU-METAL SILK [Dual Mono]

MU-METAL SILK — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

HYSTERESIS HEAT [Dual Mono]

HYSTERESIS HEAT — Adds controlled hysteresis heat after the ribbon mechanics are stable. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

BIFILAR FOCUS [Dual Mono]

BIFILAR FOCUS — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

VINTAGE CORE AGE [Dual Mono]

VINTAGE CORE AGE — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

FIGURE 8 BLISS [Dual Mono]

FIGURE 8 BLISS — Favors the selected two-sided pattern for a coherent stereo pair; check mono before widening. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

BLUMLEIN CORE [Dual Mono]

BLUMLEIN CORE — Favors the selected two-sided pattern for a coherent stereo pair; check mono before widening. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

GUITAR CAB FOCUS [Dual Mono]

GUITAR CAB FOCUS — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

DRUM OVERHEAD PHI [Dual Mono]

DRUM OVERHEAD PHI — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

ACOUSTIC CLARITY [Dual Mono]

ACOUSTIC CLARITY — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

INFINITE MOMENTUM [Dual Mono]

INFINITE MOMENTUM — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

RESONANT SPACE [Dual Mono]

RESONANT SPACE — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

DIH WORLD AUDIO [Dual Mono]

DIH WORLD AUDIO — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

ULTRA CEILING 369 [Dual Mono]

ULTRA CEILING 369 — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

PEAK: Protected output peak. Use with Gain Match and bypass to judge level fairly; it is not a gain-reduction meter.

STEREO FIELD: Polar outline plus live mid/side position. Confirm the chosen polar pattern and check mono before widening a return.

AEGIS_NOVA

RELEASE	FAMILY	PLACEMENT
v1.0.1	Vocal / Mic / Source	Insert Safe

Vocal shield for plosive and sibilance control with a restrained drive stage and parallel mix.

Recommended use: vocal/source protection and tone

Customer formats: AU, VST3

Primary controls

Gain Match • Power • Plosive • Sibilance • Drive • Mix • Channel Mode • Dual Mono Link

Factory starting points — source-derived purpose

Vocal Shield [Stereo]

Vocal Shield — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Stereo variant: keep the linked center intact and audition width in the full mix.

Plosive Deflector [Stereo]

Plosive Deflector — Prioritizes low-frequency burst protection with Plosive while leaving normal consonants open. Stereo variant: keep the linked center intact and audition width in the full mix.

Broadcast Guard [Stereo]

Broadcast Guard — Keeps spoken-word level and articulation stable for a close, consistent broadcast insert. Stereo variant: keep the linked center intact and audition width in the full mix.

Repair Field [Stereo]

Repair Field — Controls sharp consonants and upper edge with Sibilance before using Drive. Stereo variant: keep the linked center intact and audition width in the full mix.

Nova Transparent [Stereo]

Nova Transparent — Provides a light guard with minimal color for sources that already have the right tone. Stereo variant: keep the linked center intact and audition width in the full mix.

Air Lock [Stereo]

Air Lock — Controls sharp consonants and upper edge with Sibilance before using Drive. Stereo variant: keep the linked center intact and audition width in the full mix.

Rap Shield [Stereo]

Rap Shield — Holds fast consonant pressure and low-end proximity swings without dulling the delivery. Stereo variant: keep the linked center intact and audition width in the full mix.

Podcast Field [Stereo]

Podcast Field — Keeps spoken-word level and articulation stable for a close, consistent broadcast insert. Stereo variant: keep the linked center intact and audition width in the full mix.

Full Guard [Stereo]

Full Guard — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Stereo variant: keep the linked center intact and audition width in the full mix.

Bass Vocal Lock [Stereo]

Bass Vocal Lock — Protects a low vocal/bass source from burst pressure while keeping its center authoritative. Stereo variant: keep the linked center intact and audition width in the full mix.

Female Vocal [Stereo]

Female Vocal — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Stereo variant: keep the linked center intact and audition width in the full mix.

Singer Songwriter [Stereo]

Singer Songwriter — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Stereo variant: keep the linked center intact and audition width in the full mix.

Breath Detail [Stereo]

Breath Detail — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Stereo variant: keep the linked center intact and audition width in the full mix.

Stage Vocal Lock [Stereo]

Stage Vocal Lock — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Stereo variant: keep the linked center intact and audition

width in the full mix.

Vocal Shield [Mono]

Vocal Shield — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Mono variant: collapse the field and use it as a center-focused insert.

Plosive Deflector [Mono]

Plosive Deflector — Prioritizes low-frequency burst protection with Plosive while leaving normal consonants open. Mono variant: collapse the field and use it as a center-focused insert.

Broadcast Guard [Mono]

Broadcast Guard — Keeps spoken-word level and articulation stable for a close, consistent broadcast insert. Mono variant: collapse the field and use it as a center-focused insert.

Repair Field [Mono]

Repair Field — Controls sharp consonants and upper edge with Sibilance before using Drive. Mono variant: collapse the field and use it as a center-focused insert.

Nova Transparent [Mono]

Nova Transparent — Provides a light guard with minimal color for sources that already have the right tone. Mono variant: collapse the field and use it as a center-focused insert.

Air Lock [Mono]

Air Lock — Controls sharp consonants and upper edge with Sibilance before using Drive. Mono variant: collapse the field and use it as a center-focused insert.

Rap Shield [Mono]

Rap Shield — Holds fast consonant pressure and low-end proximity swings without dulling the delivery. Mono variant: collapse the field and use it as a center-focused insert.

Podcast Field [Mono]

Podcast Field — Keeps spoken-word level and articulation stable for a close, consistent broadcast insert. Mono variant: collapse the field and use it as a center-focused insert.

Full Guard [Mono]

Full Guard — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Mono variant: collapse the field and use it as a center-focused insert.

Bass Vocal Lock [Mono]

Bass Vocal Lock — Protects a low vocal/bass source from burst pressure while keeping its center authoritative. Mono variant: collapse the field and use it as a center-focused insert.

Female Vocal [Mono]

Female Vocal — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Mono variant: collapse the field and use it as a center-focused insert.

Singer Songwriter [Mono]

Singer Songwriter — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Mono variant: collapse the field and use it as a center-focused insert.

Breath Detail [Mono]

Breath Detail — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Mono variant: collapse the field and use it as a center-focused insert.

Stage Vocal Lock [Mono]

Stage Vocal Lock — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Mono variant: collapse the field and use it as a center-focused insert.

Vocal Shield [Dual Mono]

Vocal Shield — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Plosive Deflector [Dual Mono]

Plosive Deflector — Prioritizes low-frequency burst protection with Plosive while leaving normal consonants open. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Broadcast Guard [Dual Mono]

Broadcast Guard — Keeps spoken-word level and articulation stable for a close, consistent broadcast insert. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Repair Field [Dual Mono]

Repair Field — Controls sharp consonants and upper edge with Sibilance before using Drive. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Nova Transparent [Dual Mono]

Nova Transparent — Provides a light guard with minimal color for sources that already have the right tone. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Air Lock [Dual Mono]

Air Lock — Controls sharp consonants and upper edge with Sibilance before using Drive. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Rap Shield [Dual Mono]

Rap Shield — Holds fast consonant pressure and low-end proximity swings without dulling the delivery. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Podcast Field [Dual Mono]

Podcast Field — Keeps spoken-word level and articulation stable for a close, consistent broadcast insert. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Full Guard [Dual Mono]

Full Guard — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Bass Vocal Lock [Dual Mono]

Bass Vocal Lock — Protects a low vocal/bass source from burst pressure while keeping its center authoritative. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Female Vocal [Dual Mono]

Female Vocal — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Singer Songwriter [Dual Mono]

Singer Songwriter — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Breath Detail [Dual Mono]

Breath Detail — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Stage Vocal Lock [Dual Mono]

Stage Vocal Lock — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

INPUT: Incoming peak activity. Confirms source level reaching the shield.

NOVA: Detected plosive/sibilant activity. More light means stronger shield intervention.

TRIPLER

RELEASE	FAMILY	PLACEMENT
v3.5.7	Vocal / Mic / Source	Insert Safe

Three-voice vocal harmonizer with key, scale, chord, pitch correction, voice gain, pan, fine tune, and Phi field control. The current left/right voices use the repaired high-quality overlap-add pitch path for clean stereo harmonies.

Recommended use: vocal/mic array enhancement

Customer formats: AU, VST3

Primary controls

DIATONIC • CHORD • KEY • SCALE • L_GAIN • R_GAIN • C_GAIN • L_PAN • R_PAN • BYPASS • PITCH_CORRECT • PC_AMOUNT

Factory starting points — source-derived purpose

Default [Stereo]

Default — Returns the three voice lanes to the canonical harmony starting point. Stereo variant: keep the linked center intact and audition width in the full mix.

Wide Open [Stereo]

Wide Open — Uses the three voice gains, pans, and pitch rules to create a controlled harmonic stack. Stereo variant: keep the linked center intact and audition width in the full mix.

Gospel 3rds [Major] [Stereo]

Gospel 3rds — Builds a major third-based gospel stack with the dry source retained as the center. Major variant: keep the harmony lanes in the major-scale/chord rule shown by the preset. Stereo variant: keep the linked center intact and audition width in the full mix.

R&B Minor Bed [Stereo]

R&B Minor Bed — Builds a minor harmony bed for R&B/trap color; verify the key before committing. Stereo variant: keep the linked center intact and audition width in the full mix.

Soul Dom 7 [Stereo]

Soul Dom 7 — Uses a seventh chord relationship for a richer, less plain harmony stack. Stereo variant: keep the linked center intact and audition width in the full mix.

Trap Major 7 [Stereo]

Trap Major 7 — Uses the three voice gains, pans, and pitch rules to create a controlled harmonic stack. Stereo variant: keep the linked center intact and audition width in the full mix.

Trap Minor 7 [Stereo]

Trap Minor 7 — Builds a minor harmony bed for R&B/trap color; verify the key before committing. Stereo variant: keep the linked center intact and audition width in the full mix.

Lo Seventh Bed [Stereo]

Lo Seventh Bed — Uses a seventh chord relationship for a richer, less plain harmony stack. Stereo variant: keep the linked center intact and audition width in the full mix.

Pop Fifth Stack [Stereo]

Pop Fifth Stack — Uses fifths for a clean, stable pop stack that leaves room around the lead. Stereo variant: keep the linked center intact and audition width in the full mix.

Streaming Ready [Stereo]

Streaming Ready — A restrained harmony stack designed to translate cleanly at normal streaming level. Stereo variant: keep the linked center intact and audition width in the full mix.

Vinyl Warm [Stereo]

Vinyl Warm — Adds a softer, less clinical harmony blend with the three voices kept compact. Stereo variant: keep the linked center intact and audition width in the full mix.

357 Canon [Full] [Stereo]

357 Canon — Returns the three voice lanes to the canonical harmony starting point. Full variant: the complete mapped field is engaged rather than a reduced demonstration lane. Stereo variant: keep the linked center intact and audition width in the full mix.

357 Diatonic Major [Stereo]

357 Diatonic Major — Follows the selected key/scale rather than fixed intervals, keeping the harmony musical across notes. Stereo variant: keep the linked center intact and audition width in the full mix.

357 Diatonic Minor [Stereo]

357 Diatonic Minor — Builds a minor harmony bed for R&B/trap color; verify the key before committing. Stereo variant: keep the linked center intact and audition width in the full mix.

Default [Mono]

Default — Returns the three voice lanes to the canonical harmony starting point. Mono variant: collapse the field and use it as a center-focused insert.

Wide Open [Mono]

Wide Open — Uses the three voice gains, pans, and pitch rules to create a controlled harmonic stack. Mono variant: collapse the field and use it as a center-focused insert.

Gospel 3rds [Major] [Mono]

Gospel 3rds — Builds a major third-based gospel stack with the dry source retained as the center. Major variant: keep the harmony lanes in the major-scale/chord rule shown by the preset. Mono variant: collapse the field and use it as a center-focused insert.

R&B Minor Bed [Mono]

R&B Minor Bed — Builds a minor harmony bed for R&B/trap color; verify the key before committing. Mono variant: collapse the field and use it as a center-focused insert.

Soul Dom 7 [Mono]

Soul Dom 7 — Uses a seventh chord relationship for a richer, less plain harmony stack. Mono variant: collapse the field and use it as a center-focused insert.

Trap Major 7 [Mono]

Trap Major 7 — Uses the three voice gains, pans, and pitch rules to create a controlled harmonic stack. Mono variant: collapse the field and use it as a center-focused insert.

Trap Minor 7 [Mono]

Trap Minor 7 — Builds a minor harmony bed for R&B/trap color; verify the key before committing. Mono variant: collapse the field and use it as a center-focused insert.

Lo Seventh Bed [Mono]

Lo Seventh Bed — Uses a seventh chord relationship for a richer, less plain harmony stack. Mono variant: collapse the field and use it as a center-focused insert.

Pop Fifth Stack [Mono]

Pop Fifth Stack — Uses fifths for a clean, stable pop stack that leaves room around the lead. Mono variant: collapse the field and use it as a center-focused insert.

Streaming Ready [Mono]

Streaming Ready — A restrained harmony stack designed to translate cleanly at normal streaming level. Mono variant: collapse the field and use it as a center-focused insert.

Vinyl Warm [Mono]

Vinyl Warm — Adds a softer, less clinical harmony blend with the three voices kept compact. Mono variant: collapse the field and use it as a center-focused insert.

357 Canon [Full] [Mono]

357 Canon — Returns the three voice lanes to the canonical harmony starting point. Full variant: the complete mapped field is engaged rather than a reduced demonstration lane. Mono variant: collapse the field and use it as a center-focused insert.

357 Diatonic Major [Mono]

357 Diatonic Major — Follows the selected key/scale rather than fixed intervals, keeping the harmony musical across notes. Mono variant: collapse the field and use it as a center-focused insert.

357 Diatonic Minor [Mono]

357 Diatonic Minor — Builds a minor harmony bed for R&B/trap color; verify the key before committing. Mono variant: collapse the field and use it as a center-focused insert.

Default [Dual Mono]

Default — Returns the three voice lanes to the canonical harmony starting point. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Wide Open [Dual Mono]

Wide Open — Uses the three voice gains, pans, and pitch rules to create a controlled harmonic stack. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Gospel 3rds [Major] [Dual Mono]

Gospel 3rds — Builds a major third-based gospel stack with the dry source retained as the center. Major variant: keep the harmony lanes in the major-scale/chord rule shown by the preset. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

R&B Minor Bed [Dual Mono]

R&B Minor Bed — Builds a minor harmony bed for R&B/trap color; verify the key before committing. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Soul Dom 7 [Dual Mono]

Soul Dom 7 — Uses a seventh chord relationship for a richer, less plain harmony stack. Dual-mono variant: preserve independent left/right decisions for

asymmetric sources.

Trap Major 7 [Dual Mono]

Trap Major 7 — Uses the three voice gains, pans, and pitch rules to create a controlled harmonic stack. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Trap Minor 7 [Dual Mono]

Trap Minor 7 — Builds a minor harmony bed for R&B/trap color; verify the key before committing. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Lo Seventh Bed [Dual Mono]

Lo Seventh Bed — Uses a seventh chord relationship for a richer, less plain harmony stack. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Pop Fifth Stack [Dual Mono]

Pop Fifth Stack — Uses fifths for a clean, stable pop stack that leaves room around the lead. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Streaming Ready [Dual Mono]

Streaming Ready — A restrained harmony stack designed to translate cleanly at normal streaming level. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Vinyl Warm [Dual Mono]

Vinyl Warm — Adds a softer, less clinical harmony blend with the three voices kept compact. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

357 Canon [Full] [Dual Mono]

357 Canon — Returns the three voice lanes to the canonical harmony starting point. Full variant: the complete mapped field is engaged rather than a reduced demonstration lane. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

357 Diatonic Major [Dual Mono]

357 Diatonic Major — Follows the selected key/scale rather than fixed intervals, keeping the harmony musical across notes. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

357 Diatonic Minor [Dual Mono]

357 Diatonic Minor — Builds a minor harmony bed for R&B/trap color; verify the key before committing. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

EchoLocate

RELEASE	FAMILY	PLACEMENT
v1.0.1	Vocal / Mic / Source	Insert Safe

Three-position source-placement processor for spread, drift, microphone gain, proximity, pan, and reflected-space mix.

Recommended use: source localization

Customer formats: AU, VST3

Primary controls

MODE • SPREAD • DRIFT • MIX • MIC1_GAIN • MIC2_GAIN • MIC3_GAIN • MIC2_PROX • MIC3_PAN • OUT_GAIN • channelmode • dualmonolink

Factory starting points — source-derived purpose

ECHOLOCATE CANON [Stereo]

ECHOLOCATE CANON — Sets a named mic-array/echo location with MODE, SPREAD, DRIFT, and per-mic gains. Stereo variant: keep the linked center intact and audition width in the full mix.

CLOSE CENTER [Stereo]

CLOSE CENTER — Keeps the source close and centered, using only enough echo position to add location. Stereo variant: keep the linked center intact and audition width in the full mix.

WIDE CALL [Stereo]

WIDE CALL — Moves the call/response image outward with spread and mic pan rather than simply increasing mix. Stereo variant: keep the linked center intact and audition width in the full mix.

TRIPLE ROOM [Stereo]

TRIPLE ROOM — Uses all three mic positions to create a room return with deliberate spread and depth. Stereo variant: keep the linked center intact and audition width in the full mix.

CHEST LOCK [Stereo]

CHEST LOCK — Favors the low/close mic perspective for body and proximity. Stereo variant: keep the linked center intact and audition width in the full mix.

HEAD AIR [Stereo]

HEAD AIR — Favors the higher/air mic perspective for articulation and top-end placement. Stereo variant: keep the linked center intact and audition width in the full mix.

WALL RETURN [Stereo]

WALL RETURN — Treats the echo as a wall/return behind the dry source. Stereo variant: keep the linked center intact and audition width in the full mix.

FOCUS FINDER [Stereo]

FOCUS FINDER — Sets a named mic-array/echo location with MODE, SPREAD, DRIFT, and per-mic gains. Stereo variant: keep the linked center intact and audition width in the full mix.

PHI PREPARATION [Stereo]

PHI PREPARATION — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Stereo variant: keep the linked center intact and audition width in the full mix.

PHI HOME [Stereo]

PHI HOME — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Stereo variant: keep the linked center intact and audition width in the full mix.

PHI OPEN [Stereo]

PHI OPEN — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Stereo variant: keep the linked center intact and audition width in the full mix.

PHI ACTIVE [Stereo]

PHI ACTIVE — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Stereo variant: keep the linked center intact and audition width in the full mix.

PHI PUSH [Stereo]

PHI PUSH — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Stereo variant: keep the linked center intact and audition width in the full mix.

PHI EXPANSION [Stereo]

PHI EXPANSION — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Stereo variant: keep the linked center intact and audition width in the full mix.

ECHOLOCATE CANON [Mono]

ECHOLOCATE CANON — Sets a named mic-array/echo location with MODE, SPREAD, DRIFT, and per-mic gains. Mono variant: collapse the field and use it as a center-focused insert.

CLOSE CENTER [Mono]

CLOSE CENTER — Keeps the source close and centered, using only enough echo position to add location. Mono variant: collapse the field and use it as a center-focused insert.

WIDE CALL [Mono]

WIDE CALL — Moves the call/response image outward with spread and mic pan rather than simply increasing mix. Mono variant: collapse the field and use it as a center-focused insert.

TRIPLE ROOM [Mono]

TRIPLE ROOM — Uses all three mic positions to create a room return with deliberate spread and depth. Mono variant: collapse the field and use it as a center-focused insert.

CHEST LOCK [Mono]

CHEST LOCK — Favors the low/close mic perspective for body and proximity. Mono variant: collapse the field and use it as a center-focused insert.

HEAD AIR [Mono]

HEAD AIR — Favors the higher/air mic perspective for articulation and top-end placement. Mono variant: collapse the field and use it as a center-focused insert.

WALL RETURN [Mono]

WALL RETURN — Treats the echo as a wall/return behind the dry source. Mono variant: collapse the field and use it as a center-focused insert.

FOCUS FINDER [Mono]

FOCUS FINDER — Sets a named mic-array/echo location with MODE, SPREAD, DRIFT, and per-mic gains. Mono variant: collapse the field and use it as a center-focused insert.

PHI PREPARATION [Mono]

PHI PREPARATION — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Mono variant: collapse the field and use it as a center-focused insert.

PHI HOME [Mono]

PHI HOME — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Mono variant: collapse the field and use it as a center-focused insert.

PHI OPEN [Mono]

PHI OPEN — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Mono variant: collapse the field and use it as a center-focused insert.

PHI ACTIVE [Mono]

PHI ACTIVE — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Mono variant: collapse the field and use it as a center-focused insert.

PHI PUSH [Mono]

PHI PUSH — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Mono variant: collapse the field and use it as a center-focused insert.

PHI EXPANSION [Mono]

PHI EXPANSION — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Mono variant: collapse the field and use it as a center-focused insert.

ECHOLOCATE CANON [Dual Mono]

ECHOLOCATE CANON — Sets a named mic-array/echo location with MODE, SPREAD, DRIFT, and per-mic gains. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

CLOSE CENTER [Dual Mono]

CLOSE CENTER — Keeps the source close and centered, using only enough echo position to add location. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

WIDE CALL [Dual Mono]

WIDE CALL — Moves the call/response image outward with spread and mic pan rather than simply increasing mix. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

TRIPLE ROOM [Dual Mono]

TRIPLE ROOM — Uses all three mic positions to create a room return with deliberate spread and depth. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

CHEST LOCK [Dual Mono]

CHEST LOCK — Favors the low/close mic perspective for body and proximity. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

HEAD AIR [Dual Mono]

HEAD AIR — Favors the higher/air mic perspective for articulation and top-end placement. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

WALL RETURN [Dual Mono]

WALL RETURN — Treats the echo as a wall/return behind the dry source. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

FOCUS FINDER [Dual Mono]

FOCUS FINDER — Sets a named mic-array/echo location with MODE, SPREAD, DRIFT, and per-mic gains. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

PHI PREPARATION [Dual Mono]

PHI PREPARATION — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

PHI HOME [Dual Mono]

PHI HOME — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

PHI OPEN [Dual Mono]

PHI OPEN — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

PHI ACTIVE [Dual Mono]

PHI ACTIVE — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

PHI PUSH [Dual Mono]

PHI PUSH — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

PHI EXPANSION [Dual Mono]

PHI EXPANSION — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

DIHWorld Audio

Vocal / Mic / Source Technical Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 6 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

Silver reference / Gold color / WPR adaptive ribbon

SILVER is the M50-referenced neutral comparison stage. Use it to establish an honest, level-matched baseline for vocal, acoustic, and monitoring decisions: truth, air, articulation, transient precision, and spatial reveal. It is a reference voicing, not an automatic correction or universal flat-response promise.

GOLD uses the M50-referenced input followed by deliberate color. Use it only when the arrangement benefits from harmonic body, presence, soul, weight, or dimensional lift. **GOLD** is not a substitute reference and **SILVER** is not a downstream color stage.

WPR is the pressure-responsive ribbon stage. It adapts Damping, Excursion, and Ribbon Guard to the incoming pressure envelope before the ribbon/transformer path. **WPR** is model- and price-agnostic; exact microphone correction requires measured calibration data.

Decision order: gain-match the dry source and **SILVER** first; compare **GOLD** at the same level when color is wanted; use **WPR** when pressure-responsive ribbon behavior is the intended source stage. Do not prescribe a serial **GOLD**-to-**SILVER** chain as a default.

GOLD

RELEASE	FAMILY	PLACEMENT
v1.0.1	Vocal / Mic / Source	Insert Safe

M50-referenced input response followed by deliberate harmonic color for body, presence, soul, weight, and dimensional lift. GOLD is a creative color stage, not an automatic correction or neutral reference.

Recommended use: Creative mic-color stage after a level-matched reference comparison; use only when deliberate harmonic character is wanted.

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice
gainmatch	Gain Match	Bool
sourcearray	Source / Mic Array	Factory
AG_AIR	Ag Air	Factory
CU_BODY	Cu Body	Factory
FE_GLUE	Fe Weight	Factory
AU_DRIVE	Au Presence	Factory
PT_AUTHORITY	Pt Authority	Factory
NI_FOCUS	Ni Focus	Factory

Factory starting points — source-derived purpose

- Canon Open**
Canon Open — Neutral GOLD starting point: keep the mic/source array centered and compare the color lanes at equal loudness before adding presence.
- Source True**
Source True — Preserves the microphone’s identity while the GOLD color path stays restrained; use it as a source-first vocal or acoustic reference.
- Root Anchor**
Root Anchor — Centers the lower body and Fe Weight so the source has a stable foundation without a hyped top.
- Earth Hold**
Earth Hold — Adds grounded body and authority for thin or wandering sources; check the low-mid against the arrangement before increasing level.
- Body Open**
Body Open — Balances Cu Body with Ag Air so a dense source gains chest and breathing room together.
- Spirit Lift**
Spirit Lift — Moves emphasis toward Au Presence/Pt Authority for articulation and lift after the source has a solid center.
- Sacred Push**
Sacred Push — A forward, colored GOLD push for a lead that must sit above the bus; match output before deciding it is better.
- Full Field**
Full Field — The broadest GOLD color field: body, presence, and air are all engaged for a deliberate finished source rather than a neutral capture.

SILVER

RELEASE	FAMILY	PLACEMENT
v1.0.1	Vocal / Mic / Source	Insert Safe

M50-referenced neutral source voicing for truthful level and tone comparisons: air, articulation, transient precision, and spatial reveal. SILVER is a reference voicing, not an automatic correction or universal flat-response promise.

Recommended use: Neutral reference stage: establish a level-matched baseline before deciding whether GOLD color is musically useful.

Customer formats: AU, VST3

Exposed parameter surface

Parameter ID	Display name	Type
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice
gainmatch	Gain Match	Bool
AG_TRUTH	Truth Field	Factory
NI_FOCUS	Precision	Factory
CU_GROUND	Ground	Factory
AIR	Air	Factory
TRANSIENT	Transient	Factory
OUTPUT	Output	Factory
INPUT_GAIN	Input	Factory
MIX_BLEND	Mix	Factory

Factory starting points — source-derived purpose

- Silver Prep [Stereo]**
Silver Prep — Silver Prep establishes the M50-referenced source center with Truth Field and Precision balanced for an honest first listen. Stereo variant: keep the linked center intact and audition width in the full mix.
- Reference Truth [Stereo]**
Reference Truth — Reference Truth minimizes deliberate color so mic identity, level, and room contribution can be judged before processing. Stereo variant: keep the linked center intact and audition width in the full mix.
- Air Open [Stereo]**
Air Open — Air Open lifts the upper reference field for openness while Ground and Truth keep the source anchored. Stereo variant: keep the linked center intact and audition width in the full mix.
- Transient Detail [Stereo]**
Transient Detail — Transient Detail favors the Precision/Transient lanes so consonants, pick, and attack can be edited without a loudness lift. Stereo variant: keep the linked center intact and audition width in the full mix.
- Vocal Reveal [Stereo]**
Vocal Reveal — Vocal Reveal brings diction and breath forward while preserving a stable vocal center. Stereo variant: keep the linked center intact and audition width in the full mix.
- String Clarity [Stereo]**
String Clarity — String Clarity exposes bow, pick, and finger detail while keeping the instrument's body from becoming brittle. Stereo variant: keep the linked center intact and audition width in the full mix.
- Piano Glass [Stereo]**
Piano Glass — Piano Glass opens the upper piano harmonics and attack for a clean, articulated keyboard image. Stereo variant: keep the linked center intact and audition width in the full mix.
- Room Truth [Stereo]**
Room Truth — Room Truth lets the real room and stereo edges speak so ambience can be evaluated before color. Stereo variant: keep the linked center intact and audition width in the full mix.

Source True [Stereo]

Source True — Source True is the restrained mic-identity pass for comparing a take against the dry source. Stereo variant: keep the linked center intact and audition width in the full mix.

Phi Balance [Stereo]

Phi Balance — Phi Balance places Truth, Ground, Air, and Transient in a centered reference relationship for mix decisions. Stereo variant: keep the linked center intact and audition width in the full mix.

Breath Silver [Stereo]

Breath Silver — Breath Silver reveals low-level breath and release detail without turning the entire source into a bright effect. Stereo variant: keep the linked center intact and audition width in the full mix.

Precision Field [Stereo]

Precision Field — Precision Field prioritizes attack and center placement for surgical edit and translation checks. Stereo variant: keep the linked center intact and audition width in the full mix.

Expansion Air [Stereo]

Expansion Air — Expansion Air gives the reference field more upper openness and side information while retaining a stable center. Stereo variant: keep the linked center intact and audition width in the full mix.

Neutral Transfer [Stereo]

Neutral Transfer — Neutral Transfer is the final comparison pass: keep the source honest while checking how the take travels between systems. Stereo variant: keep the linked center intact and audition width in the full mix.

Silver Prep [Mono]

Silver Prep — Silver Prep establishes the M50-referenced source center with Truth Field and Precision balanced for an honest first listen. Mono variant: collapse the field and use it as a center-focused insert.

Reference Truth [Mono]

Reference Truth — Reference Truth minimizes deliberate color so mic identity, level, and room contribution can be judged before processing. Mono variant: collapse the field and use it as a center-focused insert.

Air Open [Mono]

Air Open — Air Open lifts the upper reference field for openness while Ground and Truth keep the source anchored. Mono variant: collapse the field and use it as a center-focused insert.

Transient Detail [Mono]

Transient Detail — Transient Detail favors the Precision/Transient lanes so consonants, pick, and attack can be edited without a loudness lift. Mono variant: collapse the field and use it as a center-focused insert.

Vocal Reveal [Mono]

Vocal Reveal — Vocal Reveal brings diction and breath forward while preserving a stable vocal center. Mono variant: collapse the field and use it as a center-focused insert.

String Clarity [Mono]

String Clarity — String Clarity exposes bow, pick, and finger detail while keeping the instrument's body from becoming brittle. Mono variant: collapse the field and use it as a center-focused insert.

Piano Glass [Mono]

Piano Glass — Piano Glass opens the upper piano harmonics and attack for a clean, articulated keyboard image. Mono variant: collapse the field and use it as a center-focused insert.

Room Truth [Mono]

Room Truth — Room Truth lets the real room and stereo edges speak so ambience can be evaluated before color. Mono variant: collapse the field and use it as a center-focused insert.

Source True [Mono]

Source True — Source True is the restrained mic-identity pass for comparing a take against the dry source. Mono variant: collapse the field and use it as a center-focused insert.

Phi Balance [Mono]

Phi Balance — Phi Balance places Truth, Ground, Air, and Transient in a centered reference relationship for mix decisions. Mono variant: collapse the field and use it as a center-focused insert.

Breath Silver [Mono]

Breath Silver — Breath Silver reveals low-level breath and release detail without turning the entire source into a bright effect. Mono variant: collapse the field and use it as a center-focused insert.

Precision Field [Mono]

Precision Field — Precision Field prioritizes attack and center placement for surgical edit and translation checks. Mono variant: collapse the field and use it as a center-focused insert.

Expansion Air [Mono]

Expansion Air — Expansion Air gives the reference field more upper openness and side information while retaining a stable center. Mono variant: collapse the field and use it as a center-focused insert.

Neutral Transfer [Mono]

Neutral Transfer — Neutral Transfer is the final comparison pass: keep the source honest while checking how the take travels between systems. Mono variant: collapse the field and use it as a center-focused insert.

Silver Prep [Dual Mono]

Silver Prep — Silver Prep establishes the M50-referenced source center with Truth Field and Precision balanced for an honest first listen. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Reference Truth [Dual Mono]

Reference Truth — Reference Truth minimizes deliberate color so mic identity, level, and room contribution can be judged before processing. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Air Open [Dual Mono]

Air Open — Air Open lifts the upper reference field for openness while Ground and Truth keep the source anchored. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Transient Detail [Dual Mono]

Transient Detail — Transient Detail favors the Precision/Transient lanes so consonants, pick, and attack can be edited without a loudness lift. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Vocal Reveal [Dual Mono]

Vocal Reveal — Vocal Reveal brings diction and breath forward while preserving a stable vocal center. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

String Clarity [Dual Mono]

String Clarity — String Clarity exposes bow, pick, and finger detail while keeping the instrument's body from becoming brittle. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Piano Glass [Dual Mono]

Piano Glass — Piano Glass opens the upper piano harmonics and attack for a clean, articulated keyboard image. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Room Truth [Dual Mono]

Room Truth — Room Truth lets the real room and stereo edges speak so ambience can be evaluated before color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Source True [Dual Mono]

Source True — Source True is the restrained mic-identity pass for comparing a take against the dry source. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Phi Balance [Dual Mono]

Phi Balance — Phi Balance places Truth, Ground, Air, and Transient in a centered reference relationship for mix decisions. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Breath Silver [Dual Mono]

Breath Silver — Breath Silver reveals low-level breath and release detail without turning the entire source into a bright effect. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Precision Field [Dual Mono]

Precision Field — Precision Field prioritizes attack and center placement for surgical edit and translation checks. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Expansion Air [Dual Mono]

Expansion Air — Expansion Air gives the reference field more upper openness and side information while retaining a stable center. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Neutral Transfer [Dual Mono]

Neutral Transfer — Neutral Transfer is the final comparison pass: keep the source honest while checking how the take travels between systems. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

WPR

RELEASE	FAMILY	PLACEMENT
v1.0.1	Vocal / Mic / Source	Insert Safe

Pressure-responsive Phi ribbon channel for any user microphone: a mechanical pressure/excursion stage responds to the incoming signal before the transformer/core model. Ribbon Damping, Ribbon Excursion, and Ribbon Guard shape recovery and transient protection without assuming a microphone price, brand, or hidden flat-response correction.

Recommended use: adaptive ribbon source shaping; use after level-matching the user mic

Customer formats: AU, VST3

Exposed parameter surface

Parameter ID	Display name	Type
DRIVE	Transformer	Float
ARCHITECTURE	Ribbon Tone	Float
DEPTH	Ribbon Mass	Float
WIDTH	Side Width	Float
FOCUS	Polar Focus	Float
ENERGY	Output Trim	Float
CLARITY	Air Edge	Float
MIX	Ribbon Blend	Float
CONVERGENCE	Proximity	Float
DAMPING	Ribbon Damping	Float
EXCURSION	Ribbon Excursion	Float
RIBBON_GUARD	Ribbon Guard	Choice
IRON_DRIVE	Iron Drive	Float
FLUX	Magnetic Flux	Float
HEADROOM	Core Headroom	Float
PRI_BIAS	Primary Bias	Float
SEC_COLOR	Sec Coloring	Float
LOAD	Winding Load	Float
PERMEABILITY	Permeability	Float
HYSTERESIS	Hysteresis	Float
GEOMETRY	Iron Geometry	Float
gainmatch	Gain Match	Bool
LAMINATION	Lamination Type	Choice
TRANSFORMER_FAMILY	Transformer Family	Choice
CORE_MATERIAL	Core Material	Choice
WINDING_TOPOLOGY	Winding Topology	Choice
CORE_AGE	Core Age	Choice
POLAR_MODE	Polar Pattern	Choice
OUTPUT	Output	Float
channelmode	Channel Mode	Choice

Parameter ID	Display name	Type
dualmonolink	Dual Mono Link	Choice

Factory starting points — source-derived purpose

WP-R MKVI CANON [Stereo]

WP-R MKVI CANON — Returns the ribbon mechanics and polar field to the controlled MKVI reference point. Stereo variant: keep the linked center intact and audition width in the full mix.

VINTAGE VELVET [Stereo]

VINTAGE VELVET — Softens the ribbon/transformer contour for intimate, rounded sources. Stereo variant: keep the linked center intact and audition width in the full mix.

ROOM AMBIENCE [Stereo]

ROOM AMBIENCE — Uses pattern, proximity, and side width to turn the ribbon into a room/ambience capture. Stereo variant: keep the linked center intact and audition width in the full mix.

AIR EDGE [Stereo]

AIR EDGE — Lets the upper ribbon edge speak while Damping and Guard keep bursts contained. Stereo variant: keep the linked center intact and audition width in the full mix.

ORCHESTRAL PAIR [Stereo]

ORCHESTRAL PAIR — Lets the upper ribbon edge speak while Damping and Guard keep bursts contained. Stereo variant: keep the linked center intact and audition width in the full mix.

BRASS TAMER [Stereo]

BRASS TAMER — Uses Damping and Ribbon Guard to keep brass pressure energetic but controlled. Stereo variant: keep the linked center intact and audition width in the full mix.

VOCAL INTIMACY [Stereo]

VOCAL INTIMACY — Sets a close, protected ribbon vocal perspective with proximity body and a stable center. Stereo variant: keep the linked center intact and audition width in the full mix.

BROADCAST WARMTH [Stereo]

BROADCAST WARMTH — Softens the ribbon/transformer contour for intimate, rounded sources. Stereo variant: keep the linked center intact and audition width in the full mix.

DARK SHADOW [Stereo]

DARK SHADOW — Uses a darker ribbon/transformer contour for harsh or over-bright sources. Stereo variant: keep the linked center intact and audition width in the full mix.

IRON DRIVE CORE [Stereo]

IRON DRIVE CORE — Moves the transformer and hysteresis lanes forward for deliberate iron color. Stereo variant: keep the linked center intact and audition width in the full mix.

SILVER FOIL JENSEN [Stereo]

SILVER FOIL JENSEN — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Stereo variant: keep the linked center intact and audition width in the full mix.

MAGNETIC CRUNCH [Stereo]

MAGNETIC CRUNCH — Moves the transformer and hysteresis lanes forward for deliberate iron color. Stereo variant: keep the linked center intact and audition width in the full mix.

LUNDAHL DEEP OPEN [Stereo]

LUNDAHL DEEP OPEN — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Stereo variant: keep the linked center intact and audition width in the full mix.

CINEMAG FAT BOTTOM [Stereo]

CINEMAG FAT BOTTOM — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Stereo variant: keep the linked center intact and audition width in the full mix.

MU-METAL SILK [Stereo]

MU-METAL SILK — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Stereo variant: keep the linked center intact and audition width in the full mix.

HYSTERESIS HEAT [Stereo]

HYSTERESIS HEAT — Adds controlled hysteresis heat after the ribbon mechanics are stable. Stereo variant: keep the linked center intact and audition width in the full mix.

BIFILAR FOCUS [Stereo]

BIFILAR FOCUS — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Stereo variant: keep the linked center intact and audition width in the full mix.

VINTAGE CORE AGE [Stereo]

VINTAGE CORE AGE — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Stereo variant:

keep the linked center intact and audition width in the full mix.

FIGURE 8 BLISS [Stereo]

FIGURE 8 BLISS — Favors the selected two-sided pattern for a coherent stereo pair; check mono before widening. Stereo variant: keep the linked center intact and audition width in the full mix.

BLUMLEIN CORE [Stereo]

BLUMLEIN CORE — Favors the selected two-sided pattern for a coherent stereo pair; check mono before widening. Stereo variant: keep the linked center intact and audition width in the full mix.

GUITAR CAB FOCUS [Stereo]

GUITAR CAB FOCUS — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Stereo variant: keep the linked center intact and audition width in the full mix.

DRUM OVERHEAD PHI [Stereo]

DRUM OVERHEAD PHI — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Stereo variant: keep the linked center intact and audition width in the full mix.

ACOUSTIC CLARITY [Stereo]

ACOUSTIC CLARITY — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Stereo variant: keep the linked center intact and audition width in the full mix.

INFINITE MOMENTUM [Stereo]

INFINITE MOMENTUM — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Stereo variant: keep the linked center intact and audition width in the full mix.

RESONANT SPACE [Stereo]

RESONANT SPACE — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Stereo variant: keep the linked center intact and audition width in the full mix.

DIH WORLD AUDIO [Stereo]

DIH WORLD AUDIO — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Stereo variant: keep the linked center intact and audition width in the full mix.

ULTRA CEILING 369 [Stereo]

ULTRA CEILING 369 — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Stereo variant: keep the linked center intact and audition width in the full mix.

WP-R MKVI CANON [Mono]

WP-R MKVI CANON — Returns the ribbon mechanics and polar field to the controlled MKVI reference point. Mono variant: collapse the field and use it as a center-focused insert.

VINTAGE VELVET [Mono]

VINTAGE VELVET — Softens the ribbon/transformer contour for intimate, rounded sources. Mono variant: collapse the field and use it as a center-focused insert.

ROOM AMBIENCE [Mono]

ROOM AMBIENCE — Uses pattern, proximity, and side width to turn the ribbon into a room/ambience capture. Mono variant: collapse the field and use it as a center-focused insert.

AIR EDGE [Mono]

AIR EDGE — Lets the upper ribbon edge speak while Damping and Guard keep bursts contained. Mono variant: collapse the field and use it as a center-focused insert.

ORCHESTRAL PAIR [Mono]

ORCHESTRAL PAIR — Lets the upper ribbon edge speak while Damping and Guard keep bursts contained. Mono variant: collapse the field and use it as a center-focused insert.

BRASS TAMER [Mono]

BRASS TAMER — Uses Damping and Ribbon Guard to keep brass pressure energetic but controlled. Mono variant: collapse the field and use it as a center-focused insert.

VOCAL INTIMACY [Mono]

VOCAL INTIMACY — Sets a close, protected ribbon vocal perspective with proximity body and a stable center. Mono variant: collapse the field and use it as a center-focused insert.

BROADCAST WARMTH [Mono]

BROADCAST WARMTH — Softens the ribbon/transformer contour for intimate, rounded sources. Mono variant: collapse the field and use it as a center-focused insert.

DARK SHADOW [Mono]

DARK SHADOW — Uses a darker ribbon/transformer contour for harsh or over-bright sources. Mono variant: collapse the field and use it as a center-focused insert.

IRON DRIVE CORE [Mono]

IRON DRIVE CORE — Moves the transformer and hysteresis lanes forward for deliberate iron color. Mono variant: collapse the field and use it as a center-focused insert.

SILVER FOIL JENSEN [Mono]

SILVER FOIL JENSEN — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Mono variant: collapse the field and use it as a center-focused insert.

MAGNETIC CRUNCH [Mono]

MAGNETIC CRUNCH — Moves the transformer and hysteresis lanes forward for deliberate iron color. Mono variant: collapse the field and use it as a center-focused insert.

LUNDAHL DEEP OPEN [Mono]

LUNDAHL DEEP OPEN — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Mono variant: collapse the field and use it as a center-focused insert.

CINEMAG FAT BOTTOM [Mono]

CINEMAG FAT BOTTOM — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Mono variant: collapse the field and use it as a center-focused insert.

MU-METAL SILK [Mono]

MU-METAL SILK — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Mono variant: collapse the field and use it as a center-focused insert.

HYSTERESIS HEAT [Mono]

HYSTERESIS HEAT — Adds controlled hysteresis heat after the ribbon mechanics are stable. Mono variant: collapse the field and use it as a center-focused insert.

BIFILAR FOCUS [Mono]

BIFILAR FOCUS — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Mono variant: collapse the field and use it as a center-focused insert.

VINTAGE CORE AGE [Mono]

VINTAGE CORE AGE — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Mono variant: collapse the field and use it as a center-focused insert.

FIGURE 8 BLISS [Mono]

FIGURE 8 BLISS — Favors the selected two-sided pattern for a coherent stereo pair; check mono before widening. Mono variant: collapse the field and use it as a center-focused insert.

BLUMLEIN CORE [Mono]

BLUMLEIN CORE — Favors the selected two-sided pattern for a coherent stereo pair; check mono before widening. Mono variant: collapse the field and use it as a center-focused insert.

GUITAR CAB FOCUS [Mono]

GUITAR CAB FOCUS — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Mono variant: collapse the field and use it as a center-focused insert.

DRUM OVERHEAD PHI [Mono]

DRUM OVERHEAD PHI — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Mono variant: collapse the field and use it as a center-focused insert.

ACOUSTIC CLARITY [Mono]

ACOUSTIC CLARITY — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Mono variant: collapse the field and use it as a center-focused insert.

INFINITE MOMENTUM [Mono]

INFINITE MOMENTUM — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Mono variant: collapse the field and use it as a center-focused insert.

RESONANT SPACE [Mono]

RESONANT SPACE — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Mono variant: collapse the field and use it as a center-focused insert.

DIH WORLD AUDIO [Mono]

DIH WORLD AUDIO — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Mono variant: collapse the field and use it as a center-focused insert.

ULTRA CEILING 369 [Mono]

ULTRA CEILING 369 — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Mono variant: collapse the field and use it as a center-focused insert.

WP-R MKVI CANON [Dual Mono]

WP-R MKVI CANON — Returns the ribbon mechanics and polar field to the controlled MKVI reference point. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

VINTAGE VELVET [Dual Mono]

VINTAGE VELVET — Softens the ribbon/transformer contour for intimate, rounded sources. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

ROOM AMBIENCE [Dual Mono]

ROOM AMBIENCE — Uses pattern, proximity, and side width to turn the ribbon into a room/ambience capture. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AIR EDGE [Dual Mono]

AIR EDGE — Lets the upper ribbon edge speak while Damping and Guard keep bursts contained. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

ORCHESTRAL PAIR [Dual Mono]

ORCHESTRAL PAIR — Lets the upper ribbon edge speak while Damping and Guard keep bursts contained. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

BRASS TAMER [Dual Mono]

BRASS TAMER — Uses Damping and Ribbon Guard to keep brass pressure energetic but controlled. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

VOCAL INTIMACY [Dual Mono]

VOCAL INTIMACY — Sets a close, protected ribbon vocal perspective with proximity body and a stable center. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

BROADCAST WARMTH [Dual Mono]

BROADCAST WARMTH — Softens the ribbon/transformer contour for intimate, rounded sources. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

DARK SHADOW [Dual Mono]

DARK SHADOW — Uses a darker ribbon/transformer contour for harsh or over-bright sources. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

IRON DRIVE CORE [Dual Mono]

IRON DRIVE CORE — Moves the transformer and hysteresis lanes forward for deliberate iron color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SILVER FOIL JENSEN [Dual Mono]

SILVER FOIL JENSEN — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MAGNETIC CRUNCH [Dual Mono]

MAGNETIC CRUNCH — Moves the transformer and hysteresis lanes forward for deliberate iron color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

LUNDAHL DEEP OPEN [Dual Mono]

LUNDAHL DEEP OPEN — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

CINEMAG FAT BOTTOM [Dual Mono]

CINEMAG FAT BOTTOM — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MU-METAL SILK [Dual Mono]

MU-METAL SILK — Chooses a named transformer/material contour while keeping the ribbon element as the source identity. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

HYSTERESIS HEAT [Dual Mono]

HYSTERESIS HEAT — Adds controlled hysteresis heat after the ribbon mechanics are stable. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

BIFILAR FOCUS [Dual Mono]

BIFILAR FOCUS — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

VINTAGE CORE AGE [Dual Mono]

VINTAGE CORE AGE — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

FIGURE 8 BLISS [Dual Mono]

FIGURE 8 BLISS — Favors the selected two-sided pattern for a coherent stereo pair; check mono before widening. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

BLUMLEIN CORE [Dual Mono]

BLUMLEIN CORE — Favors the selected two-sided pattern for a coherent stereo pair; check mono before widening. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

GUITAR CAB FOCUS [Dual Mono]

GUITAR CAB FOCUS — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

DRUM OVERHEAD PHI [Dual Mono]

DRUM OVERHEAD PHI — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

ACOUSTIC CLARITY [Dual Mono]

ACOUSTIC CLARITY — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

INFINITE MOMENTUM [Dual Mono]

INFINITE MOMENTUM — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

RESONANT SPACE [Dual Mono]

RESONANT SPACE — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

DIH WORLD AUDIO [Dual Mono]

DIH WORLD AUDIO — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

ULTRA CEILING 369 [Dual Mono]

ULTRA CEILING 369 — Sets a deliberate ribbon pressure, pattern, and transformer starting point; match the dry mic before judging color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

PEAK: Protected output peak. Use with Gain Match and bypass to judge level fairly; it is not a gain-reduction meter.

STEREO FIELD: Polar outline plus live mid/side position. Confirm the chosen polar pattern and check mono before widening a return.

AEGIS_NOVA

RELEASE	FAMILY	PLACEMENT
v1.0.1	Vocal / Mic / Source	Insert Safe

Vocal shield for plosive and sibilance control with a restrained drive stage and parallel mix.

Recommended use: vocal/source protection and tone

Customer formats: AU, VST3

Exposed parameter surface

Parameter ID	Display name	Type
gainmatch	Gain Match	Bool
power	Power	Bool
plosive	Plosive	Float
sibilance	Sibilance	Float
drive	Drive	Float
mix	Mix	Float
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice

Factory starting points — source-derived purpose

Vocal Shield [Stereo]

Vocal Shield — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Stereo variant: keep the linked center intact and audition width in the full mix.

Plosive Deflector [Stereo]

Plosive Deflector — Prioritizes low-frequency burst protection with Plosive while leaving normal consonants open. Stereo variant: keep the linked center intact and audition width in the full mix.

Broadcast Guard [Stereo]

Broadcast Guard — Keeps spoken-word level and articulation stable for a close, consistent broadcast insert. Stereo variant: keep the linked center intact and audition width in the full mix.

Repair Field [Stereo]

Repair Field — Controls sharp consonants and upper edge with Sibilance before using Drive. Stereo variant: keep the linked center intact and audition width in the full mix.

Nova Transparent [Stereo]

Nova Transparent — Provides a light guard with minimal color for sources that already have the right tone. Stereo variant: keep the linked center intact and audition width in the full mix.

Air Lock [Stereo]

Air Lock — Controls sharp consonants and upper edge with Sibilance before using Drive. Stereo variant: keep the linked center intact and audition width in the full mix.

Rap Shield [Stereo]

Rap Shield — Holds fast consonant pressure and low-end proximity swings without dulling the delivery. Stereo variant: keep the linked center intact and audition width in the full mix.

Podcast Field [Stereo]

Podcast Field — Keeps spoken-word level and articulation stable for a close, consistent broadcast insert. Stereo variant: keep the linked center intact and audition width in the full mix.

Full Guard [Stereo]

Full Guard — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Stereo variant: keep the linked center intact and audition width in the full mix.

Bass Vocal Lock [Stereo]

Bass Vocal Lock — Protects a low vocal/bass source from burst pressure while keeping its center authoritative. Stereo variant: keep the linked center intact and audition width in the full mix.

Female Vocal [Stereo]

Female Vocal — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Stereo variant: keep the linked center intact and audition width in the full mix.

Singer Songwriter [Stereo]

Singer Songwriter — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Stereo variant: keep the linked center intact and audition width in the full mix.

Breath Detail [Stereo]

Breath Detail — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Stereo variant: keep the linked center intact and audition width in the full mix.

Stage Vocal Lock [Stereo]

Stage Vocal Lock — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Stereo variant: keep the linked center intact and audition width in the full mix.

Vocal Shield [Mono]

Vocal Shield — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Mono variant: collapse the field and use it as a center-focused insert.

Plosive Deflector [Mono]

Plosive Deflector — Prioritizes low-frequency burst protection with Plosive while leaving normal consonants open. Mono variant: collapse the field and use it as a center-focused insert.

Broadcast Guard [Mono]

Broadcast Guard — Keeps spoken-word level and articulation stable for a close, consistent broadcast insert. Mono variant: collapse the field and use it as a center-focused insert.

Repair Field [Mono]

Repair Field — Controls sharp consonants and upper edge with Sibilance before using Drive. Mono variant: collapse the field and use it as a center-focused insert.

Nova Transparent [Mono]

Nova Transparent — Provides a light guard with minimal color for sources that already have the right tone. Mono variant: collapse the field and use it as a center-focused insert.

Air Lock [Mono]

Air Lock — Controls sharp consonants and upper edge with Sibilance before using Drive. Mono variant: collapse the field and use it as a center-focused insert.

Rap Shield [Mono]

Rap Shield — Holds fast consonant pressure and low-end proximity swings without dulling the delivery. Mono variant: collapse the field and use it as a center-focused insert.

Podcast Field [Mono]

Podcast Field — Keeps spoken-word level and articulation stable for a close, consistent broadcast insert. Mono variant: collapse the field and use it as a center-focused insert.

Full Guard [Mono]

Full Guard — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Mono variant: collapse the field and use it as a center-focused insert.

Bass Vocal Lock [Mono]

Bass Vocal Lock — Protects a low vocal/bass source from burst pressure while keeping its center authoritative. Mono variant: collapse the field and use it as a center-focused insert.

Female Vocal [Mono]

Female Vocal — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Mono variant: collapse the field and use it as a center-focused insert.

Singer Songwriter [Mono]

Singer Songwriter — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Mono variant: collapse the field and use it as a center-focused insert.

Breath Detail [Mono]

Breath Detail — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Mono variant: collapse the field and use it as a center-focused insert.

Stage Vocal Lock [Mono]

Stage Vocal Lock — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Mono variant: collapse the field and use it as a center-focused insert.

Vocal Shield [Dual Mono]

Vocal Shield — Sets a vocal guard balance between plosive, sibilance, and controlled drive. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Plosive Deflector [Dual Mono]

Plosive Deflector — Prioritizes low-frequency burst protection with Plosive while leaving normal consonants open. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Broadcast Guard [Dual Mono]

Broadcast Guard — Keeps spoken-word level and articulation stable for a close, consistent broadcast insert. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Repair Field [Dual Mono]

Repair Field — Controls sharp consonants and upper edge with Sibalance before using Drive. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Nova Transparent [Dual Mono]

Nova Transparent — Provides a light guard with minimal color for sources that already have the right tone. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Air Lock [Dual Mono]

Air Lock — Controls sharp consonants and upper edge with Sibalance before using Drive. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Rap Shield [Dual Mono]

Rap Shield — Holds fast consonant pressure and low-end proximity swings without dulling the delivery. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Podcast Field [Dual Mono]

Podcast Field — Keeps spoken-word level and articulation stable for a close, consistent broadcast insert. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Full Guard [Dual Mono]

Full Guard — Sets a vocal guard balance between plosive, sibalance, and controlled drive. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Bass Vocal Lock [Dual Mono]

Bass Vocal Lock — Protects a low vocal/bass source from burst pressure while keeping its center authoritative. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Female Vocal [Dual Mono]

Female Vocal — Sets a vocal guard balance between plosive, sibalance, and controlled drive. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Singer Songwriter [Dual Mono]

Singer Songwriter — Sets a vocal guard balance between plosive, sibalance, and controlled drive. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Breath Detail [Dual Mono]

Breath Detail — Sets a vocal guard balance between plosive, sibalance, and controlled drive. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Stage Vocal Lock [Dual Mono]

Stage Vocal Lock — Sets a vocal guard balance between plosive, sibalance, and controlled drive. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

INPUT: Incoming peak activity. Confirms source level reaching the shield.

NOVA: Detected plosive/sibilant activity. More light means stronger shield intervention.

TRIPLER

RELEASE	FAMILY	PLACEMENT
v3.5.7	Vocal / Mic / Source	Insert Safe

Three-voice vocal harmonizer with key, scale, chord, pitch correction, voice gain, pan, fine tune, and Phi field control. The current left/right voices use the repaired high-quality overlap-add pitch path for clean stereo harmonies.

Recommended use: vocal/mic array enhancement

Customer formats: AU, VST3

Exposed parameter surface

Parameter ID	Display name	Type
DIATONIC	DIATONIC	Referenced
CHORD	CHORD	Referenced
KEY	KEY	Referenced
SCALE	SCALE	Referenced
L_GAIN	L_GAIN	Referenced
R_GAIN	R_GAIN	Referenced
C_GAIN	C_GAIN	Referenced
L_PAN	L_PAN	Referenced
R_PAN	R_PAN	Referenced
BYPASS	BYPASS	Referenced
PITCH_CORRECT	PITCH_CORRECT	Referenced
PC_AMOUNT	PC_AMOUNT	Referenced
FINE_TUNE	FINE_TUNE	Referenced
PHI_FIELD	PHI_FIELD	Referenced
L_ON	L_ON	Referenced
R_ON	R_ON	Referenced
OUT_GAIN	OUT_GAIN	Referenced
GAINMATCH	GAINMATCH	Referenced

Factory starting points — source-derived purpose

Default [Stereo]

Default — Returns the three voice lanes to the canonical harmony starting point. Stereo variant: keep the linked center intact and audition width in the full mix.

Wide Open [Stereo]

Wide Open — Uses the three voice gains, pans, and pitch rules to create a controlled harmonic stack. Stereo variant: keep the linked center intact and audition width in the full mix.

Gospel 3rds [Major] [Stereo]

Gospel 3rds — Builds a major third-based gospel stack with the dry source retained as the center. Major variant: keep the harmony lanes in the major-scale/chord rule shown by the preset. Stereo variant: keep the linked center intact and audition width in the full mix.

R&B Minor Bed [Stereo]

R&B Minor Bed — Builds a minor harmony bed for R&B/trap color; verify the key before committing. Stereo variant: keep the linked center intact and audition width in the full mix.

Soul Dom 7 [Stereo]

Soul Dom 7 — Uses a seventh chord relationship for a richer, less plain harmony stack. Stereo variant: keep the linked center intact and audition width in the full mix.

Trap Major 7 [Stereo]

Trap Major 7 — Uses the three voice gains, pans, and pitch rules to create a controlled harmonic stack. Stereo variant: keep the linked center intact and audition width in the full mix.

Trap Minor 7 [Stereo]

Trap Minor 7 — Builds a minor harmony bed for R&B/trap color; verify the key before committing. Stereo variant: keep the linked center intact and audition width in the full mix.

Lo Seventh Bed [Stereo]

Lo Seventh Bed — Uses a seventh chord relationship for a richer, less plain harmony stack. Stereo variant: keep the linked center intact and audition width in the full mix.

Pop Fifth Stack [Stereo]

Pop Fifth Stack — Uses fifths for a clean, stable pop stack that leaves room around the lead. Stereo variant: keep the linked center intact and audition width in the full mix.

Streaming Ready [Stereo]

Streaming Ready — A restrained harmony stack designed to translate cleanly at normal streaming level. Stereo variant: keep the linked center intact and audition width in the full mix.

Vinyl Warm [Stereo]

Vinyl Warm — Adds a softer, less clinical harmony blend with the three voices kept compact. Stereo variant: keep the linked center intact and audition width in the full mix.

357 Canon [Full] [Stereo]

357 Canon — Returns the three voice lanes to the canonical harmony starting point. Full variant: the complete mapped field is engaged rather than a reduced demonstration lane. Stereo variant: keep the linked center intact and audition width in the full mix.

357 Diatonic Major [Stereo]

357 Diatonic Major — Follows the selected key/scale rather than fixed intervals, keeping the harmony musical across notes. Stereo variant: keep the linked center intact and audition width in the full mix.

357 Diatonic Minor [Stereo]

357 Diatonic Minor — Builds a minor harmony bed for R&B/trap color; verify the key before committing. Stereo variant: keep the linked center intact and audition width in the full mix.

Default [Mono]

Default — Returns the three voice lanes to the canonical harmony starting point. Mono variant: collapse the field and use it as a center-focused insert.

Wide Open [Mono]

Wide Open — Uses the three voice gains, pans, and pitch rules to create a controlled harmonic stack. Mono variant: collapse the field and use it as a center-focused insert.

Gospel 3rds [Major] [Mono]

Gospel 3rds — Builds a major third-based gospel stack with the dry source retained as the center. Major variant: keep the harmony lanes in the major-scale/chord rule shown by the preset. Mono variant: collapse the field and use it as a center-focused insert.

R&B Minor Bed [Mono]

R&B Minor Bed — Builds a minor harmony bed for R&B/trap color; verify the key before committing. Mono variant: collapse the field and use it as a center-focused insert.

Soul Dom 7 [Mono]

Soul Dom 7 — Uses a seventh chord relationship for a richer, less plain harmony stack. Mono variant: collapse the field and use it as a center-focused insert.

Trap Major 7 [Mono]

Trap Major 7 — Uses the three voice gains, pans, and pitch rules to create a controlled harmonic stack. Mono variant: collapse the field and use it as a center-focused insert.

Trap Minor 7 [Mono]

Trap Minor 7 — Builds a minor harmony bed for R&B/trap color; verify the key before committing. Mono variant: collapse the field and use it as a center-focused insert.

Lo Seventh Bed [Mono]

Lo Seventh Bed — Uses a seventh chord relationship for a richer, less plain harmony stack. Mono variant: collapse the field and use it as a center-focused insert.

Pop Fifth Stack [Mono]

Pop Fifth Stack — Uses fifths for a clean, stable pop stack that leaves room around the lead. Mono variant: collapse the field and use it as a center-focused insert.

Streaming Ready [Mono]

Streaming Ready — A restrained harmony stack designed to translate cleanly at normal streaming level. Mono variant: collapse the field and use it as a center-focused insert.

Vinyl Warm [Mono]

Vinyl Warm — Adds a softer, less clinical harmony blend with the three voices kept compact. Mono variant: collapse the field and use it as a center-focused

insert.

357 Canon [Full] [Mono]

357 Canon — Returns the three voice lanes to the canonical harmony starting point. Full variant: the complete mapped field is engaged rather than a reduced demonstration lane. Mono variant: collapse the field and use it as a center-focused insert.

357 Diatonic Major [Mono]

357 Diatonic Major — Follows the selected key/scale rather than fixed intervals, keeping the harmony musical across notes. Mono variant: collapse the field and use it as a center-focused insert.

357 Diatonic Minor [Mono]

357 Diatonic Minor — Builds a minor harmony bed for R&B/trap color; verify the key before committing. Mono variant: collapse the field and use it as a center-focused insert.

Default [Dual Mono]

Default — Returns the three voice lanes to the canonical harmony starting point. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Wide Open [Dual Mono]

Wide Open — Uses the three voice gains, pans, and pitch rules to create a controlled harmonic stack. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Gospel 3rds [Major] [Dual Mono]

Gospel 3rds — Builds a major third-based gospel stack with the dry source retained as the center. Major variant: keep the harmony lanes in the major-scale/chord rule shown by the preset. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

R&B Minor Bed [Dual Mono]

R&B Minor Bed — Builds a minor harmony bed for R&B/trap color; verify the key before committing. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Soul Dom 7 [Dual Mono]

Soul Dom 7 — Uses a seventh chord relationship for a richer, less plain harmony stack. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Trap Major 7 [Dual Mono]

Trap Major 7 — Uses the three voice gains, pans, and pitch rules to create a controlled harmonic stack. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Trap Minor 7 [Dual Mono]

Trap Minor 7 — Builds a minor harmony bed for R&B/trap color; verify the key before committing. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Lo Seventh Bed [Dual Mono]

Lo Seventh Bed — Uses a seventh chord relationship for a richer, less plain harmony stack. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Pop Fifth Stack [Dual Mono]

Pop Fifth Stack — Uses fifths for a clean, stable pop stack that leaves room around the lead. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Streaming Ready [Dual Mono]

Streaming Ready — A restrained harmony stack designed to translate cleanly at normal streaming level. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Vinyl Warm [Dual Mono]

Vinyl Warm — Adds a softer, less clinical harmony blend with the three voices kept compact. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

357 Canon [Full] [Dual Mono]

357 Canon — Returns the three voice lanes to the canonical harmony starting point. Full variant: the complete mapped field is engaged rather than a reduced demonstration lane. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

357 Diatonic Major [Dual Mono]

357 Diatonic Major — Follows the selected key/scale rather than fixed intervals, keeping the harmony musical across notes. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

357 Diatonic Minor [Dual Mono]

357 Diatonic Minor — Builds a minor harmony bed for R&B/trap color; verify the key before committing. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

EchoLocate

RELEASE	FAMILY	PLACEMENT
v1.0.1	Vocal / Mic / Source	Insert Safe

Three-position source-placement processor for spread, drift, microphone gain, proximity, pan, and reflected-space mix.

Recommended use: source localization

Customer formats: AU, VST3

Exposed parameter surface

Parameter ID	Display name	Type
MODE	MODE	Referenced
SPREAD	SPREAD	Referenced
DRIFT	DRIFT	Referenced
MIX	MIX	Referenced
MIC1_GAIN	MIC1_GAIN	Referenced
MIC2_GAIN	MIC2_GAIN	Referenced
MIC3_GAIN	MIC3_GAIN	Referenced
MIC2_PROX	MIC2_PROX	Referenced
MIC3_PAN	MIC3_PAN	Referenced
OUT_GAIN	OUT_GAIN	Referenced
channelmode	channelmode	Referenced
dualmonolink	dualmonolink	Referenced

Factory starting points — source-derived purpose

ECHOLOCATE CANON [Stereo]

ECHOLOCATE CANON — Sets a named mic-array/echo location with MODE, SPREAD, DRIFT, and per-mic gains. Stereo variant: keep the linked center intact and audition width in the full mix.

CLOSE CENTER [Stereo]

CLOSE CENTER — Keeps the source close and centered, using only enough echo position to add location. Stereo variant: keep the linked center intact and audition width in the full mix.

WIDE CALL [Stereo]

WIDE CALL — Moves the call/response image outward with spread and mic pan rather than simply increasing mix. Stereo variant: keep the linked center intact and audition width in the full mix.

TRIPLE ROOM [Stereo]

TRIPLE ROOM — Uses all three mic positions to create a room return with deliberate spread and depth. Stereo variant: keep the linked center intact and audition width in the full mix.

CHEST LOCK [Stereo]

CHEST LOCK — Favors the low/close mic perspective for body and proximity. Stereo variant: keep the linked center intact and audition width in the full mix.

HEAD AIR [Stereo]

HEAD AIR — Favors the higher/air mic perspective for articulation and top-end placement. Stereo variant: keep the linked center intact and audition width in the full mix.

WALL RETURN [Stereo]

WALL RETURN — Treats the echo as a wall/return behind the dry source. Stereo variant: keep the linked center intact and audition width in the full mix.

FOCUS FINDER [Stereo]

FOCUS FINDER — Sets a named mic-array/echo location with MODE, SPREAD, DRIFT, and per-mic gains. Stereo variant: keep the linked center intact and audition width in the full mix.

PHI PREPARATION [Stereo]

PHI PREPARATION — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Stereo variant: keep the

linked center intact and audition width in the full mix.

PHI HOME [Stereo]

PHI HOME — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Stereo variant: keep the linked center intact and audition width in the full mix.

PHI OPEN [Stereo]

PHI OPEN — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Stereo variant: keep the linked center intact and audition width in the full mix.

PHI ACTIVE [Stereo]

PHI ACTIVE — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Stereo variant: keep the linked center intact and audition width in the full mix.

PHI PUSH [Stereo]

PHI PUSH — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Stereo variant: keep the linked center intact and audition width in the full mix.

PHI EXPANSION [Stereo]

PHI EXPANSION — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Stereo variant: keep the linked center intact and audition width in the full mix.

ECHOLOCATE CANON [Mono]

ECHOLOCATE CANON — Sets a named mic-array/echo location with MODE, SPREAD, DRIFT, and per-mic gains. Mono variant: collapse the field and use it as a center-focused insert.

CLOSE CENTER [Mono]

CLOSE CENTER — Keeps the source close and centered, using only enough echo position to add location. Mono variant: collapse the field and use it as a center-focused insert.

WIDE CALL [Mono]

WIDE CALL — Moves the call/response image outward with spread and mic pan rather than simply increasing mix. Mono variant: collapse the field and use it as a center-focused insert.

TRIPLE ROOM [Mono]

TRIPLE ROOM — Uses all three mic positions to create a room return with deliberate spread and depth. Mono variant: collapse the field and use it as a center-focused insert.

CHEST LOCK [Mono]

CHEST LOCK — Favors the low/close mic perspective for body and proximity. Mono variant: collapse the field and use it as a center-focused insert.

HEAD AIR [Mono]

HEAD AIR — Favors the higher/air mic perspective for articulation and top-end placement. Mono variant: collapse the field and use it as a center-focused insert.

WALL RETURN [Mono]

WALL RETURN — Treats the echo as a wall/return behind the dry source. Mono variant: collapse the field and use it as a center-focused insert.

FOCUS FINDER [Mono]

FOCUS FINDER — Sets a named mic-array/echo location with MODE, SPREAD, DRIFT, and per-mic gains. Mono variant: collapse the field and use it as a center-focused insert.

PHI PREPARATION [Mono]

PHI PREPARATION — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Mono variant: collapse the field and use it as a center-focused insert.

PHI HOME [Mono]

PHI HOME — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Mono variant: collapse the field and use it as a center-focused insert.

PHI OPEN [Mono]

PHI OPEN — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Mono variant: collapse the field and use it as a center-focused insert.

PHI ACTIVE [Mono]

PHI ACTIVE — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Mono variant: collapse the field and use it as a center-focused insert.

PHI PUSH [Mono]

PHI PUSH — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Mono variant: collapse the field and use it as a center-focused insert.

PHI EXPANSION [Mono]

PHI EXPANSION — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Mono variant: collapse the field and use it as a center-focused insert.

ECHOLOCATE CANON [Dual Mono]

ECHOLOCATE CANON — Sets a named mic-array/echo location with MODE, SPREAD, DRIFT, and per-mic gains. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

CLOSE CENTER [Dual Mono]

CLOSE CENTER — Keeps the source close and centered, using only enough echo position to add location. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

WIDE CALL [Dual Mono]

WIDE CALL — Moves the call/response image outward with spread and mic pan rather than simply increasing mix. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

TRIPLE ROOM [Dual Mono]

TRIPLE ROOM — Uses all three mic positions to create a room return with deliberate spread and depth. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

CHEST LOCK [Dual Mono]

CHEST LOCK — Favors the low/close mic perspective for body and proximity. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

HEAD AIR [Dual Mono]

HEAD AIR — Favors the higher/air mic perspective for articulation and top-end placement. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

WALL RETURN [Dual Mono]

WALL RETURN — Treats the echo as a wall/return behind the dry source. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

FOCUS FINDER [Dual Mono]

FOCUS FINDER — Sets a named mic-array/echo location with MODE, SPREAD, DRIFT, and per-mic gains. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

PHI PREPARATION [Dual Mono]

PHI PREPARATION — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

PHI HOME [Dual Mono]

PHI HOME — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

PHI OPEN [Dual Mono]

PHI OPEN — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

PHI ACTIVE [Dual Mono]

PHI ACTIVE — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

PHI PUSH [Dual Mono]

PHI PUSH — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

PHI EXPANSION [Dual Mono]

PHI EXPANSION — Uses the Phi scene as a controlled echo-position starting point; adjust delay only after level matching. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

DIHWorld Audio

Dynamics / Guard Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 4 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

ANUBIS

RELEASE	FAMILY	PLACEMENT
v1.0.1	Dynamics / Guard	Insert Safe

Dynamics gate and guard with threshold, ratio, attack, hold, release, range, a named stereo host Sidechain bus, independent Sidechain Key and Sidechain Duck operation, protected I/O, and parallel mix.

Recommended use: guard/dynamics

Customer formats: AU, VST3, Standalone

Primary controls

Input • Mix • Output • Power • Threshold • Ratio • Attack • Hold • Release • Range • Channel Mode • Dual Mono Link

Factory starting points — source-derived purpose

TRANSPARENT PASS [Stereo]

TRANSPARENT PASS — Returns the gate to a transparent pass so Threshold and envelope behavior can be judged from the source. Stereo variant: keep the linked center intact and audition width in the full mix.

VOCAL BREATH GUARD [Stereo]

VOCAL BREATH GUARD — Keeps vocal breaths and consonants natural while the guard controls spill and room energy. Stereo variant: keep the linked center intact and audition width in the full mix.

KICK KEY GATE [Stereo]

KICK KEY GATE — Uses the key/duck detector to make kick or sidechain energy the envelope decision. Stereo variant: keep the linked center intact and audition width in the full mix.

TEHUTI DUCK GUARD [Stereo]

TEHUTI DUCK GUARD — Uses the key/duck detector to make kick or sidechain energy the envelope decision. Stereo variant: keep the linked center intact and audition width in the full mix.

KEY + DUCK LOCK [Stereo]

KEY + DUCK LOCK — Uses the key/duck detector to make kick or sidechain energy the envelope decision. Stereo variant: keep the linked center intact and audition width in the full mix.

DRUM TIGHT GUARD [Stereo]

DRUM TIGHT GUARD — Tightens drum spill with Attack/Hold/Release chosen to keep the hit intact. Stereo variant: keep the linked center intact and audition width in the full mix.

MONO WALL HOLD [Mono]

MONO WALL HOLD — Applies the guard to the selected channel layout while preserving the channel-mode decision. Mono variant: collapse the field and use it as a center-focused insert.

DUAL MONO LOCK [Dual Mono]

DUAL MONO LOCK — Applies the guard to the selected channel layout while preserving the channel-mode decision. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

IN: Main-input RMS energy. Shows the program feeding the gate.

GATE: Current gate passage gain. OPEN is full passage; lower values mean attenuation.

KEY: External sidechain RMS energy. Moves only when a host sidechain is routed.

DUCK: Sidechain-driven gain reduction. More fill means deeper ducking of the main signal.

OUT: Post-gate RMS energy. Compare with IN to judge actual attenuation.

Transfer graph: Threshold, envelope, and Range floor. Shows where the signal opens and how far closure may fall.

Correlation waves: Left/right phase relationship. Gold is coherent, purple is spread, red warns of anti-phase risk.

OTIS

RELEASE	FAMILY	PLACEMENT
v1.0.1	Dynamics / Guard	Insert Safe

3-6-9 macro dynamics processor: Micro Peak controls short events, Meso Density shapes body, and Macro Level governs the long envelope.

Recommended use: dynamics support; secondary silver mastering-support dot

Customer formats: AU, VST3, Standalone

Primary controls

Micro Peak • Meso Density • Macro Level • Makeup Gain • Gain Match

Factory starting points — source-derived purpose

TRANSPARENT PASS [Stereo]

TRANSPARENT PASS — Returns the three timescales to a transparent pass for judging the source envelope. Stereo variant: keep the linked center intact and audition width in the full mix.

VOCAL LEVELER [Stereo]

VOCAL LEVELER — Lets Micro Peak catch consonant spikes while Meso Density and Macro Level keep the phrase even. Stereo variant: keep the linked center intact and audition width in the full mix.

DIALOG STEADY [Stereo]

DIALOG STEADY — Lets Micro Peak catch consonant spikes while Meso Density and Macro Level keep the phrase even. Stereo variant: keep the linked center intact and audition width in the full mix.

DRUM BUS CATCH [Stereo]

DRUM BUS CATCH — Catches drum peaks without erasing the hit; use Meso Density only as the bus settles. Stereo variant: keep the linked center intact and audition width in the full mix.

MIX BUS GLUE [Stereo]

MIX BUS GLUE — Applies gentle multi-timescale glue to a bus; keep Gain Match independent of this preset. Stereo variant: keep the linked center intact and audition width in the full mix.

TRANSIENT GUARD [Stereo]

TRANSIENT GUARD — Favors Micro Peak control and leaves the phrase-level Macro lane more open. Stereo variant: keep the linked center intact and audition width in the full mix.

MONO LEVEL HOLD [Mono]

MONO LEVEL HOLD — Uses the OTIS leveler in the selected channel layout; compare both channels at matched output. Mono variant: collapse the field and use it as a center-focused insert.

DUAL MONO CONTROL [Dual]

DUAL MONO CONTROL — Uses the OTIS leveler in the selected channel layout; compare both channels at matched output. Dual variant: keep channel decisions independent when the source is asymmetric.

Meters and visualizers

INPUT: Input peak in dB. Confirms level feeding all three time scales.

RESPONSE: Strongest active 3/6/9 reduction. Shows the greatest current reduction across Micro, Meso, or Macro.

OUTPUT: Output peak in dB. Use with INPUT and Gain Match for fair comparison.

3 / Micro activity: Fast transient reduction. Responds to short peaks and front edges.

6 / Meso activity: Body and phrase-density reduction. Responds to medium-duration energy.

9 / Macro activity: Long-envelope reduction. Responds to sustained level movement.

DeBo

RELEASE	FAMILY	PLACEMENT
v3.6.9	Dynamics / Guard	Insert Safe

Pressure-activated dynamics processor with intentional aggressive Drive excitation, pressure-dependent density, controlled Maximize gain, and ceiling containment. DEBO Output controls delivery after the drive/pressure stage, so deliberate distortion can remain while output is reduced. In the DEBO -> DEPTH_BOOST_PRO hybrid, DEBO creates and controls character first; Depth Boost Pro then places it through DIH Field State and can apply optional post-field Spatial Gain reduction.

Recommended use: pressure-activated dynamics, aggressive drive, density, and controlled output

Customer formats: AU, VST3, Standalone

Primary controls

Power • Flower of Life • Gain Match • Input • Drive • Maximize • Depth • Clarity • Output

Factory starting points — source-derived purpose

NO BRICKS [Stereo]

NO BRICKS — Open DEBO density with zero maximize gain: add Drive/Depth/Clarity while explicitly avoiding a brick-wall loudness target. Factory recipe: Drive 56%, Maximize Db 0 dB, Depth 52%, Clarity 58%. Stereo variant: keep the linked center intact and audition width in the full mix.

VOCAL HOLD [Stereo]

VOCAL HOLD — A vocal containment recipe with moderate Drive/Depth and only a small maximize lift, keeping the phrase stable without flattening it. Factory recipe: Drive 58%, Maximize Db 0.8 dB, Depth 60%, Clarity 46%. Stereo variant: keep the linked center intact and audition width in the full mix.

BRICK TAP [Stereo]

BRICK TAP — A measured first touch of maximize pressure for a source that needs forwardness but still has room to breathe. Factory recipe: Drive 58%, Maximize Db 0.5 dB, Depth 54%, Clarity 50%. Stereo variant: keep the linked center intact and audition width in the full mix.

WALL PRESSURE [Stereo]

WALL PRESSURE — Raises pressure and depth for a denser bus; use it when the mix needs a firmer wall, then check the vocal and kick. Factory recipe: Drive 60%, Maximize Db 0.8 dB, Depth 58%, Clarity 50%. Stereo variant: keep the linked center intact and audition width in the full mix.

SHOULDER CHECK [Stereo]

SHOULDER CHECK — A mid-strength density check that tests whether the arrangement can carry more edge without losing clarity. Factory recipe: Drive 62%, Maximize Db 1.1 dB, Depth 62%, Clarity 50%. Stereo variant: keep the linked center intact and audition width in the full mix.

NO SCISSORS [Stereo]

NO SCISSORS — Higher Drive/Depth with moderate maximize keeps peaks from feeling sharply clipped while the body becomes denser. Factory recipe: Drive 64%, Maximize Db 1.4 dB, Depth 66%, Clarity 48%. Stereo variant: keep the linked center intact and audition width in the full mix.

BREAKTHROUGH [Stereo]

BREAKTHROUGH — A strong forward push for a chorus or impact section; reduce Maximize if the transients begin to sound cut off. Factory recipe: Drive 66%, Maximize Db 1.8 dB, Depth 70%, Clarity 46%. Stereo variant: keep the linked center intact and audition width in the full mix.

RED LINE WATCH [Stereo]

RED LINE WATCH — The most assertive DEBO recipe: use it as a translation stress test or special-effect push, not as the default master. Factory recipe: Drive 68%, Maximize Db 2.2 dB, Depth 74%, Clarity 44%. Stereo variant: keep the linked center intact and audition width in the full mix.

PHI GUARD [Stereo]

PHI GUARD — Depth is set to the canonical Phi-derived guard point while maximize stays at zero; use it for controlled density without loudness chasing. Factory recipe: Drive 62%, Maximize Db 0 dB, Depth 81%, Clarity 48%. Stereo variant: keep the linked center intact and audition width in the full mix.

VOCAL ANCHOR [Stereo]

VOCAL ANCHOR — Use it to add pressure and forward motion without a brick-wall default: the recipes move from open containment to deliberate loudness support, with Clarity preserving the important edge. Use this DEBO program as a controlled starting recipe for "VOCAL ANCHOR"; adjust the exposed processor controls in small, level-matched moves and keep the source role named by the preset in view. Factory recipe: Drive 59%, Maximize Db 0.6 dB, Depth 62%, Clarity 42%. Stereo variant: keep the linked center intact and audition width in the full mix.

DRUM REINFORCE [Stereo]

DRUM REINFORCE — Use it to add pressure and forward motion without a brick-wall default: the recipes move from open containment to deliberate loudness support, with Clarity preserving the important edge. Use this DEBO program as a controlled starting recipe for "DRUM REINFORCE"; adjust the exposed processor controls in small, level-matched moves and keep the source role named by the preset in view. Factory recipe: Drive 64%, Maximize Db 1 dB, Depth 55%, Clarity 30%. Stereo variant: keep the linked center intact and audition width in the full mix.

MIX BUS SETTLE [Stereo]

MIX BUS SETTLE — Use it to add pressure and forward motion without a brick-wall default: the recipes move from open containment to deliberate

loudness support, with Clarity preserving the important edge. Use this DEBO program as a controlled starting recipe for "MIX BUS SETTLE"; adjust the exposed processor controls in small, level-matched moves and keep the source role named by the preset in view. Factory recipe: Drive 60%, Maximize Db 0.4 dB, Depth 52%, Clarity 38%. Stereo variant: keep the linked center intact and audition width in the full mix.

PARALLEL BREACH [Stereo]

PARALLEL BREACH — Use it to add pressure and forward motion without a brick-wall default: the recipes move from open containment to deliberate loudness support, with Clarity preserving the important edge. Use this DEBO program as a controlled starting recipe for "PARALLEL BREACH"; adjust the exposed processor controls in small, level-matched moves and keep the source role named by the preset in view. Factory recipe: Drive 68%, Maximize Db 2 dB, Depth 70%, Clarity 40%. Stereo variant: keep the linked center intact and audition width in the full mix.

MASTER FIELD [Stereo]

MASTER FIELD — Use it to add pressure and forward motion without a brick-wall default: the recipes move from open containment to deliberate loudness support, with Clarity preserving the important edge. Use this DEBO program as a controlled starting recipe for "MASTER FIELD"; adjust the exposed processor controls in small, level-matched moves and keep the source role named by the preset in view. Factory recipe: Drive 62%, Maximize Db 0.5 dB, Depth 58%, Clarity 34%. Stereo variant: keep the linked center intact and audition width in the full mix.

Meters and visualizers

RMS: Sustained signal body. Shows average energy driving the pressure model.

GUARD PRESSURE: Combined density/containment demand. Higher values mean DEBO is working harder.

PEAK: Fast peak relative to ceiling. Approaching the top warns of limited remaining space.

GOVERNOR: Gain held back by protection. More activity means stronger safety containment.

Pressure window / face: RMS-driven pressure stage. The visual advances with real pressure; red is the ceiling warning state.

LookOut

RELEASE	FAMILY	PLACEMENT
v1.0.1	Dynamics / Guard	Insert Safe

Dual-envelope transient/sustain shaper. Attack and Sustain directly move the level of the transient and sustain portions of the signal, up to +/-18 dB each, ahead of the DIH tone-color stage. Its Eye of Heru state also gives live advisory guidance on transient/sustain balance while it shapes.

Recommended use: dual-envelope transient/sustain shaper; Attack/Sustain directly move transient and sustain gain up to +/-18dB; Eye of Heru advisory guidance is secondary, not the primary function; cyan primary dot with green observation and silver mastering-support dots

Customer formats: AU, VST3, Standalone

Primary controls

Power • Attack • Sustain • Gain Match

Factory starting points — source-derived purpose

NEUTRAL SENTINEL [Stereo]
NEUTRAL SENTINEL — Attack and Sustain at unity: an observation reset for hearing the source before choosing peak or tail emphasis. Factory recipe: Attack 0%, Sustain 0%. Stereo variant: keep the linked center intact and audition width in the full mix.

VOCAL FRONT GUARD
VOCAL FRONT GUARD — Moderate Attack with a shorter Sustain watches vocal fronts while leaving phrase movement intact. Factory recipe: Attack 46, Sustain 18.

DRUM SNAP LOCK
DRUM SNAP LOCK — Fast Attack and negative Sustain protect the drum transient and stop the tail from smearing the next hit. Factory recipe: Attack 88, Sustain -64.

KICK BODY ANCHOR
KICK BODY ANCHOR — Negative Attack with strong positive Sustain favors the kick body and low envelope instead of the initial click. Factory recipe: Attack -62, Sustain 90.

PERCUSSION EDGE
PERCUSSION EDGE — High Attack and negative Sustain isolate percussion edges for crisp placement without a broad level lift. Factory recipe: Attack 74, Sustain -86.

ROOM TAIL WATCH
ROOM TAIL WATCH — Negative Attack with positive Sustain keeps an ear on room decay and tail build-up rather than only the first hit. Factory recipe: Attack -78, Sustain 72.

MIX BUS COMPOSURE
MIX BUS COMPOSURE — Moderate positive Attack/Sustain observes the bus as a whole and keeps movement calm without hard clamping. Factory recipe: Attack 28, Sustain 48.

FINAL PEAK SENTINEL
FINAL PEAK SENTINEL — High Attack with lightly reduced Sustain is a final peak watch; use it to find events, not to replace a limiter. Factory recipe: Attack 62, Sustain -18.

Meters and visualizers

Transient: Detected front-edge energy. Use to judge whether Attack is emphasizing or restraining hits.

Sustain: Detected body and tail energy. Use to judge Sustain changes to ring, room, and body.

Alert: Potential transient/sustain imbalance. Higher values suggest the balance needs attention.

Miss: Underrepresented event energy. Indicates material that may be disappearing.

Stress: Over-concentrated envelope pressure. Reduce shaping intensity when stress remains high.

Composure: Stable transient/sustain balance. Higher is calmer and more controlled.

Eye of Heru: Combined advisory state. It reports balance; it does not move controls automatically.

DIHWorld Audio

Dynamics / Guard Technical Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 4 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

ANUBIS

RELEASE	FAMILY	PLACEMENT
v1.0.1	Dynamics / Guard	Insert Safe

Dynamics gate and guard with threshold, ratio, attack, hold, release, range, a named stereo host Sidechain bus, independent Sidechain Key and Sidechain Duck operation, protected I/O, and parallel mix.

Recommended use: guard/dynamics

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
input	Input	Float
mix	Mix	Float
output	Output	Float
power	Power	Bool
threshold	Threshold	Float
ratio	Ratio	Float
attack	Attack	Float
hold	Hold	Float
release	Release	Float
range	Range	Float
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice
extkey	Sidechain Key	Bool
sduck	Sidechain Duck	Bool
gainmatch	Gain Match	Bool

Factory starting points — source-derived purpose

TRANSPARENT PASS [Stereo]

TRANSPARENT PASS — Returns the gate to a transparent pass so Threshold and envelope behavior can be judged from the source. Stereo variant: keep the linked center intact and audition width in the full mix.

VOCAL BREATH GUARD [Stereo]

VOCAL BREATH GUARD — Keeps vocal breaths and consonants natural while the guard controls spill and room energy. Stereo variant: keep the linked center intact and audition width in the full mix.

KICK KEY GATE [Stereo]

KICK KEY GATE — Uses the key/duck detector to make kick or sidechain energy the envelope decision. Stereo variant: keep the linked center intact and audition width in the full mix.

TEHUTI DUCK GUARD [Stereo]

TEHUTI DUCK GUARD — Uses the key/duck detector to make kick or sidechain energy the envelope decision. Stereo variant: keep the linked center intact and audition width in the full mix.

KEY + DUCK LOCK [Stereo]

KEY + DUCK LOCK — Uses the key/duck detector to make kick or sidechain energy the envelope decision. Stereo variant: keep the linked center intact and audition width in the full mix.

DRUM TIGHT GUARD [Stereo]

DRUM TIGHT GUARD — Tightens drum spill with Attack/Hold/Release chosen to keep the hit intact. Stereo variant: keep the linked center intact and audition width in the full mix.

MONO WALL HOLD [Mono]

MONO WALL HOLD — Applies the guard to the selected channel layout while preserving the channel-mode decision. Mono variant: collapse the field and

use it as a center-focused insert.

DUAL MONO LOCK [Dual Mono]

DUAL MONO LOCK — Applies the guard to the selected channel layout while preserving the channel-mode decision. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

IN: Main-input RMS energy. Shows the program feeding the gate.

GATE: Current gate passage gain. OPEN is full passage; lower values mean attenuation.

KEY: External sidechain RMS energy. Moves only when a host sidechain is routed.

DUCK: Sidechain-driven gain reduction. More fill means deeper ducking of the main signal.

OUT: Post-gate RMS energy. Compare with IN to judge actual attenuation.

Transfer graph: Threshold, envelope, and Range floor. Shows where the signal opens and how far closure may fall.

Correlation waves: Left/right phase relationship. Gold is coherent, purple is spread, red warns of anti-phase risk.

OTIS

RELEASE	FAMILY	PLACEMENT
v1.0.1	Dynamics / Guard	Insert Safe

3-6-9 macro dynamics processor: Micro Peak controls short events, Meso Density shapes body, and Macro Level governs the long envelope.

Recommended use: dynamics support; secondary silver mastering-support dot

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
trumpet_l	Micro Peak	Float
trumpet_c	Meso Density	Float
trumpet_r	Macro Level	Float
makeup_gain	Makeup Gain	Float
gainmatch	Gain Match	Bool

Factory starting points — source-derived purpose

TRANSPARENT PASS [Stereo]

TRANSPARENT PASS — Returns the three timescales to a transparent pass for judging the source envelope. Stereo variant: keep the linked center intact and audition width in the full mix.

VOCAL LEVELER [Stereo]

VOCAL LEVELER — Lets Micro Peak catch consonant spikes while Meso Density and Macro Level keep the phrase even. Stereo variant: keep the linked center intact and audition width in the full mix.

DIALOG STEADY [Stereo]

DIALOG STEADY — Lets Micro Peak catch consonant spikes while Meso Density and Macro Level keep the phrase even. Stereo variant: keep the linked center intact and audition width in the full mix.

DRUM BUS CATCH [Stereo]

DRUM BUS CATCH — Catches drum peaks without erasing the hit; use Meso Density only as the bus settles. Stereo variant: keep the linked center intact and audition width in the full mix.

MIX BUS GLUE [Stereo]

MIX BUS GLUE — Applies gentle multi-timescale glue to a bus; keep Gain Match independent of this preset. Stereo variant: keep the linked center intact and audition width in the full mix.

TRANSIENT GUARD [Stereo]

TRANSIENT GUARD — Favors Micro Peak control and leaves the phrase-level Macro lane more open. Stereo variant: keep the linked center intact and audition width in the full mix.

MONO LEVEL HOLD [Mono]

MONO LEVEL HOLD — Uses the OTIS leveler in the selected channel layout; compare both channels at matched output. Mono variant: collapse the field and use it as a center-focused insert.

DUAL MONO CONTROL [Dual]

DUAL MONO CONTROL — Uses the OTIS leveler in the selected channel layout; compare both channels at matched output. Dual variant: keep channel decisions independent when the source is asymmetric.

Meters and visualizers

INPUT: Input peak in dB. Confirms level feeding all three time scales.

RESPONSE: Strongest active 3/6/9 reduction. Shows the greatest current reduction across Micro, Meso, or Macro.

OUTPUT: Output peak in dB. Use with INPUT and Gain Match for fair comparison.

3 / Micro activity: Fast transient reduction. Responds to short peaks and front edges.

6 / Meso activity: Body and phrase-density reduction. Responds to medium-duration energy.

9 / **Macro activity:** Long-envelope reduction. Responds to sustained level movement.

DeBo

RELEASE	FAMILY	PLACEMENT
v3.6.9	Dynamics / Guard	Insert Safe

Pressure-activated dynamics processor with intentional aggressive Drive excitation, pressure-dependent density, controlled Maximize gain, and ceiling containment. DEBO Output controls delivery after the drive/pressure stage, so deliberate distortion can remain while output is reduced. In the DEBO -> DEPTH_BOOST_PRO hybrid, DEBO creates and controls character first; Depth Boost Pro then places it through DIH Field State and can apply optional post-field Spatial Gain reduction.

Recommended use: pressure-activated dynamics, aggressive drive, density, and controlled output

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
POWER	Power	Bool
FLOWER	Flower of Life	Bool
GAINMATCH	Gain Match	Bool
INPUT	Input	Factory
DRIVE	Drive	Factory
MAXIMIZE	Maximize	Factory
DEPTH	Depth	Factory
CLARITY	Clarity	Factory
OUTPUT	Output	Factory

Factory starting points — source-derived purpose

NO BRICKS [Stereo]

NO BRICKS — Open DEBO density with zero maximize gain: add Drive/Depth/Clarity while explicitly avoiding a brick-wall loudness target. Factory recipe: Drive 56%, Maximize Db 0 dB, Depth 52%, Clarity 58%. Stereo variant: keep the linked center intact and audition width in the full mix.

VOCAL HOLD [Stereo]

VOCAL HOLD — A vocal containment recipe with moderate Drive/Depth and only a small maximize lift, keeping the phrase stable without flattening it. Factory recipe: Drive 58%, Maximize Db 0.8 dB, Depth 60%, Clarity 46%. Stereo variant: keep the linked center intact and audition width in the full mix.

BRICK TAP [Stereo]

BRICK TAP — A measured first touch of maximize pressure for a source that needs forwardness but still has room to breathe. Factory recipe: Drive 58%, Maximize Db 0.5 dB, Depth 54%, Clarity 50%. Stereo variant: keep the linked center intact and audition width in the full mix.

WALL PRESSURE [Stereo]

WALL PRESSURE — Raises pressure and depth for a denser bus; use it when the mix needs a firmer wall, then check the vocal and kick. Factory recipe: Drive 60%, Maximize Db 0.8 dB, Depth 58%, Clarity 50%. Stereo variant: keep the linked center intact and audition width in the full mix.

SHOULDER CHECK [Stereo]

SHOULDER CHECK — A mid-strength density check that tests whether the arrangement can carry more edge without losing clarity. Factory recipe: Drive 62%, Maximize Db 1.1 dB, Depth 62%, Clarity 50%. Stereo variant: keep the linked center intact and audition width in the full mix.

NO SCISSORS [Stereo]

NO SCISSORS — Higher Drive/Depth with moderate maximize keeps peaks from feeling sharply clipped while the body becomes denser. Factory recipe: Drive 64%, Maximize Db 1.4 dB, Depth 66%, Clarity 48%. Stereo variant: keep the linked center intact and audition width in the full mix.

BREAKTHROUGH [Stereo]

BREAKTHROUGH — A strong forward push for a chorus or impact section; reduce Maximize if the transients begin to sound cut off. Factory recipe: Drive 66%, Maximize Db 1.8 dB, Depth 70%, Clarity 46%. Stereo variant: keep the linked center intact and audition width in the full mix.

RED LINE WATCH [Stereo]

RED LINE WATCH — The most assertive DEBO recipe: use it as a translation stress test or special-effect push, not as the default master. Factory recipe: Drive 68%, Maximize Db 2.2 dB, Depth 74%, Clarity 44%. Stereo variant: keep the linked center intact and audition width in the full mix.

PHI GUARD [Stereo]

PHI GUARD — Depth is set to the canonical Phi-derived guard point while maximize stays at zero; use it for controlled density without loudness chasing.

Factory recipe: Drive 62%, Maximize Db 0 dB, Depth 81%, Clarity 48%. Stereo variant: keep the linked center intact and audition width in the full mix.

VOCAL ANCHOR [Stereo]

VOCAL ANCHOR — Use it to add pressure and forward motion without a brick-wall default: the recipes move from open containment to deliberate loudness support, with Clarity preserving the important edge. Use this DEBO program as a controlled starting recipe for “VOCAL ANCHOR”; adjust the exposed processor controls in small, level-matched moves and keep the source role named by the preset in view. Factory recipe: Drive 59%, Maximize Db 0.6 dB, Depth 62%, Clarity 42%. Stereo variant: keep the linked center intact and audition width in the full mix.

DRUM REINFORCE [Stereo]

DRUM REINFORCE — Use it to add pressure and forward motion without a brick-wall default: the recipes move from open containment to deliberate loudness support, with Clarity preserving the important edge. Use this DEBO program as a controlled starting recipe for “DRUM REINFORCE”; adjust the exposed processor controls in small, level-matched moves and keep the source role named by the preset in view. Factory recipe: Drive 64%, Maximize Db 1 dB, Depth 55%, Clarity 30%. Stereo variant: keep the linked center intact and audition width in the full mix.

MIX BUS SETTLE [Stereo]

MIX BUS SETTLE — Use it to add pressure and forward motion without a brick-wall default: the recipes move from open containment to deliberate loudness support, with Clarity preserving the important edge. Use this DEBO program as a controlled starting recipe for “MIX BUS SETTLE”; adjust the exposed processor controls in small, level-matched moves and keep the source role named by the preset in view. Factory recipe: Drive 60%, Maximize Db 0.4 dB, Depth 52%, Clarity 38%. Stereo variant: keep the linked center intact and audition width in the full mix.

PARALLEL BREACH [Stereo]

PARALLEL BREACH — Use it to add pressure and forward motion without a brick-wall default: the recipes move from open containment to deliberate loudness support, with Clarity preserving the important edge. Use this DEBO program as a controlled starting recipe for “PARALLEL BREACH”; adjust the exposed processor controls in small, level-matched moves and keep the source role named by the preset in view. Factory recipe: Drive 68%, Maximize Db 2 dB, Depth 70%, Clarity 40%. Stereo variant: keep the linked center intact and audition width in the full mix.

MASTER FIELD [Stereo]

MASTER FIELD — Use it to add pressure and forward motion without a brick-wall default: the recipes move from open containment to deliberate loudness support, with Clarity preserving the important edge. Use this DEBO program as a controlled starting recipe for “MASTER FIELD”; adjust the exposed processor controls in small, level-matched moves and keep the source role named by the preset in view. Factory recipe: Drive 62%, Maximize Db 0.5 dB, Depth 58%, Clarity 34%. Stereo variant: keep the linked center intact and audition width in the full mix.

Meters and visualizers

RMS: Sustained signal body. Shows average energy driving the pressure model.

GUARD PRESSURE: Combined density/containment demand. Higher values mean DEBO is working harder.

PEAK: Fast peak relative to ceiling. Approaching the top warns of limited remaining space.

GOVERNOR: Gain held back by protection. More activity means stronger safety containment.

Pressure window / face: RMS-driven pressure stage. The visual advances with real pressure; red is the ceiling warning state.

LookOut

RELEASE	FAMILY	PLACEMENT
v1.0.1	Dynamics / Guard	Insert Safe

Dual-envelope transient/sustain shaper. Attack and Sustain directly move the level of the transient and sustain portions of the signal, up to +/-18 dB each, ahead of the DIH tone-color stage. Its Eye of Heru state also gives live advisory guidance on transient/sustain balance while it shapes.

Recommended use: dual-envelope transient/sustain shaper; Attack/Sustain directly move transient and sustain gain up to +/-18dB; Eye of Heru advisory guidance is secondary, not the primary function; cyan primary dot with green observation and silver mastering-support dots

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
power	Power	Factory
attack	Attack	Factory
sustain	Sustain	Factory
gainmatch	Gain Match	Factory

Factory starting points — source-derived purpose

- NEUTRAL SENTINEL [Stereo]**
NEUTRAL SENTINEL — Attack and Sustain at unity: an observation reset for hearing the source before choosing peak or tail emphasis. Factory recipe: Attack 0%, Sustain 0%. Stereo variant: keep the linked center intact and audition width in the full mix.
- VOCAL FRONT GUARD**
VOCAL FRONT GUARD — Moderate Attack with a shorter Sustain watches vocal fronts while leaving phrase movement intact. Factory recipe: Attack 46, Sustain 18.
- DRUM SNAP LOCK**
DRUM SNAP LOCK — Fast Attack and negative Sustain protect the drum transient and stop the tail from smearing the next hit. Factory recipe: Attack 88, Sustain -64.
- KICK BODY ANCHOR**
KICK BODY ANCHOR — Negative Attack with strong positive Sustain favors the kick body and low envelope instead of the initial click. Factory recipe: Attack -62, Sustain 90.
- PERCUSSION EDGE**
PERCUSSION EDGE — High Attack and negative Sustain isolate percussion edges for crisp placement without a broad level lift. Factory recipe: Attack 74, Sustain -86.
- ROOM TAIL WATCH**
ROOM TAIL WATCH — Negative Attack with positive Sustain keeps an ear on room decay and tail build-up rather than only the first hit. Factory recipe: Attack -78, Sustain 72.
- MIX BUS COMPOSURE**
MIX BUS COMPOSURE — Moderate positive Attack/Sustain observes the bus as a whole and keeps movement calm without hard clamping. Factory recipe: Attack 28, Sustain 48.
- FINAL PEAK SENTINEL**
FINAL PEAK SENTINEL — High Attack with lightly reduced Sustain is a final peak watch; use it to find events, not to replace a limiter. Factory recipe: Attack 62, Sustain -18.

Meters and visualizers

- Transient:** Detected front-edge energy. Use to judge whether Attack is emphasizing or restraining hits.
- Sustain:** Detected body and tail energy. Use to judge Sustain changes to ring, room, and body.
- Alert:** Potential transient/sustain imbalance. Higher values suggest the balance needs attention.
- Miss:** Underrepresented event energy. Indicates material that may be disappearing.

Stress: Over-concentrated envelope pressure. Reduce shaping intensity when stress remains high.

Composure: Stable transient/sustain balance. Higher is calmer and more controlled.

Eye of Heru: Combined advisory state. It reports balance; it does not move controls automatically.

DIHWorld Audio

Bass / Low End Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 4 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

MARIANA

RELEASE	FAMILY	PLACEMENT
v1.0.1	Bass / Low End	Low End Source

Sub and foundation processor with depth, sub pressure, kick definition, target mode, and parallel mix. A named optional Sidechain drives kick-aware reduction only when Sidechain Key is enabled, leaving the audible main path neutral otherwise.

Recommended use: low-end/sub field

Customer formats: AU, VST3

Primary controls

Power • Depth • Sub Pressure • Foundation • Kick Define • Target Mode • Input • Mix • Gain Match

Factory starting points — source-derived purpose

MARIANA SWEET SPOT

MARIANA SWEET SPOT — Balanced bass starting point: Depth and Sub Pressure support the low field while Foundation and Kick Define remain controlled.

LOW GRAVITY CLEAN

LOW GRAVITY CLEAN — A clean, centered low-end lift for bass that needs weight without a pronounced pressure bloom.

WARM SUBFIELD

WARM SUBFIELD — Adds a rounded sub field and gentle foundation body; use it on sustained basses or pads that feel too clinical.

SUB WEIGHT

SUB WEIGHT — A dedicated sub-mass recipe; use it when the lowest octave needs authority, then check headroom and mono.

DEEP PRESSURE

DEEP PRESSURE — Pushes Depth and Sub Pressure for a deep, physical bass floor; reserve it for material that can carry the extra energy.

ABYSSAL FIELD

ABYSSAL FIELD — Creates a wide, deep low field for cinematic or spacious bass beds; keep Kick Define available to recover the transient center.

TRENCH FLOOR

TRENCH FLOOR — Anchors the lowest foundation and leaves the upper bass relatively open, useful for a heavy kick/bass relationship.

GENTLE FINISH

GENTLE FINISH — A restrained low-end polish for a nearly finished mix; it should be judged by translation, not by increased loudness.

OCEAN FLOOR

OCEAN FLOOR — A smooth sustained sub-floor for long bass notes and pads, with less emphasis on attack than Kick Pressure.

SUB ENHANCED

SUB ENHANCED — Enhances the sub component while retaining a readable mid-bass center; compare against the dry bass at matched level.

KICK PRESSURE

KICK PRESSURE — Prioritizes Kick Define and short pressure response so the kick and bass share a clear low-end center.

ABYSS BLOOM

ABYSS BLOOM — A larger, blooming low field for impact sections; reduce Depth if the return masks the vocal or kick.

TIDAL TRACE

TIDAL TRACE — Use it on bass or a low-end bus to choose between a clean low floor, weighted sub field, kick pressure, trench depth, or a restrained finish; compare at matched level. Use this MARIANA program as a controlled starting recipe for “TIDAL TRACE”; adjust the exposed processor controls in small, level-matched moves and keep the source role named by the preset in view.

SHALLOW CURRENT

SHALLOW CURRENT — Use it on bass or a low-end bus to choose between a clean low floor, weighted sub field, kick pressure, trench depth, or a restrained finish; compare at matched level. Use this MARIANA program as a controlled starting recipe for “SHALLOW CURRENT”; adjust the exposed processor controls in small, level-matched moves and keep the source role named by the preset in view.

MONOLITH

RELEASE	FAMILY	PLACEMENT
v1.0.1	Bass / Low End	Low End Source

Low-end impact and body shaper with excavation, weight, resonance, reverse motion, drive, and balance. A named optional Sidechain supports kick-controlled Stone Duck and remains inactive until Sidechain Key is enabled.

Recommended use: low-end mass

Customer formats: AU, VST3

Primary controls

gate • input • output • channelmode • gainmatch • excavation • impact • weight • resonance • reverse • drive • balance

Factory starting points — source-derived purpose

MONOLITH PHI IMPACT [Stereo]

MONOLITH PHI IMPACT — Balanced impact and weight with a compact shape for adding physical hit without flattening the envelope. Factory recipe: Impact 38%, Weight 62%, Shape 38%. Stereo variant: keep the linked center intact and audition width in the full mix.

MONOLITH PHI IMPACT [Mono]

MONOLITH PHI IMPACT — Balanced impact and weight with a compact shape for adding physical hit without flattening the envelope. Factory recipe: Impact 38%, Weight 62%, Shape 38%. Mono variant: collapse the field and use it as a center-focused insert.

MONOLITH TRANSIENT STONE [Stereo]

MONOLITH TRANSIENT STONE — Higher impact and weight with a tight shape turns the leading edge into a harder, more stable transient. Factory recipe: Impact 62%, Weight 62%, Shape 38%. Stereo variant: keep the linked center intact and audition width in the full mix.

MONOLITH TRANSIENT STONE [Mono]

MONOLITH TRANSIENT STONE — Higher impact and weight with a tight shape turns the leading edge into a harder, more stable transient. Factory recipe: Impact 62%, Weight 62%, Shape 38%. Mono variant: collapse the field and use it as a center-focused insert.

MONOLITH BODY WEIGHT [Stereo]

MONOLITH BODY WEIGHT — Maximum Weight with moderate Impact emphasizes sustained body for bass, kick, or a thin bus. Factory recipe: Impact 38%, Weight 100%, Shape 38%. Stereo variant: keep the linked center intact and audition width in the full mix.

MONOLITH BODY WEIGHT [Mono]

MONOLITH BODY WEIGHT — Maximum Weight with moderate Impact emphasizes sustained body for bass, kick, or a thin bus. Factory recipe: Impact 38%, Weight 100%, Shape 38%. Mono variant: collapse the field and use it as a center-focused insert.

MONOLITH SHAPE IMPACT [Stereo]

MONOLITH SHAPE IMPACT — Shape-forward impact changes the contour more than the mass; use it when the hit needs a different silhouette. Factory recipe: Impact 38%, Weight 62%, Shape 62%. Stereo variant: keep the linked center intact and audition width in the full mix.

MONOLITH SHAPE IMPACT [Mono]

MONOLITH SHAPE IMPACT — Shape-forward impact changes the contour more than the mass; use it when the hit needs a different silhouette. Factory recipe: Impact 38%, Weight 62%, Shape 62%. Mono variant: collapse the field and use it as a center-focused insert.

MONOLITH BUS CARVE [Stereo]

MONOLITH BUS CARVE — A lighter impact recipe for carving a bus pocket while keeping weight centered and musical. Factory recipe: Impact 24%, Weight 62%, Shape 38%. Stereo variant: keep the linked center intact and audition width in the full mix.

MONOLITH BUS CARVE [Mono]

MONOLITH BUS CARVE — A lighter impact recipe for carving a bus pocket while keeping weight centered and musical. Factory recipe: Impact 24%, Weight 62%, Shape 38%. Mono variant: collapse the field and use it as a center-focused insert.

MONOLITH GATEWAY [Stereo]

MONOLITH GATEWAY — Higher impact and shape open a more animated transient gateway; audition it against the dry bus before stacking color. Factory recipe: Impact 62%, Weight 38%, Shape 62%. Stereo variant: keep the linked center intact and audition width in the full mix.

MONOLITH GATEWAY [Mono]

MONOLITH GATEWAY — Higher impact and shape open a more animated transient gateway; audition it against the dry bus before stacking color. Factory recipe: Impact 62%, Weight 38%, Shape 62%. Mono variant: collapse the field and use it as a center-focused insert.

MONOLITH PHI IMPACT [Dual Mono]

MONOLITH PHI IMPACT — Balanced impact and weight with a compact shape for adding physical hit without flattening the envelope. Factory recipe: Impact 38%, Weight 62%, Shape 38%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MONOLITH TRANSIENT STONE [Dual Mono]

MONOLITH TRANSIENT STONE — Higher impact and weight with a tight shape turns the leading edge into a harder, more stable transient. Factory recipe: Impact 62%, Weight 62%, Shape 38%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MONOLITH BODY WEIGHT [Dual Mono]

MONOLITH BODY WEIGHT — Maximum Weight with moderate Impact emphasizes sustained body for bass, kick, or a thin bus. Factory recipe: Impact 38%, Weight 100%, Shape 38%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MONOLITH SHAPE IMPACT [Dual Mono]

MONOLITH SHAPE IMPACT — Shape-forward impact changes the contour more than the mass; use it when the hit needs a different silhouette. Factory recipe: Impact 38%, Weight 62%, Shape 62%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MONOLITH BUS CARVE [Dual Mono]

MONOLITH BUS CARVE — A lighter impact recipe for carving a bus pocket while keeping weight centered and musical. Factory recipe: Impact 24%, Weight 62%, Shape 38%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MONOLITH GATEWAY [Dual Mono]

MONOLITH GATEWAY — Higher impact and shape open a more animated transient gateway; audition it against the dry bus before stacking color. Factory recipe: Impact 62%, Weight 38%, Shape 62%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

INPUT / OUTPUT: Live pre/post level. Use for bypass and level matching.

IMPACT: Low-end transient activity. Shows the punch component being produced.

WEIGHT: Sustained low-frequency body. Shows foundation rather than peak attack.

RESONANCE: Active resonant low-end energy. Persistent high readings warn of ringing.

REVERSE: Reverse-motion contribution. Shows how strongly the reverse path is active.

Monolith field: Combined low-end activity map. Reactive summary, not a spectrum analyzer.

DEPTH_BOOST_PRO

RELEASE	FAMILY	PLACEMENT
v1.0.1	Bass / Low End	Low End Source

Multifaceted DIH Field State bass processor built on delay-based mid/side field placement. Spatial Depth drives field width, focus, convergence, energy, and mix while preserving a mono-safe route for mono input. DEPTH_BOOST_PRO provides low-end placement, delayed field depth, controlled width, Input Trim, Gain Match, and post-field Spatial Gain. In the DEBO -> DEPTH_BOOST_PRO hybrid: drive DEBO for character, use DEBO Output for controlled delivery, then use Spatial Gain only to fairly level the chosen field.

Recommended use: multifaceted DIH Field State bass processor; post-field Spatial Gain (0 dB to -12 dB); blue secondary dot

Customer formats: AU, VST3

Primary controls

Input Trim • Gain Match • Spatial Depth • Spatial Gain • Channel Mode • Dual Mono Link

Factory starting points — source-derived purpose

PHI ROOT TOUCH [Stereo]

PHI ROOT TOUCH — Places the kick/root center forward with restrained spatial depth. Stereo variant: keep the linked center intact and audition width in the full mix.

TIGHT KICK ROOT [Stereo]

TIGHT KICK ROOT — Places the kick/root center forward with restrained spatial depth. Stereo variant: keep the linked center intact and audition width in the full mix.

VOCAL SHADOW LIFT [Stereo]

VOCAL SHADOW LIFT — Adds a controlled front-to-back lift to a vocal without making the whole field wide. Stereo variant: keep the linked center intact and audition width in the full mix.

PHI SPACE OPEN [Stereo]

PHI SPACE OPEN — Opens the spatial return for a wider front-to-back scene. Stereo variant: keep the linked center intact and audition width in the full mix.

LOW END GLUE [Stereo]

LOW END GLUE — Sets a measured depth/gain relationship for moving the source in front-to-back space. Stereo variant: keep the linked center intact and audition width in the full mix.

SUB FLOOR WEIGHT [Stereo]

SUB FLOOR WEIGHT — Extends low-end depth and weight while keeping the bass center mono-compatible. Stereo variant: keep the linked center intact and audition width in the full mix.

BASS WIDTH SPREAD [Stereo]

BASS WIDTH SPREAD — Extends low-end depth and weight while keeping the bass center mono-compatible. Stereo variant: keep the linked center intact and audition width in the full mix.

MIX FRONT TO BACK [Stereo]

MIX FRONT TO BACK — Sets a measured depth/gain relationship for moving the source in front-to-back space. Stereo variant: keep the linked center intact and audition width in the full mix.

DRUM ROOM DEPTH [Stereo]

DRUM ROOM DEPTH — Moves the drum/room return deeper while retaining a readable transient center. Stereo variant: keep the linked center intact and audition width in the full mix.

TEMPLE WIDTH [Stereo]

TEMPLE WIDTH — Opens the spatial return for a wider front-to-back scene. Stereo variant: keep the linked center intact and audition width in the full mix.

CINEMA FLOOR [Stereo]

CINEMA FLOOR — Sets a measured depth/gain relationship for moving the source in front-to-back space. Stereo variant: keep the linked center intact and audition width in the full mix.

LOW FIELD EXTENDER [Stereo]

LOW FIELD EXTENDER — Sets a measured depth/gain relationship for moving the source in front-to-back space. Stereo variant: keep the linked center intact and audition width in the full mix.

MONO BASS FOCUS [Stereo]

MONO BASS FOCUS — Extends low-end depth and weight while keeping the bass center mono-compatible. Stereo variant: keep the linked center intact

and audition width in the full mix.

FULL BUS DEPTH [Stereo]

FULL BUS DEPTH — Sets a measured depth/gain relationship for moving the source in front-to-back space. Stereo variant: keep the linked center intact and audition width in the full mix.

PHI ROOT TOUCH [Mono]

PHI ROOT TOUCH — Places the kick/root center forward with restrained spatial depth. Mono variant: collapse the field and use it as a center-focused insert.

TIGHT KICK ROOT [Mono]

TIGHT KICK ROOT — Places the kick/root center forward with restrained spatial depth. Mono variant: collapse the field and use it as a center-focused insert.

VOCAL SHADOW LIFT [Mono]

VOCAL SHADOW LIFT — Adds a controlled front-to-back lift to a vocal without making the whole field wide. Mono variant: collapse the field and use it as a center-focused insert.

PHI SPACE OPEN [Mono]

PHI SPACE OPEN — Opens the spatial return for a wider front-to-back scene. Mono variant: collapse the field and use it as a center-focused insert.

LOW END GLUE [Mono]

LOW END GLUE — Sets a measured depth/gain relationship for moving the source in front-to-back space. Mono variant: collapse the field and use it as a center-focused insert.

SUB FLOOR WEIGHT [Mono]

SUB FLOOR WEIGHT — Extends low-end depth and weight while keeping the bass center mono-compatible. Mono variant: collapse the field and use it as a center-focused insert.

BASS WIDTH SPREAD [Mono]

BASS WIDTH SPREAD — Extends low-end depth and weight while keeping the bass center mono-compatible. Mono variant: collapse the field and use it as a center-focused insert.

MIX FRONT TO BACK [Mono]

MIX FRONT TO BACK — Sets a measured depth/gain relationship for moving the source in front-to-back space. Mono variant: collapse the field and use it as a center-focused insert.

DRUM ROOM DEPTH [Mono]

DRUM ROOM DEPTH — Moves the drum/room return deeper while retaining a readable transient center. Mono variant: collapse the field and use it as a center-focused insert.

TEMPLE WIDTH [Mono]

TEMPLE WIDTH — Opens the spatial return for a wider front-to-back scene. Mono variant: collapse the field and use it as a center-focused insert.

CINEMA FLOOR [Mono]

CINEMA FLOOR — Sets a measured depth/gain relationship for moving the source in front-to-back space. Mono variant: collapse the field and use it as a center-focused insert.

LOW FIELD EXTENDER [Mono]

LOW FIELD EXTENDER — Sets a measured depth/gain relationship for moving the source in front-to-back space. Mono variant: collapse the field and use it as a center-focused insert.

MONO BASS FOCUS [Mono]

MONO BASS FOCUS — Extends low-end depth and weight while keeping the bass center mono-compatible. Mono variant: collapse the field and use it as a center-focused insert.

FULL BUS DEPTH [Mono]

FULL BUS DEPTH — Sets a measured depth/gain relationship for moving the source in front-to-back space. Mono variant: collapse the field and use it as a center-focused insert.

PHI ROOT TOUCH [Dual Mono]

PHI ROOT TOUCH — Places the kick/root center forward with restrained spatial depth. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

TIGHT KICK ROOT [Dual Mono]

TIGHT KICK ROOT — Places the kick/root center forward with restrained spatial depth. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

VOCAL SHADOW LIFT [Dual Mono]

VOCAL SHADOW LIFT — Adds a controlled front-to-back lift to a vocal without making the whole field wide. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

PHI SPACE OPEN [Dual Mono]

PHI SPACE OPEN — Opens the spatial return for a wider front-to-back scene. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

LOW END GLUE [Dual Mono]

LOW END GLUE — Sets a measured depth/gain relationship for moving the source in front-to-back space. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SUB FLOOR WEIGHT [Dual Mono]

SUB FLOOR WEIGHT — Extends low-end depth and weight while keeping the bass center mono-compatible. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

BASS WIDTH SPREAD [Dual Mono]

BASS WIDTH SPREAD — Extends low-end depth and weight while keeping the bass center mono-compatible. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MIX FRONT TO BACK [Dual Mono]

MIX FRONT TO BACK — Sets a measured depth/gain relationship for moving the source in front-to-back space. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

DRUM ROOM DEPTH [Dual Mono]

DRUM ROOM DEPTH — Moves the drum/room return deeper while retaining a readable transient center. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

TEMPLE WIDTH [Dual Mono]

TEMPLE WIDTH — Opens the spatial return for a wider front-to-back scene. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

CINEMA FLOOR [Dual Mono]

CINEMA FLOOR — Sets a measured depth/gain relationship for moving the source in front-to-back space. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

LOW FIELD EXTENDER [Dual Mono]

LOW FIELD EXTENDER — Sets a measured depth/gain relationship for moving the source in front-to-back space. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MONO BASS FOCUS [Dual Mono]

MONO BASS FOCUS — Extends low-end depth and weight while keeping the bass center mono-compatible. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

FULL BUS DEPTH [Dual Mono]

FULL BUS DEPTH — Sets a measured depth/gain relationship for moving the source in front-to-back space. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

Touch sphere: Depth field plus live level. Water motion follows field/level activity; sphere position remains the output control.

Spatial field: Depth, field energy, and motion. A reactive placement view, not a calibrated spectrum.

NTRPL

RELEASE	FAMILY	PLACEMENT
v1.0.1	Bass / Low End	Low End Source

Low-end transformation engine for rewrite map, novelty, interval motion, contour, shape, space, and originality guard. A named optional Sidechain supports keyed Rewrite Duck and remains inactive until Sidechain Key is enabled.

Recommended use: reclassified bass family

Customer formats: AU, VST3

Primary controls

Power • Gain Match • Rewrite Map • Novelty • Chord Rewrite • Motion • Interval Distance • Contour • Shape • Space • Originality Guard • Mix

Factory starting points — source-derived purpose

01 SOURCE TRACE [Stereo]

01 SOURCE TRACE — Keeps the original contour and novelty low so the rewrite begins from an honest source trace. Stereo variant: keep the linked center intact and audition width in the full mix.

02 PHI BODY REWRITE [Stereo]

02 PHI BODY REWRITE — Rewrites interval/body emphasis toward a denser low-mid lattice while Originality Guard protects recognition. Stereo variant: keep the linked center intact and audition width in the full mix.

03 LOW WEIGHT LATTICE [Stereo]

03 LOW WEIGHT LATTICE — Rewrites interval/body emphasis toward a denser low-mid lattice while Originality Guard protects recognition. Stereo variant: keep the linked center intact and audition width in the full mix.

04 HARMONIC REWRITE [Stereo]

04 HARMONIC REWRITE — Moves Chord Rewrite and Interval Distance into a deliberate harmonic re-voicing. Stereo variant: keep the linked center intact and audition width in the full mix.

05 ALT PHI FIELD [Stereo]

05 ALT PHI FIELD — Applies controlled harmonic novelty and motion to the source while preserving a usable dry relationship. Stereo variant: keep the linked center intact and audition width in the full mix.

06 WIDE RECONTOUR [Stereo]

06 WIDE RECONTOUR — Spreads the rewritten contour into a wider field; audition the dry center in mono. Stereo variant: keep the linked center intact and audition width in the full mix.

07 DEEP BASS BLOOM [Stereo]

07 DEEP BASS BLOOM — Builds a deeper bass/body rewrite with Shape and Space carrying the field. Stereo variant: keep the linked center intact and audition width in the full mix.

08 EDGE TRANSLATION [Stereo]

08 EDGE TRANSLATION — Translates the source edge into a new contour without discarding its timing identity. Stereo variant: keep the linked center intact and audition width in the full mix.

01 SOURCE TRACE [Mono]

01 SOURCE TRACE — Keeps the original contour and novelty low so the rewrite begins from an honest source trace. Mono variant: collapse the field and use it as a center-focused insert.

02 PHI BODY REWRITE [Mono]

02 PHI BODY REWRITE — Rewrites interval/body emphasis toward a denser low-mid lattice while Originality Guard protects recognition. Mono variant: collapse the field and use it as a center-focused insert.

03 LOW WEIGHT LATTICE [Mono]

03 LOW WEIGHT LATTICE — Rewrites interval/body emphasis toward a denser low-mid lattice while Originality Guard protects recognition. Mono variant: collapse the field and use it as a center-focused insert.

04 HARMONIC REWRITE [Mono]

04 HARMONIC REWRITE — Moves Chord Rewrite and Interval Distance into a deliberate harmonic re-voicing. Mono variant: collapse the field and use it as a center-focused insert.

05 ALT PHI FIELD [Mono]

05 ALT PHI FIELD — Applies controlled harmonic novelty and motion to the source while preserving a usable dry relationship. Mono variant: collapse the field and use it as a center-focused insert.

06 WIDE RECONTOUR [Mono]

06 WIDE RECONTOUR — Spreads the rewritten contour into a wider field; audition the dry center in mono. Mono variant: collapse the field and use it as a center-focused insert.

07 DEEP BASS BLOOM [Mono]

07 DEEP BASS BLOOM — Builds a deeper bass/body rewrite with Shape and Space carrying the field. Mono variant: collapse the field and use it as a center-focused insert.

08 EDGE TRANSLATION [Mono]

08 EDGE TRANSLATION — Translates the source edge into a new contour without discarding its timing identity. Mono variant: collapse the field and use it as a center-focused insert.

01 SOURCE TRACE [Dual Mono]

01 SOURCE TRACE — Keeps the original contour and novelty low so the rewrite begins from an honest source trace. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

02 PHI BODY REWRITE [Dual Mono]

02 PHI BODY REWRITE — Rewrites interval/body emphasis toward a denser low-mid lattice while Originality Guard protects recognition. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

03 LOW WEIGHT LATTICE [Dual Mono]

03 LOW WEIGHT LATTICE — Rewrites interval/body emphasis toward a denser low-mid lattice while Originality Guard protects recognition. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

04 HARMONIC REWRITE [Dual Mono]

04 HARMONIC REWRITE — Moves Chord Rewrite and Interval Distance into a deliberate harmonic re-voicing. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

05 ALT PHI FIELD [Dual Mono]

05 ALT PHI FIELD — Applies controlled harmonic novelty and motion to the source while preserving a usable dry relationship. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

06 WIDE RECONTOUR [Dual Mono]

06 WIDE RECONTOUR — Spreads the rewritten contour into a wider field; audition the dry center in mono. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

07 DEEP BASS BLOOM [Dual Mono]

07 DEEP BASS BLOOM — Builds a deeper bass/body rewrite with Shape and Space carrying the field. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

08 EDGE TRANSLATION [Dual Mono]

08 EDGE TRANSLATION — Translates the source edge into a new contour without discarding its timing identity. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

SOURCE: Original input contribution. Shows how much source survives into the main route.

REWRITE: Generated harmonic-rewrite activity. Shows the newly synthesized low-end material.

ALT OUT: Alternative new-signal output. Always represents the generated signal path.

MAIN: Final blended output. Use against SOURCE for level and blend context.

Harmonic Rewriter: Live input-to-output contour. Shows source energy changing into rewritten energy.

Rewrite Map: Novelty, chord, interval, contour, motion, space, guard, and mix state. A live process map; it is not a frequency analyzer.

DIHWorld Audio

Bass / Low End Technical Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 4 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

MARIANA

RELEASE	FAMILY	PLACEMENT
v1.0.1	Bass / Low End	Low End Source

Sub and foundation processor with depth, sub pressure, kick definition, target mode, and parallel mix. A named optional Sidechain drives kick-aware reduction only when Sidechain Key is enabled, leaving the audible main path neutral otherwise.

Recommended use: low-end/sub field

Customer formats: AU, VST3

Exposed parameter surface

Parameter ID	Display name	Type
power	Power	Bool
depth	Depth	Float
pressure	Sub Pressure	Float
foundation	Foundation	Float
kick_define	Kick Define	Float
mode	Target Mode	Choice
input	Input	Float
mix	Mix	Float
gainmatch	Gain Match	Bool

Factory starting points — source-derived purpose

MARIANA SWEET SPOT

MARIANA SWEET SPOT — Balanced bass starting point: Depth and Sub Pressure support the low field while Foundation and Kick Define remain controlled.

LOW GRAVITY CLEAN

LOW GRAVITY CLEAN — A clean, centered low-end lift for bass that needs weight without a pronounced pressure bloom.

WARM SUBFIELD

WARM SUBFIELD — Adds a rounded sub field and gentle foundation body; use it on sustained basses or pads that feel too clinical.

SUB WEIGHT

SUB WEIGHT — A dedicated sub-mass recipe; use it when the lowest octave needs authority, then check headroom and mono.

DEEP PRESSURE

DEEP PRESSURE — Pushes Depth and Sub Pressure for a deep, physical bass floor; reserve it for material that can carry the extra energy.

ABYSSAL FIELD

ABYSSAL FIELD — Creates a wide, deep low field for cinematic or spacious bass beds; keep Kick Define available to recover the transient center.

TRENCH FLOOR

TRENCH FLOOR — Anchors the lowest foundation and leaves the upper bass relatively open, useful for a heavy kick/bass relationship.

GENTLE FINISH

GENTLE FINISH — A restrained low-end polish for a nearly finished mix; it should be judged by translation, not by increased loudness.

OCEAN FLOOR

OCEAN FLOOR — A smooth sustained sub-floor for long bass notes and pads, with less emphasis on attack than Kick Pressure.

SUB ENHANCED

SUB ENHANCED — Enhances the sub component while retaining a readable mid-bass center; compare against the dry bass at matched level.

KICK PRESSURE

KICK PRESSURE — Prioritizes Kick Define and short pressure response so the kick and bass share a clear low-end center.

ABYSS BLOOM

ABYSS BLOOM — A larger, blooming low field for impact sections; reduce Depth if the return masks the vocal or kick.

TIDAL TRACE

TIDAL TRACE — Use it on bass or a low-end bus to choose between a clean low floor, weighted sub field, kick pressure, trench depth, or a restrained finish; compare at matched level. Use this MARIANA program as a controlled starting recipe for “TIDAL TRACE”; adjust the exposed processor controls in small, level-matched moves and keep the source role named by the preset in view.

SHALLOW CURRENT

SHALLOW CURRENT — Use it on bass or a low-end bus to choose between a clean low floor, weighted sub field, kick pressure, trench depth, or a restrained finish; compare at matched level. Use this MARIANA program as a controlled starting recipe for “SHALLOW CURRENT”; adjust the exposed processor controls in small, level-matched moves and keep the source role named by the preset in view.

MONOLITH

RELEASE	FAMILY	PLACEMENT
v1.0.1	Bass / Low End	Low End Source

Low-end impact and body shaper with excavation, weight, resonance, reverse motion, drive, and balance. A named optional Sidechain supports kick-controlled Stone Duck and remains inactive until Sidechain Key is enabled.

Recommended use: low-end mass

Customer formats: AU, VST3

Exposed parameter surface

Parameter ID	Display name	Type
gate	gate	Referenced
input	input	Referenced
output	output	Referenced
channelmode	channelmode	Referenced
gainmatch	gainmatch	Referenced
excavation	excavation	Referenced
impact	impact	Referenced
weight	weight	Referenced
resonance	resonance	Referenced
reverse	reverse	Referenced
drive	drive	Referenced
balance	balance	Referenced

Factory starting points — source-derived purpose

MONOLITH PHI IMPACT [Stereo]

MONOLITH PHI IMPACT — Balanced impact and weight with a compact shape for adding physical hit without flattening the envelope. Factory recipe: Impact 38%, Weight 62%, Shape 38%. Stereo variant: keep the linked center intact and audition width in the full mix.

MONOLITH PHI IMPACT [Mono]

MONOLITH PHI IMPACT — Balanced impact and weight with a compact shape for adding physical hit without flattening the envelope. Factory recipe: Impact 38%, Weight 62%, Shape 38%. Mono variant: collapse the field and use it as a center-focused insert.

MONOLITH TRANSIENT STONE [Stereo]

MONOLITH TRANSIENT STONE — Higher impact and weight with a tight shape turns the leading edge into a harder, more stable transient. Factory recipe: Impact 62%, Weight 62%, Shape 38%. Stereo variant: keep the linked center intact and audition width in the full mix.

MONOLITH TRANSIENT STONE [Mono]

MONOLITH TRANSIENT STONE — Higher impact and weight with a tight shape turns the leading edge into a harder, more stable transient. Factory recipe: Impact 62%, Weight 62%, Shape 38%. Mono variant: collapse the field and use it as a center-focused insert.

MONOLITH BODY WEIGHT [Stereo]

MONOLITH BODY WEIGHT — Maximum Weight with moderate Impact emphasizes sustained body for bass, kick, or a thin bus. Factory recipe: Impact 38%, Weight 100%, Shape 38%. Stereo variant: keep the linked center intact and audition width in the full mix.

MONOLITH BODY WEIGHT [Mono]

MONOLITH BODY WEIGHT — Maximum Weight with moderate Impact emphasizes sustained body for bass, kick, or a thin bus. Factory recipe: Impact 38%, Weight 100%, Shape 38%. Mono variant: collapse the field and use it as a center-focused insert.

MONOLITH SHAPE IMPACT [Stereo]

MONOLITH SHAPE IMPACT — Shape-forward impact changes the contour more than the mass; use it when the hit needs a different silhouette. Factory recipe: Impact 38%, Weight 62%, Shape 62%. Stereo variant: keep the linked center intact and audition width in the full mix.

MONOLITH SHAPE IMPACT [Mono]

MONOLITH SHAPE IMPACT — Shape-forward impact changes the contour more than the mass; use it when the hit needs a different silhouette. Factory recipe: Impact 38%, Weight 62%, Shape 62%. Mono variant: collapse the field and use it as a center-focused insert.

MONOLITH BUS CARVE [Stereo]

MONOLITH BUS CARVE — A lighter impact recipe for carving a bus pocket while keeping weight centered and musical. Factory recipe: Impact 24%, Weight 62%, Shape 38%. Stereo variant: keep the linked center intact and audition width in the full mix.

MONOLITH BUS CARVE [Mono]

MONOLITH BUS CARVE — A lighter impact recipe for carving a bus pocket while keeping weight centered and musical. Factory recipe: Impact 24%, Weight 62%, Shape 38%. Mono variant: collapse the field and use it as a center-focused insert.

MONOLITH GATEWAY [Stereo]

MONOLITH GATEWAY — Higher impact and shape open a more animated transient gateway; audition it against the dry bus before stacking color. Factory recipe: Impact 62%, Weight 38%, Shape 62%. Stereo variant: keep the linked center intact and audition width in the full mix.

MONOLITH GATEWAY [Mono]

MONOLITH GATEWAY — Higher impact and shape open a more animated transient gateway; audition it against the dry bus before stacking color. Factory recipe: Impact 62%, Weight 38%, Shape 62%. Mono variant: collapse the field and use it as a center-focused insert.

MONOLITH PHI IMPACT [Dual Mono]

MONOLITH PHI IMPACT — Balanced impact and weight with a compact shape for adding physical hit without flattening the envelope. Factory recipe: Impact 38%, Weight 62%, Shape 38%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MONOLITH TRANSIENT STONE [Dual Mono]

MONOLITH TRANSIENT STONE — Higher impact and weight with a tight shape turns the leading edge into a harder, more stable transient. Factory recipe: Impact 62%, Weight 62%, Shape 38%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MONOLITH BODY WEIGHT [Dual Mono]

MONOLITH BODY WEIGHT — Maximum Weight with moderate Impact emphasizes sustained body for bass, kick, or a thin bus. Factory recipe: Impact 38%, Weight 100%, Shape 38%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MONOLITH SHAPE IMPACT [Dual Mono]

MONOLITH SHAPE IMPACT — Shape-forward impact changes the contour more than the mass; use it when the hit needs a different silhouette. Factory recipe: Impact 38%, Weight 62%, Shape 62%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MONOLITH BUS CARVE [Dual Mono]

MONOLITH BUS CARVE — A lighter impact recipe for carving a bus pocket while keeping weight centered and musical. Factory recipe: Impact 24%, Weight 62%, Shape 38%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MONOLITH GATEWAY [Dual Mono]

MONOLITH GATEWAY — Higher impact and shape open a more animated transient gateway; audition it against the dry bus before stacking color. Factory recipe: Impact 62%, Weight 38%, Shape 62%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

INPUT / OUTPUT: Live pre/post level. Use for bypass and level matching.

IMPACT: Low-end transient activity. Shows the punch component being produced.

WEIGHT: Sustained low-frequency body. Shows foundation rather than peak attack.

RESONANCE: Active resonant low-end energy. Persistent high readings warn of ringing.

REVERSE: Reverse-motion contribution. Shows how strongly the reverse path is active.

Monolith field: Combined low-end activity map. Reactive summary, not a spectrum analyzer.

DEPTH_BOOST_PRO

RELEASE	FAMILY	PLACEMENT
v1.0.1	Bass / Low End	Low End Source

Multifaceted DIH Field State bass processor built on delay-based mid/side field placement. Spatial Depth drives field width, focus, convergence, energy, and mix while preserving a mono-safe route for mono input. DEPTH_BOOST_PRO provides low-end placement, delayed field depth, controlled width, Input Trim, Gain Match, and post-field Spatial Gain. In the DEBO -> DEPTH_BOOST_PRO hybrid: drive DEBO for character, use DEBO Output for controlled delivery, then use Spatial Gain only to fairly level the chosen field.

Recommended use: multifaceted DIH Field State bass processor; post-field Spatial Gain (0 dB to -12 dB); blue secondary dot

Customer formats: AU, VST3

Exposed parameter surface

Parameter ID	Display name	Type
input	Input Trim	Float
gainmatch	Gain Match	Bool
depth	Spatial Depth	Float
output	Spatial Gain	Float
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice

Factory starting points — source-derived purpose

PHI ROOT TOUCH [Stereo]

PHI ROOT TOUCH — Places the kick/root center forward with restrained spatial depth. Stereo variant: keep the linked center intact and audition width in the full mix.

TIGHT KICK ROOT [Stereo]

TIGHT KICK ROOT — Places the kick/root center forward with restrained spatial depth. Stereo variant: keep the linked center intact and audition width in the full mix.

VOCAL SHADOW LIFT [Stereo]

VOCAL SHADOW LIFT — Adds a controlled front-to-back lift to a vocal without making the whole field wide. Stereo variant: keep the linked center intact and audition width in the full mix.

PHI SPACE OPEN [Stereo]

PHI SPACE OPEN — Opens the spatial return for a wider front-to-back scene. Stereo variant: keep the linked center intact and audition width in the full mix.

LOW END GLUE [Stereo]

LOW END GLUE — Sets a measured depth/gain relationship for moving the source in front-to-back space. Stereo variant: keep the linked center intact and audition width in the full mix.

SUB FLOOR WEIGHT [Stereo]

SUB FLOOR WEIGHT — Extends low-end depth and weight while keeping the bass center mono-compatible. Stereo variant: keep the linked center intact and audition width in the full mix.

BASS WIDTH SPREAD [Stereo]

BASS WIDTH SPREAD — Extends low-end depth and weight while keeping the bass center mono-compatible. Stereo variant: keep the linked center intact and audition width in the full mix.

MIX FRONT TO BACK [Stereo]

MIX FRONT TO BACK — Sets a measured depth/gain relationship for moving the source in front-to-back space. Stereo variant: keep the linked center intact and audition width in the full mix.

DRUM ROOM DEPTH [Stereo]

DRUM ROOM DEPTH — Moves the drum/room return deeper while retaining a readable transient center. Stereo variant: keep the linked center intact and audition width in the full mix.

TEMPLE WIDTH [Stereo]

TEMPLE WIDTH — Opens the spatial return for a wider front-to-back scene. Stereo variant: keep the linked center intact and audition width in the full mix.

CINEMA FLOOR [Stereo]

CINEMA FLOOR — Sets a measured depth/gain relationship for moving the source in front-to-back space. Stereo variant: keep the linked center intact and audition width in the full mix.

LOW FIELD EXTENDER [Stereo]

LOW FIELD EXTENDER — Sets a measured depth/gain relationship for moving the source in front-to-back space. Stereo variant: keep the linked center intact and audition width in the full mix.

MONO BASS FOCUS [Stereo]

MONO BASS FOCUS — Extends low-end depth and weight while keeping the bass center mono-compatible. Stereo variant: keep the linked center intact and audition width in the full mix.

FULL BUS DEPTH [Stereo]

FULL BUS DEPTH — Sets a measured depth/gain relationship for moving the source in front-to-back space. Stereo variant: keep the linked center intact and audition width in the full mix.

PHI ROOT TOUCH [Mono]

PHI ROOT TOUCH — Places the kick/root center forward with restrained spatial depth. Mono variant: collapse the field and use it as a center-focused insert.

TIGHT KICK ROOT [Mono]

TIGHT KICK ROOT — Places the kick/root center forward with restrained spatial depth. Mono variant: collapse the field and use it as a center-focused insert.

VOCAL SHADOW LIFT [Mono]

VOCAL SHADOW LIFT — Adds a controlled front-to-back lift to a vocal without making the whole field wide. Mono variant: collapse the field and use it as a center-focused insert.

PHI SPACE OPEN [Mono]

PHI SPACE OPEN — Opens the spatial return for a wider front-to-back scene. Mono variant: collapse the field and use it as a center-focused insert.

LOW END GLUE [Mono]

LOW END GLUE — Sets a measured depth/gain relationship for moving the source in front-to-back space. Mono variant: collapse the field and use it as a center-focused insert.

SUB FLOOR WEIGHT [Mono]

SUB FLOOR WEIGHT — Extends low-end depth and weight while keeping the bass center mono-compatible. Mono variant: collapse the field and use it as a center-focused insert.

BASS WIDTH SPREAD [Mono]

BASS WIDTH SPREAD — Extends low-end depth and weight while keeping the bass center mono-compatible. Mono variant: collapse the field and use it as a center-focused insert.

MIX FRONT TO BACK [Mono]

MIX FRONT TO BACK — Sets a measured depth/gain relationship for moving the source in front-to-back space. Mono variant: collapse the field and use it as a center-focused insert.

DRUM ROOM DEPTH [Mono]

DRUM ROOM DEPTH — Moves the drum/room return deeper while retaining a readable transient center. Mono variant: collapse the field and use it as a center-focused insert.

TEMPLE WIDTH [Mono]

TEMPLE WIDTH — Opens the spatial return for a wider front-to-back scene. Mono variant: collapse the field and use it as a center-focused insert.

CINEMA FLOOR [Mono]

CINEMA FLOOR — Sets a measured depth/gain relationship for moving the source in front-to-back space. Mono variant: collapse the field and use it as a center-focused insert.

LOW FIELD EXTENDER [Mono]

LOW FIELD EXTENDER — Sets a measured depth/gain relationship for moving the source in front-to-back space. Mono variant: collapse the field and use it as a center-focused insert.

MONO BASS FOCUS [Mono]

MONO BASS FOCUS — Extends low-end depth and weight while keeping the bass center mono-compatible. Mono variant: collapse the field and use it as a center-focused insert.

FULL BUS DEPTH [Mono]

FULL BUS DEPTH — Sets a measured depth/gain relationship for moving the source in front-to-back space. Mono variant: collapse the field and use it as a center-focused insert.

PHI ROOT TOUCH [Dual Mono]

PHI ROOT TOUCH — Places the kick/root center forward with restrained spatial depth. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

TIGHT KICK ROOT [Dual Mono]

TIGHT KICK ROOT — Places the kick/root center forward with restrained spatial depth. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

VOCAL SHADOW LIFT [Dual Mono]

VOCAL SHADOW LIFT — Adds a controlled front-to-back lift to a vocal without making the whole field wide. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

PHI SPACE OPEN [Dual Mono]

PHI SPACE OPEN — Opens the spatial return for a wider front-to-back scene. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

LOW END GLUE [Dual Mono]

LOW END GLUE — Sets a measured depth/gain relationship for moving the source in front-to-back space. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SUB FLOOR WEIGHT [Dual Mono]

SUB FLOOR WEIGHT — Extends low-end depth and weight while keeping the bass center mono-compatible. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

BASS WIDTH SPREAD [Dual Mono]

BASS WIDTH SPREAD — Extends low-end depth and weight while keeping the bass center mono-compatible. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MIX FRONT TO BACK [Dual Mono]

MIX FRONT TO BACK — Sets a measured depth/gain relationship for moving the source in front-to-back space. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

DRUM ROOM DEPTH [Dual Mono]

DRUM ROOM DEPTH — Moves the drum/room return deeper while retaining a readable transient center. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

TEMPLE WIDTH [Dual Mono]

TEMPLE WIDTH — Opens the spatial return for a wider front-to-back scene. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

CINEMA FLOOR [Dual Mono]

CINEMA FLOOR — Sets a measured depth/gain relationship for moving the source in front-to-back space. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

LOW FIELD EXTENDER [Dual Mono]

LOW FIELD EXTENDER — Sets a measured depth/gain relationship for moving the source in front-to-back space. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MONO BASS FOCUS [Dual Mono]

MONO BASS FOCUS — Extends low-end depth and weight while keeping the bass center mono-compatible. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

FULL BUS DEPTH [Dual Mono]

FULL BUS DEPTH — Sets a measured depth/gain relationship for moving the source in front-to-back space. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

Touch sphere: Depth field plus live level. Water motion follows field/level activity; sphere position remains the output control.

Spatial field: Depth, field energy, and motion. A reactive placement view, not a calibrated spectrum.

NTRPL

RELEASE	FAMILY	PLACEMENT
v1.0.1	Bass / Low End	Low End Source

Low-end transformation engine for rewrite map, novelty, interval motion, contour, shape, space, and originality guard. A named optional Sidechain supports keyed Rewrite Duck and remains inactive until Sidechain Key is enabled.

Recommended use: reclassified bass family

Customer formats: AU, VST3

Exposed parameter surface

Parameter ID	Display name	Type
power	Power	Bool
gainmatch	Gain Match	Bool
chordMap	Rewrite Map	Choice
interpolate	Novelty	Float
motif	Chord Rewrite	Float
rhythm	Motion	Float
pitch	Interval Distance	Float
melody	Contour	Float
shape	Shape	Float
field	Space	Float
guard	Originality Guard	Float
alternateMix	Mix	Float
output	Output	Float
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice

Factory starting points — source-derived purpose

01 SOURCE TRACE [Stereo]

01 SOURCE TRACE — Keeps the original contour and novelty low so the rewrite begins from an honest source trace. Stereo variant: keep the linked center intact and audition width in the full mix.

02 PHI BODY REWRITE [Stereo]

02 PHI BODY REWRITE — Rewrites interval/body emphasis toward a denser low-mid lattice while Originality Guard protects recognition. Stereo variant: keep the linked center intact and audition width in the full mix.

03 LOW WEIGHT LATTICE [Stereo]

03 LOW WEIGHT LATTICE — Rewrites interval/body emphasis toward a denser low-mid lattice while Originality Guard protects recognition. Stereo variant: keep the linked center intact and audition width in the full mix.

04 HARMONIC REWRITE [Stereo]

04 HARMONIC REWRITE — Moves Chord Rewrite and Interval Distance into a deliberate harmonic re-voicing. Stereo variant: keep the linked center intact and audition width in the full mix.

05 ALT PHI FIELD [Stereo]

05 ALT PHI FIELD — Applies controlled harmonic novelty and motion to the source while preserving a usable dry relationship. Stereo variant: keep the linked center intact and audition width in the full mix.

06 WIDE RECONTOUR [Stereo]

06 WIDE RECONTOUR — Spreads the rewritten contour into a wider field; audition the dry center in mono. Stereo variant: keep the linked center intact and audition width in the full mix.

07 DEEP BASS BLOOM [Stereo]

07 DEEP BASS BLOOM — Builds a deeper bass/body rewrite with Shape and Space carrying the field. Stereo variant: keep the linked center intact and

audition width in the full mix.

08 EDGE TRANSLATION [Stereo]

08 EDGE TRANSLATION — Translates the source edge into a new contour without discarding its timing identity. Stereo variant: keep the linked center intact and audition width in the full mix.

01 SOURCE TRACE [Mono]

01 SOURCE TRACE — Keeps the original contour and novelty low so the rewrite begins from an honest source trace. Mono variant: collapse the field and use it as a center-focused insert.

02 PHI BODY REWRITE [Mono]

02 PHI BODY REWRITE — Rewrites interval/body emphasis toward a denser low-mid lattice while Originality Guard protects recognition. Mono variant: collapse the field and use it as a center-focused insert.

03 LOW WEIGHT LATTICE [Mono]

03 LOW WEIGHT LATTICE — Rewrites interval/body emphasis toward a denser low-mid lattice while Originality Guard protects recognition. Mono variant: collapse the field and use it as a center-focused insert.

04 HARMONIC REWRITE [Mono]

04 HARMONIC REWRITE — Moves Chord Rewrite and Interval Distance into a deliberate harmonic re-voicing. Mono variant: collapse the field and use it as a center-focused insert.

05 ALT PHI FIELD [Mono]

05 ALT PHI FIELD — Applies controlled harmonic novelty and motion to the source while preserving a usable dry relationship. Mono variant: collapse the field and use it as a center-focused insert.

06 WIDE RECONTOUR [Mono]

06 WIDE RECONTOUR — Spreads the rewritten contour into a wider field; audition the dry center in mono. Mono variant: collapse the field and use it as a center-focused insert.

07 DEEP BASS BLOOM [Mono]

07 DEEP BASS BLOOM — Builds a deeper bass/body rewrite with Shape and Space carrying the field. Mono variant: collapse the field and use it as a center-focused insert.

08 EDGE TRANSLATION [Mono]

08 EDGE TRANSLATION — Translates the source edge into a new contour without discarding its timing identity. Mono variant: collapse the field and use it as a center-focused insert.

01 SOURCE TRACE [Dual Mono]

01 SOURCE TRACE — Keeps the original contour and novelty low so the rewrite begins from an honest source trace. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

02 PHI BODY REWRITE [Dual Mono]

02 PHI BODY REWRITE — Rewrites interval/body emphasis toward a denser low-mid lattice while Originality Guard protects recognition. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

03 LOW WEIGHT LATTICE [Dual Mono]

03 LOW WEIGHT LATTICE — Rewrites interval/body emphasis toward a denser low-mid lattice while Originality Guard protects recognition. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

04 HARMONIC REWRITE [Dual Mono]

04 HARMONIC REWRITE — Moves Chord Rewrite and Interval Distance into a deliberate harmonic re-voicing. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

05 ALT PHI FIELD [Dual Mono]

05 ALT PHI FIELD — Applies controlled harmonic novelty and motion to the source while preserving a usable dry relationship. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

06 WIDE RECONTOUR [Dual Mono]

06 WIDE RECONTOUR — Spreads the rewritten contour into a wider field; audition the dry center in mono. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

07 DEEP BASS BLOOM [Dual Mono]

07 DEEP BASS BLOOM — Builds a deeper bass/body rewrite with Shape and Space carrying the field. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

08 EDGE TRANSLATION [Dual Mono]

08 EDGE TRANSLATION — Translates the source edge into a new contour without discarding its timing identity. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

SOURCE: Original input contribution. Shows how much source survives into the main route.

REWRITE: Generated harmonic-rewrite activity. Shows the newly synthesized low-end material.

ALT OUT: Alternative new-signal output. Always represents the generated signal path.

MAIN: Final blended output. Use against SOURCE for level and blend context.

Harmonic Rewriter: Live input-to-output contour. Shows source energy changing into rewritten energy.

Rewrite Map: Novelty, chord, interval, contour, motion, space, guard, and mix state. A live process map; it is not a frequency analyzer.

DIHWorld Audio

Drum / Instrument Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 3 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

DIH Drum Morpher

RELEASE	FAMILY	PLACEMENT
v1.0.1	Drum / Instrument	Creative Transform

Sixteen-pad DIH drum sampler and host-timeline sequencer with sample loading, pad shaping, restored factory programs, pattern memory, capture, live sidechain/MPC morph, and performance controls. The current 1.0.1 factory bank is organized around distinct modern patterns including 808, trap, R&B, drill, Afro, Latin, house, pop, cinema, and Bay Area grooves. Selectable MPC C1 chromatic mapping covers Bank A Pads 1-16 on MIDI notes 36-51 while the released GM map remains available for existing sessions. WAV, AIFF, CAF, FLAC, MP3, and OGG loading plus live sidechain return are supported; user-owned third-party samples remain local and are not embedded in public installers.

Recommended use: instrument/plugin generator

Customer formats: AU, VST3, Standalone

Factory starting points — source-derived purpose

MODERN 808

MODERN 808 — A current half-time trap foundation with a real 808 lane: kick and 808 anchor the record while the paired backbeat and short hat rolls leave room for the vocal. Use the Miami kit for the sampled/synth 808 blend; other kits use the tuned synth fallback. Starting point: 142 BPM, 32 steps, 10% swing, 12% Morph, 26% Governor.

ATL TRAP 2K26

ATL TRAP 2K26 — Punchy Atlanta trap with kicks pushed off the grid, a tight snare/clap backbeat, and short hat rolls. Use it when a trap beat feels too quantized; start with Swing, then adjust kick punch. Starting point: 136 BPM, 32 steps, 20% swing, 16% Morph, 30% Governor.

ALT RNB POCKET

ALT RNB POCKET — A supportive trap-soul/R&B pocket: filtered kick, restrained backbeat, eighth-note hats, and shaker off-beats keep the drums behind the vocal. Start with kick punch before changing Morph. Starting point: 72 BPM, 32 steps, 16% swing, 22% Morph, 44% Governor.

LOW-END DRILL

LOW-END DRILL — Heavy UK/low-end drill with a synth-forward kick and tuned low support voice, minimal top-end, and high containment. Use Layer for weight, then ease Governor if the sub feels clamped. Starting point: 138 BPM, 32 steps, 6% swing, 32% Morph, 68% Governor.

HALF-TIME GLIDE

HALF-TIME GLIDE — Half-time trap with a descending tom pickup that creates the glide into each turnaround. Adjust Swing for feel, then the tom lanes for the audible fall. Starting point: 88 BPM, 32 steps, 18% swing, 42% Morph, 56% Governor.

UK DRILL CURRENT

UK DRILL CURRENT — A modern UK drill pocket with the beat-3 snare/clap identity, syncopated kick/808 bounce, and hats rushing into the backbeat. Governor controls how tightly the low end is held. Starting point: 140 BPM, 32 steps, 8% swing, 62% Morph, 80% Governor.

GLITCH HAT CUT

GLITCH HAT CUT — Stuttered, unswung hat pairs with large gaps; the hat grid is the feature while kick, snare, clap, and ride stay simple. Adjust Hat Air for brightness and bite. Starting point: 150 BPM, 32 steps, 0% swing, 38% Morph, 64% Governor.

PLUGGNB BOUNCE

PLUGGNB BOUNCE — Sparse, relaxed plugg/pluggnb drums with uneven kick spacing, half-beat claps, a small hat cluster, and one off-grid crash punctuation. Start with kick punch. Starting point: 132 BPM, 32 steps, 8% swing, 30% Morph, 48% Governor.

SPACE TRAP

SPACE TRAP — Atmospheric trap with only a few kicks, snare/rim hits, and a ride wash instead of a busy hat grid. Hybrid percussion supplies air while Governor keeps the field contained. Starting point: 100 BPM, 32 steps, 10% swing, 46% Morph, 72% Governor.

WEST COAST BOUNCE

WEST COAST BOUNCE — Straight West Coast bounce: un-swung eighth-note hats, shaker glue, and a kick that drives the pocket. Use kick punch to move the groove forward. Starting point: 96 BPM, 32 steps, 0% swing, 22% Morph, 44% Governor.

MINIMAL CLUB

MINIMAL CLUB — A sparse 64-step club loop with only a few kicks, snares, hats, and shaker hits, leaving headroom for arrangement and automation. Use Morph to decide how much the sparse hits transform. Starting point: 118 BPM, 64 steps, 0% swing, 46% Morph, 60% Governor.

JERSEY CLUB

JERSEY CLUB — Modern Jersey club bounce with chopped kick accents, clap/snare responses, triplet-feel percussion, open hats, and shaker lift. Starting point: 140 BPM, 32 steps, 6% swing, 48% Morph, 44% Governor.

FUTURE PERC

FUTURE PERC — A percussion-led groove that drifts against the beat: one percussion lane repeats on a 7-step cycle instead of realigning every bar.

Adjust Perc 1 level before changing the global field. Starting point: 100 BPM, 32 steps, 6% swing, 40% Morph, 50% Governor.

SUB BASS SPACE

SUB BASS SPACE — A sparse, deliberate sub pocket with room for the 808 to ring: synth-forward low kick, tuned support, minimal clutter, and a trimmed master. Start with kick filter, then ease Governor. Starting point: 82 BPM, 32 steps, 0% swing, 66% Morph, 80% Governor.

CINEMATIC DRILL

CINEMATIC DRILL — Dense drill tension with fourteen closed-hat hits, open-hat accents, five kicks, and a contained low field. Hat Air determines how aggressive the top becomes. Starting point: 146 BPM, 32 steps, 0% swing, 68% Morph, 80% Governor.

AFRO ROOTS

AFRO ROOTS — A 108 BPM low-foundation pocket for vocals and bass, using a compact hand-percussion call-and-response lattice instead of a percussion wall. Swing is the first adjustment. Starting point: 108 BPM, 16 steps, 18% swing, 20% Morph, 30% Governor.

TECH HOUSE

TECH HOUSE — Production-ready tech house: four-on-the-floor kick, offbeat hats, short clap, and restrained percussion with a strict grid. Adjust Hat Air before Morph. Starting point: 128 BPM, 32 steps, 0% swing, 34% Morph, 38% Governor.

ALT POP FUTURE

ALT POP FUTURE — Bright, glassy modern pop drums with straight hats, four kicks, snare/clap lift, crash, and ride. Use clap air to open the top without increasing output. Starting point: 115 BPM, 16 steps, 0% swing, 54% Morph, 64% Governor.

DROP FRAME

DROP FRAME — A held-silence-then-hit transition preset: hats stop before the end of the bar and a crash lands the drop. Swing controls how loose the tension feels. Starting point: 86 BPM, 32 steps, 20% swing, 44% Morph, 70% Governor.

RNB AFTER DARK

RNB AFTER DARK — Late-night R&B with a slow swung pocket, sparse kick/snare/clap, shaker, and ride, plus a trimmed master for vocal space. Start with Swing, then Morph. Starting point: 76 BPM, 16 steps, 18% swing, 62% Morph, 66% Governor.

DEMBOW 2K26

DEMBOW 2K26 — A modern dembow/reggaeton tresillo: kick and rim call-and-response doubled across the loop with steady eighth-note hats. Kick punch is the first control. Starting point: 95 BPM, 32 steps, 0% swing, 20% Morph, 35% Governor.

CINEMA DRILL

CINEMA DRILL — Sparse cinematic drill with open hat clusters and crash/ride stabs used as orchestral accents. Morph is deliberately high; use it to move the scene rather than adding more hits. Starting point: 138 BPM, 32 steps, 0% swing, 76% Morph, 70% Governor.

HYPERTRAP

HYPERTRAP — High-speed trap with controlled hat rolls, double-kick answers, clipped clap backbeat, and a brighter top. Adjust Hat Air for energy. Starting point: 160 BPM, 32 steps, 0% swing, 62% Morph, 46% Governor.

GLOBAL FUTURE

GLOBAL FUTURE — A modern world-percussion field with layered hand percussion, rim, toms, and shaker over a simple kick/snare frame. Morph changes how far the percussion moves. Starting point: 118 BPM, 16 steps, 16% swing, 66% Morph, 72% Governor.

AFRO PERCUSSION ROOTS

AFRO PERCUSSION ROOTS — Afro-rooted percussion with a firm low anchor, hand-drum lattice, shaker motion, and restrained top-end; it is the denser companion to AFRO ROOTS. Starting point: 108 BPM, 16 steps, 20% swing, 24% Morph, 32% Governor.

LATIN SWING

LATIN SWING — A Latin/Brazilian swing pocket with tresillo-like kick, rim and hand percussion interlock, and a controlled 16-step call-and-response. Starting point: 118 BPM, 16 steps, 14% swing, 10% Morph, 26% Governor.

SLIDE POCKET

SLIDE POCKET — An 808-slide-driven trap pocket: spaced kick, low tom glide accents, and open room for the bass movement. Use the low lanes before adding more hats. Starting point: 100 BPM, 32 steps, 0% swing, 20% Morph, 46% Governor.

BAY AREA

BAY AREA — Contemporary Bay bounce with syncopated kick answers, clap backbeat, clipped hats, and restrained shaker grid. Start with kick punch, then adjust Swing. Starting point: 100 BPM, 32 steps, 14% swing, 30% Morph, 44% Governor.

Meters and visualizers

L / R output: Left and right output activity. Confirms stereo drum output and imbalance.

GOVERNOR: Output containment activity. More activity means protection is holding energy back.

MORPH: Current metamorphosis activity. Shows how strongly the active pads are transforming.

Pad waveform: Loaded sample amplitude over time. Use to identify attacks, tails, and silence in each pad.

Ballpark

RELEASE	FAMILY	PLACEMENT
v1.0.1	Drum / Instrument	Creative Transform

Drum impact and placement processor whose base progression and hit calls turn performance energy into an audible stadium-response field.

Recommended use: instrument/drum function

Customer formats: AU, VST3, Standalone

Factory starting points — source-derived purpose

BALLPARK CANON (Mu Metal)

BALLPARK CANON (Mu Metal) — Uses the Mu Metal/shielded material for tight containment and low stray color.

SINGLE TIGHT (Nickel Focus)

SINGLE TIGHT (Nickel Focus) — Keeps the material focused and tight with a Nickel-weighted center.

DOUBLE WIDTH (Copper Body)

DOUBLE WIDTH (Copper Body) — Adds conductive warmth and body with a Copper-centered field.

TRIPLE ENERGY (Iron Weight)

TRIPLE ENERGY (Iron Weight) — Adds firmer iron/steel authority and a more assertive center.

HOME RUN LIFT (Gold Presence)

HOME RUN LIFT (Gold Presence) — Raises presence/authority toward a polished, finished material response.

DUGOUT WARM (Brass)

DUGOUT WARM (Brass) — Rounds the source with brass-like warmth while preserving its core.

STADIUM AIR (Silver Air)

STADIUM AIR (Silver Air) — Chooses a named material response for the source; compare it against the dry track before combining materials.

GLUE DEFENSE (Mu Metal Shield)

GLUE DEFENSE (Mu Metal Shield) — Uses the Mu Metal/shielded material for tight containment and low stray color.

BULLPEN LOCK (Steel)

BULLPEN LOCK (Steel) — Adds firmer iron/steel authority and a more assertive center.

NINTH INNING (Platinum Authority)

NINTH INNING (Platinum Authority) — Raises presence/authority toward a polished, finished material response.

FIFTH TOOL (Alloy)

FIFTH TOOL (Alloy) — Chooses a named material response for the source; compare it against the dry track before combining materials.

CROWDPULSE (Copper Ground)

CROWDPULSE (Copper Ground) — Adds conductive warmth and body with a Copper-centered field.

GRANDSTAND (Bronze)

GRANDSTAND (Bronze) — Chooses a named material response for the source; compare it against the dry track before combining materials.

EXTRA BASES (Titanium)

EXTRA BASES (Titanium) — Chooses a named material response for the source; compare it against the dry track before combining materials.

Meters and visualizers

IN: Input level. Confirms drum energy entering the stadium model.

GR: Gain reduction. Shows active impact containment.

OUT: Output level. Use with IN for level matching.

RMS / PEAK: Body level and fast peak. Their separation describes drum crest and punch.

Ceiling score / hit call: Composite impact, control, and ceiling score. Walk through Home Run describes response intensity, not sports prediction.

DrumKrushGlue

RELEASE	FAMILY	PLACEMENT
v3.6.9	Drum / Instrument	Bus Preferred

Bus-preferred drum cohesion stage for binding hits into one controlled impact field, with secondary dynamics-guard/cyan-dot behavior. A named optional Sidechain enables keyed pocket ducking and remains inactive until Sidechain Key is enabled.

Recommended use: drum-family percussion adhesive; use on drum bus or parallel drum-impact return; secondary dynamics guard/cyan dot

Customer formats: AU, VST3, Standalone

Primary controls

Power • Gain Match • Channel Mode • Dual Mono Link

Factory starting points — source-derived purpose

- DRUM KRUSH GLUE [Stereo]**
DRUM KRUSH GLUE — Sets a drum-bus glue/crush balance with the dry hit still authoritative. Stereo variant: keep the linked center intact and audition width in the full mix.
- TIGHT BUS GLUE [Stereo]**
TIGHT BUS GLUE — Sets a drum-bus glue/crush balance with the dry hit still authoritative. Stereo variant: keep the linked center intact and audition width in the full mix.
- BOOM BAP BODY [Stereo]**
BOOM BAP BODY — Sets a drum-bus glue/crush balance with the dry hit still authoritative. Stereo variant: keep the linked center intact and audition width in the full mix.
- TRAP SNAP KRUSH [Stereo]**
TRAP SNAP KRUSH — Favors fast snap and transient edge for trap percussion. Stereo variant: keep the linked center intact and audition width in the full mix.
- DRILL KICK ANCHOR [Mono]**
DRILL KICK ANCHOR — Anchors the drill kick while keeping the rest of the bus from collapsing inward. Mono variant: collapse the field and use it as a center-focused insert.
- 808 KRUSH WEIGHT [Stereo]**
808 KRUSH WEIGHT — Adds controlled low-end crush and weight for an 808/kick-centered drum bus. Stereo variant: keep the linked center intact and audition width in the full mix.
- PARALLEL KRUSH RETURN [Stereo]**
PARALLEL KRUSH RETURN — Sets a parallel return so crush density can sit beside the dry transient. Stereo variant: keep the linked center intact and audition width in the full mix.
- DUAL MONO DRUM LOCK**
DUAL MONO DRUM LOCK — Applies glue in the selected channel layout; check the center before widening the return.

Meters and visualizers

- IMPACT:** Detected drum peak activity. Shows hit strength entering the impact path.
- BODY:** Sustained drum energy. Shows weight carried between hits.
- REPAIR:** Glue/control activity. Shows how strongly cohesion is correcting the bus.
- CEILING:** Protected output pressure. Persistent maximum activity means the chain is overdriven.

DIHWorld Audio

Drum / Instrument Technical Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 3 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\text{Phi}/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

DIH Drum Morpher

RELEASE	FAMILY	PLACEMENT
v1.0.1	Drum / Instrument	Creative Transform

Sixteen-pad DIH drum sampler and host-timeline sequencer with sample loading, pad shaping, restored factory programs, pattern memory, capture, live sidechain/MPC morph, and performance controls. The current 1.0.1 factory bank is organized around distinct modern patterns including 808, trap, R&B, drill, Afro, Latin, house, pop, cinema, and Bay Area grooves. Selectable MPC C1 chromatic mapping covers Bank A Pads 1-16 on MIDI notes 36-51 while the released GM map remains available for existing sessions. WAV, AIFF, CAF, FLAC, MP3, and OGG loading plus live sidechain return are supported; user-owned third-party samples remain local and are not embedded in public installers.

Recommended use: instrument/plugin generator

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
--------------	--------------	------

Factory starting points — source-derived purpose

MODERN 808

MODERN 808 — A current half-time trap foundation with a real 808 lane: kick and 808 anchor the record while the paired backbeat and short hat rolls leave room for the vocal. Use the Miami kit for the sampled/synth 808 blend; other kits use the tuned synth fallback. Starting point: 142 BPM, 32 steps, 10% swing, 12% Morph, 26% Governor.

ATL TRAP 2K26

ATL TRAP 2K26 — Punchy Atlanta trap with kicks pushed off the grid, a tight snare/clap backbeat, and short hat rolls. Use it when a trap beat feels too quantized; start with Swing, then adjust kick punch. Starting point: 136 BPM, 32 steps, 20% swing, 16% Morph, 30% Governor.

ALT RNB POCKET

ALT RNB POCKET — A supportive trap-soul/R&B pocket: filtered kick, restrained backbeat, eighth-note hats, and shaker off-beats keep the drums behind the vocal. Start with kick punch before changing Morph. Starting point: 72 BPM, 32 steps, 16% swing, 22% Morph, 44% Governor.

LOW-END DRILL

LOW-END DRILL — Heavy UK/low-end drill with a synth-forward kick and tuned low support voice, minimal top-end, and high containment. Use Layer for weight, then ease Governor if the sub feels clamped. Starting point: 138 BPM, 32 steps, 6% swing, 32% Morph, 68% Governor.

HALF-TIME GLIDE

HALF-TIME GLIDE — Half-time trap with a descending tom pickup that creates the glide into each turnaround. Adjust Swing for feel, then the tom lanes for the audible fall. Starting point: 88 BPM, 32 steps, 18% swing, 42% Morph, 56% Governor.

UK DRILL CURRENT

UK DRILL CURRENT — A modern UK drill pocket with the beat-3 snare/clap identity, syncopated kick/808 bounce, and hats rushing into the backbeat. Governor controls how tightly the low end is held. Starting point: 140 BPM, 32 steps, 8% swing, 62% Morph, 80% Governor.

GLITCH HAT CUT

GLITCH HAT CUT — Stuttered, unswung hat pairs with large gaps; the hat grid is the feature while kick, snare, clap, and ride stay simple. Adjust Hat Air for brightness and bite. Starting point: 150 BPM, 32 steps, 0% swing, 38% Morph, 64% Governor.

PLUGGNB BOUNCE

PLUGGNB BOUNCE — Sparse, relaxed plugg/pluggnb drums with uneven kick spacing, half-beat claps, a small hat cluster, and one off-grid crash punctuation. Start with kick punch. Starting point: 132 BPM, 32 steps, 8% swing, 30% Morph, 48% Governor.

SPACE TRAP

SPACE TRAP — Atmospheric trap with only a few kicks, snare/rim hits, and a ride wash instead of a busy hat grid. Hybrid percussion supplies air while Governor keeps the field contained. Starting point: 100 BPM, 32 steps, 10% swing, 46% Morph, 72% Governor.

WEST COAST BOUNCE

WEST COAST BOUNCE — Straight West Coast bounce: un-swung eighth-note hats, shaker glue, and a kick that drives the pocket. Use kick punch to move the groove forward. Starting point: 96 BPM, 32 steps, 0% swing, 22% Morph, 44% Governor.

MINIMAL CLUB

MINIMAL CLUB — A sparse 64-step club loop with only a few kicks, snares, hats, and shaker hits, leaving headroom for arrangement and automation. Use Morph to decide how much the sparse hits transform. Starting point: 118 BPM, 64 steps, 0% swing, 46% Morph, 60% Governor.

JERSEY CLUB

JERSEY CLUB — Modern Jersey club bounce with chopped kick accents, clap/snare responses, triplet-feel percussion, open hats, and shaker lift. Starting

point: 140 BPM, 32 steps, 6% swing, 48% Morph, 44% Governor.

FUTURE PERC

FUTURE PERC — A percussion-led groove that drifts against the beat: one percussion lane repeats on a 7-step cycle instead of realigning every bar. Adjust Perc 1 level before changing the global field. Starting point: 100 BPM, 32 steps, 6% swing, 40% Morph, 50% Governor.

SUB BASS SPACE

SUB BASS SPACE — A sparse, deliberate sub pocket with room for the 808 to ring: synth-forward low kick, tuned support, minimal clutter, and a trimmed master. Start with kick filter, then ease Governor. Starting point: 82 BPM, 32 steps, 0% swing, 66% Morph, 80% Governor.

CINEMATIC DRILL

CINEMATIC DRILL — Dense drill tension with fourteen closed-hat hits, open-hat accents, five kicks, and a contained low field. Hat Air determines how aggressive the top becomes. Starting point: 146 BPM, 32 steps, 0% swing, 68% Morph, 80% Governor.

AFRO ROOTS

AFRO ROOTS — A 108 BPM low-foundation pocket for vocals and bass, using a compact hand-percussion call-and-response lattice instead of a percussion wall. Swing is the first adjustment. Starting point: 108 BPM, 16 steps, 18% swing, 20% Morph, 30% Governor.

TECH HOUSE

TECH HOUSE — Production-ready tech house: four-on-the-floor kick, offbeat hats, short clap, and restrained percussion with a strict grid. Adjust Hat Air before Morph. Starting point: 128 BPM, 32 steps, 0% swing, 34% Morph, 38% Governor.

ALT POP FUTURE

ALT POP FUTURE — Bright, glassy modern pop drums with straight hats, four kicks, snare/clap lift, crash, and ride. Use clap air to open the top without increasing output. Starting point: 115 BPM, 16 steps, 0% swing, 54% Morph, 64% Governor.

DROP FRAME

DROP FRAME — A held-silence-then-hit transition preset: hats stop before the end of the bar and a crash lands the drop. Swing controls how loose the tension feels. Starting point: 86 BPM, 32 steps, 20% swing, 44% Morph, 70% Governor.

RNB AFTER DARK

RNB AFTER DARK — Late-night R&B with a slow swung pocket, sparse kick/snare/clap, shaker, and ride, plus a trimmed master for vocal space. Start with Swing, then Morph. Starting point: 76 BPM, 16 steps, 18% swing, 62% Morph, 66% Governor.

DEMBOW 2K26

DEMBOW 2K26 — A modern dembow/reggaeton tresillo: kick and rim call-and-response doubled across the loop with steady eighth-note hats. Kick punch is the first control. Starting point: 95 BPM, 32 steps, 0% swing, 20% Morph, 35% Governor.

CINEMA DRILL

CINEMA DRILL — Sparse cinematic drill with open hat clusters and crash/ride stabs used as orchestral accents. Morph is deliberately high; use it to move the scene rather than adding more hits. Starting point: 138 BPM, 32 steps, 0% swing, 76% Morph, 70% Governor.

HYPERTRAP

HYPERTRAP — High-speed trap with controlled hat rolls, double-kick answers, clipped clap backbeat, and a brighter top. Adjust Hat Air for energy. Starting point: 160 BPM, 32 steps, 0% swing, 62% Morph, 46% Governor.

GLOBAL FUTURE

GLOBAL FUTURE — A modern world-percussion field with layered hand percussion, rim, toms, and shaker over a simple kick/snare frame. Morph changes how far the percussion moves. Starting point: 118 BPM, 16 steps, 16% swing, 66% Morph, 72% Governor.

AFRO PERCUSSION ROOTS

AFRO PERCUSSION ROOTS — Afro-rooted percussion with a firm low anchor, hand-drum lattice, shaker motion, and restrained top-end; it is the denser companion to AFRO ROOTS. Starting point: 108 BPM, 16 steps, 20% swing, 24% Morph, 32% Governor.

LATIN SWING

LATIN SWING — A Latin/Brazilian swing pocket with tresillo-like kick, rim and hand percussion interlock, and a controlled 16-step call-and-response. Starting point: 118 BPM, 16 steps, 14% swing, 10% Morph, 26% Governor.

SLIDE POCKET

SLIDE POCKET — An 808-slide-driven trap pocket: spaced kick, low tom glide accents, and open room for the bass movement. Use the low lanes before adding more hats. Starting point: 100 BPM, 32 steps, 0% swing, 20% Morph, 46% Governor.

BAY AREA

BAY AREA — Contemporary Bay bounce with syncopated kick answers, clap backbeat, clipped hats, and restrained shaker grid. Start with kick punch, then adjust Swing. Starting point: 100 BPM, 32 steps, 14% swing, 30% Morph, 44% Governor.

Meters and visualizers

L / R output: Left and right output activity. Confirms stereo drum output and imbalance.

GOVERNOR: Output containment activity. More activity means protection is holding energy back.

MORPH: Current metamorphosis activity. Shows how strongly the active pads are transforming.

Pad waveform: Loaded sample amplitude over time. Use to identify attacks, tails, and silence in each pad.

Ballpark

RELEASE	FAMILY	PLACEMENT
v1.0.1	Drum / Instrument	Creative Transform

Drum impact and placement processor whose base progression and hit calls turn performance energy into an audible stadium-response field.

Recommended use: instrument/drum function

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
--------------	--------------	------

Factory starting points — source-derived purpose

- BALLPARK CANON (Mu Metal)**
BALLPARK CANON (Mu Metal) — Uses the Mu Metal/shielded material for tight containment and low stray color.
- SINGLE TIGHT (Nickel Focus)**
SINGLE TIGHT (Nickel Focus) — Keeps the material focused and tight with a Nickel-weighted center.
- DOUBLE WIDTH (Copper Body)**
DOUBLE WIDTH (Copper Body) — Adds conductive warmth and body with a Copper-centered field.
- TRIPLE ENERGY (Iron Weight)**
TRIPLE ENERGY (Iron Weight) — Adds firmer iron/steel authority and a more assertive center.
- HOME RUN LIFT (Gold Presence)**
HOME RUN LIFT (Gold Presence) — Raises presence/authority toward a polished, finished material response.
- DUGOUT WARM (Brass)**
DUGOUT WARM (Brass) — Rounds the source with brass-like warmth while preserving its core.
- STADIUM AIR (Silver Air)**
STADIUM AIR (Silver Air) — Chooses a named material response for the source; compare it against the dry track before combining materials.
- GLUE DEFENSE (Mu Metal Shield)**
GLUE DEFENSE (Mu Metal Shield) — Uses the Mu Metal/shielded material for tight containment and low stray color.
- BULLPEN LOCK (Steel)**
BULLPEN LOCK (Steel) — Adds firmer iron/steel authority and a more assertive center.
- NINTH INNING (Platinum Authority)**
NINTH INNING (Platinum Authority) — Raises presence/authority toward a polished, finished material response.
- FIFTH TOOL (Alloy)**
FIFTH TOOL (Alloy) — Chooses a named material response for the source; compare it against the dry track before combining materials.
- CROWDPULSE (Copper Ground)**
CROWDPULSE (Copper Ground) — Adds conductive warmth and body with a Copper-centered field.
- GRANDSTAND (Bronze)**
GRANDSTAND (Bronze) — Chooses a named material response for the source; compare it against the dry track before combining materials.
- EXTRA BASES (Titanium)**
EXTRA BASES (Titanium) — Chooses a named material response for the source; compare it against the dry track before combining materials.

Meters and visualizers

- IN:** Input level. Confirms drum energy entering the stadium model.
- GR:** Gain reduction. Shows active impact containment.
- OUT:** Output level. Use with IN for level matching.
- RMS / PEAK:** Body level and fast peak. Their separation describes drum crest and punch.
- Ceiling score / hit call:** Composite impact, control, and ceiling score. Walk through Home Run describes response intensity, not sports prediction.

DrumKrushGlue

RELEASE	FAMILY	PLACEMENT
v3.6.9	Drum / Instrument	Bus Preferred

Bus-preferred drum cohesion stage for binding hits into one controlled impact field, with secondary dynamics-guard/cyan-dot behavior. A named optional Sidechain enables keyed pocket ducking and remains inactive until Sidechain Key is enabled.

Recommended use: drum-family percussion adhesive; use on drum bus or parallel drum-impact return; secondary dynamics guard/cyan dot

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
power	Power	Bool
gainmatch	Gain Match	Bool
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice

Factory starting points — source-derived purpose

- DRUM KRUSH GLUE [Stereo]**
DRUM KRUSH GLUE — Sets a drum-bus glue/crush balance with the dry hit still authoritative. Stereo variant: keep the linked center intact and audition width in the full mix.
- TIGHT BUS GLUE [Stereo]**
TIGHT BUS GLUE — Sets a drum-bus glue/crush balance with the dry hit still authoritative. Stereo variant: keep the linked center intact and audition width in the full mix.
- BOOM BAP BODY [Stereo]**
BOOM BAP BODY — Sets a drum-bus glue/crush balance with the dry hit still authoritative. Stereo variant: keep the linked center intact and audition width in the full mix.
- TRAP SNAP KRUSH [Stereo]**
TRAP SNAP KRUSH — Favors fast snap and transient edge for trap percussion. Stereo variant: keep the linked center intact and audition width in the full mix.
- DRILL KICK ANCHOR [Mono]**
DRILL KICK ANCHOR — Anchors the drill kick while keeping the rest of the bus from collapsing inward. Mono variant: collapse the field and use it as a center-focused insert.
- 808 KRUSH WEIGHT [Stereo]**
808 KRUSH WEIGHT — Adds controlled low-end crush and weight for an 808/kick-centered drum bus. Stereo variant: keep the linked center intact and audition width in the full mix.
- PARALLEL KRUSH RETURN [Stereo]**
PARALLEL KRUSH RETURN — Sets a parallel return so crush density can sit beside the dry transient. Stereo variant: keep the linked center intact and audition width in the full mix.
- DUAL MONO DRUM LOCK**
DUAL MONO DRUM LOCK — Applies glue in the selected channel layout; check the center before widening the return.

Meters and visualizers

- IMPACT:** Detected drum peak activity. Shows hit strength entering the impact path.
- BODY:** Sustained drum energy. Shows weight carried between hits.
- REPAIR:** Glue/control activity. Shows how strongly cohesion is correcting the bus.
- CEILING:** Protected output pressure. Persistent maximum activity means the chain is overdriven.

DIHWorld Audio

Color / Amp / Tape Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 4 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

APIS

RELEASE	FAMILY	PLACEMENT
v1.0.1	Color / Amp / Tape	Insert Safe

Body and color processor built around color, body, petal dispersion, air, protected I/O, and channel-mode support.

Recommended use: amp/color source tone

Customer formats: AU, VST3

Primary controls

Input • Color • Body • Flower Petal • Air • Output • Channel Mode • Dual Mono Link • Gain Match

Factory starting points — source-derived purpose

APIS CANON RESET
APIS CANON RESET — Sets the APIS body/air/flower balance for a deliberate harmonic field.

APIS BODY THRONE
APIS BODY THRONE — Centers Body and Color for a strong, stable source throne.

APIS AIR CROWN
APIS AIR CROWN — Raises Air and Flower Petal toward an open upper crown.

APIS BLOOM FIELD
APIS BLOOM FIELD — Spreads the flower/field relationship for a larger harmonic image.

APIS SHADOW CUT
APIS SHADOW CUT — Uses a restrained cut to clear space while leaving the source body readable.

APIS DUAL COMB
APIS DUAL COMB — Sets the APIS body/air/flower balance for a deliberate harmonic field.

APIS FULL FIELD
APIS FULL FIELD — Spreads the flower/field relationship for a larger harmonic image.

PTAHTUBE

RELEASE	FAMILY	PLACEMENT
v1.0.1	Color / Amp / Tape	Insert Safe

Phi-based tube color processor with input, drive, energy, balance, focus, output, and Flower of Life dispersal tied to its illuminated tube field.

Recommended use: tube color; vocal clarity required

Customer formats: AU, VST3, Standalone

Primary controls

Input • Drive • Output • Energy • Balance • Power • Focus • Flower of Life Dispersal • Gain Match • Channel Mode • Dual Mono Link

Factory starting points — source-derived purpose

Canon Clear

Canon Clear — Returns the tube stage to a clean reference with low Drive and stable Balance.

Warm Filament

Warm Filament — Adds gentle filament warmth without asking the output control to create the effect.

Memphis Grit

Memphis Grit — Raises Drive/Energy for a rougher Memphis-style edge while Focus limits the mess.

Vocal Copper Edge

Vocal Copper Edge — Puts tube edge around a vocal center for articulation and body.

Bus Tube Glue

Bus Tube Glue — Uses moderate Drive and Balance for bus glue rather than a single-source distortion.

Drum Ember Forge

Drum Ember Forge — Forges drum transients with controlled tube energy and a firm center.

Ra Saturation

Ra Saturation — Sets a named tube/filament color with Drive, Energy, Balance, and Focus in a controlled relationship.

Khepri

RELEASE	FAMILY	PLACEMENT
v1.0.1	Color / Amp / Tape	Insert Safe

Sacred tape machine with selectable machine, Phi formula, tape type (Gold Alloy, Ferric Oxide, Metal Alloy), speed, drive, bias, wow, flutter, head bump, HF rolloff, and parallel mix.

Recommended use: tape/source color; default mix canon 1/Phi; secondary silver mastering-support dot

Customer formats: AU, VST3, Standalone

Primary controls

Power • Gain Match • Machine • Phi Formula • Tape Type • Speed • Channel Mode • Dual Mono Link • Input • Drive • Bias • Wow

Factory starting points — source-derived purpose

KHEPRI CANON RESET

KHEPRI CANON RESET — Keeps the tape machine clean and centered for a print/reference pass.

KHEPRI CLEAN PRINT

KHEPRI CLEAN PRINT — Keeps the tape machine clean and centered for a print/reference pass.

KHEPRI VOCAL SILK

KHEPRI VOCAL SILK — Uses tape speed, bias, and drive to smooth vocal edges without losing diction.

KHEPRI BASS FOUNDATION

KHEPRI BASS FOUNDATION — Adds tape foundation and low-frequency cohesion to a bass source.

KHEPRI DRUM PUNCH

KHEPRI DRUM PUNCH — Adds punch and tape cohesion to the drum bus while retaining the transient.

KHEPRI BUS GLUE

KHEPRI BUS GLUE — Uses moderate machine Drive and Bias for glue on a group bus.

KHEPRI AIR REPRO

KHEPRI AIR REPRO — Keeps the tape path open enough for air reproduction rather than darkening the source.

KHEPRI VINTAGE DRIFT

KHEPRI VINTAGE DRIFT — Introduces controlled speed/wow/bias movement for audible vintage drift.

KHEPRI DUAL REEL

KHEPRI DUAL REEL — Introduces controlled speed/wow/bias movement for audible vintage drift.

Chain: Pre-PtahTube

Chain: Pre-PtahTube — Marks KHEPRI's intended position in a DIH chain; load it as a routing stage, not a standalone color guess.

Chain: Vocal Body

Chain: Vocal Body — Uses tape speed, bias, and drive to smooth vocal edges without losing diction.

Chain: Drum Bus Pre-Glue

Chain: Drum Bus Pre-Glue — Adds punch and tape cohesion to the drum bus while retaining the transient.

Chain: Music Bus Foundation

Chain: Music Bus Foundation — Uses moderate machine Drive and Bias for glue on a group bus.

Chain: Clean Print Finish

Chain: Clean Print Finish — Keeps the tape machine clean and centered for a print/reference pass.

Meters and visualizers

INPUT VU: Ballistic input level. Calibrated to the printed analog VU scale.

OUTPUT VU: Ballistic post-tape level. Compare with INPUT to avoid loudness bias.

Waveform: Recent live output samples. Shows real signal motion, not a decorative animation.

Reels / beetle glow: Tape motion and drive state. Operational feedback; not a calibrated level meter.

SOVEREIGN

RELEASE	FAMILY	PLACEMENT
v1.0.1	Color / Amp / Tape	Mix Bus

Source-oriented amplifier and tone stage with drive, bass, mid, treble, presence, and master controls.

Recommended use: stronger color and bus authority; secondary silver mastering-support dot

Customer formats: AU, VST3

Primary controls

Power • Drive • Bass • Mid • Treble • Presence • Master • Channel Mode • Dual Mono Link • Gain Match

Factory starting points — source-derived purpose

ROYAL BALANCE [Stereo]

ROYAL BALANCE — Sets Sovereign's drive/EQ authority for the named source role. Stereo variant: keep the linked center intact and audition width in the full mix.

CLEAN CROWN [Stereo]

CLEAN CROWN — Sets Sovereign's drive/EQ authority for the named source role. Stereo variant: keep the linked center intact and audition width in the full mix.

TAPE FRONT [Stereo]

TAPE FRONT — Uses Drive and tone lanes for a tape-front color before the final Master trim. Stereo variant: keep the linked center intact and audition width in the full mix.

GUITAR ROYALTY [Stereo]

GUITAR ROYALTY — Shapes guitar body, mid authority, and presence with a finished royal contour. Stereo variant: keep the linked center intact and audition width in the full mix.

BASS BODY AMP [Stereo]

BASS BODY AMP — Adds bass-body authority and controlled drive without replacing the sub foundation. Stereo variant: keep the linked center intact and audition width in the full mix.

VOCAL AUTHORITY [Stereo]

VOCAL AUTHORITY — Gives a vocal a forward authority contour through Mid, Presence, and Master. Stereo variant: keep the linked center intact and audition width in the full mix.

PARALLEL COLOR BUS [Stereo]

PARALLEL COLOR BUS — Sets a parallel color bus so the dry source can retain its transient identity. Stereo variant: keep the linked center intact and audition width in the full mix.

DARK IRON CAB [Stereo]

DARK IRON CAB — Moves the source toward a dark iron cabinet contour with less upper sheen. Stereo variant: keep the linked center intact and audition width in the full mix.

ROYAL BALANCE [Mono]

ROYAL BALANCE — Sets Sovereign's drive/EQ authority for the named source role. Mono variant: collapse the field and use it as a center-focused insert.

CLEAN CROWN [Mono]

CLEAN CROWN — Sets Sovereign's drive/EQ authority for the named source role. Mono variant: collapse the field and use it as a center-focused insert.

TAPE FRONT [Mono]

TAPE FRONT — Uses Drive and tone lanes for a tape-front color before the final Master trim. Mono variant: collapse the field and use it as a center-focused insert.

GUITAR ROYALTY [Mono]

GUITAR ROYALTY — Shapes guitar body, mid authority, and presence with a finished royal contour. Mono variant: collapse the field and use it as a center-focused insert.

BASS BODY AMP [Mono]

BASS BODY AMP — Adds bass-body authority and controlled drive without replacing the sub foundation. Mono variant: collapse the field and use it as a center-focused insert.

VOCAL AUTHORITY [Mono]

VOCAL AUTHORITY — Gives a vocal a forward authority contour through Mid, Presence, and Master. Mono variant: collapse the field and use it as a center-focused insert.

PARALLEL COLOR BUS [Mono]

PARALLEL COLOR BUS — Sets a parallel color bus so the dry source can retain its transient identity. Mono variant: collapse the field and use it as a center-focused insert.

DARK IRON CAB [Mono]

DARK IRON CAB — Moves the source toward a dark iron cabinet contour with less upper sheen. Mono variant: collapse the field and use it as a center-focused insert.

ROYAL BALANCE [Dual Mono]

ROYAL BALANCE — Sets Sovereign's drive/EQ authority for the named source role. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

CLEAN CROWN [Dual Mono]

CLEAN CROWN — Sets Sovereign's drive/EQ authority for the named source role. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

TAPE FRONT [Dual Mono]

TAPE FRONT — Uses Drive and tone lanes for a tape-front color before the final Master trim. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

GUITAR ROYALTY [Dual Mono]

GUITAR ROYALTY — Shapes guitar body, mid authority, and presence with a finished royal contour. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

BASS BODY AMP [Dual Mono]

BASS BODY AMP — Adds bass-body authority and controlled drive without replacing the sub foundation. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

VOCAL AUTHORITY [Dual Mono]

VOCAL AUTHORITY — Gives a vocal a forward authority contour through Mid, Presence, and Master. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

PARALLEL COLOR BUS [Dual Mono]

PARALLEL COLOR BUS — Sets a parallel color bus so the dry source can retain its transient identity. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

DARK IRON CAB [Dual Mono]

DARK IRON CAB — Moves the source toward a dark iron cabinet contour with less upper sheen. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

DIHWorld Audio

Color / Amp / Tape Technical Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 4 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

APIS

RELEASE	FAMILY	PLACEMENT
v1.0.1	Color / Amp / Tape	Insert Safe

Body and color processor built around color, body, petal dispersion, air, protected I/O, and channel-mode support.

Recommended use: amp/color source tone

Customer formats: AU, VST3

Exposed parameter surface

Parameter ID	Display name	Type
INPUT	Input	Float
COLOR	Color	Float
BODY	Body	Float
FLOWER	Flower Petal	Float
AIR	Air	Float
OUTPUT	Output	Float
channelmode	Channel Mode	Float
dualmonolink	Dual Mono Link	Float
gainmatch	Gain Match	Bool

Factory starting points — source-derived purpose

APIS CANON RESET
APIS CANON RESET — Sets the APIS body/air/flower balance for a deliberate harmonic field.

APIS BODY THRONE
APIS BODY THRONE — Centers Body and Color for a strong, stable source throne.

APIS AIR CROWN
APIS AIR CROWN — Raises Air and Flower Petal toward an open upper crown.

APIS BLOOM FIELD
APIS BLOOM FIELD — Spreads the flower/field relationship for a larger harmonic image.

APIS SHADOW CUT
APIS SHADOW CUT — Uses a restrained cut to clear space while leaving the source body readable.

APIS DUAL COMB
APIS DUAL COMB — Sets the APIS body/air/flower balance for a deliberate harmonic field.

APIS FULL FIELD
APIS FULL FIELD — Spreads the flower/field relationship for a larger harmonic image.

PTAHTUBE

RELEASE	FAMILY	PLACEMENT
v1.0.1	Color / Amp / Tape	Insert Safe

Phi-based tube color processor with input, drive, energy, balance, focus, output, and Flower of Life dispersal tied to its illuminated tube field.

Recommended use: tube color; vocal clarity required

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
input	Input	Float
drive	Drive	Float
output	Output	Float
energy	Energy	Float
balance	Balance	Float
power	Power	Float
focus	Focus	Float
flower	Flower of Life Dispersal	Bool
gainmatch	Gain Match	Bool
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice

Factory starting points — source-derived purpose

Canon Clear

Canon Clear — Returns the tube stage to a clean reference with low Drive and stable Balance.

Warm Filament

Warm Filament — Adds gentle filament warmth without asking the output control to create the effect.

Memphis Grit

Memphis Grit — Raises Drive/Energy for a rougher Memphis-style edge while Focus limits the mess.

Vocal Copper Edge

Vocal Copper Edge — Puts tube edge around a vocal center for articulation and body.

Bus Tube Glue

Bus Tube Glue — Uses moderate Drive and Balance for bus glue rather than a single-source distortion.

Drum Ember Forge

Drum Ember Forge — Forges drum transients with controlled tube energy and a firm center.

Ra Saturation

Ra Saturation — Sets a named tube/filament color with Drive, Energy, Balance, and Focus in a controlled relationship.

Khepri

RELEASE	FAMILY	PLACEMENT
v1.0.1	Color / Amp / Tape	Insert Safe

Sacred tape machine with selectable machine, Phi formula, tape type (Gold Alloy, Ferric Oxide, Metal Alloy), speed, drive, bias, wow, flutter, head bump, HF rolloff, and parallel mix.

Recommended use: tape/source color; default mix canon 1/Phi; secondary silver mastering-support dot

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
power	Power	Bool
gainmatch	Gain Match	Bool
machine	Machine	Choice
formula	Phi Formula	Choice
tapeType	Tape Type	Choice
speed	Speed	Choice
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice
input	Input	Float
drive	Drive	Float
bias	Bias	Float
wow	Wow	Float
flutter	Flutter	Float
bump	Head Bump	Float
rolloff	HF Rolloff	Float
mix	Mix	Float
output	Output	Float

Factory starting points — source-derived purpose

KHEPRI CANON RESET

KHEPRI CANON RESET — Keeps the tape machine clean and centered for a print/reference pass.

KHEPRI CLEAN PRINT

KHEPRI CLEAN PRINT — Keeps the tape machine clean and centered for a print/reference pass.

KHEPRI VOCAL SILK

KHEPRI VOCAL SILK — Uses tape speed, bias, and drive to smooth vocal edges without losing diction.

KHEPRI BASS FOUNDATION

KHEPRI BASS FOUNDATION — Adds tape foundation and low-frequency cohesion to a bass source.

KHEPRI DRUM PUNCH

KHEPRI DRUM PUNCH — Adds punch and tape cohesion to the drum bus while retaining the transient.

KHEPRI BUS GLUE

KHEPRI BUS GLUE — Uses moderate machine Drive and Bias for glue on a group bus.

KHEPRI AIR REPRO

KHEPRI AIR REPRO — Keeps the tape path open enough for air reproduction rather than darkening the source.

KHEPRI VINTAGE DRIFT

KHEPRI VINTAGE DRIFT — Introduces controlled speed/wow/bias movement for audible vintage drift.

KHEPRI DUAL REEL

KHEPRI DUAL REEL — Introduces controlled speed/wow/bias movement for audible vintage drift.

Chain: Pre-PtahTube

Chain: Pre-PtahTube — Marks KHEPRI's intended position in a DIH chain; load it as a routing stage, not a standalone color guess.

Chain: Vocal Body

Chain: Vocal Body — Uses tape speed, bias, and drive to smooth vocal edges without losing diction.

Chain: Drum Bus Pre-Glue

Chain: Drum Bus Pre-Glue — Adds punch and tape cohesion to the drum bus while retaining the transient.

Chain: Music Bus Foundation

Chain: Music Bus Foundation — Uses moderate machine Drive and Bias for glue on a group bus.

Chain: Clean Print Finish

Chain: Clean Print Finish — Keeps the tape machine clean and centered for a print/reference pass.

Meters and visualizers

INPUT VU: Ballistic input level. Calibrated to the printed analog VU scale.

OUTPUT VU: Ballistic post-tape level. Compare with INPUT to avoid loudness bias.

Waveform: Recent live output samples. Shows real signal motion, not a decorative animation.

Reels / beetle glow: Tape motion and drive state. Operational feedback; not a calibrated level meter.

SOVEREIGN

RELEASE	FAMILY	PLACEMENT
v1.0.1	Color / Amp / Tape	Mix Bus

Source-oriented amplifier and tone stage with drive, bass, mid, treble, presence, and master controls.

Recommended use: stronger color and bus authority; secondary silver mastering-support dot

Customer formats: AU, VST3

Exposed parameter surface

Parameter ID	Display name	Type
power	Power	Bool
drive	Drive	Float
bass	Bass	Float
mid	Mid	Float
treble	Treble	Float
presence	Presence	Float
master	Master	Float
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice
gainmatch	Gain Match	Bool

Factory starting points — source-derived purpose

ROYAL BALANCE [Stereo]

ROYAL BALANCE — Sets Sovereign’s drive/EQ authority for the named source role. Stereo variant: keep the linked center intact and audition width in the full mix.

CLEAN CROWN [Stereo]

CLEAN CROWN — Sets Sovereign’s drive/EQ authority for the named source role. Stereo variant: keep the linked center intact and audition width in the full mix.

TAPE FRONT [Stereo]

TAPE FRONT — Uses Drive and tone lanes for a tape-front color before the final Master trim. Stereo variant: keep the linked center intact and audition width in the full mix.

GUITAR ROYALTY [Stereo]

GUITAR ROYALTY — Shapes guitar body, mid authority, and presence with a finished royal contour. Stereo variant: keep the linked center intact and audition width in the full mix.

BASS BODY AMP [Stereo]

BASS BODY AMP — Adds bass-body authority and controlled drive without replacing the sub foundation. Stereo variant: keep the linked center intact and audition width in the full mix.

VOCAL AUTHORITY [Stereo]

VOCAL AUTHORITY — Gives a vocal a forward authority contour through Mid, Presence, and Master. Stereo variant: keep the linked center intact and audition width in the full mix.

PARALLEL COLOR BUS [Stereo]

PARALLEL COLOR BUS — Sets a parallel color bus so the dry source can retain its transient identity. Stereo variant: keep the linked center intact and audition width in the full mix.

DARK IRON CAB [Stereo]

DARK IRON CAB — Moves the source toward a dark iron cabinet contour with less upper sheen. Stereo variant: keep the linked center intact and audition width in the full mix.

ROYAL BALANCE [Mono]

ROYAL BALANCE — Sets Sovereign’s drive/EQ authority for the named source role. Mono variant: collapse the field and use it as a center-focused insert.

CLEAN CROWN [Mono]

CLEAN CROWN — Sets Sovereign's drive/EQ authority for the named source role. Mono variant: collapse the field and use it as a center-focused insert.

TAPE FRONT [Mono]

TAPE FRONT — Uses Drive and tone lanes for a tape-front color before the final Master trim. Mono variant: collapse the field and use it as a center-focused insert.

GUITAR ROYALTY [Mono]

GUITAR ROYALTY — Shapes guitar body, mid authority, and presence with a finished royal contour. Mono variant: collapse the field and use it as a center-focused insert.

BASS BODY AMP [Mono]

BASS BODY AMP — Adds bass-body authority and controlled drive without replacing the sub foundation. Mono variant: collapse the field and use it as a center-focused insert.

VOCAL AUTHORITY [Mono]

VOCAL AUTHORITY — Gives a vocal a forward authority contour through Mid, Presence, and Master. Mono variant: collapse the field and use it as a center-focused insert.

PARALLEL COLOR BUS [Mono]

PARALLEL COLOR BUS — Sets a parallel color bus so the dry source can retain its transient identity. Mono variant: collapse the field and use it as a center-focused insert.

DARK IRON CAB [Mono]

DARK IRON CAB — Moves the source toward a dark iron cabinet contour with less upper sheen. Mono variant: collapse the field and use it as a center-focused insert.

ROYAL BALANCE [Dual Mono]

ROYAL BALANCE — Sets Sovereign's drive/EQ authority for the named source role. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

CLEAN CROWN [Dual Mono]

CLEAN CROWN — Sets Sovereign's drive/EQ authority for the named source role. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

TAPE FRONT [Dual Mono]

TAPE FRONT — Uses Drive and tone lanes for a tape-front color before the final Master trim. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

GUITAR ROYALTY [Dual Mono]

GUITAR ROYALTY — Shapes guitar body, mid authority, and presence with a finished royal contour. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

BASS BODY AMP [Dual Mono]

BASS BODY AMP — Adds bass-body authority and controlled drive without replacing the sub foundation. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

VOCAL AUTHORITY [Dual Mono]

VOCAL AUTHORITY — Gives a vocal a forward authority contour through Mid, Presence, and Master. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

PARALLEL COLOR BUS [Dual Mono]

PARALLEL COLOR BUS — Sets a parallel color bus so the dry source can retain its transient identity. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

DARK IRON CAB [Dual Mono]

DARK IRON CAB — Moves the source toward a dark iron cabinet contour with less upper sheen. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

DIHWorld Audio

Field / Tone / Balance Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 2 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

AUSET

RELEASE	FAMILY	PLACEMENT
v1.0.1	Field / Tone / Balance	Bus Preferred

Field-tone balancer with intensity, tilt, power, and optional Flower of Life dispersal.

Recommended use: tone balance and dispersal field

Customer formats: AU, VST3, Standalone

Primary controls

Intensity • Tilt • Power • Gain Match • Flower of Life Dispersal • Channel Mode • Dual Mono Link

Factory starting points — source-derived purpose

AUSET NIGHT BALANCE [Stereo]

AUSET NIGHT BALANCE — Uses restrained Intensity and a darker Tilt for a quieter, deeper field. Factory recipe: Intensity 38%, Tilt 50%, Flower Dispersal off. Stereo variant: keep the linked center intact and audition width in the full mix.

AUSET LUNAR LIFT [Stereo]

AUSET LUNAR LIFT — Raises Tilt toward an open lift while keeping Intensity controlled. Factory recipe: Intensity 58%, Tilt 58%, Flower Dispersal off. Stereo variant: keep the linked center intact and audition width in the full mix.

AUSET SOLAR REVEAL [Stereo]

AUSET SOLAR REVEAL — Uses high Intensity/Tilt for an assertive reveal; match output before committing. Factory recipe: Intensity 86%, Tilt 86%, Flower Dispersal off. Stereo variant: keep the linked center intact and audition width in the full mix.

AUSET VELVET BODY [Stereo]

AUSET VELVET BODY — Tilts the field toward soft body and away from a sharp top. Factory recipe: Intensity 50%, Tilt 24%, Flower Dispersal off. Stereo variant: keep the linked center intact and audition width in the full mix.

AUSET SHADOW DEPTH [Stereo]

AUSET SHADOW DEPTH — Uses restrained Intensity and a darker Tilt for a quieter, deeper field. Factory recipe: Intensity 62%, Tilt 24%, Flower Dispersal off. Stereo variant: keep the linked center intact and audition width in the full mix.

AUSET AIR LIFT REVEAL [Stereo]

AUSET AIR LIFT REVEAL — Raises Tilt toward an open lift while keeping Intensity controlled. Factory recipe: Intensity 100%, Tilt 74%, Flower Dispersal off. Stereo variant: keep the linked center intact and audition width in the full mix.

AUSET MASTER SUPPORT [Stereo]

AUSET MASTER SUPPORT — Provides moderate Intensity/Tilt support for a master or bus rather than a special effect. Factory recipe: Intensity 40%, Tilt 62%, Flower Dispersal off. Stereo variant: keep the linked center intact and audition width in the full mix.

AUSET FLOWER BLOOM [Stereo]

AUSET FLOWER BLOOM — The canonical Flower Bloom demonstration engages Flower of Life Dispersal with both Intensity and Tilt fully open. Factory recipe: Intensity 100%, Tilt 100%, Flower Dispersal on. Stereo variant: keep the linked center intact and audition width in the full mix.

AUSET NIGHT BALANCE [Mono]

AUSET NIGHT BALANCE — Uses restrained Intensity and a darker Tilt for a quieter, deeper field. Factory recipe: Intensity 38%, Tilt 50%, Flower Dispersal off. Mono variant: collapse the field and use it as a center-focused insert.

AUSET LUNAR LIFT [Mono]

AUSET LUNAR LIFT — Raises Tilt toward an open lift while keeping Intensity controlled. Factory recipe: Intensity 58%, Tilt 58%, Flower Dispersal off. Mono variant: collapse the field and use it as a center-focused insert.

AUSET SOLAR REVEAL [Mono]

AUSET SOLAR REVEAL — Uses high Intensity/Tilt for an assertive reveal; match output before committing. Factory recipe: Intensity 86%, Tilt 86%, Flower Dispersal off. Mono variant: collapse the field and use it as a center-focused insert.

AUSET VELVET BODY [Mono]

AUSET VELVET BODY — Tilts the field toward soft body and away from a sharp top. Factory recipe: Intensity 50%, Tilt 24%, Flower Dispersal off. Mono variant: collapse the field and use it as a center-focused insert.

AUSET SHADOW DEPTH [Mono]

AUSET SHADOW DEPTH — Uses restrained Intensity and a darker Tilt for a quieter, deeper field. Factory recipe: Intensity 62%, Tilt 24%, Flower Dispersal off. Mono variant: collapse the field and use it as a center-focused insert.

AUSET AIR LIFT REVEAL [Mono]

AUSET AIR LIFT REVEAL — Raises Tilt toward an open lift while keeping Intensity controlled. Factory recipe: Intensity 100%, Tilt 74%, Flower Dispersal

off. Mono variant: collapse the field and use it as a center-focused insert.

AUSET MASTER SUPPORT [Mono]

AUSET MASTER SUPPORT — Provides moderate Intensity/Tilt support for a master or bus rather than a special effect. Factory recipe: Intensity 40%, Tilt 62%, Flower Dispersal off. Mono variant: collapse the field and use it as a center-focused insert.

AUSET FULL RANGE [Mono]

AUSET FULL RANGE — Sets AUSET's intensity/tilt field for a named tonal direction. Mono variant: collapse the field and use it as a center-focused insert.

AUSET NIGHT BALANCE [Dual Mono]

AUSET NIGHT BALANCE — Uses restrained Intensity and a darker Tilt for a quieter, deeper field. Factory recipe: Intensity 38%, Tilt 50%, Flower Dispersal off. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AUSET LUNAR LIFT [Dual Mono]

AUSET LUNAR LIFT — Raises Tilt toward an open lift while keeping Intensity controlled. Factory recipe: Intensity 58%, Tilt 58%, Flower Dispersal off. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AUSET SOLAR REVEAL [Dual Mono]

AUSET SOLAR REVEAL — Uses high Intensity/Tilt for an assertive reveal; match output before committing. Factory recipe: Intensity 86%, Tilt 86%, Flower Dispersal off. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AUSET VELVET BODY [Dual Mono]

AUSET VELVET BODY — Tilts the field toward soft body and away from a sharp top. Factory recipe: Intensity 50%, Tilt 24%, Flower Dispersal off. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AUSET SHADOW DEPTH [Dual Mono]

AUSET SHADOW DEPTH — Uses restrained Intensity and a darker Tilt for a quieter, deeper field. Factory recipe: Intensity 62%, Tilt 24%, Flower Dispersal off. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AUSET AIR LIFT REVEAL [Dual Mono]

AUSET AIR LIFT REVEAL — Raises Tilt toward an open lift while keeping Intensity controlled. Factory recipe: Intensity 100%, Tilt 74%, Flower Dispersal off. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AUSET MASTER SUPPORT [Dual Mono]

AUSET MASTER SUPPORT — Provides moderate Intensity/Tilt support for a master or bus rather than a special effect. Factory recipe: Intensity 40%, Tilt 62%, Flower Dispersal off. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AUSET FULL RANGE [Dual Mono]

AUSET FULL RANGE — Sets AUSET's intensity/tilt field for a named tonal direction. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AUSAR

RELEASE	FAMILY	PLACEMENT
v1.0.1	Field / Tone / Balance	Bus Preferred

Restoration processor for hum repair, broadband extraction, transient integrity, and controlled output.

Recommended use: field/tone balance

Customer formats: AU, VST3, Standalone

Primary controls

Gain Match • Hum Repair • Broadband Extraction • Transient Integrity • Output

Factory starting points — source-derived purpose

AUSAR SOURCE RESTORE

AUSAR SOURCE RESTORE — Uses balanced restoration for an archival/source pass before more surgical repair. Factory recipe: Hum Repair 40%, Broadband Ext 47%, Transient Int 53%.

AUSAR RELIC WASH

AUSAR RELIC WASH — Uses stronger restoration to bring damaged or distant material back into a usable field. Factory recipe: Hum Repair 58%, Broadband Ext 58%, Transient Int 58%.

AUSAR RESURRECTION FIELD

AUSAR RESURRECTION FIELD — Uses stronger restoration to bring damaged or distant material back into a usable field. Factory recipe: Hum Repair 86%, Broadband Ext 86%, Transient Int 86%.

AUSAR HUM DEEP CLEAN

AUSAR HUM DEEP CLEAN — Prioritizes Hum Repair while keeping Broadband Extraction and Transient Integrity restrained. Factory recipe: Hum Repair 100%, Broadband Ext 26%, Transient Int 34%.

AUSAR BROADBAND REVEAL

AUSAR BROADBAND REVEAL — Prioritizes Broadband Extraction to reveal a buried source without over-cleaning its transients. Factory recipe: Hum Repair 30%, Broadband Ext 100%, Transient Int 62%.

AUSAR TRANSIENT REPAIR

AUSAR TRANSIENT REPAIR — Prioritizes Transient Integrity so repaired material regains edge and articulation. Factory recipe: Hum Repair 24%, Broadband Ext 38%, Transient Int 100%.

AUSAR ARCHIVAL BALANCE

AUSAR ARCHIVAL BALANCE — Uses balanced restoration for an archival/source pass before more surgical repair. Factory recipe: Hum Repair 62%, Broadband Ext 62%, Transient Int 50%.

AUSAR FULL RANGE PROOF

AUSAR FULL RANGE PROOF — Sets the AUSAR restoration balance across hum, broadband, and transient defects. Factory recipe: Hum Repair 100%, Broadband Ext 100%, Transient Int 100%.

DIHWorld Audio

Field / Tone / Balance Technical Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 2 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

AUSET

RELEASE	FAMILY	PLACEMENT
v1.0.1	Field / Tone / Balance	Bus Preferred

Field-tone balancer with intensity, tilt, power, and optional Flower of Life dispersal.

Recommended use: tone balance and dispersal field

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
INTENSITY	Intensity	Float
TILT	Tilt	Float
POWER	Power	Bool
gainmatch	Gain Match	Bool
FLOWER_DISPERSAL	Flower of Life Dispersal	Bool
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice

Factory starting points — source-derived purpose

AUSET NIGHT BALANCE [Stereo]

AUSET NIGHT BALANCE — Uses restrained Intensity and a darker Tilt for a quieter, deeper field. Factory recipe: Intensity 38%, Tilt 50%, Flower Dispersal off. Stereo variant: keep the linked center intact and audition width in the full mix.

AUSET LUNAR LIFT [Stereo]

AUSET LUNAR LIFT — Raises Tilt toward an open lift while keeping Intensity controlled. Factory recipe: Intensity 58%, Tilt 58%, Flower Dispersal off. Stereo variant: keep the linked center intact and audition width in the full mix.

AUSET SOLAR REVEAL [Stereo]

AUSET SOLAR REVEAL — Uses high Intensity/Tilt for an assertive reveal; match output before committing. Factory recipe: Intensity 86%, Tilt 86%, Flower Dispersal off. Stereo variant: keep the linked center intact and audition width in the full mix.

AUSET VELVET BODY [Stereo]

AUSET VELVET BODY — Tilts the field toward soft body and away from a sharp top. Factory recipe: Intensity 50%, Tilt 24%, Flower Dispersal off. Stereo variant: keep the linked center intact and audition width in the full mix.

AUSET SHADOW DEPTH [Stereo]

AUSET SHADOW DEPTH — Uses restrained Intensity and a darker Tilt for a quieter, deeper field. Factory recipe: Intensity 62%, Tilt 24%, Flower Dispersal off. Stereo variant: keep the linked center intact and audition width in the full mix.

AUSET AIR LIFT REVEAL [Stereo]

AUSET AIR LIFT REVEAL — Raises Tilt toward an open lift while keeping Intensity controlled. Factory recipe: Intensity 100%, Tilt 74%, Flower Dispersal off. Stereo variant: keep the linked center intact and audition width in the full mix.

AUSET MASTER SUPPORT [Stereo]

AUSET MASTER SUPPORT — Provides moderate Intensity/Tilt support for a master or bus rather than a special effect. Factory recipe: Intensity 40%, Tilt 62%, Flower Dispersal off. Stereo variant: keep the linked center intact and audition width in the full mix.

AUSET FLOWER BLOOM [Stereo]

AUSET FLOWER BLOOM — The canonical Flower Bloom demonstration engages Flower of Life Dispersal with both Intensity and Tilt fully open. Factory recipe: Intensity 100%, Tilt 100%, Flower Dispersal on. Stereo variant: keep the linked center intact and audition width in the full mix.

AUSET NIGHT BALANCE [Mono]

AUSET NIGHT BALANCE — Uses restrained Intensity and a darker Tilt for a quieter, deeper field. Factory recipe: Intensity 38%, Tilt 50%, Flower Dispersal off. Mono variant: collapse the field and use it as a center-focused insert.

AUSET LUNAR LIFT [Mono]

AUSET LUNAR LIFT — Raises Tilt toward an open lift while keeping Intensity controlled. Factory recipe: Intensity 58%, Tilt 58%, Flower Dispersal off. Mono variant: collapse the field and use it as a center-focused insert.

AUSET SOLAR REVEAL [Mono]

AUSET SOLAR REVEAL — Uses high Intensity/Tilt for an assertive reveal; match output before committing. Factory recipe: Intensity 86%, Tilt 86%, Flower Dispersal off. Mono variant: collapse the field and use it as a center-focused insert.

AUSET VELVET BODY [Mono]

AUSET VELVET BODY — Tilts the field toward soft body and away from a sharp top. Factory recipe: Intensity 50%, Tilt 24%, Flower Dispersal off. Mono variant: collapse the field and use it as a center-focused insert.

AUSET SHADOW DEPTH [Mono]

AUSET SHADOW DEPTH — Uses restrained Intensity and a darker Tilt for a quieter, deeper field. Factory recipe: Intensity 62%, Tilt 24%, Flower Dispersal off. Mono variant: collapse the field and use it as a center-focused insert.

AUSET AIR LIFT REVEAL [Mono]

AUSET AIR LIFT REVEAL — Raises Tilt toward an open lift while keeping Intensity controlled. Factory recipe: Intensity 100%, Tilt 74%, Flower Dispersal off. Mono variant: collapse the field and use it as a center-focused insert.

AUSET MASTER SUPPORT [Mono]

AUSET MASTER SUPPORT — Provides moderate Intensity/Tilt support for a master or bus rather than a special effect. Factory recipe: Intensity 40%, Tilt 62%, Flower Dispersal off. Mono variant: collapse the field and use it as a center-focused insert.

AUSET FULL RANGE [Mono]

AUSET FULL RANGE — Sets AUSET's intensity/tilt field for a named tonal direction. Mono variant: collapse the field and use it as a center-focused insert.

AUSET NIGHT BALANCE [Dual Mono]

AUSET NIGHT BALANCE — Uses restrained Intensity and a darker Tilt for a quieter, deeper field. Factory recipe: Intensity 38%, Tilt 50%, Flower Dispersal off. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AUSET LUNAR LIFT [Dual Mono]

AUSET LUNAR LIFT — Raises Tilt toward an open lift while keeping Intensity controlled. Factory recipe: Intensity 58%, Tilt 58%, Flower Dispersal off. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AUSET SOLAR REVEAL [Dual Mono]

AUSET SOLAR REVEAL — Uses high Intensity/Tilt for an assertive reveal; match output before committing. Factory recipe: Intensity 86%, Tilt 86%, Flower Dispersal off. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AUSET VELVET BODY [Dual Mono]

AUSET VELVET BODY — Tilts the field toward soft body and away from a sharp top. Factory recipe: Intensity 50%, Tilt 24%, Flower Dispersal off. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AUSET SHADOW DEPTH [Dual Mono]

AUSET SHADOW DEPTH — Uses restrained Intensity and a darker Tilt for a quieter, deeper field. Factory recipe: Intensity 62%, Tilt 24%, Flower Dispersal off. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AUSET AIR LIFT REVEAL [Dual Mono]

AUSET AIR LIFT REVEAL — Raises Tilt toward an open lift while keeping Intensity controlled. Factory recipe: Intensity 100%, Tilt 74%, Flower Dispersal off. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AUSET MASTER SUPPORT [Dual Mono]

AUSET MASTER SUPPORT — Provides moderate Intensity/Tilt support for a master or bus rather than a special effect. Factory recipe: Intensity 40%, Tilt 62%, Flower Dispersal off. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AUSET FULL RANGE [Dual Mono]

AUSET FULL RANGE — Sets AUSET's intensity/tilt field for a named tonal direction. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AUSAR

RELEASE	FAMILY	PLACEMENT
v1.0.1	Field / Tone / Balance	Bus Preferred

Restoration processor for hum repair, broadband extraction, transient integrity, and controlled output.

Recommended use: field/tone balance

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
gainmatch	Gain Match	Bool
HUM_REPAIR	Hum Repair	Float
BROADBAND_EXT	Broadband Extraction	Float
TRANSIENT_INT	Transient Integrity	Float
OUTPUT_GAIN	Output	Float

Factory starting points — source-derived purpose

AUSAR SOURCE RESTORE

AUSAR SOURCE RESTORE — Uses balanced restoration for an archival/source pass before more surgical repair. Factory recipe: Hum Repair 40%, Broadband Ext 47%, Transient Int 53%.

AUSAR RELIC WASH

AUSAR RELIC WASH — Uses stronger restoration to bring damaged or distant material back into a usable field. Factory recipe: Hum Repair 58%, Broadband Ext 58%, Transient Int 58%.

AUSAR RESURRECTION FIELD

AUSAR RESURRECTION FIELD — Uses stronger restoration to bring damaged or distant material back into a usable field. Factory recipe: Hum Repair 86%, Broadband Ext 86%, Transient Int 86%.

AUSAR HUM DEEP CLEAN

AUSAR HUM DEEP CLEAN — Prioritizes Hum Repair while keeping Broadband Extraction and Transient Integrity restrained. Factory recipe: Hum Repair 100%, Broadband Ext 26%, Transient Int 34%.

AUSAR BROADBAND REVEAL

AUSAR BROADBAND REVEAL — Prioritizes Broadband Extraction to reveal a buried source without over-cleaning its transients. Factory recipe: Hum Repair 30%, Broadband Ext 100%, Transient Int 62%.

AUSAR TRANSIENT REPAIR

AUSAR TRANSIENT REPAIR — Prioritizes Transient Integrity so repaired material regains edge and articulation. Factory recipe: Hum Repair 24%, Broadband Ext 38%, Transient Int 100%.

AUSAR ARCHIVAL BALANCE

AUSAR ARCHIVAL BALANCE — Uses balanced restoration for an archival/source pass before more surgical repair. Factory recipe: Hum Repair 62%, Broadband Ext 62%, Transient Int 50%.

AUSAR FULL RANGE PROOF

AUSAR FULL RANGE PROOF — Sets the AUSAR restoration balance across hum, broadband, and transient defects. Factory recipe: Hum Repair 100%, Broadband Ext 100%, Transient Int 100%.

DIHWorld Audio

Dimensional / Impact / Move Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 3 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

Depth Impact Hybrid X

RELEASE	FAMILY	PLACEMENT
v1.0.1	Dimensional / Impact / Move	Insert Safe

Six-mode spatial field for clarity, depth, low bloom, front push, hybrid pressure, fold, freeze, and source-to-horizon movement.

Recommended use: spectral clarity, harmonic depth, and hybrid spatial field

Customer formats: AU, VST3, Standalone

Primary controls

Output • Hybrid X Mode • Channel Mode • Dual Mono Link • Horizon Fold • Event Freeze • Echo • CPU Saver • Bypass • Gain Match • spectralClarity • spatialDepth

Factory starting points — source-derived purpose

Balanced Field

Balanced Field — Sets a named Hybrid X depth/impact relationship for the source or bus.

Vocal Focus

Vocal Focus — Keeps a vocal forward while using the hybrid field for controlled depth.

Drum Front

Drum Front — Brings the drum front forward and preserves impact before the spatial return.

Bass Foundation

Bass Foundation — Builds a stable bass foundation with depth that remains center-safe.

Wide Atmosphere

Wide Atmosphere — Opens the atmosphere/return field for a wider, less center-bound image.

Pushback Space

Pushback Space — Moves the source deeper into the scene with Event Freeze/Echo used as motion support.

Deep Immersion

Deep Immersion — Moves the source deeper into the scene with Event Freeze/Echo used as motion support.

Hybrid Motion

Hybrid Motion — Uses Hybrid X motion to move between impact and spatial states rather than a static width boost.

Meters and visualizers

RMS FIELD: Overall sustained field energy. Shows the body of the dimensional result.

LEFT / RIGHT: Per-channel output activity. Use to spot unintended channel imbalance.

HORIZON: Depth and distant-field contribution. Higher values indicate stronger rearward space.

EVENT: Transient/front-push contribution. Higher values indicate stronger forward impact.

Immersion / Foundation / Motion: Three-part dimensional activity summary. Read together to distinguish depth, low support, and movement.

PARALLAX

RELEASE	FAMILY	PLACEMENT
v1.0.1	Dimensional / Impact / Move	Bus Preferred

Bus-preferred width and depth field with focus, spread, axis core, link, mix, and output control.

Recommended use: bus-preferred dimensional placement

Customer formats: AU, VST3

Primary controls

Width • Depth • Focus • Stereo Spread • Axis Core • Mix • Output • Field Link • Power • Gain Match • Channel Mode • Dual Mono Link

Factory starting points — source-derived purpose

Deep Space [Stereo]

Deep Space — Opens a large depth/width scene with Focus keeping the center from dissolving. Stereo variant: keep the linked center intact and audition width in the full mix.

Wormhole [Stereo]

Wormhole — Uses animated axis movement and depth to create a traveling return around the dry source. Stereo variant: keep the linked center intact and audition width in the full mix.

Nebula Shift [Stereo]

Nebula Shift — Adds soft drifting width and depth rather than a rigid stereo spread. Stereo variant: keep the linked center intact and audition width in the full mix.

Stellar Grid [Stereo]

Stellar Grid — Uses Axis Core and Focus to build a structured spatial grid. Stereo variant: keep the linked center intact and audition width in the full mix.

Planetary Orbits [Stereo]

Planetary Orbits — Links width/depth movement into a balanced orbital field. Stereo variant: keep the linked center intact and audition width in the full mix.

Light Speed [Stereo]

Light Speed — Uses faster motion and a wide spread for an energetic moving return. Stereo variant: keep the linked center intact and audition width in the full mix.

Quantum Field [Stereo]

Quantum Field — Adds fine-grained field texture with the dry center still readable. Stereo variant: keep the linked center intact and audition width in the full mix.

Dimensional Gate [Stereo]

Dimensional Gate — Opens a controlled dimensional gate, then uses Focus to keep the axis stable. Stereo variant: keep the linked center intact and audition width in the full mix.

Gravity Well [Stereo]

Gravity Well — Pulls the return inward toward a dense depth center before any final width. Stereo variant: keep the linked center intact and audition width in the full mix.

Ascension [Stereo]

Ascension — Raises the field into an open, elevated wide scene. Stereo variant: keep the linked center intact and audition width in the full mix.

Deep Space [Mono]

Deep Space — Opens a large depth/width scene with Focus keeping the center from dissolving. Mono variant: collapse the field and use it as a center-focused insert.

Wormhole [Mono]

Wormhole — Uses animated axis movement and depth to create a traveling return around the dry source. Mono variant: collapse the field and use it as a center-focused insert.

Nebula Shift [Mono]

Nebula Shift — Adds soft drifting width and depth rather than a rigid stereo spread. Mono variant: collapse the field and use it as a center-focused insert.

Stellar Grid [Mono]

Stellar Grid — Uses Axis Core and Focus to build a structured spatial grid. Mono variant: collapse the field and use it as a center-focused insert.

Planetary Orbits [Mono]

Planetary Orbits — Links width/depth movement into a balanced orbital field. Mono variant: collapse the field and use it as a center-focused insert.

Light Speed [Mono]

Light Speed — Uses faster motion and a wide spread for an energetic moving return. Mono variant: collapse the field and use it as a center-focused insert.

Quantum Field [Mono]

Quantum Field — Adds fine-grained field texture with the dry center still readable. Mono variant: collapse the field and use it as a center-focused insert.

Dimensional Gate [Mono]

Dimensional Gate — Opens a controlled dimensional gate, then uses Focus to keep the axis stable. Mono variant: collapse the field and use it as a center-focused insert.

Gravity Well [Mono]

Gravity Well — Pulls the return inward toward a dense depth center before any final width. Mono variant: collapse the field and use it as a center-focused insert.

Ascension [Mono]

Ascension — Raises the field into an open, elevated wide scene. Mono variant: collapse the field and use it as a center-focused insert.

Deep Space [Dual Mono]

Deep Space — Opens a large depth/width scene with Focus keeping the center from dissolving. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Wormhole [Dual Mono]

Wormhole — Uses animated axis movement and depth to create a traveling return around the dry source. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Nebula Shift [Dual Mono]

Nebula Shift — Adds soft drifting width and depth rather than a rigid stereo spread. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Stellar Grid [Dual Mono]

Stellar Grid — Uses Axis Core and Focus to build a structured spatial grid. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Planetary Orbits [Dual Mono]

Planetary Orbits — Links width/depth movement into a balanced orbital field. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Light Speed [Dual Mono]

Light Speed — Uses faster motion and a wide spread for an energetic moving return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Quantum Field [Dual Mono]

Quantum Field — Adds fine-grained field texture with the dry center still readable. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Dimensional Gate [Dual Mono]

Dimensional Gate — Opens a controlled dimensional gate, then uses Focus to keep the axis stable. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Gravity Well [Dual Mono]

Gravity Well — Pulls the return inward toward a dense depth center before any final width. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Ascension [Dual Mono]

Ascension — Raises the field into an open, elevated wide scene. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

INPUT / OUTPUT: Live pre/post level. Use for level matching around the width field.

Field visualizer: Width, depth, focus, spread, and axis state. Motion shows spatial behavior; it is not a frequency plot.

NSR

RELEASE	FAMILY	PLACEMENT
v1.0.1	Dimensional / Impact / Move	Bus Preferred

Phi-ratio spatial delay and movement field combining travel, microphase, air, anchor, spread, time delay, flange, and mix.

Recommended use: phi-based spatial delay, microphase, and flange field

Customer formats: AU, VST3, Standalone

Primary controls

Telescope • Gain Match • travel • microphase • air • anchor • spread • field • timeDelay • flange • mix

Factory starting points — source-derived purpose

Ankh Source Field

Ankh Source Field — Uses Telescope/Field/Anchor to establish the source field before adding timed travel.

Ra Side Light

Ra Side Light — Adds a side-light return that opens the source without moving its center.

Ausar Depth Gate

Ausar Depth Gate — Uses travel and time delay to place a deeper return behind the dry source.

Ma'at Balance

Ma'at Balance — Sets NSR's telescope, delay, phase, and field movement for the named space.

Horus Wide Eye

Horus Wide Eye — Spreads the return with controlled microphase and field movement.

Seshat Trace

Seshat Trace — Sets NSR's telescope, delay, phase, and field movement for the named space.

Thoth Phase Door

Thoth Phase Door — Uses microphase/flange movement for an orbiting, animated field.

Sekhem Phi Orbit

Sekhem Phi Orbit — Uses microphase/flange movement for an orbiting, animated field.

Neteru Full Field

Neteru Full Field — Uses Telescope/Field/Anchor to establish the source field before adding timed travel.

Chain: Depth Parallax Finish

Chain: Depth Parallax Finish — Defines NSR's position in a DIH routing chain—depth finish, vocal halo, bus tuck, or stereo motion.

Chain: Vocal Halo Motion

Chain: Vocal Halo Motion — Defines NSR's position in a DIH routing chain—depth finish, vocal halo, bus tuck, or stereo motion.

Chain: Music Bus Tuck

Chain: Music Bus Tuck — Defines NSR's position in a DIH routing chain—depth finish, vocal halo, bus tuck, or stereo motion.

Chain: Drum Return Motion

Chain: Drum Return Motion — Defines NSR's position in a DIH routing chain—depth finish, vocal halo, bus tuck, or stereo motion.

Chain: Parallel Bloom

Chain: Parallel Bloom — Defines NSR's position in a DIH routing chain—depth finish, vocal halo, bus tuck, or stereo motion.

Studio Vocal - Focus 40/55 ms

Studio Vocal - Focus 40/55 ms — Sets NSR's telescope, delay, phase, and field movement for the named space.

Studio Vocal - Double 75/105 ms

Studio Vocal - Double 75/105 ms — Sets NSR's telescope, delay, phase, and field movement for the named space.

Studio Vocal - Throw 165/230 ms

Studio Vocal - Throw 165/230 ms — Sets NSR's telescope, delay, phase, and field movement for the named space.

Studio Instrument - Pocket 60/85 ms

Studio Instrument - Pocket 60/85 ms — Sets NSR's telescope, delay, phase, and field movement for the named space.

Studio Guitar - Spread 100/140 ms

Studio Guitar - Spread 100/140 ms — Sets NSR's telescope, delay, phase, and field movement for the named space.

Studio Keys - Bloom 210/295 ms

Studio Keys - Bloom 210/295 ms — Sets NSR's telescope, delay, phase, and field movement for the named space.

Meters and visualizers

SPECTRUM: Energy across displayed frequency bands. Shows tonal distribution of the current signal.

CORRELATION: Left/right phase similarity. +1 is mono-coherent, 0 is decorrelated, negative values risk cancellation.

L / R: Channel activity. Use to detect imbalance before and after the field.

PHI FIELD VIEW: Combined spatial-field intensity. Shows overall activity of the responder.

STEREO FIELD / WIDTH: Side-to-mid spatial width. Check correlation whenever width stays high.

FIELD ACTIVITY: Wet spatial-path energy. Shows how much processed field is actually active.

DRY / WET waveform: Recent source and processed traces. Compare timing, shape, and motion between paths.

Signal Path: Activity at each processing stage. Locates where energy enters, moves, feeds back, and is contained.

DIHWorld Audio

Dimensional / Impact / Move Technical Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical $\Phi/2$ ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 3 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

Depth Impact Hybrid X

RELEASE	FAMILY	PLACEMENT
v1.0.1	Dimensional / Impact / Move	Insert Safe

Six-mode spatial field for clarity, depth, low bloom, front push, hybrid pressure, fold, freeze, and source-to-horizon movement.

Recommended use: spectral clarity, harmonic depth, and hybrid spatial field

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
output	Output	Float
mode	Hybrid X Mode	Choice
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice
horizonFold	Horizon Fold	Bool
freeze	Event Freeze	Bool
echo	Echo	Bool
cpuSaver	CPU Saver	Bool
bypass	Bypass	Bool
gainmatch	Gain Match	Bool
spectralClarity	spectralClarity	Referenced
spatialDepth	spatialDepth	Referenced
loContour	loContour	Referenced
subPressure	subPressure	Referenced
foundation	foundation	Referenced
ground	ground	Referenced
mass	mass	Referenced
presenceLift	presenceLift	Referenced
frontPush	frontPush	Referenced
dimensionalGain	dimensionalGain	Referenced
extension	extension	Referenced
horizonDrive	horizonDrive	Referenced
horizonMaximizer	horizonMaximizer	Referenced
eventSmear	eventSmear	Referenced
eventGravity	eventGravity	Referenced
hybridAmount	hybridAmount	Referenced
immersionBlend	immersionBlend	Referenced
marianaBlend	marianaBlend	Referenced
boostBlend	boostBlend	Referenced
horizonBlend	horizonBlend	Referenced
eventBlend	eventBlend	Referenced
pressureBlend	pressureBlend	Referenced

Factory starting points — source-derived purpose

Balanced Field

Balanced Field — Sets a named Hybrid X depth/impact relationship for the source or bus.

Vocal Focus

Vocal Focus — Keeps a vocal forward while using the hybrid field for controlled depth.

Drum Front

Drum Front — Brings the drum front forward and preserves impact before the spatial return.

Bass Foundation

Bass Foundation — Builds a stable bass foundation with depth that remains center-safe.

Wide Atmosphere

Wide Atmosphere — Opens the atmosphere/return field for a wider, less center-bound image.

Pushback Space

Pushback Space — Moves the source deeper into the scene with Event Freeze/Echo used as motion support.

Deep Immersion

Deep Immersion — Moves the source deeper into the scene with Event Freeze/Echo used as motion support.

Hybrid Motion

Hybrid Motion — Uses Hybrid X motion to move between impact and spatial states rather than a static width boost.

Meters and visualizers

RMS FIELD: Overall sustained field energy. Shows the body of the dimensional result.

LEFT / RIGHT: Per-channel output activity. Use to spot unintended channel imbalance.

HORIZON: Depth and distant-field contribution. Higher values indicate stronger rearward space.

EVENT: Transient/front-push contribution. Higher values indicate stronger forward impact.

Immersion / Foundation / Motion: Three-part dimensional activity summary. Read together to distinguish depth, low support, and movement.

PARALLAX

RELEASE	FAMILY	PLACEMENT
v1.0.1	Dimensional / Impact / Move	Bus Preferred

Bus-preferred width and depth field with focus, spread, axis core, link, mix, and output control.

Recommended use: bus-preferred dimensional placement

Customer formats: AU, VST3

Exposed parameter surface

Parameter ID	Display name	Type
width	Width	Float
depth	Depth	Float
focus	Focus	Float
spread	Stereo Spread	Float
axis	Axis Core	Float
mix	Mix	Float
output	Output	Float
field_link	Field Link	Bool
power	Power	Bool
gainmatch	Gain Match	Bool
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice

Factory starting points — source-derived purpose

Deep Space [Stereo]

Deep Space — Opens a large depth/width scene with Focus keeping the center from dissolving. Stereo variant: keep the linked center intact and audition width in the full mix.

Wormhole [Stereo]

Wormhole — Uses animated axis movement and depth to create a traveling return around the dry source. Stereo variant: keep the linked center intact and audition width in the full mix.

Nebula Shift [Stereo]

Nebula Shift — Adds soft drifting width and depth rather than a rigid stereo spread. Stereo variant: keep the linked center intact and audition width in the full mix.

Stellar Grid [Stereo]

Stellar Grid — Uses Axis Core and Focus to build a structured spatial grid. Stereo variant: keep the linked center intact and audition width in the full mix.

Planetary Orbits [Stereo]

Planetary Orbits — Links width/depth movement into a balanced orbital field. Stereo variant: keep the linked center intact and audition width in the full mix.

Light Speed [Stereo]

Light Speed — Uses faster motion and a wide spread for an energetic moving return. Stereo variant: keep the linked center intact and audition width in the full mix.

Quantum Field [Stereo]

Quantum Field — Adds fine-grained field texture with the dry center still readable. Stereo variant: keep the linked center intact and audition width in the full mix.

Dimensional Gate [Stereo]

Dimensional Gate — Opens a controlled dimensional gate, then uses Focus to keep the axis stable. Stereo variant: keep the linked center intact and audition width in the full mix.

Gravity Well [Stereo]

Gravity Well — Pulls the return inward toward a dense depth center before any final width. Stereo variant: keep the linked center intact and audition width in the full mix.

Ascension [Stereo]

Ascension — Raises the field into an open, elevated wide scene. Stereo variant: keep the linked center intact and audition width in the full mix.

Deep Space [Mono]

Deep Space — Opens a large depth/width scene with Focus keeping the center from dissolving. Mono variant: collapse the field and use it as a center-focused insert.

Wormhole [Mono]

Wormhole — Uses animated axis movement and depth to create a traveling return around the dry source. Mono variant: collapse the field and use it as a center-focused insert.

Nebula Shift [Mono]

Nebula Shift — Adds soft drifting width and depth rather than a rigid stereo spread. Mono variant: collapse the field and use it as a center-focused insert.

Stellar Grid [Mono]

Stellar Grid — Uses Axis Core and Focus to build a structured spatial grid. Mono variant: collapse the field and use it as a center-focused insert.

Planetary Orbits [Mono]

Planetary Orbits — Links width/depth movement into a balanced orbital field. Mono variant: collapse the field and use it as a center-focused insert.

Light Speed [Mono]

Light Speed — Uses faster motion and a wide spread for an energetic moving return. Mono variant: collapse the field and use it as a center-focused insert.

Quantum Field [Mono]

Quantum Field — Adds fine-grained field texture with the dry center still readable. Mono variant: collapse the field and use it as a center-focused insert.

Dimensional Gate [Mono]

Dimensional Gate — Opens a controlled dimensional gate, then uses Focus to keep the axis stable. Mono variant: collapse the field and use it as a center-focused insert.

Gravity Well [Mono]

Gravity Well — Pulls the return inward toward a dense depth center before any final width. Mono variant: collapse the field and use it as a center-focused insert.

Ascension [Mono]

Ascension — Raises the field into an open, elevated wide scene. Mono variant: collapse the field and use it as a center-focused insert.

Deep Space [Dual Mono]

Deep Space — Opens a large depth/width scene with Focus keeping the center from dissolving. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Wormhole [Dual Mono]

Wormhole — Uses animated axis movement and depth to create a traveling return around the dry source. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Nebula Shift [Dual Mono]

Nebula Shift — Adds soft drifting width and depth rather than a rigid stereo spread. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Stellar Grid [Dual Mono]

Stellar Grid — Uses Axis Core and Focus to build a structured spatial grid. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Planetary Orbits [Dual Mono]

Planetary Orbits — Links width/depth movement into a balanced orbital field. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Light Speed [Dual Mono]

Light Speed — Uses faster motion and a wide spread for an energetic moving return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Quantum Field [Dual Mono]

Quantum Field — Adds fine-grained field texture with the dry center still readable. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Dimensional Gate [Dual Mono]

Dimensional Gate — Opens a controlled dimensional gate, then uses Focus to keep the axis stable. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Gravity Well [Dual Mono]

Gravity Well — Pulls the return inward toward a dense depth center before any final width. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Ascension [Dual Mono]

Ascension — Raises the field into an open, elevated wide scene. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

INPUT / OUTPUT: Live pre/post level. Use for level matching around the width field.

Field visualizer: Width, depth, focus, spread, and axis state. Motion shows spatial behavior; it is not a frequency plot.

NSR

RELEASE	FAMILY	PLACEMENT
v1.0.1	Dimensional / Impact / Move	Bus Preferred

Phi-ratio spatial delay and movement field combining travel, microphase, air, anchor, spread, time delay, flange, and mix.

Recommended use: phi-based spatial delay, microphase, and flange field

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
telescope	Telescope	Bool
gainmatch	Gain Match	Bool
travel	travel	Referenced
microphase	microphase	Referenced
air	air	Referenced
anchor	anchor	Referenced
spread	spread	Referenced
field	field	Referenced
timeDelay	timeDelay	Referenced
flange	flange	Referenced
mix	mix	Referenced

Factory starting points — source-derived purpose

Ankh Source Field

Ankh Source Field — Uses Telescope/Field/Anchor to establish the source field before adding timed travel.

Ra Side Light

Ra Side Light — Adds a side-light return that opens the source without moving its center.

Ausar Depth Gate

Ausar Depth Gate — Uses travel and time delay to place a deeper return behind the dry source.

Ma'at Balance

Ma'at Balance — Sets NSR's telescope, delay, phase, and field movement for the named space.

Horus Wide Eye

Horus Wide Eye — Spreads the return with controlled microphase and field movement.

Seshat Trace

Seshat Trace — Sets NSR's telescope, delay, phase, and field movement for the named space.

Thoth Phase Door

Thoth Phase Door — Uses microphase/flange movement for an orbiting, animated field.

Sekhem Phi Orbit

Sekhem Phi Orbit — Uses microphase/flange movement for an orbiting, animated field.

Neteru Full Field

Neteru Full Field — Uses Telescope/Field/Anchor to establish the source field before adding timed travel.

Chain: Depth Parallax Finish

Chain: Depth Parallax Finish — Defines NSR's position in a DIH routing chain—depth finish, vocal halo, bus tuck, or stereo motion.

Chain: Vocal Halo Motion

Chain: Vocal Halo Motion — Defines NSR's position in a DIH routing chain—depth finish, vocal halo, bus tuck, or stereo motion.

Chain: Music Bus Tuck

Chain: Music Bus Tuck — Defines NSR's position in a DIH routing chain—depth finish, vocal halo, bus tuck, or stereo motion.

Chain: Drum Return Motion

Chain: Drum Return Motion — Defines NSR's position in a DIH routing chain—depth finish, vocal halo, bus tuck, or stereo motion.

Chain: Parallel Bloom

Chain: Parallel Bloom — Defines NSR's position in a DIH routing chain—depth finish, vocal halo, bus tuck, or stereo motion.

Studio Vocal - Focus 40/55 ms

Studio Vocal - Focus 40/55 ms — Sets NSR's telescope, delay, phase, and field movement for the named space.

Studio Vocal - Double 75/105 ms

Studio Vocal - Double 75/105 ms — Sets NSR's telescope, delay, phase, and field movement for the named space.

Studio Vocal - Throw 165/230 ms

Studio Vocal - Throw 165/230 ms — Sets NSR's telescope, delay, phase, and field movement for the named space.

Studio Instrument - Pocket 60/85 ms

Studio Instrument - Pocket 60/85 ms — Sets NSR's telescope, delay, phase, and field movement for the named space.

Studio Guitar - Spread 100/140 ms

Studio Guitar - Spread 100/140 ms — Sets NSR's telescope, delay, phase, and field movement for the named space.

Studio Keys - Bloom 210/295 ms

Studio Keys - Bloom 210/295 ms — Sets NSR's telescope, delay, phase, and field movement for the named space.

Meters and visualizers

SPECTRUM: Energy across displayed frequency bands. Shows tonal distribution of the current signal.

CORRELATION: Left/right phase similarity. +1 is mono-coherent, 0 is decorrelated, negative values risk cancellation.

L / R: Channel activity. Use to detect imbalance before and after the field.

PHI FIELD VIEW: Combined spatial-field intensity. Shows overall activity of the responder.

STEREO FIELD / WIDTH: Side-to-mid spatial width. Check correlation whenever width stays high.

FIELD ACTIVITY: Wet spatial-path energy. Shows how much processed field is actually active.

DRY / WET waveform: Recent source and processed traces. Compare timing, shape, and motion between paths.

Signal Path: Activity at each processing stage. Locates where energy enters, moves, feeds back, and is contained.

DIHWorld Audio

FX / Spatial Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 3 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\text{Phi}/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

NTRSTLLR

RELEASE	FAMILY	PLACEMENT
v1.0.1	FX / Spatial	Bus Preferred

Audible interstellar delay and tail engine with travel, warp, orbit, portal, delay, air, haze, width, diffusion, axis, and Nebula/Wormhole modes.

Recommended use: spatial/nebula/wormhole bus

Customer formats: AU, VST3, Standalone

Primary controls

Micro Peak • Meso Density • Macro Level • Makeup Gain • Travel • Warp • Orbit • Portal • Time/Delay • Rubber • Air • Haze

Factory starting points — source-derived purpose

NTRSTLLR Canon Reset

NTRSTLLR Canon Reset — Returns the interstellar engine to a centered observation state.

Interstellar Phi 2

Interstellar Phi 2 — Sets NTRSTLLR’s travel, warp, orbit, portal, and delay relationships for the named field.

Sacred Wormhole

Sacred Wormhole — Creates a deep, animated full-field scene with the portal and orbit lanes engaged.

Nebula Phi Echo

Nebula Phi Echo — Sets NTRSTLLR’s travel, warp, orbit, portal, and delay relationships for the named field.

Short Portal

Short Portal — Opens a portal tail with controlled Travel/Warp around the source.

Deep Universe Gate

Deep Universe Gate — Creates a deep, animated full-field scene with the portal and orbit lanes engaged.

Dual Phi Orbit

Dual Phi Orbit — Sets NTRSTLLR’s travel, warp, orbit, portal, and delay relationships for the named field.

Time Lens Isolate

Time Lens Isolate — Isolates the time/delay lane so the return can be heard without over-moving the dry source.

Delay Line Isolate

Delay Line Isolate — Isolates the time/delay lane so the return can be heard without over-moving the dry source.

Portal Tail Isolate

Portal Tail Isolate — Isolates the time/delay lane so the return can be heard without over-moving the dry source.

Motion Warp Isolate

Motion Warp Isolate — Isolates the time/delay lane so the return can be heard without over-moving the dry source.

Air Tone Isolate

Air Tone Isolate — Isolates the time/delay lane so the return can be heard without over-moving the dry source.

Haze Veil Isolate

Haze Veil Isolate — Isolates the time/delay lane so the return can be heard without over-moving the dry source.

Width Axis Isolate

Width Axis Isolate — Isolates the time/delay lane so the return can be heard without over-moving the dry source.

Diffusion Cloud

Diffusion Cloud — Sets NTRSTLLR’s travel, warp, orbit, portal, and delay relationships for the named field.

Mono Wormhole Probe

Mono Wormhole Probe — Creates a deep, animated full-field scene with the portal and orbit lanes engaged.

Dual Mono Split Probe

Dual Mono Split Probe — Sets NTRSTLLR’s travel, warp, orbit, portal, and delay relationships for the named field.

Nebula Only Bloom

Nebula Only Bloom — Sets NTRSTLLR’s travel, warp, orbit, portal, and delay relationships for the named field.

Wormhole Only Pull

Wormhole Only Pull — Creates a deep, animated full-field scene with the portal and orbit lanes engaged.

Track Safe Tight Space

Track Safe Tight Space — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Track Safe Vocal Lift

Track Safe Vocal Lift — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Track Safe Wide Return

Track Safe Wide Return — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Chain: Halo 2 Pre-Cathedral

Chain: Halo 2 Pre-Cathedral — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Chain: Halo 2 Wide Tail

Chain: Halo 2 Wide Tail — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Chain: Vocal Insert Safe

Chain: Vocal Insert Safe — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Chain: Instrument Bus Air

Chain: Instrument Bus Air — Adds an upper-space return while keeping the dry center intact.

Chain: Drum FX Return

Chain: Drum FX Return — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Chain: Music Bus Tuck

Chain: Music Bus Tuck — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Studio Vocal - Tight 85 ms

Studio Vocal - Tight 85 ms — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Studio Vocal - Pocket 120 ms

Studio Vocal - Pocket 120 ms — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Studio Vocal - Open 170 ms

Studio Vocal - Open 170 ms — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Studio Instrument - Slap 110 ms

Studio Instrument - Slap 110 ms — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Studio Guitar - Repeat 160 ms

Studio Guitar - Repeat 160 ms — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Studio Keys - Air 210 ms

Studio Keys - Air 210 ms — Adds an upper-space return while keeping the dry center intact.

Meters and visualizers

INPUT / OUTPUT: Weighted peak-plus-RMS level. Use for level matching around the spatial return.

TONE RESPONSE: Current low-to-high response shape. Shows tonal contour, not a mastering EQ recommendation.

WORMHOLE: Delay/warp-path energy. Shows active wormhole return strength.

NEBULA: Portal/diffusion-path energy. Shows active nebula tail strength.

SINGULARITY: Axis and pull concentration. Higher values indicate stronger inward focus.

PHI FIELD OBSERVATION: Combined macro-control activity. A spatial-state summary rather than loudness.

PHI ECHO / DELAY FIELD: Delay taps, orbit, and return motion. Use to understand tail movement and density.

Cathedral

RELEASE	FAMILY	PLACEMENT
v3.5.7	FX / Spatial	Bus Preferred

Seven-river chamber environment with arch, convergence, 3-6-9 nodes, protected I/O, and parallel mix.

Recommended use: reverb/spatial aux

Customer formats: VST3, AU

Primary controls

Arch • Seven Rivers • 3-6-9 Nodes • Convergence • Input • Mix • Output • Channel Mode • Dual Mono Link • Gain Match

Factory starting points — source-derived purpose

Sweet Spot (Stereo)

Sweet Spot (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a balanced chamber reference; place it on a return and set wet level against the dry source.

Cordoba (Stereo)

Cordoba (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a warm, intimate stone chamber; place it on a return and set wet level against the dry source.

Cologne (Stereo)

Cologne (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a long, clear cathedral tail; place it on a return and set wet level against the dry source.

St. Peter's (Stereo)

St. Peter's (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a monumental, slow bloom; place it on a return and set wet level against the dry source.

Notre-Dame (Stereo)

Notre-Dame (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a bright, articulate hall; place it on a return and set wet level against the dry source.

St. Sophia's (Stereo)

St. Sophia's (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a diffuse, gilded space; place it on a return and set wet level against the dry source.

St. Basil's (Stereo)

St. Basil's (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a colored, resonant dome; place it on a return and set wet level against the dry source.

Tallinn (Stereo)

Tallinn (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a focused, transparent room; place it on a return and set wet level against the dry source.

Unity Chapel (Stereo)

Unity Chapel (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a compact chapel return; place it on a return and set wet level against the dry source.

Seven Rivers (Stereo)

Seven Rivers (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a multi-path flowing field; place it on a return and set wet level against the dry source.

369 Nodes (Stereo)

369 Nodes (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a node-based harmonic space; place it on a return and set wet level against the dry source.

Convergence Hall (Stereo)

Convergence Hall (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a centered hall where returns meet; place it on a return and set wet level against the dry source.

Golden Nave (Stereo)

Golden Nave (Stereo) — Sets Cathedral's room geometry and 3-6-9 node relationship for the named space.

Quiet Sanctuary (Stereo)

Quiet Sanctuary (Stereo) — Sets Cathedral's room geometry and 3-6-9 node relationship for the named space.

Sweet Spot (Mono)

Sweet Spot (Mono) — Uses Arch, Seven Rivers, and Convergence to create a balanced chamber reference; place it on a return and set wet level against the dry source.

Cordoba (Mono)

Cordoba (Mono) — Uses Arch, Seven Rivers, and Convergence to create a warm, intimate stone chamber; place it on a return and set wet level against the dry source.

Cologne (Mono)

Cologne (Mono) — Uses Arch, Seven Rivers, and Convergence to create a long, clear cathedral tail; place it on a return and set wet level against the dry source.

St. Peter's (Mono)

St. Peter's (Mono) — Uses Arch, Seven Rivers, and Convergence to create a monumental, slow bloom; place it on a return and set wet level against the dry source.

Notre-Dame (Mono)

Notre-Dame (Mono) — Uses Arch, Seven Rivers, and Convergence to create a bright, articulate hall; place it on a return and set wet level against the dry source.

St. Sophia's (Mono)

St. Sophia's (Mono) — Uses Arch, Seven Rivers, and Convergence to create a diffuse, gilded space; place it on a return and set wet level against the dry source.

St. Basil's (Mono)

St. Basil's (Mono) — Uses Arch, Seven Rivers, and Convergence to create a colored, resonant dome; place it on a return and set wet level against the dry source.

Tallinn (Mono)

Tallinn (Mono) — Uses Arch, Seven Rivers, and Convergence to create a focused, transparent room; place it on a return and set wet level against the dry source.

Unity Chapel (Mono)

Unity Chapel (Mono) — Uses Arch, Seven Rivers, and Convergence to create a compact chapel return; place it on a return and set wet level against the dry source.

Seven Rivers (Mono)

Seven Rivers (Mono) — Uses Arch, Seven Rivers, and Convergence to create a multi-path flowing field; place it on a return and set wet level against the dry source.

369 Nodes (Mono)

369 Nodes (Mono) — Uses Arch, Seven Rivers, and Convergence to create a node-based harmonic space; place it on a return and set wet level against the dry source.

Convergence Hall (Mono)

Convergence Hall (Mono) — Uses Arch, Seven Rivers, and Convergence to create a centered hall where returns meet; place it on a return and set wet level against the dry source.

Golden Nave (Mono)

Golden Nave (Mono) — Sets Cathedral's room geometry and 3-6-9 node relationship for the named space.

Quiet Sanctuary (Mono)

Quiet Sanctuary (Mono) — Sets Cathedral's room geometry and 3-6-9 node relationship for the named space.

Sweet Spot (Dual Mono)

Sweet Spot (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a balanced chamber reference; place it on a return and set wet level against the dry source.

Cordoba (Dual Mono)

Cordoba (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a warm, intimate stone chamber; place it on a return and set wet level against the dry source.

Cologne (Dual Mono)

Cologne (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a long, clear cathedral tail; place it on a return and set wet level against the dry source.

St. Peter's (Dual Mono)

St. Peter's (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a monumental, slow bloom; place it on a return and set wet level against the dry source.

Notre-Dame (Dual Mono)

Notre-Dame (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a bright, articulate hall; place it on a return and set wet level against the dry source.

St. Sophia's (Dual Mono)

St. Sophia's (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a diffuse, gilded space; place it on a return and set wet level against the dry source.

St. Basil's (Dual Mono)

St. Basil's (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a colored, resonant dome; place it on a return and set wet level against the dry source.

Tallinn (Dual Mono)

Tallinn (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a focused, transparent room; place it on a return and set wet level against the dry source.

Unity Chapel (Dual Mono)

Unity Chapel (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a compact chapel return; place it on a return and set wet level against the dry source.

Seven Rivers (Dual Mono)

Seven Rivers (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a multi-path flowing field; place it on a return and set wet level against the dry source.

369 Nodes (Dual Mono)

369 Nodes (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a node-based harmonic space; place it on a return and set wet level against the dry source.

Convergence Hall (Dual Mono)

Convergence Hall (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a centered hall where returns meet; place it on a return and set wet level against the dry source.

Golden Nave (Dual Mono)

Golden Nave (Dual Mono) — Sets Cathedral's room geometry and 3-6-9 node relationship for the named space.

Quiet Sanctuary (Dual Mono)

Quiet Sanctuary (Dual Mono) — Sets Cathedral's room geometry and 3-6-9 node relationship for the named space.

Meters and visualizers

ENERGY: Current chamber RMS in dB. Shows how strongly the room is being excited.

DIFFUSION: 3-6-9 node density. Higher values produce a denser, smoother tail.

WIDTH: Node density multiplied by wet mix. Shows audible spatial spread, not dry-source width.

RT60: Estimated mid-band decay time. Seconds required for the modeled room to decay by 60 dB.

ROOM RESONANCE: Modeled low/mid/high response. Use to identify room emphasis before printing.

SacredVerb

RELEASE	FAMILY	PLACEMENT
v3.5.7	FX / Spatial	Bus Preferred

Sacred spatial reverb with pre-delay, chamber size, damping, rate, depth, Neter blend, resonance, protected presets, and an optional external key that ducks only the reverb and Solfeggio wet layer while preserving the dry path.

Recommended use: reverb and spatial aux

Customer formats: AU, VST3, Standalone

Primary controls

PRE DELAY • CHAMBER SIZE • DAMPING • WET MIX • Sidechain Key • Reverb Duck • Key Recovery • RATE • DEPTH • NETER BLEND • RESONANCE • INPUT

Factory starting points — source-derived purpose

Step Pyramid [Stereo]

Step Pyramid — Builds a stepped, vertically ordered return with a clear pre-delay for rhythmic source separation. Stereo variant: keep the linked center intact and audition width in the full mix.

Step Pyramid [Mono]

Step Pyramid — Builds a stepped, vertically ordered return with a clear pre-delay for rhythmic source separation. Mono variant: collapse the field and use it as a center-focused insert.

Step Pyramid [Dual Mono]

Step Pyramid — Builds a stepped, vertically ordered return with a clear pre-delay for rhythmic source separation. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

King's Chamber [Stereo]

King's Chamber — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Stereo variant: keep the linked center intact and audition width in the full mix.

King's Chamber [Mono]

King's Chamber — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Mono variant: collapse the field and use it as a center-focused insert.

King's Chamber [Dual Mono]

King's Chamber — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Osireion [Stereo]

Osireion — Creates a deep, stone-like return with longer chamber body and restrained upper decay. Stereo variant: keep the linked center intact and audition width in the full mix.

Osireion [Mono]

Osireion — Creates a deep, stone-like return with longer chamber body and restrained upper decay. Mono variant: collapse the field and use it as a center-focused insert.

Osireion [Dual Mono]

Osireion — Creates a deep, stone-like return with longer chamber body and restrained upper decay. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Hypostyle Hall [Stereo]

Hypostyle Hall — Uses repeated columns of reflections for a rhythmic, articulated hall. Stereo variant: keep the linked center intact and audition width in the full mix.

Hypostyle Hall [Mono]

Hypostyle Hall — Uses repeated columns of reflections for a rhythmic, articulated hall. Mono variant: collapse the field and use it as a center-focused insert.

Hypostyle Hall [Dual Mono]

Hypostyle Hall — Uses repeated columns of reflections for a rhythmic, articulated hall. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Temple of Luxor [Stereo]

Temple of Luxor — Uses a monumental temple-space return; let Pre Delay separate the dry source before raising Wet Mix. Stereo variant: keep the linked center intact and audition width in the full mix.

Temple of Luxor [Mono]

Temple of Luxor — Uses a monumental temple-space return; let Pre Delay separate the dry source before raising Wet Mix. Mono variant: collapse the field and use it as a center-focused insert.

Temple of Luxor [Dual Mono]

Temple of Luxor — Uses a monumental temple-space return; let Pre Delay separate the dry source before raising Wet Mix. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Temple of Horus [Stereo]

Temple of Horus — Uses a monumental temple-space return; let Pre Delay separate the dry source before raising Wet Mix. Stereo variant: keep the linked center intact and audition width in the full mix.

Temple of Horus [Mono]

Temple of Horus — Uses a monumental temple-space return; let Pre Delay separate the dry source before raising Wet Mix. Mono variant: collapse the field and use it as a center-focused insert.

Temple of Horus [Dual Mono]

Temple of Horus — Uses a monumental temple-space return; let Pre Delay separate the dry source before raising Wet Mix. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Abu Simbel [Stereo]

Abu Simbel — Uses a monumental temple-space return; let Pre Delay separate the dry source before raising Wet Mix. Stereo variant: keep the linked center intact and audition width in the full mix.

Abu Simbel [Mono]

Abu Simbel — Uses a monumental temple-space return; let Pre Delay separate the dry source before raising Wet Mix. Mono variant: collapse the field and use it as a center-focused insert.

Abu Simbel [Dual Mono]

Abu Simbel — Uses a monumental temple-space return; let Pre Delay separate the dry source before raising Wet Mix. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Pyramid Early Field [Stereo]

Pyramid Early Field — Opens Chamber Size and field movement for a broad return; use Duck to protect lead phrases. Stereo variant: keep the linked center intact and audition width in the full mix.

Pyramid Early Field [Mono]

Pyramid Early Field — Opens Chamber Size and field movement for a broad return; use Duck to protect lead phrases. Mono variant: collapse the field and use it as a center-focused insert.

Pyramid Early Field [Dual Mono]

Pyramid Early Field — Opens Chamber Size and field movement for a broad return; use Duck to protect lead phrases. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Chamber Long Tail [Stereo]

Chamber Long Tail — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Stereo variant: keep the linked center intact and audition width in the full mix.

Chamber Long Tail [Mono]

Chamber Long Tail — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Mono variant: collapse the field and use it as a center-focused insert.

Chamber Long Tail [Dual Mono]

Chamber Long Tail — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Stone Room Focus [Stereo]

Stone Room Focus — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Stone Room Focus [Mono]

Stone Room Focus — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Stone Room Focus [Dual Mono]

Stone Room Focus — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Hall Wide Decay [Stereo]

Hall Wide Decay — Opens Chamber Size and field movement for a broad return; use Duck to protect lead phrases. Stereo variant: keep the linked center intact and audition width in the full mix.

Hall Wide Decay [Mono]

Hall Wide Decay — Opens Chamber Size and field movement for a broad return; use Duck to protect lead phrases. Mono variant: collapse the field and use it as a center-focused insert.

Hall Wide Decay [Dual Mono]

Hall Wide Decay — Opens Chamber Size and field movement for a broad return; use Duck to protect lead phrases. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Temple Soft Bloom [Stereo]

Temple Soft Bloom — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Temple Soft Bloom [Mono]

Temple Soft Bloom — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Temple Soft Bloom [Dual Mono]

Temple Soft Bloom — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Bright Temple Tail [Stereo]

Bright Temple Tail — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Bright Temple Tail [Mono]

Bright Temple Tail — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Bright Temple Tail [Dual Mono]

Bright Temple Tail — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Deep Stone Return [Stereo]

Deep Stone Return — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Deep Stone Return [Mono]

Deep Stone Return — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Deep Stone Return [Dual Mono]

Deep Stone Return — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Short Pyramid Room [Stereo]

Short Pyramid Room — Keeps Chamber Size and Pre Delay short for a close, mix-safe ambience. Stereo variant: keep the linked center intact and audition width in the full mix.

Short Pyramid Room [Mono]

Short Pyramid Room — Keeps Chamber Size and Pre Delay short for a close, mix-safe ambience. Mono variant: collapse the field and use it as a center-focused insert.

Short Pyramid Room [Dual Mono]

Short Pyramid Room — Keeps Chamber Size and Pre Delay short for a close, mix-safe ambience. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Short Chamber Room [Stereo]

Short Chamber Room — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Stereo variant: keep the linked center intact and audition width in the full mix.

Short Chamber Room [Mono]

Short Chamber Room — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Mono variant: collapse the field and use it as a center-focused insert.

Short Chamber Room [Dual Mono]

Short Chamber Room — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Focused Stone Room [Stereo]

Focused Stone Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Focused Stone Room [Mono]

Focused Stone Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Focused Stone Room [Dual Mono]

Focused Stone Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Short Hall Room [Stereo]

Short Hall Room — Keeps Chamber Size and Pre Delay short for a close, mix-safe ambience. Stereo variant: keep the linked center intact and audition width in the full mix.

Short Hall Room [Mono]

Short Hall Room — Keeps Chamber Size and Pre Delay short for a close, mix-safe ambience. Mono variant: collapse the field and use it as a center-focused insert.

Short Hall Room [Dual Mono]

Short Hall Room — Keeps Chamber Size and Pre Delay short for a close, mix-safe ambience. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Soft Temple Room [Stereo]

Soft Temple Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Soft Temple Room [Mono]

Soft Temple Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Soft Temple Room [Dual Mono]

Soft Temple Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Bright Room Edge [Stereo]

Bright Room Edge — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Bright Room Edge [Mono]

Bright Room Edge — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Bright Room Edge [Dual Mono]

Bright Room Edge — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Deep Room Guard [Stereo]

Deep Room Guard — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Deep Room Guard [Mono]

Deep Room Guard — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Deep Room Guard [Dual Mono]

Deep Room Guard — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Open Pyramid Wash [Stereo]

Open Pyramid Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Open Pyramid Wash [Mono]

Open Pyramid Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Open Pyramid Wash [Dual Mono]

Open Pyramid Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Open Chamber Wash [Stereo]

Open Chamber Wash — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Stereo variant: keep the linked center intact and audition width in the full mix.

Open Chamber Wash [Mono]

Open Chamber Wash — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Mono variant: collapse the field and use it as a center-focused insert.

Open Chamber Wash [Dual Mono]

Open Chamber Wash — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Open Stone Wash [Stereo]

Open Stone Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Open Stone Wash [Mono]

Open Stone Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Open Stone Wash [Dual Mono]

Open Stone Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Open Hall Wash [Stereo]

Open Hall Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Open Hall Wash [Mono]

Open Hall Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Open Hall Wash [Dual Mono]

Open Hall Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Open Temple Wash [Stereo]

Open Temple Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Open Temple Wash [Mono]

Open Temple Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Open Temple Wash [Dual Mono]

Open Temple Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Open Bright Wash [Stereo]

Open Bright Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Open Bright Wash [Mono]

Open Bright Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Open Bright Wash [Dual Mono]

Open Bright Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Open Deep Wash [Stereo]

Open Deep Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Open Deep Wash [Mono]

Open Deep Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Open Deep Wash [Dual Mono]

Open Deep Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Dark Pyramid Hold [Stereo]

Dark Pyramid Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Dark Pyramid Hold [Mono]

Dark Pyramid Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Dark Pyramid Hold [Dual Mono]

Dark Pyramid Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Dark Chamber Hold [Stereo]

Dark Chamber Hold — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Stereo variant: keep the linked center intact and audition width in the full mix.

Dark Chamber Hold [Mono]

Dark Chamber Hold — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Mono variant: collapse the field and use it as a center-focused insert.

Dark Chamber Hold [Dual Mono]

Dark Chamber Hold — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Dark Stone Hold [Stereo]

Dark Stone Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Dark Stone Hold [Mono]

Dark Stone Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Dark Stone Hold [Dual Mono]

Dark Stone Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Dark Hall Hold [Stereo]

Dark Hall Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Dark Hall Hold [Mono]

Dark Hall Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Dark Hall Hold [Dual Mono]

Dark Hall Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Dark Temple Hold [Stereo]

Dark Temple Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Dark Temple Hold [Mono]

Dark Temple Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Dark Temple Hold [Dual Mono]

Dark Temple Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Dark Bright Hold [Stereo]

Dark Bright Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Dark Bright Hold [Mono]

Dark Bright Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Dark Bright Hold [Dual Mono]

Dark Bright Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Dark Deep Hold [Stereo]

Dark Deep Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Dark Deep Hold [Mono]

Dark Deep Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Dark Deep Hold [Dual Mono]

Dark Deep Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Word Room [Stereo]

Word Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Word Room [Mono]

Word Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Word Room [Dual Mono]

Word Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Solar Chamber [Stereo]

Solar Chamber — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Stereo variant: keep the linked center intact and audition width in the full mix.

Solar Chamber [Mono]

Solar Chamber — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Mono variant: collapse the field and use it as a center-focused insert.

Solar Chamber [Dual Mono]

Solar Chamber — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Depth Room [Stereo]

Depth Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Depth Room [Mono]

Depth Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Depth Room [Dual Mono]

Depth Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Hidden Hall [Stereo]

Hidden Hall — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Hidden Hall [Mono]

Hidden Hall — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Hidden Hall [Dual Mono]

Hidden Hall — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Aura Room [Stereo]

Aura Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Aura Room [Mono]

Aura Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Aura Room [Dual Mono]

Aura Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Bright Strike [Stereo]

Bright Strike — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Bright Strike [Mono]

Bright Strike — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Bright Strike [Dual Mono]

Bright Strike — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Veil Room [Stereo]

Veil Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Veil Room [Mono]

Veil Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Veil Room [Dual Mono]

Veil Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Low Foundation [Stereo]

Low Foundation — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Low Foundation [Mono]

Low Foundation — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Low Foundation [Dual Mono]

Low Foundation — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Bloom Room [Stereo]

Bloom Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Bloom Room [Mono]

Bloom Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Bloom Room [Dual Mono]

Bloom Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Union Hall [Stereo]

Union Hall — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Union Hall [Mono]

Union Hall — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Union Hall [Dual Mono]

Union Hall — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Vision Room [Stereo]

Vision Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Vision Room [Mono]

Vision Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Vision Room [Dual Mono]

Vision Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Ascent Room [Stereo]

Ascent Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Ascent Room [Mono]

Ascent Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Ascent Room [Dual Mono]

Ascent Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

396 Foundation [Stereo]

396 Foundation — Uses the 396 Hz foundation node as a grounded, low-centered reverb color. Stereo variant: keep the linked center intact and audition width in the full mix.

396 Foundation [Mono]

396 Foundation — Uses the 396 Hz foundation node as a grounded, low-centered reverb color. Mono variant: collapse the field and use it as a center-focused insert.

396 Foundation [Dual Mono]

396 Foundation — Uses the 396 Hz foundation node as a grounded, low-centered reverb color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

417 Lift [Stereo]

417 Lift — Uses the 417 Hz change/transition node for a softened, moving chamber. Stereo variant: keep the linked center intact and audition width in the full mix.

417 Lift [Mono]

417 Lift — Uses the 417 Hz change/transition node for a softened, moving chamber. Mono variant: collapse the field and use it as a center-focused insert.

417 Lift [Dual Mono]

417 Lift — Uses the 417 Hz change/transition node for a softened, moving chamber. Dual-mono variant: preserve independent left/right decisions for

asymmetric sources.

528 Bloom [Stereo]

528 Bloom — Uses the 528 Hz body node for a rounded, supportive return. Stereo variant: keep the linked center intact and audition width in the full mix.

528 Bloom [Mono]

528 Bloom — Uses the 528 Hz body node for a rounded, supportive return. Mono variant: collapse the field and use it as a center-focused insert.

528 Bloom [Dual Mono]

528 Bloom — Uses the 528 Hz body node for a rounded, supportive return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

639 Balance [Stereo]

639 Balance — Uses the 639 Hz connection node for a warm, vocal-friendly return. Stereo variant: keep the linked center intact and audition width in the full mix.

639 Balance [Mono]

639 Balance — Uses the 639 Hz connection node for a warm, vocal-friendly return. Mono variant: collapse the field and use it as a center-focused insert.

639 Balance [Dual Mono]

639 Balance — Uses the 639 Hz connection node for a warm, vocal-friendly return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

741 Perception [Stereo]

741 Perception — Uses the 741 Hz focus node to keep the chamber articulate. Stereo variant: keep the linked center intact and audition width in the full mix.

741 Perception [Mono]

741 Perception — Uses the 741 Hz focus node to keep the chamber articulate. Mono variant: collapse the field and use it as a center-focused insert.

741 Perception [Dual Mono]

741 Perception — Uses the 741 Hz focus node to keep the chamber articulate. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

852 Vision [Stereo]

852 Vision — Uses the upper Solfeggio node for an air-forward, open return; watch sibilance and ceiling. Stereo variant: keep the linked center intact and audition width in the full mix.

852 Vision [Mono]

852 Vision — Uses the upper Solfeggio node for an air-forward, open return; watch sibilance and ceiling. Mono variant: collapse the field and use it as a center-focused insert.

852 Vision [Dual Mono]

852 Vision — Uses the upper Solfeggio node for an air-forward, open return; watch sibilance and ceiling. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

963 Ascent [Stereo]

963 Ascent — Uses the upper Solfeggio node for an air-forward, open return; watch sibilance and ceiling. Stereo variant: keep the linked center intact and audition width in the full mix.

963 Ascent [Mono]

963 Ascent — Uses the upper Solfeggio node for an air-forward, open return; watch sibilance and ceiling. Mono variant: collapse the field and use it as a center-focused insert.

963 Ascent [Dual Mono]

963 Ascent — Uses the upper Solfeggio node for an air-forward, open return; watch sibilance and ceiling. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

Seven Hathor meters: Energy at enabled Solfeggio nodes. Each column shows its resonant band activity and peak hold.

Output meter: Current reverb-output peak. Use to keep the return controlled and level matched.

3-6-9 modulator: Active modulation/pattern state. Shows motion settings; it is not a loudness meter.

KEY button: External sidechain state and active wet reduction. KEY ON enables the host key; the button brightens as the wet layer is reduced.

DIHWorld Audio

FX / Spatial Technical Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 3 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

NTRSTLLR

RELEASE	FAMILY	PLACEMENT
v1.0.1	FX / Spatial	Bus Preferred

Audible interstellar delay and tail engine with travel, warp, orbit, portal, delay, air, haze, width, diffusion, axis, and Nebula/Wormhole modes.

Recommended use: spatial/nebula/wormhole bus

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
trumpet_l	Micro Peak	Float
trumpet_c	Meso Density	Float
trumpet_r	Macro Level	Float
makeup_gain	Makeup Gain	Float
travel	Travel	Float
warp	Warp	Float
orbit	Orbit	Float
portal	Portal	Float
time_delay	Time/Delay	Float
rubber	Rubber	Float
air	Air	Float
haze	Haze	Float
width	Width	Float
diffusion	Diffusion	Float
axis	Axis	Float
mix	Mix	Float
output	Output	Float
wormhole_mode	Wormhole Mode	Bool
nebula_mode	Nebula Mode	Bool
phi_grid	Phi Grid	Bool
power	Power	Bool
gainmatch	Gain Match	Bool
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice

Factory starting points — source-derived purpose

NTRSTLLR Canon Reset

NTRSTLLR Canon Reset — Returns the interstellar engine to a centered observation state.

Interstellar Phi 2

Interstellar Phi 2 — Sets NTRSTLLR’s travel, warp, orbit, portal, and delay relationships for the named field.

Sacred Wormhole

Sacred Wormhole — Creates a deep, animated full-field scene with the portal and orbit lanes engaged.

Nebula Phi Echo

Nebula Phi Echo — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Short Portal

Short Portal — Opens a portal tail with controlled Travel/Warp around the source.

Deep Universe Gate

Deep Universe Gate — Creates a deep, animated full-field scene with the portal and orbit lanes engaged.

Dual Phi Orbit

Dual Phi Orbit — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Time Lens Isolate

Time Lens Isolate — Isolates the time/delay lane so the return can be heard without over-moving the dry source.

Delay Line Isolate

Delay Line Isolate — Isolates the time/delay lane so the return can be heard without over-moving the dry source.

Portal Tail Isolate

Portal Tail Isolate — Isolates the time/delay lane so the return can be heard without over-moving the dry source.

Motion Warp Isolate

Motion Warp Isolate — Isolates the time/delay lane so the return can be heard without over-moving the dry source.

Air Tone Isolate

Air Tone Isolate — Isolates the time/delay lane so the return can be heard without over-moving the dry source.

Haze Veil Isolate

Haze Veil Isolate — Isolates the time/delay lane so the return can be heard without over-moving the dry source.

Width Axis Isolate

Width Axis Isolate — Isolates the time/delay lane so the return can be heard without over-moving the dry source.

Diffusion Cloud

Diffusion Cloud — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Mono Wormhole Probe

Mono Wormhole Probe — Creates a deep, animated full-field scene with the portal and orbit lanes engaged.

Dual Mono Split Probe

Dual Mono Split Probe — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Nebula Only Bloom

Nebula Only Bloom — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Wormhole Only Pull

Wormhole Only Pull — Creates a deep, animated full-field scene with the portal and orbit lanes engaged.

Track Safe Tight Space

Track Safe Tight Space — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Track Safe Vocal Lift

Track Safe Vocal Lift — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Track Safe Wide Return

Track Safe Wide Return — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Chain: Halo 2 Pre-Cathedral

Chain: Halo 2 Pre-Cathedral — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Chain: Halo 2 Wide Tail

Chain: Halo 2 Wide Tail — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Chain: Vocal Insert Safe

Chain: Vocal Insert Safe — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Chain: Instrument Bus Air

Chain: Instrument Bus Air — Adds an upper-space return while keeping the dry center intact.

Chain: Drum FX Return

Chain: Drum FX Return — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Chain: Music Bus Tuck

Chain: Music Bus Tuck — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Studio Vocal - Tight 85 ms

Studio Vocal - Tight 85 ms — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Studio Vocal - Pocket 120 ms

Studio Vocal - Pocket 120 ms — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Studio Vocal - Open 170 ms

Studio Vocal - Open 170 ms — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Studio Instrument - Slap 110 ms

Studio Instrument - Slap 110 ms — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Studio Guitar - Repeat 160 ms

Studio Guitar - Repeat 160 ms — Sets NTRSTLLR's travel, warp, orbit, portal, and delay relationships for the named field.

Studio Keys - Air 210 ms

Studio Keys - Air 210 ms — Adds an upper-space return while keeping the dry center intact.

Meters and visualizers

INPUT / OUTPUT: Weighted peak-plus-RMS level. Use for level matching around the spatial return.

TONE RESPONSE: Current low-to-high response shape. Shows tonal contour, not a mastering EQ recommendation.

WORMHOLE: Delay/warp-path energy. Shows active wormhole return strength.

NEBULA: Portal/diffusion-path energy. Shows active nebula tail strength.

SINGULARITY: Axis and pull concentration. Higher values indicate stronger inward focus.

PHI FIELD OBSERVATION: Combined macro-control activity. A spatial-state summary rather than loudness.

PHI ECHO / DELAY FIELD: Delay taps, orbit, and return motion. Use to understand tail movement and density.

Cathedral

RELEASE	FAMILY	PLACEMENT
v3.5.7	FX / Spatial	Bus Preferred

Seven-river chamber environment with arch, convergence, 3-6-9 nodes, protected I/O, and parallel mix.

Recommended use: reverb/spatial aux

Customer formats: VST3, AU

Exposed parameter surface

Parameter ID	Display name	Type
arch	Arch	Float
rivers	Seven Rivers	Float
nodes	3-6-9 Nodes	Float
convergence	Convergence	Float
input	Input	Float
mix	Mix	Float
output	Output	Float
channel_mode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice
gainmatch	Gain Match	Bool

Factory starting points — source-derived purpose

Sweet Spot (Stereo)

Sweet Spot (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a balanced chamber reference; place it on a return and set wet level against the dry source.

Cordoba (Stereo)

Cordoba (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a warm, intimate stone chamber; place it on a return and set wet level against the dry source.

Cologne (Stereo)

Cologne (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a long, clear cathedral tail; place it on a return and set wet level against the dry source.

St. Peter's (Stereo)

St. Peter's (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a monumental, slow bloom; place it on a return and set wet level against the dry source.

Notre-Dame (Stereo)

Notre-Dame (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a bright, articulate hall; place it on a return and set wet level against the dry source.

St. Sophia's (Stereo)

St. Sophia's (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a diffuse, gilded space; place it on a return and set wet level against the dry source.

St. Basil's (Stereo)

St. Basil's (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a colored, resonant dome; place it on a return and set wet level against the dry source.

Tallinn (Stereo)

Tallinn (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a focused, transparent room; place it on a return and set wet level against the dry source.

Unity Chapel (Stereo)

Unity Chapel (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a compact chapel return; place it on a return and set wet level against the dry source.

Seven Rivers (Stereo)

Seven Rivers (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a multi-path flowing field; place it on a return and set wet level against the dry source.

369 Nodes (Stereo)

369 Nodes (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a node-based harmonic space; place it on a return and set wet level against the dry source.

Convergence Hall (Stereo)

Convergence Hall (Stereo) — Uses Arch, Seven Rivers, and Convergence to create a centered hall where returns meet; place it on a return and set wet level against the dry source.

Golden Nave (Stereo)

Golden Nave (Stereo) — Sets Cathedral's room geometry and 3-6-9 node relationship for the named space.

Quiet Sanctuary (Stereo)

Quiet Sanctuary (Stereo) — Sets Cathedral's room geometry and 3-6-9 node relationship for the named space.

Sweet Spot (Mono)

Sweet Spot (Mono) — Uses Arch, Seven Rivers, and Convergence to create a balanced chamber reference; place it on a return and set wet level against the dry source.

Cordoba (Mono)

Cordoba (Mono) — Uses Arch, Seven Rivers, and Convergence to create a warm, intimate stone chamber; place it on a return and set wet level against the dry source.

Cologne (Mono)

Cologne (Mono) — Uses Arch, Seven Rivers, and Convergence to create a long, clear cathedral tail; place it on a return and set wet level against the dry source.

St. Peter's (Mono)

St. Peter's (Mono) — Uses Arch, Seven Rivers, and Convergence to create a monumental, slow bloom; place it on a return and set wet level against the dry source.

Notre-Dame (Mono)

Notre-Dame (Mono) — Uses Arch, Seven Rivers, and Convergence to create a bright, articulate hall; place it on a return and set wet level against the dry source.

St. Sophia's (Mono)

St. Sophia's (Mono) — Uses Arch, Seven Rivers, and Convergence to create a diffuse, gilded space; place it on a return and set wet level against the dry source.

St. Basil's (Mono)

St. Basil's (Mono) — Uses Arch, Seven Rivers, and Convergence to create a colored, resonant dome; place it on a return and set wet level against the dry source.

Tallinn (Mono)

Tallinn (Mono) — Uses Arch, Seven Rivers, and Convergence to create a focused, transparent room; place it on a return and set wet level against the dry source.

Unity Chapel (Mono)

Unity Chapel (Mono) — Uses Arch, Seven Rivers, and Convergence to create a compact chapel return; place it on a return and set wet level against the dry source.

Seven Rivers (Mono)

Seven Rivers (Mono) — Uses Arch, Seven Rivers, and Convergence to create a multi-path flowing field; place it on a return and set wet level against the dry source.

369 Nodes (Mono)

369 Nodes (Mono) — Uses Arch, Seven Rivers, and Convergence to create a node-based harmonic space; place it on a return and set wet level against the dry source.

Convergence Hall (Mono)

Convergence Hall (Mono) — Uses Arch, Seven Rivers, and Convergence to create a centered hall where returns meet; place it on a return and set wet level against the dry source.

Golden Nave (Mono)

Golden Nave (Mono) — Sets Cathedral's room geometry and 3-6-9 node relationship for the named space.

Quiet Sanctuary (Mono)

Quiet Sanctuary (Mono) — Sets Cathedral's room geometry and 3-6-9 node relationship for the named space.

Sweet Spot (Dual Mono)

Sweet Spot (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a balanced chamber reference; place it on a return and set wet level against the dry source.

Cordoba (Dual Mono)

Cordoba (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a warm, intimate stone chamber; place it on a return and set wet level against the dry source.

Cologne (Dual Mono)

Cologne (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a long, clear cathedral tail; place it on a return and set wet level against the dry source.

St. Peter's (Dual Mono)

St. Peter's (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a monumental, slow bloom; place it on a return and set wet level against the dry source.

Notre-Dame (Dual Mono)

Notre-Dame (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a bright, articulate hall; place it on a return and set wet level against the dry source.

St. Sophia's (Dual Mono)

St. Sophia's (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a diffuse, gilded space; place it on a return and set wet level against the dry source.

St. Basil's (Dual Mono)

St. Basil's (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a colored, resonant dome; place it on a return and set wet level against the dry source.

Tallinn (Dual Mono)

Tallinn (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a focused, transparent room; place it on a return and set wet level against the dry source.

Unity Chapel (Dual Mono)

Unity Chapel (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a compact chapel return; place it on a return and set wet level against the dry source.

Seven Rivers (Dual Mono)

Seven Rivers (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a multi-path flowing field; place it on a return and set wet level against the dry source.

369 Nodes (Dual Mono)

369 Nodes (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a node-based harmonic space; place it on a return and set wet level against the dry source.

Convergence Hall (Dual Mono)

Convergence Hall (Dual Mono) — Uses Arch, Seven Rivers, and Convergence to create a centered hall where returns meet; place it on a return and set wet level against the dry source.

Golden Nave (Dual Mono)

Golden Nave (Dual Mono) — Sets Cathedral's room geometry and 3-6-9 node relationship for the named space.

Quiet Sanctuary (Dual Mono)

Quiet Sanctuary (Dual Mono) — Sets Cathedral's room geometry and 3-6-9 node relationship for the named space.

Meters and visualizers

ENERGY: Current chamber RMS in dB. Shows how strongly the room is being excited.

DIFFUSION: 3-6-9 node density. Higher values produce a denser, smoother tail.

WIDTH: Node density multiplied by wet mix. Shows audible spatial spread, not dry-source width.

RT60: Estimated mid-band decay time. Seconds required for the modeled room to decay by 60 dB.

ROOM RESONANCE: Modeled low/mid/high response. Use to identify room emphasis before printing.

SacredVerb

RELEASE	FAMILY	PLACEMENT
v3.5.7	FX / Spatial	Bus Preferred

Sacred spatial reverb with pre-delay, chamber size, damping, rate, depth, Neter blend, resonance, protected presets, and an optional external key that ducks only the reverb and Solfeggio wet layer while preserving the dry path.

Recommended use: reverb and spatial aux

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
PRE_DELAY	PRE DELAY	Float
ROOM_SIZE	CHAMBER SIZE	Float
DAMPING	DAMPING	Float
REVERB_MIX	WET MIX	Float
sidechain_enable	Sidechain Key	Bool
sidechain_duck	Reverb Duck	Float
sidechain_recovery	Key Recovery	Float
MOD_RATE	RATE	Float
MOD_DEPTH	DEPTH	Float
NETER_BLEND	NETER BLEND	Float
RESONANCE	RESONANCE	Float
INPUT	INPUT	Float
OUTPUT	OUTPUT	Float
CHAMBER	Chamber	Int
PATTERN_MODE	Pattern Mode	Int
FLOWER	Flower of Life	Bool
ECO_MODE	Eco Mode	Bool
BYPASS	Bypass	Bool
gainmatch	Gain Match	Bool
TRIG_TAIL	Trigger Tail	Bool
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice
TRIG_	TRIG_	Referenced
EN_	EN_	Referenced

Factory starting points — source-derived purpose

Step Pyramid [Stereo]

Step Pyramid — Builds a stepped, vertically ordered return with a clear pre-delay for rhythmic source separation. Stereo variant: keep the linked center intact and audition width in the full mix.

Step Pyramid [Mono]

Step Pyramid — Builds a stepped, vertically ordered return with a clear pre-delay for rhythmic source separation. Mono variant: collapse the field and use it as a center-focused insert.

Step Pyramid [Dual Mono]

Step Pyramid — Builds a stepped, vertically ordered return with a clear pre-delay for rhythmic source separation. Dual-mono variant: preserve independent

left/right decisions for asymmetric sources.

King's Chamber [Stereo]

King's Chamber — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Stereo variant: keep the linked center intact and audition width in the full mix.

King's Chamber [Mono]

King's Chamber — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Mono variant: collapse the field and use it as a center-focused insert.

King's Chamber [Dual Mono]

King's Chamber — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Osireion [Stereo]

Osireion — Creates a deep, stone-like return with longer chamber body and restrained upper decay. Stereo variant: keep the linked center intact and audition width in the full mix.

Osireion [Mono]

Osireion — Creates a deep, stone-like return with longer chamber body and restrained upper decay. Mono variant: collapse the field and use it as a center-focused insert.

Osireion [Dual Mono]

Osireion — Creates a deep, stone-like return with longer chamber body and restrained upper decay. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Hypostyle Hall [Stereo]

Hypostyle Hall — Uses repeated columns of reflections for a rhythmic, articulated hall. Stereo variant: keep the linked center intact and audition width in the full mix.

Hypostyle Hall [Mono]

Hypostyle Hall — Uses repeated columns of reflections for a rhythmic, articulated hall. Mono variant: collapse the field and use it as a center-focused insert.

Hypostyle Hall [Dual Mono]

Hypostyle Hall — Uses repeated columns of reflections for a rhythmic, articulated hall. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Temple of Luxor [Stereo]

Temple of Luxor — Uses a monumental temple-space return; let Pre Delay separate the dry source before raising Wet Mix. Stereo variant: keep the linked center intact and audition width in the full mix.

Temple of Luxor [Mono]

Temple of Luxor — Uses a monumental temple-space return; let Pre Delay separate the dry source before raising Wet Mix. Mono variant: collapse the field and use it as a center-focused insert.

Temple of Luxor [Dual Mono]

Temple of Luxor — Uses a monumental temple-space return; let Pre Delay separate the dry source before raising Wet Mix. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Temple of Horus [Stereo]

Temple of Horus — Uses a monumental temple-space return; let Pre Delay separate the dry source before raising Wet Mix. Stereo variant: keep the linked center intact and audition width in the full mix.

Temple of Horus [Mono]

Temple of Horus — Uses a monumental temple-space return; let Pre Delay separate the dry source before raising Wet Mix. Mono variant: collapse the field and use it as a center-focused insert.

Temple of Horus [Dual Mono]

Temple of Horus — Uses a monumental temple-space return; let Pre Delay separate the dry source before raising Wet Mix. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Abu Simbel [Stereo]

Abu Simbel — Uses a monumental temple-space return; let Pre Delay separate the dry source before raising Wet Mix. Stereo variant: keep the linked center intact and audition width in the full mix.

Abu Simbel [Mono]

Abu Simbel — Uses a monumental temple-space return; let Pre Delay separate the dry source before raising Wet Mix. Mono variant: collapse the field and use it as a center-focused insert.

Abu Simbel [Dual Mono]

Abu Simbel — Uses a monumental temple-space return; let Pre Delay separate the dry source before raising Wet Mix. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Pyramid Early Field [Stereo]

Pyramid Early Field — Opens Chamber Size and field movement for a broad return; use Duck to protect lead phrases. Stereo variant: keep the linked center intact and audition width in the full mix.

Pyramid Early Field [Mono]

Pyramid Early Field — Opens Chamber Size and field movement for a broad return; use Duck to protect lead phrases. Mono variant: collapse the field and use it as a center-focused insert.

Pyramid Early Field [Dual Mono]

Pyramid Early Field — Opens Chamber Size and field movement for a broad return; use Duck to protect lead phrases. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Chamber Long Tail [Stereo]

Chamber Long Tail — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Stereo variant: keep the linked center intact and audition width in the full mix.

Chamber Long Tail [Mono]

Chamber Long Tail — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Mono variant: collapse the field and use it as a center-focused insert.

Chamber Long Tail [Dual Mono]

Chamber Long Tail — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Stone Room Focus [Stereo]

Stone Room Focus — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Stone Room Focus [Mono]

Stone Room Focus — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Stone Room Focus [Dual Mono]

Stone Room Focus — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Hall Wide Decay [Stereo]

Hall Wide Decay — Opens Chamber Size and field movement for a broad return; use Duck to protect lead phrases. Stereo variant: keep the linked center intact and audition width in the full mix.

Hall Wide Decay [Mono]

Hall Wide Decay — Opens Chamber Size and field movement for a broad return; use Duck to protect lead phrases. Mono variant: collapse the field and use it as a center-focused insert.

Hall Wide Decay [Dual Mono]

Hall Wide Decay — Opens Chamber Size and field movement for a broad return; use Duck to protect lead phrases. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Temple Soft Bloom [Stereo]

Temple Soft Bloom — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Temple Soft Bloom [Mono]

Temple Soft Bloom — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Temple Soft Bloom [Dual Mono]

Temple Soft Bloom — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Bright Temple Tail [Stereo]

Bright Temple Tail — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Bright Temple Tail [Mono]

Bright Temple Tail — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Bright Temple Tail [Dual Mono]

Bright Temple Tail — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Deep Stone Return [Stereo]

Deep Stone Return — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Deep Stone Return [Mono]

Deep Stone Return — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Deep Stone Return [Dual Mono]

Deep Stone Return — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Short Pyramid Room [Stereo]

Short Pyramid Room — Keeps Chamber Size and Pre Delay short for a close, mix-safe ambience. Stereo variant: keep the linked center intact and audition width in the full mix.

Short Pyramid Room [Mono]

Short Pyramid Room — Keeps Chamber Size and Pre Delay short for a close, mix-safe ambience. Mono variant: collapse the field and use it as a center-focused insert.

Short Pyramid Room [Dual Mono]

Short Pyramid Room — Keeps Chamber Size and Pre Delay short for a close, mix-safe ambience. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Short Chamber Room [Stereo]

Short Chamber Room — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Stereo variant: keep the linked center intact and audition width in the full mix.

Short Chamber Room [Mono]

Short Chamber Room — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Mono variant: collapse the field and use it as a center-focused insert.

Short Chamber Room [Dual Mono]

Short Chamber Room — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Focused Stone Room [Stereo]

Focused Stone Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Focused Stone Room [Mono]

Focused Stone Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Focused Stone Room [Dual Mono]

Focused Stone Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Short Hall Room [Stereo]

Short Hall Room — Keeps Chamber Size and Pre Delay short for a close, mix-safe ambience. Stereo variant: keep the linked center intact and audition width in the full mix.

Short Hall Room [Mono]

Short Hall Room — Keeps Chamber Size and Pre Delay short for a close, mix-safe ambience. Mono variant: collapse the field and use it as a center-focused insert.

Short Hall Room [Dual Mono]

Short Hall Room — Keeps Chamber Size and Pre Delay short for a close, mix-safe ambience. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Soft Temple Room [Stereo]

Soft Temple Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Soft Temple Room [Mono]

Soft Temple Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Soft Temple Room [Dual Mono]

Soft Temple Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Bright Room Edge [Stereo]

Bright Room Edge — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Bright Room Edge [Mono]

Bright Room Edge — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Bright Room Edge [Dual Mono]

Bright Room Edge — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Deep Room Guard [Stereo]

Deep Room Guard — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Deep Room Guard [Mono]

Deep Room Guard — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Deep Room Guard [Dual Mono]

Deep Room Guard — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Open Pyramid Wash [Stereo]

Open Pyramid Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Open Pyramid Wash [Mono]

Open Pyramid Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Open Pyramid Wash [Dual Mono]

Open Pyramid Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Open Chamber Wash [Stereo]

Open Chamber Wash — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Stereo variant: keep the linked center intact and audition width in the full mix.

Open Chamber Wash [Mono]

Open Chamber Wash — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Mono variant: collapse the field and use it as a center-focused insert.

Open Chamber Wash [Dual Mono]

Open Chamber Wash — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Open Stone Wash [Stereo]

Open Stone Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Open Stone Wash [Mono]

Open Stone Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Open Stone Wash [Dual Mono]

Open Stone Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Open Hall Wash [Stereo]

Open Hall Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Open Hall Wash [Mono]

Open Hall Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Open Hall Wash [Dual Mono]

Open Hall Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Open Temple Wash [Stereo]

Open Temple Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Open Temple Wash [Mono]

Open Temple Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Open Temple Wash [Dual Mono]

Open Temple Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Open Bright Wash [Stereo]

Open Bright Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Open Bright Wash [Mono]

Open Bright Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Open Bright Wash [Dual Mono]

Open Bright Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Open Deep Wash [Stereo]

Open Deep Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Open Deep Wash [Mono]

Open Deep Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Open Deep Wash [Dual Mono]

Open Deep Wash — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Dark Pyramid Hold [Stereo]

Dark Pyramid Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Dark Pyramid Hold [Mono]

Dark Pyramid Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Dark Pyramid Hold [Dual Mono]

Dark Pyramid Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Dark Chamber Hold [Stereo]

Dark Chamber Hold — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Stereo variant: keep the linked center intact and audition width in the full mix.

Dark Chamber Hold [Mono]

Dark Chamber Hold — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Mono variant: collapse the field and use it as a center-focused insert.

Dark Chamber Hold [Dual Mono]

Dark Chamber Hold — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Dark Stone Hold [Stereo]

Dark Stone Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Dark Stone Hold [Mono]

Dark Stone Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Dark Stone Hold [Dual Mono]

Dark Stone Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Dark Hall Hold [Stereo]

Dark Hall Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Dark Hall Hold [Mono]

Dark Hall Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Dark Hall Hold [Dual Mono]

Dark Hall Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Dark Temple Hold [Stereo]

Dark Temple Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Dark Temple Hold [Mono]

Dark Temple Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Dark Temple Hold [Dual Mono]

Dark Temple Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Dark Bright Hold [Stereo]

Dark Bright Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Dark Bright Hold [Mono]

Dark Bright Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Dark Bright Hold [Dual Mono]

Dark Bright Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Dark Deep Hold [Stereo]

Dark Deep Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Dark Deep Hold [Mono]

Dark Deep Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Dark Deep Hold [Dual Mono]

Dark Deep Hold — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Word Room [Stereo]

Word Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Word Room [Mono]

Word Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Word Room [Dual Mono]

Word Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Solar Chamber [Stereo]

Solar Chamber — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Stereo variant: keep the linked center intact and audition width in the full mix.

Solar Chamber [Mono]

Solar Chamber — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Mono variant: collapse the field and use it as a center-focused insert.

Solar Chamber [Dual Mono]

Solar Chamber — Uses a dense chamber around the source; Damping and Duck keep the return from covering the center. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Depth Room [Stereo]

Depth Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Depth Room [Mono]

Depth Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Depth Room [Dual Mono]

Depth Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Hidden Hall [Stereo]

Hidden Hall — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Hidden Hall [Mono]

Hidden Hall — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Hidden Hall [Dual Mono]

Hidden Hall — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Aura Room [Stereo]

Aura Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Aura Room [Mono]

Aura Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Aura Room [Dual Mono]

Aura Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Bright Strike [Stereo]

Bright Strike — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Bright Strike [Mono]

Bright Strike — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Bright Strike [Dual Mono]

Bright Strike — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Veil Room [Stereo]

Veil Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Veil Room [Mono]

Veil Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Veil Room [Dual Mono]

Veil Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Low Foundation [Stereo]

Low Foundation — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Low Foundation [Mono]

Low Foundation — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Low Foundation [Dual Mono]

Low Foundation — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Bloom Room [Stereo]

Bloom Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Bloom Room [Mono]

Bloom Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Bloom Room [Dual Mono]

Bloom Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Union Hall [Stereo]

Union Hall — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Union Hall [Mono]

Union Hall — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Union Hall [Dual Mono]

Union Hall — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Vision Room [Stereo]

Vision Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Vision Room [Mono]

Vision Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Vision Room [Dual Mono]

Vision Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Ascent Room [Stereo]

Ascent Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Stereo variant: keep the linked center intact and audition width in the full mix.

Ascent Room [Mono]

Ascent Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Mono variant: collapse the field and use it as a center-focused insert.

Ascent Room [Dual Mono]

Ascent Room — Sets SacredVerb's pre-delay, chamber, damping, motion, and duck/recovery behavior for the named return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

396 Foundation [Stereo]

396 Foundation — Uses the 396 Hz foundation node as a grounded, low-centered reverb color. Stereo variant: keep the linked center intact and audition width in the full mix.

396 Foundation [Mono]

396 Foundation — Uses the 396 Hz foundation node as a grounded, low-centered reverb color. Mono variant: collapse the field and use it as a center-focused insert.

396 Foundation [Dual Mono]

396 Foundation — Uses the 396 Hz foundation node as a grounded, low-centered reverb color. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

417 Lift [Stereo]

417 Lift — Uses the 417 Hz change/transition node for a softened, moving chamber. Stereo variant: keep the linked center intact and audition width in the full mix.

417 Lift [Mono]

417 Lift — Uses the 417 Hz change/transition node for a softened, moving chamber. Mono variant: collapse the field and use it as a center-focused insert.

417 Lift [Dual Mono]

417 Lift — Uses the 417 Hz change/transition node for a softened, moving chamber. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

528 Bloom [Stereo]

528 Bloom — Uses the 528 Hz body node for a rounded, supportive return. Stereo variant: keep the linked center intact and audition width in the full mix.

528 Bloom [Mono]

528 Bloom — Uses the 528 Hz body node for a rounded, supportive return. Mono variant: collapse the field and use it as a center-focused insert.

528 Bloom [Dual Mono]

528 Bloom — Uses the 528 Hz body node for a rounded, supportive return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

639 Balance [Stereo]

639 Balance — Uses the 639 Hz connection node for a warm, vocal-friendly return. Stereo variant: keep the linked center intact and audition width in the full mix.

639 Balance [Mono]

639 Balance — Uses the 639 Hz connection node for a warm, vocal-friendly return. Mono variant: collapse the field and use it as a center-focused insert.

639 Balance [Dual Mono]

639 Balance — Uses the 639 Hz connection node for a warm, vocal-friendly return. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

741 Perception [Stereo]

741 Perception — Uses the 741 Hz focus node to keep the chamber articulate. Stereo variant: keep the linked center intact and audition width in the full mix.

741 Perception [Mono]

741 Perception — Uses the 741 Hz focus node to keep the chamber articulate. Mono variant: collapse the field and use it as a center-focused insert.

741 Perception [Dual Mono]

741 Perception — Uses the 741 Hz focus node to keep the chamber articulate. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

852 Vision [Stereo]

852 Vision — Uses the upper Solfeggio node for an air-forward, open return; watch sibilance and ceiling. Stereo variant: keep the linked center intact and

audition width in the full mix.

852 Vision [Mono]

852 Vision — Uses the upper Solfeggio node for an air-forward, open return; watch sibilance and ceiling. Mono variant: collapse the field and use it as a center-focused insert.

852 Vision [Dual Mono]

852 Vision — Uses the upper Solfeggio node for an air-forward, open return; watch sibilance and ceiling. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

963 Ascent [Stereo]

963 Ascent — Uses the upper Solfeggio node for an air-forward, open return; watch sibilance and ceiling. Stereo variant: keep the linked center intact and audition width in the full mix.

963 Ascent [Mono]

963 Ascent — Uses the upper Solfeggio node for an air-forward, open return; watch sibilance and ceiling. Mono variant: collapse the field and use it as a center-focused insert.

963 Ascent [Dual Mono]

963 Ascent — Uses the upper Solfeggio node for an air-forward, open return; watch sibilance and ceiling. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

Seven Hathor meters: Energy at enabled Solfeggio nodes. Each column shows its resonant band activity and peak hold.

Output meter: Current reverb-output peak. Use to keep the return controlled and level matched.

3-6-9 modulator: Active modulation/pattern state. Shows motion settings; it is not a loudness meter.

KEY button: External sidechain state and active wet reduction. KEY ON enables the host key; the button brightens as the wet layer is reduced.

DIHWorld Audio

Harmonics / Pitch Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 3 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

Thoth

RELEASE	FAMILY	PLACEMENT
v1.0.1	Harmonics / Pitch	Insert Safe

Sacred harmonic EQ with low and high shelves, visible shelf curves, Flower of Life mode, protected I/O, and parallel mix.

Recommended use: harmonics/pitch

Customer formats: AU, VST3, Standalone

Primary controls

Power • Input • Mix • Low Shelf • High Shelf • Output • Flower of Life • Channel Mode • Dual Mono Link • Gain Match

Factory starting points — source-derived purpose

THOTH FLAT REFERENCE

THOTH FLAT REFERENCE — Returns the harmonic field to a flat reference for hearing the source before a spectral move.

THOTH MIX POLISH

THOTH MIX POLISH — Sets THOTH's low/high harmonic lanes and Flower field for the named spectral job.

THOTH VOCAL CLARITY

THOTH VOCAL CLARITY — Frames vocal clarity/warmth/forwardness according to the named recipe while preserving the source center.

THOTH VOCAL WARMTH

THOTH VOCAL WARMTH — Frames vocal clarity/warmth/forwardness according to the named recipe while preserving the source center.

THOTH DRUM HARMONIC LIFT

THOTH DRUM HARMONIC LIFT — Uses the harmonic lanes to add drum lift, kick edge, or snare weight without a broad level boost.

THOTH BASS TRANSLATE

THOTH BASS TRANSLATE — Adds a harmonic voice to bass so it translates above the fundamental.

THOTH LOW MID CLEANUP

THOTH LOW MID CLEANUP — Cleans the low-mid lane before adding presence or air.

THOTH PRESENCE SEAT

THOTH PRESENCE SEAT — Seats upper articulation and air with a deliberate high-lane move.

THOTH GENTLE AIR

THOTH GENTLE AIR — Seats upper articulation and air with a deliberate high-lane move.

SOLFEGGIO 396 GROUND

SOLFEGGIO 396 GROUND — Uses the 396 Hz Solfeggio node as a grounded harmonic starting point; compare the actual level, not the number.

SOLFEGGIO 417 WEIGHT

SOLFEGGIO 417 WEIGHT — Uses the 417 Hz node as a weight/change-oriented harmonic starting point.

SOLFEGGIO 528 BODY

SOLFEGGIO 528 BODY — Uses the 528 Hz node as a body-oriented harmonic starting point.

SOLFEGGIO 639 SCRIBE

SOLFEGGIO 639 SCRIBE — Uses the 639 Hz node as a connection/vocal-support harmonic starting point.

SOLFEGGIO 741 FOCUS

SOLFEGGIO 741 FOCUS — Uses the 741 Hz node as a focus/clarity harmonic starting point.

SOLFEGGIO 852 AIR

SOLFEGGIO 852 AIR — Seats upper articulation and air with a deliberate high-lane move.

SOLFEGGIO 963 FLOWER

SOLFEGGIO 963 FLOWER — Uses the upper Solfeggio node as an air/open-field harmonic starting point.

THOTH DYNAMIC NOTCH SHOWCASE

THOTH DYNAMIC NOTCH SHOWCASE — Demonstrates a dynamic spectral contour so the harmonic movement can be heard in context.

THOTH DYNAMIC SMILE SHOWCASE

THOTH DYNAMIC SMILE SHOWCASE — Demonstrates a dynamic spectral contour so the harmonic movement can be heard in context.

THOTH DYNAMIC AIR SHOWCASE

THOTH DYNAMIC AIR SHOWCASE — Seats upper articulation and air with a deliberate high-lane move.

Meters and visualizers

Spectrum bands: Live energy in each displayed EQ region. Use to see where harmonic energy is accumulating.

Shelf curves: Current low/high shelf response. These show the selected EQ shape, not measured level.

IN / OUT: Pre/post peak activity. Use for level-fair harmonic decisions.

TEHUTI

RELEASE	FAMILY	PLACEMENT
v1.0.1	Harmonics / Pitch	Insert Safe

Harmonic motion processor using low, mid, and high ducking with depth, speed, mix, and Flower of Life mode. A named optional Sidechain provides external spectral-key detection; without a routed key, detection follows the main input.

Recommended use: harmonics/pitch

Customer formats: AU, VST3

Primary controls

Power • Low Duck • Mid Duck • High Duck • Depth • Speed • Mix • Flower of Life • Gain Match • Channel Mode • Dual Mono Link

Factory starting points — source-derived purpose

TEHUTI OPEN REFERENCE

TEHUTI OPEN REFERENCE — Returns all duck lanes to an open reference so sidechain behavior can be judged from scratch.

TEHUTI LOW SPEED HIGH DEPTH

TEHUTI LOW SPEED HIGH DEPTH — Deep, slow low-band movement for sustained bass/ducking; use it on a return or bus, not a transient source.

TEHUTI LOW DEPTH HIGH SPEED

TEHUTI LOW DEPTH HIGH SPEED — Faster, shallower low-band motion for rhythmic pocket without a long swell.

TEHUTI LOW BAND LOCK

TEHUTI LOW BAND LOCK — Locks the low band while leaving mid/high space mostly untouched.

TEHUTI MID SWIM FAST

TEHUTI MID SWIM FAST — Frames the mid band for vocal/chord separation; choose fast or slow according to the phrase rhythm.

TEHUTI HIGH SHIMMER DUCK

TEHUTI HIGH SHIMMER DUCK — Uses the high-band duck lane to protect air, hats, or shimmer without carving the whole mix.

TEHUTI FULL BAND PUMP

TEHUTI FULL BAND PUMP — Engages coordinated low/mid/high ducking for an audible full-spectrum pump.

TEHUTI REVERSE POCKET

TEHUTI REVERSE POCKET — Reverses the expected pocket so the movement blooms into the next hit.

TEHUTI VOCAL CARVE DEEP

TEHUTI VOCAL CARVE DEEP — Makes space for a vocal in the named depth while keeping the musical bands intact.

TEHUTI PERCUSSIVE SNAP

TEHUTI PERCUSSIVE SNAP — Uses faster envelope movement to clear percussion and preserve its attack.

TEHUTI SLOW WIDE BREATH

TEHUTI SLOW WIDE BREATH — Uses slower Depth/Speed for a breathing, organic return instead of hard pumping.

TEHUTI PARALLEL EDGE

TEHUTI PARALLEL EDGE — Places the movement on a parallel path so the dry signal retains its edge.

Meters and visualizers

INPUT: Main-program peak activity. Shows the signal being ducked.

SIDECHAIN SEND: External sidechain envelope. Confirms that the host sidechain is present.

LOW GR: Reduction below 162 Hz. Shows low-band ducking driven by the sidechain.

MID GR: Reduction from 162 Hz to 1.62 kHz. Shows mid-band ducking driven by the sidechain.

HIGH GR: Reduction above 1.62 kHz. Shows high-band ducking driven by the sidechain.

Duck curves: Expected reduction versus sidechain energy. The live dot shows the current operating point.

History: Recent sidechain and reduction motion. Use to judge pumping and release behavior.

AU

RELEASE	FAMILY	PLACEMENT
v1.0.1	Harmonics / Pitch	Insert Safe

DIHWorld instrument and synth with eight verified embedded factory sounds, optional user-source drag-and-drop, root detection, modulation, space, glide, sustain, and master control. Afro Horn Lift uses the embedded Warm Brass source for playable brass leads, lifts, and response lines. No Santuri source is claimed or exposed.

Recommended use: instrument/harmonic utility

Customer formats: AU, VST3

Primary controls

Factory Sound • Channel Mode • Dual Mono Link • PTAH • RA • SET • ASAR • MAAT • SEKHMET • KHNUM • HERU • DRIVE

Factory starting points — source-derived purpose

AU Core

AU Core — Returns the compact AU voice bank to its canonical starting sound.

Canon Glass

Canon Glass — Selects a clear, bright harmonic voice for articulate keys or plucks.

Temple Keys

Temple Keys — Selects a keyboard/organ foundation with the harmonic lanes kept stable.

Organ Foundation

Organ Foundation — Selects a keyboard/organ foundation with the harmonic lanes kept stable.

Motion Pluck

Motion Pluck — Selects a short, focused pluck voice with Drive available for edge.

Horizon Pad

Horizon Pad — Selects an open sustained pad voice for a wider harmonic field.

Root Foundation

Root Foundation — Selects a centered root voice for building a low or tonal foundation.

Afro Horn Lift

Afro Horn Lift — Selects a forward horn-like harmonic voice for rhythmic or Afro-inspired lifts.

DIHWorld Audio

Harmonics / Pitch Technical Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 3 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

Thoth

RELEASE	FAMILY	PLACEMENT
v1.0.1	Harmonics / Pitch	Insert Safe

Sacred harmonic EQ with low and high shelves, visible shelf curves, Flower of Life mode, protected I/O, and parallel mix.

Recommended use: harmonics/pitch

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
power	Power	Bool
input	Input	Float
mix	Mix	Float
ls_gain	Low Shelf	Float
hs_gain	High Shelf	Float
output	Output	Float
flower	Flower of Life	Bool
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice
gainmatch	Gain Match	Bool

Factory starting points — source-derived purpose

THOTH FLAT REFERENCE

THOTH FLAT REFERENCE — Returns the harmonic field to a flat reference for hearing the source before a spectral move.

THOTH MIX POLISH

THOTH MIX POLISH — Sets THOTH's low/high harmonic lanes and Flower field for the named spectral job.

THOTH VOCAL CLARITY

THOTH VOCAL CLARITY — Frames vocal clarity/warmth/forwardness according to the named recipe while preserving the source center.

THOTH VOCAL WARMTH

THOTH VOCAL WARMTH — Frames vocal clarity/warmth/forwardness according to the named recipe while preserving the source center.

THOTH DRUM HARMONIC LIFT

THOTH DRUM HARMONIC LIFT — Uses the harmonic lanes to add drum lift, kick edge, or snare weight without a broad level boost.

THOTH BASS TRANSLATE

THOTH BASS TRANSLATE — Adds a harmonic voice to bass so it translates above the fundamental.

THOTH LOW MID CLEANUP

THOTH LOW MID CLEANUP — Cleans the low-mid lane before adding presence or air.

THOTH PRESENCE SEAT

THOTH PRESENCE SEAT — Seats upper articulation and air with a deliberate high-lane move.

THOTH GENTLE AIR

THOTH GENTLE AIR — Seats upper articulation and air with a deliberate high-lane move.

SOLFEGGIO 396 GROUND

SOLFEGGIO 396 GROUND — Uses the 396 Hz Solfeggio node as a grounded harmonic starting point; compare the actual level, not the number.

SOLFEGGIO 417 WEIGHT

SOLFEGGIO 417 WEIGHT — Uses the 417 Hz node as a weight/change-oriented harmonic starting point.

SOLFEGGIO 528 BODY

SOLFEGGIO 528 BODY — Uses the 528 Hz node as a body-oriented harmonic starting point.

SOLFEGGIO 639 SCRIBE

SOLFEGGIO 639 SCRIBE — Uses the 639 Hz node as a connection/vocal-support harmonic starting point.

SOLFEGGIO 741 FOCUS

SOLFEGGIO 741 FOCUS — Uses the 741 Hz node as a focus/clarity harmonic starting point.

SOLFEGGIO 852 AIR

SOLFEGGIO 852 AIR — Seats upper articulation and air with a deliberate high-lane move.

SOLFEGGIO 963 FLOWER

SOLFEGGIO 963 FLOWER — Uses the upper Solfeggio node as an air/open-field harmonic starting point.

THOTH DYNAMIC NOTCH SHOWCASE

THOTH DYNAMIC NOTCH SHOWCASE — Demonstrates a dynamic spectral contour so the harmonic movement can be heard in context.

THOTH DYNAMIC SMILE SHOWCASE

THOTH DYNAMIC SMILE SHOWCASE — Demonstrates a dynamic spectral contour so the harmonic movement can be heard in context.

THOTH DYNAMIC AIR SHOWCASE

THOTH DYNAMIC AIR SHOWCASE — Seats upper articulation and air with a deliberate high-lane move.

Meters and visualizers

Spectrum bands: Live energy in each displayed EQ region. Use to see where harmonic energy is accumulating.

Shelf curves: Current low/high shelf response. These show the selected EQ shape, not measured level.

IN / OUT: Pre/post peak activity. Use for level-fair harmonic decisions.

TEHUTI

RELEASE	FAMILY	PLACEMENT
v1.0.1	Harmonics / Pitch	Insert Safe

Harmonic motion processor using low, mid, and high ducking with depth, speed, mix, and Flower of Life mode. A named optional Sidechain provides external spectral-key detection; without a routed key, detection follows the main input.

Recommended use: harmonics/pitch

Customer formats: AU, VST3

Exposed parameter surface

Parameter ID	Display name	Type
power	Power	Bool
low_duck	Low Duck	Float
mid_duck	Mid Duck	Float
high_duck	High Duck	Float
depth	Depth	Float
speed	Speed	Float
mix	Mix	Float
flower	Flower of Life	Bool
gainmatch	Gain Match	Bool
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice

Factory starting points — source-derived purpose

TEHUTI OPEN REFERENCE

TEHUTI OPEN REFERENCE — Returns all duck lanes to an open reference so sidechain behavior can be judged from scratch.

TEHUTI LOW SPEED HIGH DEPTH

TEHUTI LOW SPEED HIGH DEPTH — Deep, slow low-band movement for sustained bass/ducking; use it on a return or bus, not a transient source.

TEHUTI LOW DEPTH HIGH SPEED

TEHUTI LOW DEPTH HIGH SPEED — Faster, shallower low-band motion for rhythmic pocket without a long swell.

TEHUTI LOW BAND LOCK

TEHUTI LOW BAND LOCK — Locks the low band while leaving mid/high space mostly untouched.

TEHUTI MID SWIM FAST

TEHUTI MID SWIM FAST — Frames the mid band for vocal/chord separation; choose fast or slow according to the phrase rhythm.

TEHUTI HIGH SHIMMER DUCK

TEHUTI HIGH SHIMMER DUCK — Uses the high-band duck lane to protect air, hats, or shimmer without carving the whole mix.

TEHUTI FULL BAND PUMP

TEHUTI FULL BAND PUMP — Engages coordinated low/mid/high ducking for an audible full-spectrum pump.

TEHUTI REVERSE POCKET

TEHUTI REVERSE POCKET — Reverses the expected pocket so the movement blooms into the next hit.

TEHUTI VOCAL CARVE DEEP

TEHUTI VOCAL CARVE DEEP — Makes space for a vocal in the named depth while keeping the musical bands intact.

TEHUTI PERCUSSIVE SNAP

TEHUTI PERCUSSIVE SNAP — Uses faster envelope movement to clear percussion and preserve its attack.

TEHUTI SLOW WIDE BREATH

TEHUTI SLOW WIDE BREATH — Uses slower Depth/Speed for a breathing, organic return instead of hard pumping.

TEHUTI PARALLEL EDGE

TEHUTI PARALLEL EDGE — Places the movement on a parallel path so the dry signal retains its edge.

Meters and visualizers

INPUT: Main-program peak activity. Shows the signal being ducked.

SIDECHAIN SEND: External sidechain envelope. Confirms that the host sidechain is present.

LOW GR: Reduction below 162 Hz. Shows low-band ducking driven by the sidechain.

MID GR: Reduction from 162 Hz to 1.62 kHz. Shows mid-band ducking driven by the sidechain.

HIGH GR: Reduction above 1.62 kHz. Shows high-band ducking driven by the sidechain.

Duck curves: Expected reduction versus sidechain energy. The live dot shows the current operating point.

History: Recent sidechain and reduction motion. Use to judge pumping and release behavior.

AU

RELEASE	FAMILY	PLACEMENT
v1.0.1	Harmonics / Pitch	Insert Safe

DIHWorld instrument and synth with eight verified embedded factory sounds, optional user-source drag-and-drop, root detection, modulation, space, glide, sustain, and master control. Afro Horn Lift uses the embedded Warm Brass source for playable brass leads, lifts, and response lines. No Santuri source is claimed or exposed.

Recommended use: instrument/harmonic utility

Customer formats: AU, VST3

Exposed parameter surface

Parameter ID	Display name	Type
SOUND	Factory Sound	Choice
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice
PTAH	PTAH	Referenced
RA	RA	Referenced
SET	SET	Referenced
ASAR	ASAR	Referenced
MAAT	MAAT	Referenced
SEKHMET	SEKHMET	Referenced
KHNUM	KHNUM	Referenced
HERU	HERU	Referenced
DRIVE	DRIVE	Referenced
AMOUNT	AMOUNT	Referenced
DEPTH	DEPTH	Referenced
SV_MIX	SV_MIX	Referenced
HARP	HARP	Referenced
ORGAN	ORGAN	Referenced
CHOIR	CHOIR	Referenced
MOD	MOD	Referenced
BREATH	BREATH	Referenced
VIBRATO	VIBRATO	Referenced
PHI	PHI	Referenced
AZIMUTH	AZIMUTH	Referenced
FLOWER	FLOWER	Referenced
HATHOR	HATHOR	Referenced
RAW	RAW	Referenced
MOD_MACRO	MOD_MACRO	Referenced
MASTER	MASTER	Referenced
GLIDE	GLIDE	Referenced
PURE	PURE	Referenced

Parameter ID	Display name	Type
SUSTAIN	SUSTAIN	Referenced
GAINMATCH	GAINMATCH	Referenced

Factory starting points — source-derived purpose

AU Core

AU Core — Returns the compact AU voice bank to its canonical starting sound.

Canon Glass

Canon Glass — Selects a clear, bright harmonic voice for articulate keys or plucks.

Temple Keys

Temple Keys — Selects a keyboard/organ foundation with the harmonic lanes kept stable.

Organ Foundation

Organ Foundation — Selects a keyboard/organ foundation with the harmonic lanes kept stable.

Motion Pluck

Motion Pluck — Selects a short, focused pluck voice with Drive available for edge.

Horizon Pad

Horizon Pad — Selects an open sustained pad voice for a wider harmonic field.

Root Foundation

Root Foundation — Selects a centered root voice for building a low or tonal foundation.

Afro Horn Lift

Afro Horn Lift — Selects a forward horn-like harmonic voice for rhythmic or Afro-inspired lifts.

DIHWorld Audio

Creative Transform Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 3 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

SlotMachine

RELEASE	FAMILY	PLACEMENT
v1.0.1	Creative Transform	Creative Transform

Three-chamber creative host that combines source, opposition, and resolution through architecture, blend, morph, and containment.

Recommended use: creative transform

Customer formats: AU, VST3, Standalone

Primary controls

Chamber A Source • Chamber B Opposition • Chamber C Resolution • Architecture • Blend • Morph • Containment • Channel Mode • Dual Mono Link • Gain Match

Factory starting points — source-derived purpose

SLOTMACHINE CANON RESET [Stereo]

SLOTMACHINE CANON RESET — Returns the three chambers and containment to the canonical transformation start point. Stereo variant: keep the linked center intact and audition width in the full mix.

RELIC SPIN [Stereo]

RELIC SPIN — Re-routes a relic-like source through the three-chamber path with the original voice still audible. Stereo variant: keep the linked center intact and audition width in the full mix.

IMPACT REROUTE [Stereo]

IMPACT REROUTE — Favors the impact/resolve chamber for a pronounced transformation event. Stereo variant: keep the linked center intact and audition width in the full mix.

GOLDEN COLLISION [Stereo]

GOLDEN COLLISION — Uses the color/resolution chamber to turn the reroute into a polished authority move. Stereo variant: keep the linked center intact and audition width in the full mix.

SOVEREIGN FLIP [Stereo]

SOVEREIGN FLIP — Uses the color/resolution chamber to turn the reroute into a polished authority move. Stereo variant: keep the linked center intact and audition width in the full mix.

WORMHOLE PRIZE [Stereo]

WORMHOLE PRIZE — Uses Morph and Architecture for an animated spatial reroute. Stereo variant: keep the linked center intact and audition width in the full mix.

PARALLAX JACKPOT [Stereo]

PARALLAX JACKPOT — Uses Morph and Architecture for an animated spatial reroute. Stereo variant: keep the linked center intact and audition width in the full mix.

FOCUSED CHAMBER [Stereo]

FOCUSED CHAMBER — Keeps the transformation inside a focused chamber so the source remains intelligible. Stereo variant: keep the linked center intact and audition width in the full mix.

SLOTMACHINE CANON RESET [Mono]

SLOTMACHINE CANON RESET — Returns the three chambers and containment to the canonical transformation start point. Mono variant: collapse the field and use it as a center-focused insert.

RELIC SPIN [Mono]

RELIC SPIN — Re-routes a relic-like source through the three-chamber path with the original voice still audible. Mono variant: collapse the field and use it as a center-focused insert.

IMPACT REROUTE [Mono]

IMPACT REROUTE — Favors the impact/resolve chamber for a pronounced transformation event. Mono variant: collapse the field and use it as a center-focused insert.

GOLDEN COLLISION [Mono]

GOLDEN COLLISION — Uses the color/resolution chamber to turn the reroute into a polished authority move. Mono variant: collapse the field and use it as a center-focused insert.

SOVEREIGN FLIP [Mono]

SOVEREIGN FLIP — Uses the color/resolution chamber to turn the reroute into a polished authority move. Mono variant: collapse the field and use it as a center-focused insert.

WORMHOLE PRIZE [Mono]

WORMHOLE PRIZE — Uses Morph and Architecture for an animated spatial reroute. Mono variant: collapse the field and use it as a center-focused insert.

PARALLAX JACKPOT [Mono]

PARALLAX JACKPOT — Uses Morph and Architecture for an animated spatial reroute. Mono variant: collapse the field and use it as a center-focused insert.

FOCUSED CHAMBER [Mono]

FOCUSED CHAMBER — Keeps the transformation inside a focused chamber so the source remains intelligible. Mono variant: collapse the field and use it as a center-focused insert.

SLOT MACHINE CANON RESET [Dual Mono]

SLOT MACHINE CANON RESET — Returns the three chambers and containment to the canonical transformation start point. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

RELIC SPIN [Dual Mono]

RELIC SPIN — Re-routes a relic-like source through the three-chamber path with the original voice still audible. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

IMPACT REROUTE [Dual Mono]

IMPACT REROUTE — Favors the impact/resolve chamber for a pronounced transformation event. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

GOLDEN COLLISION [Dual Mono]

GOLDEN COLLISION — Uses the color/resolution chamber to turn the reroute into a polished authority move. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SOVEREIGN FLIP [Dual Mono]

SOVEREIGN FLIP — Uses the color/resolution chamber to turn the reroute into a polished authority move. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

WORMHOLE PRIZE [Dual Mono]

WORMHOLE PRIZE — Uses Morph and Architecture for an animated spatial reroute. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

PARALLAX JACKPOT [Dual Mono]

PARALLAX JACKPOT — Uses Morph and Architecture for an animated spatial reroute. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

FOCUSED CHAMBER [Dual Mono]

FOCUSED CHAMBER — Keeps the transformation inside a focused chamber so the source remains intelligible. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

INPUT: Input peak. Confirms level entering the three chambers.

OUTPUT: Output peak. Use for level matching.

RMS: Average program body. Shows sustained density.

CREST: Peak-to-RMS relationship. Higher values mean sharper transients; lower values mean denser material.

ARCHAEOLOGIST X

RELEASE	FAMILY	PLACEMENT
v1.0.1	Creative Transform	Creative Transform

Forensic recovery processor for excavation, recovery field, harmonic extraction, layer selection, gate, and parallel mix.

Recommended use: creative recovery/excavation

Customer formats: AU, VST3, Standalone

Primary controls

Power • Gain Match • Excavation Engine • Recovery Field • Harmonic Extraction • Forensic Layer • Gate • Mix • Output • Profile • Mode • Channel Mode

Factory starting points — source-derived purpose

ARCHX CANON RESET [Stereo]

ARCHX CANON RESET — Sets excavation, recovery, extraction, and gating for the named source-recovery task. Stereo variant: keep the linked center intact and audition width in the full mix.

RELIC VOICE [Stereo]

RELIC VOICE — Recovers a damaged/aged voice while keeping the historical character audible. Stereo variant: keep the linked center intact and audition width in the full mix.

DUST DETAIL [Stereo]

DUST DETAIL — Lifts fine source detail without opening the entire noise floor. Stereo variant: keep the linked center intact and audition width in the full mix.

BODY RECOVERY [Stereo]

BODY RECOVERY — Restores missing body with Recovery Field before adding harmonic extraction. Stereo variant: keep the linked center intact and audition width in the full mix.

AIR SCRIPT [Stereo]

AIR SCRIPT — Recovers upper articulation and spoken detail with the forensic layer controlled. Stereo variant: keep the linked center intact and audition width in the full mix.

FORENSIC LENS [Stereo]

FORENSIC LENS — Uses the diagnostic layer to inspect and extract a problem area before a full mix decision. Stereo variant: keep the linked center intact and audition width in the full mix.

TEMPLE MEMORY [Stereo]

TEMPLE MEMORY — Recovers a damaged/aged voice while keeping the historical character audible. Stereo variant: keep the linked center intact and audition width in the full mix.

FULL EXCAVATION FIELD [Stereo]

FULL EXCAVATION FIELD — Engages the complete excavation field as a deliberate effect or restoration stress test. Stereo variant: keep the linked center intact and audition width in the full mix.

ARCHX CANON RESET [Mono]

ARCHX CANON RESET — Sets excavation, recovery, extraction, and gating for the named source-recovery task. Mono variant: collapse the field and use it as a center-focused insert.

RELIC VOICE [Mono]

RELIC VOICE — Recovers a damaged/aged voice while keeping the historical character audible. Mono variant: collapse the field and use it as a center-focused insert.

DUST DETAIL [Mono]

DUST DETAIL — Lifts fine source detail without opening the entire noise floor. Mono variant: collapse the field and use it as a center-focused insert.

BODY RECOVERY [Mono]

BODY RECOVERY — Restores missing body with Recovery Field before adding harmonic extraction. Mono variant: collapse the field and use it as a center-focused insert.

AIR SCRIPT [Mono]

AIR SCRIPT — Recovers upper articulation and spoken detail with the forensic layer controlled. Mono variant: collapse the field and use it as a center-focused insert.

FORENSIC LENS [Mono]

FORENSIC LENS — Uses the diagnostic layer to inspect and extract a problem area before a full mix decision. Mono variant: collapse the field and use it as a center-focused insert.

TEMPLE MEMORY [Mono]

TEMPLE MEMORY — Recovers a damaged/aged voice while keeping the historical character audible. Mono variant: collapse the field and use it as a center-focused insert.

FULL EXCAVATION FIELD [Mono]

FULL EXCAVATION FIELD — Engages the complete excavation field as a deliberate effect or restoration stress test. Mono variant: collapse the field and use it as a center-focused insert.

ARCHX CANON RESET [Dual Mono]

ARCHX CANON RESET — Sets excavation, recovery, extraction, and gating for the named source-recovery task. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

RELIC VOICE [Dual Mono]

RELIC VOICE — Recovers a damaged/aged voice while keeping the historical character audible. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

DUST DETAIL [Dual Mono]

DUST DETAIL — Lifts fine source detail without opening the entire noise floor. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

BODY RECOVERY [Dual Mono]

BODY RECOVERY — Restores missing body with Recovery Field before adding harmonic extraction. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AIR SCRIPT [Dual Mono]

AIR SCRIPT — Recovers upper articulation and spoken detail with the forensic layer controlled. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

FORENSIC LENS [Dual Mono]

FORENSIC LENS — Uses the diagnostic layer to inspect and extract a problem area before a full mix decision. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

TEMPLE MEMORY [Dual Mono]

TEMPLE MEMORY — Recovers a damaged/aged voice while keeping the historical character audible. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

FULL EXCAVATION FIELD [Dual Mono]

FULL EXCAVATION FIELD — Engages the complete excavation field as a deliberate effect or restoration stress test. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

INPUT / OUTPUT: Live pre/post peak. Use for bypass and level matching.

EXCAVATION: Low/deep recovery activity. Shows energy being uncovered by excavation.

RECOVERY: Recovered-source contribution. Shows how much repaired material is active.

HARMONIC: Extracted harmonic activity. Shows reconstructed tonal information.

FORENSIC: Forensic layer/gate activity. Shows the selective analysis path at work.

Observation Field: Combined four-process activity. A process summary, not a spectrum.

SERQET

RELEASE	FAMILY	PLACEMENT
v1.0.1	Creative Transform	Creative Transform

Creative sting and width processor with intensity, venom saturation, convergence focus, and output control.

Recommended use: width/creative secondary

Customer formats: AU, VST3

Primary controls

Width Reach • Movement Trace • Prism Focus • Output Master • Gain Match • Channel Mode • Dual Mono Link

Factory starting points — source-derived purpose

SERQET CANON WIDTH [Stereo]

SERQET CANON WIDTH — Returns Width Reach, Movement Trace, and Prism Focus to the canonical spatial center. Factory recipe: Sting 38%, Venom 24%, Focus 62%. Stereo variant: keep the linked center intact and audition width in the full mix.

SERQET VEIL MOTION [Stereo]

SERQET VEIL MOTION — Uses Movement Trace for a controlled veil that moves around—but does not replace—the dry source. Factory recipe: Sting 24%, Venom 24%, Focus 62%. Stereo variant: keep the linked center intact and audition width in the full mix.

SERQET PRISM LENS [Stereo]

SERQET PRISM LENS — Uses Prism Focus to separate a concentrated spectral image inside the field. Factory recipe: Sting 38%, Venom 15%, Focus 100%. Stereo variant: keep the linked center intact and audition width in the full mix.

SERQET WIDE FIELD [Stereo]

SERQET WIDE FIELD — Expands Width Reach for a broad field while keeping the axis readable. Factory recipe: Sting 62%, Venom 38%, Focus 62%. Stereo variant: keep the linked center intact and audition width in the full mix.

SERQET BUS VEIL [Stereo]

SERQET BUS VEIL — Uses Movement Trace for a controlled veil that moves around—but does not replace—the dry source. Factory recipe: Sting 38%, Venom 24%, Focus 38%. Stereo variant: keep the linked center intact and audition width in the full mix.

SERQET CANON WIDTH [Mono]

SERQET CANON WIDTH — Returns Width Reach, Movement Trace, and Prism Focus to the canonical spatial center. Factory recipe: Sting 38%, Venom 24%, Focus 62%. Mono variant: collapse the field and use it as a center-focused insert.

SERQET VEIL MOTION [Mono]

SERQET VEIL MOTION — Uses Movement Trace for a controlled veil that moves around—but does not replace—the dry source. Factory recipe: Sting 24%, Venom 24%, Focus 62%. Mono variant: collapse the field and use it as a center-focused insert.

SERQET PRISM LENS [Mono]

SERQET PRISM LENS — Uses Prism Focus to separate a concentrated spectral image inside the field. Factory recipe: Sting 38%, Venom 15%, Focus 100%. Mono variant: collapse the field and use it as a center-focused insert.

SERQET WIDE FIELD [Mono]

SERQET WIDE FIELD — Expands Width Reach for a broad field while keeping the axis readable. Factory recipe: Sting 62%, Venom 38%, Focus 62%. Mono variant: collapse the field and use it as a center-focused insert.

SERQET BUS VEIL [Mono]

SERQET BUS VEIL — Uses Movement Trace for a controlled veil that moves around—but does not replace—the dry source. Factory recipe: Sting 38%, Venom 24%, Focus 38%. Mono variant: collapse the field and use it as a center-focused insert.

SERQET CANON WIDTH [Dual Mono]

SERQET CANON WIDTH — Returns Width Reach, Movement Trace, and Prism Focus to the canonical spatial center. Factory recipe: Sting 38%, Venom 24%, Focus 62%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SERQET VEIL MOTION [Dual Mono]

SERQET VEIL MOTION — Uses Movement Trace for a controlled veil that moves around—but does not replace—the dry source. Factory recipe: Sting 24%, Venom 24%, Focus 62%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SERQET PRISM LENS [Dual Mono]

SERQET PRISM LENS — Uses Prism Focus to separate a concentrated spectral image inside the field. Factory recipe: Sting 38%, Venom 15%, Focus 100%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SERQET WIDE FIELD [Dual Mono]

SERQET WIDE FIELD — Expands Width Reach for a broad field while keeping the axis readable. Factory recipe: Sting 62%, Venom 38%, Focus 62%.

Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SERQET BUS VEIL [Dual Mono]

SERQET BUS VEIL — Uses Movement Trace for a controlled veil that moves around—but does not replace—the dry source. Factory recipe: Sting 38%, Venom 24%, Focus 38%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

RMS WIDTH: Input RMS feeding the width field. Shows source energy available for widening.

PRISM WIDTH: Measured side-field width. Higher values indicate a broader stereo prism.

OUTPUT FIELD: Post-process RMS energy. Use with RMS WIDTH for level context.

Prism visualizer: Width, motion, focus, and output state. The polygon is a spatial-state map, not a loudness target.

DIHWorld Audio

Creative Transform Technical Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 3 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

SlotMachine

RELEASE	FAMILY	PLACEMENT
v1.0.1	Creative Transform	Creative Transform

Three-chamber creative host that combines source, opposition, and resolution through architecture, blend, morph, and containment.

Recommended use: creative transform

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
chamberA	Chamber A Source	Choice
chamberB	Chamber B Opposition	Choice
chamberC	Chamber C Resolution	Choice
architecture	Architecture	Float
blend	Blend	Float
morph	Morph	Float
containment	Containment	Float
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice
gainmatch	Gain Match	Bool

Factory starting points — source-derived purpose

SLOTMACHINE CANON RESET [Stereo]

SLOTMACHINE CANON RESET — Returns the three chambers and containment to the canonical transformation start point. Stereo variant: keep the linked center intact and audition width in the full mix.

RELIC SPIN [Stereo]

RELIC SPIN — Re-routes a relic-like source through the three-chamber path with the original voice still audible. Stereo variant: keep the linked center intact and audition width in the full mix.

IMPACT REROUTE [Stereo]

IMPACT REROUTE — Favors the impact/resolve chamber for a pronounced transformation event. Stereo variant: keep the linked center intact and audition width in the full mix.

GOLDEN COLLISION [Stereo]

GOLDEN COLLISION — Uses the color/resolution chamber to turn the reroute into a polished authority move. Stereo variant: keep the linked center intact and audition width in the full mix.

SOVEREIGN FLIP [Stereo]

SOVEREIGN FLIP — Uses the color/resolution chamber to turn the reroute into a polished authority move. Stereo variant: keep the linked center intact and audition width in the full mix.

WORMHOLE PRIZE [Stereo]

WORMHOLE PRIZE — Uses Morph and Architecture for an animated spatial reroute. Stereo variant: keep the linked center intact and audition width in the full mix.

PARALLAX JACKPOT [Stereo]

PARALLAX JACKPOT — Uses Morph and Architecture for an animated spatial reroute. Stereo variant: keep the linked center intact and audition width in the full mix.

FOCUSED CHAMBER [Stereo]

FOCUSED CHAMBER — Keeps the transformation inside a focused chamber so the source remains intelligible. Stereo variant: keep the linked center intact and audition width in the full mix.

SLOTMACHINE CANON RESET [Mono]

SLOTMACHINE CANON RESET — Returns the three chambers and containment to the canonical transformation start point. Mono variant: collapse the field and use it as a center-focused insert.

RELIC SPIN [Mono]

RELIC SPIN — Re-routes a relic-like source through the three-chamber path with the original voice still audible. Mono variant: collapse the field and use it as a center-focused insert.

IMPACT REROUTE [Mono]

IMPACT REROUTE — Favors the impact/resolve chamber for a pronounced transformation event. Mono variant: collapse the field and use it as a center-focused insert.

GOLDEN COLLISION [Mono]

GOLDEN COLLISION — Uses the color/resolution chamber to turn the reroute into a polished authority move. Mono variant: collapse the field and use it as a center-focused insert.

SOVEREIGN FLIP [Mono]

SOVEREIGN FLIP — Uses the color/resolution chamber to turn the reroute into a polished authority move. Mono variant: collapse the field and use it as a center-focused insert.

WORMHOLE PRIZE [Mono]

WORMHOLE PRIZE — Uses Morph and Architecture for an animated spatial reroute. Mono variant: collapse the field and use it as a center-focused insert.

PARALLAX JACKPOT [Mono]

PARALLAX JACKPOT — Uses Morph and Architecture for an animated spatial reroute. Mono variant: collapse the field and use it as a center-focused insert.

FOCUSED CHAMBER [Mono]

FOCUSED CHAMBER — Keeps the transformation inside a focused chamber so the source remains intelligible. Mono variant: collapse the field and use it as a center-focused insert.

SLOT MACHINE CANON RESET [Dual Mono]

SLOT MACHINE CANON RESET — Returns the three chambers and containment to the canonical transformation start point. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

RELIC SPIN [Dual Mono]

RELIC SPIN — Re-routes a relic-like source through the three-chamber path with the original voice still audible. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

IMPACT REROUTE [Dual Mono]

IMPACT REROUTE — Favors the impact/resolve chamber for a pronounced transformation event. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

GOLDEN COLLISION [Dual Mono]

GOLDEN COLLISION — Uses the color/resolution chamber to turn the reroute into a polished authority move. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SOVEREIGN FLIP [Dual Mono]

SOVEREIGN FLIP — Uses the color/resolution chamber to turn the reroute into a polished authority move. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

WORMHOLE PRIZE [Dual Mono]

WORMHOLE PRIZE — Uses Morph and Architecture for an animated spatial reroute. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

PARALLAX JACKPOT [Dual Mono]

PARALLAX JACKPOT — Uses Morph and Architecture for an animated spatial reroute. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

FOCUSED CHAMBER [Dual Mono]

FOCUSED CHAMBER — Keeps the transformation inside a focused chamber so the source remains intelligible. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

INPUT: Input peak. Confirms level entering the three chambers.

OUTPUT: Output peak. Use for level matching.

RMS: Average program body. Shows sustained density.

CREST: Peak-to-RMS relationship. Higher values mean sharper transients; lower values mean denser material.

ARCHAEOLOGIST X

RELEASE	FAMILY	PLACEMENT
v1.0.1	Creative Transform	Creative Transform

Forensic recovery processor for excavation, recovery field, harmonic extraction, layer selection, gate, and parallel mix.

Recommended use: creative recovery/excavation

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
power	Power	Bool
gainmatch	Gain Match	Bool
excavation	Excavation Engine	Float
recovery	Recovery Field	Float
harmonic	Harmonic Extraction	Float
forensic	Forensic Layer	Float
gate	Gate	Float
mix	Mix	Float
output	Output	Float
profile	Profile	Choice
mode	Mode	Choice
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice

Factory starting points — source-derived purpose

ARCHX CANON RESET [Stereo]

ARCHX CANON RESET — Sets excavation, recovery, extraction, and gating for the named source-recovery task. Stereo variant: keep the linked center intact and audition width in the full mix.

RELIC VOICE [Stereo]

RELIC VOICE — Recovers a damaged/aged voice while keeping the historical character audible. Stereo variant: keep the linked center intact and audition width in the full mix.

DUST DETAIL [Stereo]

DUST DETAIL — Lifts fine source detail without opening the entire noise floor. Stereo variant: keep the linked center intact and audition width in the full mix.

BODY RECOVERY [Stereo]

BODY RECOVERY — Restores missing body with Recovery Field before adding harmonic extraction. Stereo variant: keep the linked center intact and audition width in the full mix.

AIR SCRIPT [Stereo]

AIR SCRIPT — Recovers upper articulation and spoken detail with the forensic layer controlled. Stereo variant: keep the linked center intact and audition width in the full mix.

FORENSIC LENS [Stereo]

FORENSIC LENS — Uses the diagnostic layer to inspect and extract a problem area before a full mix decision. Stereo variant: keep the linked center intact and audition width in the full mix.

TEMPLE MEMORY [Stereo]

TEMPLE MEMORY — Recovers a damaged/aged voice while keeping the historical character audible. Stereo variant: keep the linked center intact and audition width in the full mix.

FULL EXCAVATION FIELD [Stereo]

FULL EXCAVATION FIELD — Engages the complete excavation field as a deliberate effect or restoration stress test. Stereo variant: keep the linked center intact and audition width in the full mix.

ARCHX CANON RESET [Mono]

ARCHX CANON RESET — Sets excavation, recovery, extraction, and gating for the named source-recovery task. Mono variant: collapse the field and use it as a center-focused insert.

RELIC VOICE [Mono]

RELIC VOICE — Recovers a damaged/aged voice while keeping the historical character audible. Mono variant: collapse the field and use it as a center-focused insert.

DUST DETAIL [Mono]

DUST DETAIL — Lifts fine source detail without opening the entire noise floor. Mono variant: collapse the field and use it as a center-focused insert.

BODY RECOVERY [Mono]

BODY RECOVERY — Restores missing body with Recovery Field before adding harmonic extraction. Mono variant: collapse the field and use it as a center-focused insert.

AIR SCRIPT [Mono]

AIR SCRIPT — Recovers upper articulation and spoken detail with the forensic layer controlled. Mono variant: collapse the field and use it as a center-focused insert.

FORENSIC LENS [Mono]

FORENSIC LENS — Uses the diagnostic layer to inspect and extract a problem area before a full mix decision. Mono variant: collapse the field and use it as a center-focused insert.

TEMPLE MEMORY [Mono]

TEMPLE MEMORY — Recovers a damaged/aged voice while keeping the historical character audible. Mono variant: collapse the field and use it as a center-focused insert.

FULL EXCAVATION FIELD [Mono]

FULL EXCAVATION FIELD — Engages the complete excavation field as a deliberate effect or restoration stress test. Mono variant: collapse the field and use it as a center-focused insert.

ARCHX CANON RESET [Dual Mono]

ARCHX CANON RESET — Sets excavation, recovery, extraction, and gating for the named source-recovery task. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

RELIC VOICE [Dual Mono]

RELIC VOICE — Recovers a damaged/aged voice while keeping the historical character audible. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

DUST DETAIL [Dual Mono]

DUST DETAIL — Lifts fine source detail without opening the entire noise floor. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

BODY RECOVERY [Dual Mono]

BODY RECOVERY — Restores missing body with Recovery Field before adding harmonic extraction. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AIR SCRIPT [Dual Mono]

AIR SCRIPT — Recovers upper articulation and spoken detail with the forensic layer controlled. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

FORENSIC LENS [Dual Mono]

FORENSIC LENS — Uses the diagnostic layer to inspect and extract a problem area before a full mix decision. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

TEMPLE MEMORY [Dual Mono]

TEMPLE MEMORY — Recovers a damaged/aged voice while keeping the historical character audible. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

FULL EXCAVATION FIELD [Dual Mono]

FULL EXCAVATION FIELD — Engages the complete excavation field as a deliberate effect or restoration stress test. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

INPUT / OUTPUT: Live pre/post peak. Use for bypass and level matching.

EXCAVATION: Low/deep recovery activity. Shows energy being uncovered by excavation.

RECOVERY: Recovered-source contribution. Shows how much repaired material is active.

HARMONIC: Extracted harmonic activity. Shows reconstructed tonal information.

FORENSIC: Forensic layer/gate activity. Shows the selective analysis path at work.

Observation Field: Combined four-process activity. A process summary, not a spectrum.

SERQET

RELEASE	FAMILY	PLACEMENT
v1.0.1	Creative Transform	Creative Transform

Creative sting and width processor with intensity, venom saturation, convergence focus, and output control.

Recommended use: width/creative secondary

Customer formats: AU, VST3

Exposed parameter surface

Parameter ID	Display name	Type
STING	Width Reach	Float
VENOM	Movement Trace	Float
FOCUS	Prism Focus	Float
OUTPUT	Output Master	Float
gainmatch	Gain Match	Bool
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice

Factory starting points — source-derived purpose

SERQET CANON WIDTH [Stereo]

SERQET CANON WIDTH — Returns Width Reach, Movement Trace, and Prism Focus to the canonical spatial center. Factory recipe: Sting 38%, Venom 24%, Focus 62%. Stereo variant: keep the linked center intact and audition width in the full mix.

SERQET VEIL MOTION [Stereo]

SERQET VEIL MOTION — Uses Movement Trace for a controlled veil that moves around—but does not replace—the dry source. Factory recipe: Sting 24%, Venom 24%, Focus 62%. Stereo variant: keep the linked center intact and audition width in the full mix.

SERQET PRISM LENS [Stereo]

SERQET PRISM LENS — Uses Prism Focus to separate a concentrated spectral image inside the field. Factory recipe: Sting 38%, Venom 15%, Focus 100%. Stereo variant: keep the linked center intact and audition width in the full mix.

SERQET WIDE FIELD [Stereo]

SERQET WIDE FIELD — Expands Width Reach for a broad field while keeping the axis readable. Factory recipe: Sting 62%, Venom 38%, Focus 62%. Stereo variant: keep the linked center intact and audition width in the full mix.

SERQET BUS VEIL [Stereo]

SERQET BUS VEIL — Uses Movement Trace for a controlled veil that moves around—but does not replace—the dry source. Factory recipe: Sting 38%, Venom 24%, Focus 38%. Stereo variant: keep the linked center intact and audition width in the full mix.

SERQET CANON WIDTH [Mono]

SERQET CANON WIDTH — Returns Width Reach, Movement Trace, and Prism Focus to the canonical spatial center. Factory recipe: Sting 38%, Venom 24%, Focus 62%. Mono variant: collapse the field and use it as a center-focused insert.

SERQET VEIL MOTION [Mono]

SERQET VEIL MOTION — Uses Movement Trace for a controlled veil that moves around—but does not replace—the dry source. Factory recipe: Sting 24%, Venom 24%, Focus 62%. Mono variant: collapse the field and use it as a center-focused insert.

SERQET PRISM LENS [Mono]

SERQET PRISM LENS — Uses Prism Focus to separate a concentrated spectral image inside the field. Factory recipe: Sting 38%, Venom 15%, Focus 100%. Mono variant: collapse the field and use it as a center-focused insert.

SERQET WIDE FIELD [Mono]

SERQET WIDE FIELD — Expands Width Reach for a broad field while keeping the axis readable. Factory recipe: Sting 62%, Venom 38%, Focus 62%. Mono variant: collapse the field and use it as a center-focused insert.

SERQET BUS VEIL [Mono]

SERQET BUS VEIL — Uses Movement Trace for a controlled veil that moves around—but does not replace—the dry source. Factory recipe: Sting 38%, Venom 24%, Focus 38%. Mono variant: collapse the field and use it as a center-focused insert.

SERQET CANON WIDTH [Dual Mono]

SERQET CANON WIDTH — Returns Width Reach, Movement Trace, and Prism Focus to the canonical spatial center. Factory recipe: Sting 38%, Venom 24%, Focus 62%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SERQET VEIL MOTION [Dual Mono]

SERQET VEIL MOTION — Uses Movement Trace for a controlled veil that moves around—but does not replace—the dry source. Factory recipe: Sting 24%, Venom 24%, Focus 62%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SERQET PRISM LENS [Dual Mono]

SERQET PRISM LENS — Uses Prism Focus to separate a concentrated spectral image inside the field. Factory recipe: Sting 38%, Venom 15%, Focus 100%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SERQET WIDE FIELD [Dual Mono]

SERQET WIDE FIELD — Expands Width Reach for a broad field while keeping the axis readable. Factory recipe: Sting 62%, Venom 38%, Focus 62%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SERQET BUS VEIL [Dual Mono]

SERQET BUS VEIL — Uses Movement Trace for a controlled veil that moves around—but does not replace—the dry source. Factory recipe: Sting 38%, Venom 24%, Focus 38%. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

RMS WIDTH: Input RMS feeding the width field. Shows source energy available for widening.

PRISM WIDTH: Measured side-field width. Higher values indicate a broader stereo prism.

OUTPUT FIELD: Post-process RMS energy. Use with RMS WIDTH for level context.

Prism visualizer: Width, motion, focus, and output state. The polygon is a spatial-state map, not a loudness target.

DIHWorld Audio

Mastering Core Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 5 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

ANKH

RELEASE	FAMILY	PLACEMENT
v1.0.1	Mastering Core	Master Field

Sacred optical leveler for late-stage compression, Ma'at limiting, attack, release, drive, ratio, stereo link, Flower luminosity, and final containment.

Recommended use: final containment authority

Customer formats: AU, VST3, Standalone

Primary controls

Gain Match • RA Input • Mix • Sekhem Attack • Ma'at Release • Ptah Drive • Ascension Ratio • Amun Output • Compress • Limit • Flower of Life • Stereo Link

Factory starting points — source-derived purpose

[Stereo] ESSENTIAL / Default

ESSENTIAL / Default — Returns the dynamics stage to a neutral essential setting for level-matched setup. Stereo variant: keep the linked center intact and audition width in the full mix.

[Stereo] COLOR / Soft Optical

COLOR / Soft Optical — Uses slower, softer compression behavior for optical color without a hard ceiling. Stereo variant: keep the linked center intact and audition width in the full mix.

[Stereo] BUS / Life Compress

BUS / Life Compress — Glues a bus with the life/attack/release relationship kept musical. Stereo variant: keep the linked center intact and audition width in the full mix.

[Stereo] MASTER / Canon Ceiling

MASTER / Canon Ceiling — Sets the master lane and ceiling behavior for a final-stage check, not a loudness contest. Stereo variant: keep the linked center intact and audition width in the full mix.

[Stereo] REPAIR / Transient Watch

REPAIR / Transient Watch — Watches transient events and recovery so the source remains intact. Stereo variant: keep the linked center intact and audition width in the full mix.

[Stereo] UTILITY / Unity Reference

UTILITY / Unity Reference — Provides a unity reference for checking the chain without a special effect. Stereo variant: keep the linked center intact and audition width in the full mix.

[Mono] ESSENTIAL / Default

ESSENTIAL / Default — Returns the dynamics stage to a neutral essential setting for level-matched setup. Mono variant: collapse the field and use it as a center-focused insert.

[Mono] COLOR / Soft Optical

COLOR / Soft Optical — Uses slower, softer compression behavior for optical color without a hard ceiling. Mono variant: collapse the field and use it as a center-focused insert.

[Mono] BUS / Life Compress

BUS / Life Compress — Glues a bus with the life/attack/release relationship kept musical. Mono variant: collapse the field and use it as a center-focused insert.

[Mono] MASTER / Canon Ceiling

MASTER / Canon Ceiling — Sets the master lane and ceiling behavior for a final-stage check, not a loudness contest. Mono variant: collapse the field and use it as a center-focused insert.

[Mono] REPAIR / Transient Watch

REPAIR / Transient Watch — Watches transient events and recovery so the source remains intact. Mono variant: collapse the field and use it as a center-focused insert.

[Mono] UTILITY / Unity Reference

UTILITY / Unity Reference — Provides a unity reference for checking the chain without a special effect. Mono variant: collapse the field and use it as a center-focused insert.

[Dual Mono] ESSENTIAL / Default

ESSENTIAL / Default — Returns the dynamics stage to a neutral essential setting for level-matched setup. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

[Dual Mono] COLOR / Soft Optical

COLOR / Soft Optical — Uses slower, softer compression behavior for optical color without a hard ceiling. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

[Dual Mono] BUS / Life Compress

BUS / Life Compress — Glues a bus with the life/attack/release relationship kept musical. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

[Dual Mono] MASTER / Canon Ceiling

MASTER / Canon Ceiling — Sets the master lane and ceiling behavior for a final-stage check, not a loudness contest. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

[Dual Mono] REPAIR / Transient Watch

REPAIR / Transient Watch — Watches transient events and recovery so the source remains intact. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

[Dual Mono] UTILITY / Unity Reference

UTILITY / Unity Reference — Provides a unity reference for checking the chain without a special effect. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

INPUT LEVEL: Peak level entering ANKH. Use to verify healthy mastering-chain entry.

GAIN REDUCTION: Current optical/limiter attenuation. More fill means more level is being removed.

OUTPUT LEVEL: Peak level after containment. Compare with Input for level-fair decisions.

SPHYNX

RELEASE	FAMILY	PLACEMENT
v1.0.1	Mastering Core	Mix Bus

Mastering normalizer and calibrator that prepares input level, target, engine strength, normalization amount, mix, and output.

Recommended use: prepares material before field/finalization

Customer formats: AU, VST3, Standalone

Primary controls

Input • Calibrate • Normalize • Engine • Target • Mix • Output • Gain Match • Channel Mode • Dual Mono Link

Factory starting points — source-derived purpose

SPHYNX CANON ALIGN [Stereo]

SPHYNX CANON ALIGN — Returns the translation engine to the canonical alignment point. Stereo variant: keep the linked center intact and audition width in the full mix.

SPHYNX GENTLE CALIBRATE [Stereo]

SPHYNX GENTLE CALIBRATE — Applies a light calibration pass that preserves normal dynamics. Stereo variant: keep the linked center intact and audition width in the full mix.

SPHYNX TRANSLATION [Stereo]

SPHYNX TRANSLATION — Prioritizes cross-system translation and center stability over coloration. Stereo variant: keep the linked center intact and audition width in the full mix.

SPHYNX DYNAMIC PRESERVE [Stereo]

SPHYNX DYNAMIC PRESERVE — Preserves movement while the target/normalize engine checks the field. Stereo variant: keep the linked center intact and audition width in the full mix.

SPHYNX MASTER ANCHOR [Stereo]

SPHYNX MASTER ANCHOR — Anchors a finished master to the selected target without substituting for a level match. Stereo variant: keep the linked center intact and audition width in the full mix.

SPHYNX LEVEL MATCH [Stereo]

SPHYNX LEVEL MATCH — Sets a fair level comparison so decisions are not driven by output gain. Stereo variant: keep the linked center intact and audition width in the full mix.

SPHYNX CANON ALIGN [Mono]

SPHYNX CANON ALIGN — Returns the translation engine to the canonical alignment point. Mono variant: collapse the field and use it as a center-focused insert.

SPHYNX GENTLE CALIBRATE [Mono]

SPHYNX GENTLE CALIBRATE — Applies a light calibration pass that preserves normal dynamics. Mono variant: collapse the field and use it as a center-focused insert.

SPHYNX TRANSLATION [Mono]

SPHYNX TRANSLATION — Prioritizes cross-system translation and center stability over coloration. Mono variant: collapse the field and use it as a center-focused insert.

SPHYNX DYNAMIC PRESERVE [Mono]

SPHYNX DYNAMIC PRESERVE — Preserves movement while the target/normalize engine checks the field. Mono variant: collapse the field and use it as a center-focused insert.

SPHYNX MASTER ANCHOR [Mono]

SPHYNX MASTER ANCHOR — Anchors a finished master to the selected target without substituting for a level match. Mono variant: collapse the field and use it as a center-focused insert.

SPHYNX LEVEL MATCH [Mono]

SPHYNX LEVEL MATCH — Sets a fair level comparison so decisions are not driven by output gain. Mono variant: collapse the field and use it as a center-focused insert.

SPHYNX CANON ALIGN [Dual Mono]

SPHYNX CANON ALIGN — Returns the translation engine to the canonical alignment point. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SPHYNX GENTLE CALIBRATE [Dual Mono]

SPHYNX GENTLE CALIBRATE — Applies a light calibration pass that preserves normal dynamics. Dual-mono variant: preserve independent left/right

decisions for asymmetric sources.

SPHYNX TRANSLATION [Dual Mono]

SPHYNX TRANSLATION — Prioritizes cross-system translation and center stability over coloration. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SPHYNX DYNAMIC PRESERVE [Dual Mono]

SPHYNX DYNAMIC PRESERVE — Preserves movement while the target/normalize engine checks the field. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SPHYNX MASTER ANCHOR [Dual Mono]

SPHYNX MASTER ANCHOR — Anchors a finished master to the selected target without substituting for a level match. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SPHYNX LEVEL MATCH [Dual Mono]

SPHYNX LEVEL MATCH — Sets a fair level comparison so decisions are not driven by output gain. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

INPUT PEAK: Peak entering calibration. Confirms available headroom before normalization.

PROGRAM RMS: Average program energy. Use to understand body level, not final delivery loudness alone.

AUTO TRIM: Gain correction calculated by SPHYNX. Center is 0 dB; left cuts and right boosts.

OUTPUT PEAK: Peak after normalization. Verify headroom after calibration.

Crest / headroom: Peak-to-RMS and remaining space. Use together to avoid flattening transient structure.

Maat

RELEASE	FAMILY	PLACEMENT
v1.0.1	Mastering Core	Mix Bus

Mastering balance processor for foundation and air, bandwidth, truth, architecture, phase, stereo link, saturation mode, and output.

Recommended use: mastering balance/justice stage with secondary observation/advisor dot

Customer formats: AU, VST3, Standalone

Primary controls

Channel Mode • Dual Mono Link • Foundation Boost • Foundation Atten • Foundation Frequency • Air Boost • Air Atten • Bandwidth • Balance • Truth • Architecture • Output

Factory starting points — source-derived purpose

MAAT SWEET SPOT [Stereo]

MAAT SWEET SPOT — Returns the sacred balance controls to the centered MAAT starting point. Stereo variant: keep the linked center intact and audition width in the full mix.

TRUTH ALIGN [Stereo]

TRUTH ALIGN — Centers Truth and Balance for a reference decision before boosting or attenuating a band. Stereo variant: keep the linked center intact and audition width in the full mix.

FOUNDATION WEIGHT [Stereo]

FOUNDATION WEIGHT — Sets the Foundation frequency and boost/atten pair for low-center balance. Stereo variant: keep the linked center intact and audition width in the full mix.

AIR SHEEN [Stereo]

AIR SHEEN — Uses Air Boost/Atten and Bandwidth to correct the upper field without over-brightening. Stereo variant: keep the linked center intact and audition width in the full mix.

LOW END MERCY [Stereo]

LOW END MERCY — Sets the Foundation frequency and boost/atten pair for low-center balance. Stereo variant: keep the linked center intact and audition width in the full mix.

BRIGHTNESS MERCY [Stereo]

BRIGHTNESS MERCY — Uses Air Boost/Atten and Bandwidth to correct the upper field without over-brightening. Stereo variant: keep the linked center intact and audition width in the full mix.

MIX SEAT [Stereo]

MIX SEAT — Seats the mix or chamber by combining Balance, Architecture, and a restrained tonal move. Stereo variant: keep the linked center intact and audition width in the full mix.

WARM BALANCE [Stereo]

WARM BALANCE — Tilts the balance toward body while retaining enough air for the source to speak. Stereo variant: keep the linked center intact and audition width in the full mix.

MASTER READY [Stereo]

MASTER READY — A restrained final-balance recipe; verify low-center, stereo integrity, loudness, and ceiling. Stereo variant: keep the linked center intact and audition width in the full mix.

CHAMBER POLISH [Stereo]

CHAMBER POLISH — Seats the mix or chamber by combining Balance, Architecture, and a restrained tonal move. Stereo variant: keep the linked center intact and audition width in the full mix.

GENTLE FINISH [Stereo]

GENTLE FINISH — A restrained final-balance recipe; verify low-center, stereo integrity, loudness, and ceiling. Stereo variant: keep the linked center intact and audition width in the full mix.

BREATH ROOT [Stereo]

BREATH ROOT — Balances a vocal's breath and root so neither the air nor the low center dominates. Stereo variant: keep the linked center intact and audition width in the full mix.

CANON GROUND [Stereo]

CANON GROUND — Returns MAAT to a grounded reference for judging the chain before correction. Stereo variant: keep the linked center intact and audition width in the full mix.

FULL RESET [Stereo]

FULL RESET — Returns MAAT to a grounded reference for judging the chain before correction. Stereo variant: keep the linked center intact and audition width in the full mix.

MAAT SWEET SPOT [Mono]

MAAT SWEET SPOT — Returns the sacred balance controls to the centered MAAT starting point. Mono variant: collapse the field and use it as a center-focused insert.

TRUTH ALIGN [Mono]

TRUTH ALIGN — Centers Truth and Balance for a reference decision before boosting or attenuating a band. Mono variant: collapse the field and use it as a center-focused insert.

FOUNDATION WEIGHT [Mono]

FOUNDATION WEIGHT — Sets the Foundation frequency and boost/atten pair for low-center balance. Mono variant: collapse the field and use it as a center-focused insert.

AIR SHEEN [Mono]

AIR SHEEN — Uses Air Boost/Atten and Bandwidth to correct the upper field without over-brightening. Mono variant: collapse the field and use it as a center-focused insert.

LOW END MERCY [Mono]

LOW END MERCY — Sets the Foundation frequency and boost/atten pair for low-center balance. Mono variant: collapse the field and use it as a center-focused insert.

BRIGHTNESS MERCY [Mono]

BRIGHTNESS MERCY — Uses Air Boost/Atten and Bandwidth to correct the upper field without over-brightening. Mono variant: collapse the field and use it as a center-focused insert.

MIX SEAT [Mono]

MIX SEAT — Seats the mix or chamber by combining Balance, Architecture, and a restrained tonal move. Mono variant: collapse the field and use it as a center-focused insert.

WARM BALANCE [Mono]

WARM BALANCE — Tilts the balance toward body while retaining enough air for the source to speak. Mono variant: collapse the field and use it as a center-focused insert.

MASTER READY [Mono]

MASTER READY — A restrained final-balance recipe; verify low-center, stereo integrity, loudness, and ceiling. Mono variant: collapse the field and use it as a center-focused insert.

CHAMBER POLISH [Mono]

CHAMBER POLISH — Seats the mix or chamber by combining Balance, Architecture, and a restrained tonal move. Mono variant: collapse the field and use it as a center-focused insert.

GENTLE FINISH [Mono]

GENTLE FINISH — A restrained final-balance recipe; verify low-center, stereo integrity, loudness, and ceiling. Mono variant: collapse the field and use it as a center-focused insert.

BREATH ROOT [Mono]

BREATH ROOT — Balances a vocal's breath and root so neither the air nor the low center dominates. Mono variant: collapse the field and use it as a center-focused insert.

CANON GROUND [Mono]

CANON GROUND — Returns MAAT to a grounded reference for judging the chain before correction. Mono variant: collapse the field and use it as a center-focused insert.

FULL RESET [Mono]

FULL RESET — Returns MAAT to a grounded reference for judging the chain before correction. Mono variant: collapse the field and use it as a center-focused insert.

MAAT SWEET SPOT [Dual Mono]

MAAT SWEET SPOT — Returns the sacred balance controls to the centered MAAT starting point. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

TRUTH ALIGN [Dual Mono]

TRUTH ALIGN — Centers Truth and Balance for a reference decision before boosting or attenuating a band. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

FOUNDATION WEIGHT [Dual Mono]

FOUNDATION WEIGHT — Sets the Foundation frequency and boost/atten pair for low-center balance. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AIR SHEEN [Dual Mono]

AIR SHEEN — Uses Air Boost/Atten and Bandwidth to correct the upper field without over-brightening. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

LOW END MERCY [Dual Mono]

LOW END MERCY — Sets the Foundation frequency and boost/atten pair for low-center balance. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

BRIGHTNESS MERCY [Dual Mono]

BRIGHTNESS MERCY — Uses Air Boost/Atten and Bandwidth to correct the upper field without over-brightening. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MIX SEAT [Dual Mono]

MIX SEAT — Seats the mix or chamber by combining Balance, Architecture, and a restrained tonal move. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

WARM BALANCE [Dual Mono]

WARM BALANCE — Tilts the balance toward body while retaining enough air for the source to speak. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MASTER READY [Dual Mono]

MASTER READY — A restrained final-balance recipe; verify low-center, stereo integrity, loudness, and ceiling. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

CHAMBER POLISH [Dual Mono]

CHAMBER POLISH — Seats the mix or chamber by combining Balance, Architecture, and a restrained tonal move. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

GENTLE FINISH [Dual Mono]

GENTLE FINISH — A restrained final-balance recipe; verify low-center, stereo integrity, loudness, and ceiling. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

BREATH ROOT [Dual Mono]

BREATH ROOT — Balances a vocal's breath and root so neither the air nor the low center dominates. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

CANON GROUND [Dual Mono]

CANON GROUND — Returns MAAT to a grounded reference for judging the chain before correction. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

FULL RESET [Dual Mono]

FULL RESET — Returns MAAT to a grounded reference for judging the chain before correction. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

TRUTH: Composite tonal/phase balance score. Higher values mean the current foundation/air balance is closer to the intended field.

INPUT / OUTPUT: Live pre/post level. Use for level matching.

FOUNDATION: Low-frequency contribution. Shows active foundation energy.

AIR: Upper-frequency contribution. Shows active air energy.

HORIZON X

RELEASE	FAMILY	PLACEMENT
v1.0.1	Mastering Core	Mix Bus

Mastering finalizer with dawn/dusk states, volume, drive, maximizer, depth, clarity, gravity, pull, collapse, return, and blended Horizon/Event modes.

Recommended use: mastering finalizer and controlled lift

Customer formats: AU, VST3, Standalone

Primary controls

Input • Output • Channel Mode • Dual Mono Link • Bypass • RA Clip • Gain Match • Volume • Drive • Maximizer • Depth • Clarity

Factory starting points — source-derived purpose

[FINALIZER] Canon Open

Canon Open — Sets HORIZON X's drive, maximizer, depth, and clarity for the named finalizer role. Factory recipe: Drive 25%, Maximizer 24%, Depth 23%, Clarity 34%, Mode 0%.

[CLARITY] Source True

Source True — Sets HORIZON X's drive, maximizer, depth, and clarity for the named finalizer role. Factory recipe: Drive 38%, Maximizer 37%, Depth 36%, Clarity 62%, Mode 0%.

[DEPTH] Root Anchor

Root Anchor — Sets HORIZON X's drive, maximizer, depth, and clarity for the named finalizer role. Factory recipe: Drive 31%, Maximizer 34%, Depth 53%, Clarity 40%, Mode 20%.

[EVENT] Motion Rise

Motion Rise — Uses the event mode for audible movement rather than a static finalizer. Factory recipe: Drive 38%, Maximizer 37%, Depth 36%, Clarity 37%, Mode 100%.

[MAXIMIZER] Expansion

Expansion — Tests expansion/Maximizer authority; match output and check transients. Factory recipe: Drive 47%, Maximizer 53%, Depth 38%, Clarity 50%, Mode 60%.

[FINALIZER] Full Field

Full Field — Sets HORIZON X's drive, maximizer, depth, and clarity for the named finalizer role. Factory recipe: Drive 48%, Maximizer 47%, Depth 46%, Clarity 47%, Mode 0%.

[UTILITY] Canon Reset

Canon Reset — Returns the horizon/finalizer lanes to the utility reference point. Factory recipe: Drive 51%, Maximizer 50%, Depth 49%, Clarity 50%, Mode 0%.

Meters and visualizers

LIVE SIGNAL: Per-channel input RMS on a -60 to 0 dBFS scale. Shows program energy entering the finalizer.

FIELD STATE: Combined Horizon/Event processing state. A process-state visualization, not a delivery-loudness meter.

OUTPUT LEVEL: Post-finalizer level on a -60 to 0 dBFS scale. Use with LIVE SIGNAL for level-fair review.

PLATINUM

RELEASE	FAMILY	PLACEMENT
v1.0.1	Mastering Core	Mix Bus

Mastering authority processor using silver air, gold drive, copper body, iron glue, nickel focus, platinum authority, and final output.

Recommended use: master bus authority; secondary red-orange color/amp/tape support

Customer formats: AU, VST3, Standalone

Primary controls

Channel Mode • Dual Mono Link • Gain Match • AG Air • AU Drive • CU Body • FE Glue • NI Focus • PT Authority • Output

Factory starting points — source-derived purpose

PLATINUM CANON RESET

PLATINUM CANON RESET — Returns the hardware-inspired material lanes to the canonical center.

PLATINUM AIR CROWN

PLATINUM AIR CROWN — Raises AG Air and PT Authority toward an open, polished crown.

PLATINUM BODY THRONE

PLATINUM BODY THRONE — Uses CU Body and AU Drive for a broad, authoritative center.

PLATINUM GLUE FIELD

PLATINUM GLUE FIELD — Uses FE Glue to bring the master together without replacing its transient contrast.

PLATINUM FOCUS CUT

PLATINUM FOCUS CUT — Uses NI Focus to clarify a crowded center before adding more authority.

PLATINUM DUAL AUTH

PLATINUM DUAL AUTH — Balances independent authority lanes for a dual-source or asymmetric master.

PLATINUM FULL RANGE

PLATINUM FULL RANGE — Engages the complete Platinum material authority field; use only after a level-matched reference.

DIHWorld Audio

Mastering Core Technical Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 5 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

ANKH

RELEASE	FAMILY	PLACEMENT
v1.0.1	Mastering Core	Master Field

Sacred optical leveler for late-stage compression, Ma'at limiting, attack, release, drive, ratio, stereo link, Flower luminosity, and final containment.

Recommended use: final containment authority

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
gainmatch	Gain Match	Bool
inputDb	RA Input	Float
mix	Mix	Float
attack	Sekhem Attack	Float
release	Ma'at Release	Float
drive	Ptah Drive	Float
ascension	Ascension Ratio	Float
outputDb	Amun Output	Float
compress	Compress	Bool
limit_on	Limit	Bool
flower_of_life	Flower of Life	Bool
link	Stereo Link	Bool
bypass	Bypass	Bool
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice

Factory starting points — source-derived purpose

[Stereo] ESSENTIAL / Default

ESSENTIAL / Default — Returns the dynamics stage to a neutral essential setting for level-matched setup. Stereo variant: keep the linked center intact and audition width in the full mix.

[Stereo] COLOR / Soft Optical

COLOR / Soft Optical — Uses slower, softer compression behavior for optical color without a hard ceiling. Stereo variant: keep the linked center intact and audition width in the full mix.

[Stereo] BUS / Life Compress

BUS / Life Compress — Glues a bus with the life/attack/release relationship kept musical. Stereo variant: keep the linked center intact and audition width in the full mix.

[Stereo] MASTER / Canon Ceiling

MASTER / Canon Ceiling — Sets the master lane and ceiling behavior for a final-stage check, not a loudness contest. Stereo variant: keep the linked center intact and audition width in the full mix.

[Stereo] REPAIR / Transient Watch

REPAIR / Transient Watch — Watches transient events and recovery so the source remains intact. Stereo variant: keep the linked center intact and audition width in the full mix.

[Stereo] UTILITY / Unity Reference

UTILITY / Unity Reference — Provides a unity reference for checking the chain without a special effect. Stereo variant: keep the linked center intact and audition width in the full mix.

[Mono] ESSENTIAL / Default

ESSENTIAL / Default — Returns the dynamics stage to a neutral essential setting for level-matched setup. Mono variant: collapse the field and use it as a

center-focused insert.

[Mono] COLOR / Soft Optical

COLOR / Soft Optical — Uses slower, softer compression behavior for optical color without a hard ceiling. Mono variant: collapse the field and use it as a center-focused insert.

[Mono] BUS / Life Compress

BUS / Life Compress — Glues a bus with the life/attack/release relationship kept musical. Mono variant: collapse the field and use it as a center-focused insert.

[Mono] MASTER / Canon Ceiling

MASTER / Canon Ceiling — Sets the master lane and ceiling behavior for a final-stage check, not a loudness contest. Mono variant: collapse the field and use it as a center-focused insert.

[Mono] REPAIR / Transient Watch

REPAIR / Transient Watch — Watches transient events and recovery so the source remains intact. Mono variant: collapse the field and use it as a center-focused insert.

[Mono] UTILITY / Unity Reference

UTILITY / Unity Reference — Provides a unity reference for checking the chain without a special effect. Mono variant: collapse the field and use it as a center-focused insert.

[Dual Mono] ESSENTIAL / Default

ESSENTIAL / Default — Returns the dynamics stage to a neutral essential setting for level-matched setup. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

[Dual Mono] COLOR / Soft Optical

COLOR / Soft Optical — Uses slower, softer compression behavior for optical color without a hard ceiling. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

[Dual Mono] BUS / Life Compress

BUS / Life Compress — Glues a bus with the life/attack/release relationship kept musical. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

[Dual Mono] MASTER / Canon Ceiling

MASTER / Canon Ceiling — Sets the master lane and ceiling behavior for a final-stage check, not a loudness contest. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

[Dual Mono] REPAIR / Transient Watch

REPAIR / Transient Watch — Watches transient events and recovery so the source remains intact. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

[Dual Mono] UTILITY / Unity Reference

UTILITY / Unity Reference — Provides a unity reference for checking the chain without a special effect. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

INPUT LEVEL: Peak level entering ANKH. Use to verify healthy mastering-chain entry.

GAIN REDUCTION: Current optical/limiter attenuation. More fill means more level is being removed.

OUTPUT LEVEL: Peak level after containment. Compare with Input for level-fair decisions.

SPHYNX

RELEASE	FAMILY	PLACEMENT
v1.0.1	Mastering Core	Mix Bus

Mastering normalizer and calibrator that prepares input level, target, engine strength, normalization amount, mix, and output.

Recommended use: prepares material before field/finalization

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
INPUT	Input	Float
CALIBRATE	Calibrate	Float
NORMALIZE	Normalize	Float
ENGINE	Engine	Float
TARGET	Target	Float
MIX	Mix	Float
OUTPUT	Output	Float
gainmatch	Gain Match	Bool
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice

Factory starting points — source-derived purpose

SPHYNX CANON ALIGN [Stereo]

SPHYNX CANON ALIGN — Returns the translation engine to the canonical alignment point. Stereo variant: keep the linked center intact and audition width in the full mix.

SPHYNX GENTLE CALIBRATE [Stereo]

SPHYNX GENTLE CALIBRATE — Applies a light calibration pass that preserves normal dynamics. Stereo variant: keep the linked center intact and audition width in the full mix.

SPHYNX TRANSLATION [Stereo]

SPHYNX TRANSLATION — Prioritizes cross-system translation and center stability over coloration. Stereo variant: keep the linked center intact and audition width in the full mix.

SPHYNX DYNAMIC PRESERVE [Stereo]

SPHYNX DYNAMIC PRESERVE — Preserves movement while the target/normalize engine checks the field. Stereo variant: keep the linked center intact and audition width in the full mix.

SPHYNX MASTER ANCHOR [Stereo]

SPHYNX MASTER ANCHOR — Anchors a finished master to the selected target without substituting for a level match. Stereo variant: keep the linked center intact and audition width in the full mix.

SPHYNX LEVEL MATCH [Stereo]

SPHYNX LEVEL MATCH — Sets a fair level comparison so decisions are not driven by output gain. Stereo variant: keep the linked center intact and audition width in the full mix.

SPHYNX CANON ALIGN [Mono]

SPHYNX CANON ALIGN — Returns the translation engine to the canonical alignment point. Mono variant: collapse the field and use it as a center-focused insert.

SPHYNX GENTLE CALIBRATE [Mono]

SPHYNX GENTLE CALIBRATE — Applies a light calibration pass that preserves normal dynamics. Mono variant: collapse the field and use it as a center-focused insert.

SPHYNX TRANSLATION [Mono]

SPHYNX TRANSLATION — Prioritizes cross-system translation and center stability over coloration. Mono variant: collapse the field and use it as a center-focused insert.

SPHYNX DYNAMIC PRESERVE [Mono]

SPHYNX DYNAMIC PRESERVE — Preserves movement while the target/normalize engine checks the field. Mono variant: collapse the field and use it as a center-focused insert.

SPHYNX MASTER ANCHOR [Mono]

SPHYNX MASTER ANCHOR — Anchors a finished master to the selected target without substituting for a level match. Mono variant: collapse the field and use it as a center-focused insert.

SPHYNX LEVEL MATCH [Mono]

SPHYNX LEVEL MATCH — Sets a fair level comparison so decisions are not driven by output gain. Mono variant: collapse the field and use it as a center-focused insert.

SPHYNX CANON ALIGN [Dual Mono]

SPHYNX CANON ALIGN — Returns the translation engine to the canonical alignment point. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SPHYNX GENTLE CALIBRATE [Dual Mono]

SPHYNX GENTLE CALIBRATE — Applies a light calibration pass that preserves normal dynamics. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SPHYNX TRANSLATION [Dual Mono]

SPHYNX TRANSLATION — Prioritizes cross-system translation and center stability over coloration. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SPHYNX DYNAMIC PRESERVE [Dual Mono]

SPHYNX DYNAMIC PRESERVE — Preserves movement while the target/normalize engine checks the field. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SPHYNX MASTER ANCHOR [Dual Mono]

SPHYNX MASTER ANCHOR — Anchors a finished master to the selected target without substituting for a level match. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

SPHYNX LEVEL MATCH [Dual Mono]

SPHYNX LEVEL MATCH — Sets a fair level comparison so decisions are not driven by output gain. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

INPUT PEAK: Peak entering calibration. Confirms available headroom before normalization.

PROGRAM RMS: Average program energy. Use to understand body level, not final delivery loudness alone.

AUTO TRIM: Gain correction calculated by SPHYNX. Center is 0 dB; left cuts and right boosts.

OUTPUT PEAK: Peak after normalization. Verify headroom after calibration.

Crest / headroom: Peak-to-RMS and remaining space. Use together to avoid flattening transient structure.

Maat

RELEASE	FAMILY	PLACEMENT
v1.0.1	Mastering Core	Mix Bus

Mastering balance processor for foundation and air, bandwidth, truth, architecture, phase, stereo link, saturation mode, and output.

Recommended use: mastering balance/justice stage with secondary observation/advisor dot

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice
FOUNDATION_BOOST	Foundation Boost	Float
FOUNDATION_ATTEN	Foundation Atten	Float
FOUNDATION_FREQ	Foundation Frequency	Float
AIR_BOOST	Air Boost	Float
AIR_ATTEN	Air Atten	Float
BANDWIDTH	Bandwidth	Float
BALANCE	Balance	Float
TRUTH	Truth	Float
ARCHITECTURE	Architecture	Float
OUTPUT	Output	Float
POWER	Power	Bool
gainmatch	Gain Match	Bool
PHASE_INVERT	Phase Invert	Bool
FOUNDATION_WEIGHT_ON	Foundation Weight On	Bool
RUMBLE_HPF	Rumble HPF	Float
STEREO_LINK_MODE	Stereo Link Mode	Float
SATURATION	Saturation Tube Tape	Float

Factory starting points — source-derived purpose

MAAT SWEET SPOT [Stereo]

MAAT SWEET SPOT — Returns the sacred balance controls to the centered MAAT starting point. Stereo variant: keep the linked center intact and audition width in the full mix.

TRUTH ALIGN [Stereo]

TRUTH ALIGN — Centers Truth and Balance for a reference decision before boosting or attenuating a band. Stereo variant: keep the linked center intact and audition width in the full mix.

FOUNDATION WEIGHT [Stereo]

FOUNDATION WEIGHT — Sets the Foundation frequency and boost/atten pair for low-center balance. Stereo variant: keep the linked center intact and audition width in the full mix.

AIR SHEEN [Stereo]

AIR SHEEN — Uses Air Boost/Atten and Bandwidth to correct the upper field without over-brightening. Stereo variant: keep the linked center intact and audition width in the full mix.

LOW END MERCY [Stereo]

LOW END MERCY — Sets the Foundation frequency and boost/atten pair for low-center balance. Stereo variant: keep the linked center intact and audition width in the full mix.

BRIGHTNESS MERCY [Stereo]

BRIGHTNESS MERCY — Uses Air Boost/Atten and Bandwidth to correct the upper field without over-brightening. Stereo variant: keep the linked center intact and audition width in the full mix.

MIX SEAT [Stereo]

MIX SEAT — Seats the mix or chamber by combining Balance, Architecture, and a restrained tonal move. Stereo variant: keep the linked center intact and audition width in the full mix.

WARM BALANCE [Stereo]

WARM BALANCE — Tilts the balance toward body while retaining enough air for the source to speak. Stereo variant: keep the linked center intact and audition width in the full mix.

MASTER READY [Stereo]

MASTER READY — A restrained final-balance recipe; verify low-center, stereo integrity, loudness, and ceiling. Stereo variant: keep the linked center intact and audition width in the full mix.

CHAMBER POLISH [Stereo]

CHAMBER POLISH — Seats the mix or chamber by combining Balance, Architecture, and a restrained tonal move. Stereo variant: keep the linked center intact and audition width in the full mix.

GENTLE FINISH [Stereo]

GENTLE FINISH — A restrained final-balance recipe; verify low-center, stereo integrity, loudness, and ceiling. Stereo variant: keep the linked center intact and audition width in the full mix.

BREATH ROOT [Stereo]

BREATH ROOT — Balances a vocal's breath and root so neither the air nor the low center dominates. Stereo variant: keep the linked center intact and audition width in the full mix.

CANON GROUND [Stereo]

CANON GROUND — Returns MAAT to a grounded reference for judging the chain before correction. Stereo variant: keep the linked center intact and audition width in the full mix.

FULL RESET [Stereo]

FULL RESET — Returns MAAT to a grounded reference for judging the chain before correction. Stereo variant: keep the linked center intact and audition width in the full mix.

MAAT SWEET SPOT [Mono]

MAAT SWEET SPOT — Returns the sacred balance controls to the centered MAAT starting point. Mono variant: collapse the field and use it as a center-focused insert.

TRUTH ALIGN [Mono]

TRUTH ALIGN — Centers Truth and Balance for a reference decision before boosting or attenuating a band. Mono variant: collapse the field and use it as a center-focused insert.

FOUNDATION WEIGHT [Mono]

FOUNDATION WEIGHT — Sets the Foundation frequency and boost/atten pair for low-center balance. Mono variant: collapse the field and use it as a center-focused insert.

AIR SHEEN [Mono]

AIR SHEEN — Uses Air Boost/Atten and Bandwidth to correct the upper field without over-brightening. Mono variant: collapse the field and use it as a center-focused insert.

LOW END MERCY [Mono]

LOW END MERCY — Sets the Foundation frequency and boost/atten pair for low-center balance. Mono variant: collapse the field and use it as a center-focused insert.

BRIGHTNESS MERCY [Mono]

BRIGHTNESS MERCY — Uses Air Boost/Atten and Bandwidth to correct the upper field without over-brightening. Mono variant: collapse the field and use it as a center-focused insert.

MIX SEAT [Mono]

MIX SEAT — Seats the mix or chamber by combining Balance, Architecture, and a restrained tonal move. Mono variant: collapse the field and use it as a center-focused insert.

WARM BALANCE [Mono]

WARM BALANCE — Tilts the balance toward body while retaining enough air for the source to speak. Mono variant: collapse the field and use it as a center-focused insert.

MASTER READY [Mono]

MASTER READY — A restrained final-balance recipe; verify low-center, stereo integrity, loudness, and ceiling. Mono variant: collapse the field and use it as a center-focused insert.

CHAMBER POLISH [Mono]

CHAMBER POLISH — Seats the mix or chamber by combining Balance, Architecture, and a restrained tonal move. Mono variant: collapse the field and use it as a center-focused insert.

GENTLE FINISH [Mono]

GENTLE FINISH — A restrained final-balance recipe; verify low-center, stereo integrity, loudness, and ceiling. Mono variant: collapse the field and use it as a center-focused insert.

BREATH ROOT [Mono]

BREATH ROOT — Balances a vocal's breath and root so neither the air nor the low center dominates. Mono variant: collapse the field and use it as a center-focused insert.

CANON GROUND [Mono]

CANON GROUND — Returns MAAT to a grounded reference for judging the chain before correction. Mono variant: collapse the field and use it as a center-focused insert.

FULL RESET [Mono]

FULL RESET — Returns MAAT to a grounded reference for judging the chain before correction. Mono variant: collapse the field and use it as a center-focused insert.

MAAT SWEET SPOT [Dual Mono]

MAAT SWEET SPOT — Returns the sacred balance controls to the centered MAAT starting point. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

TRUTH ALIGN [Dual Mono]

TRUTH ALIGN — Centers Truth and Balance for a reference decision before boosting or attenuating a band. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

FOUNDATION WEIGHT [Dual Mono]

FOUNDATION WEIGHT — Sets the Foundation frequency and boost/atten pair for low-center balance. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

AIR SHEEN [Dual Mono]

AIR SHEEN — Uses Air Boost/Atten and Bandwidth to correct the upper field without over-brightening. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

LOW END MERCY [Dual Mono]

LOW END MERCY — Sets the Foundation frequency and boost/atten pair for low-center balance. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

BRIGHTNESS MERCY [Dual Mono]

BRIGHTNESS MERCY — Uses Air Boost/Atten and Bandwidth to correct the upper field without over-brightening. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MIX SEAT [Dual Mono]

MIX SEAT — Seats the mix or chamber by combining Balance, Architecture, and a restrained tonal move. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

WARM BALANCE [Dual Mono]

WARM BALANCE — Tilts the balance toward body while retaining enough air for the source to speak. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

MASTER READY [Dual Mono]

MASTER READY — A restrained final-balance recipe; verify low-center, stereo integrity, loudness, and ceiling. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

CHAMBER POLISH [Dual Mono]

CHAMBER POLISH — Seats the mix or chamber by combining Balance, Architecture, and a restrained tonal move. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

GENTLE FINISH [Dual Mono]

GENTLE FINISH — A restrained final-balance recipe; verify low-center, stereo integrity, loudness, and ceiling. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

BREATH ROOT [Dual Mono]

BREATH ROOT — Balances a vocal's breath and root so neither the air nor the low center dominates. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

CANON GROUND [Dual Mono]

CANON GROUND — Returns MAAT to a grounded reference for judging the chain before correction. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

FULL RESET [Dual Mono]

FULL RESET — Returns MAAT to a grounded reference for judging the chain before correction. Dual-mono variant: preserve independent left/right decisions for asymmetric sources.

Meters and visualizers

TRUTH: Composite tonal/phase balance score. Higher values mean the current foundation/air balance is closer to the intended field.

INPUT / OUTPUT: Live pre/post level. Use for level matching.

FOUNDATION: Low-frequency contribution. Shows active foundation energy.

AIR: Upper-frequency contribution. Shows active air energy.

HORIZON X

RELEASE	FAMILY	PLACEMENT
v1.0.1	Mastering Core	Mix Bus

Mastering finalizer with dawn/dusk states, volume, drive, maximizer, depth, clarity, gravity, pull, collapse, return, and blended Horizon/Event modes.

Recommended use: mastering finalizer and controlled lift

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
input	Input	Float
output	Output	Float
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice
bypass	Bypass	Bool
clip	RA Clip	Bool
gainmatch	Gain Match	Bool
volume	Volume	Factory
drive	Drive	Factory
maximizer	Maximizer	Factory
depth	Depth	Factory
clarity	Clarity	Factory
mix	Mix	Factory
gravity	Gravity	Factory
pull	Pull	Factory
collapse	Collapse	Factory
return	Return	Factory
eventBlend	Event Blend	Factory
horizonBlend	Horizon Blend	Factory
field	Field Of Life	Factory
mode	Mode	Factory

Factory starting points — source-derived purpose

[FINALIZER] Canon Open

Canon Open — Sets HORIZON X's drive, maximizer, depth, and clarity for the named finalizer role. Factory recipe: Drive 25%, Maximizer 24%, Depth 23%, Clarity 34%, Mode 0%.

[CLARITY] Source True

Source True — Sets HORIZON X's drive, maximizer, depth, and clarity for the named finalizer role. Factory recipe: Drive 38%, Maximizer 37%, Depth 36%, Clarity 62%, Mode 0%.

[DEPTH] Root Anchor

Root Anchor — Sets HORIZON X's drive, maximizer, depth, and clarity for the named finalizer role. Factory recipe: Drive 31%, Maximizer 34%, Depth 53%, Clarity 40%, Mode 20%.

[EVENT] Motion Rise

Motion Rise — Uses the event mode for audible movement rather than a static finalizer. Factory recipe: Drive 38%, Maximizer 37%, Depth 36%, Clarity 37%, Mode 100%.

[MAXIMIZER] Expansion

Expansion — Tests expansion/Maximizer authority; match output and check transients. Factory recipe: Drive 47%, Maximizer 53%, Depth 38%, Clarity 50%, Mode 60%.

[FINALIZER] Full Field

Full Field — Sets HORIZON X's drive, maximizer, depth, and clarity for the named finalizer role. Factory recipe: Drive 48%, Maximizer 47%, Depth 46%, Clarity 47%, Mode 0%.

[UTILITY] Canon Reset

Canon Reset — Returns the horizon/finalizer lanes to the utility reference point. Factory recipe: Drive 51%, Maximizer 50%, Depth 49%, Clarity 50%, Mode 0%.

Meters and visualizers

LIVE SIGNAL: Per-channel input RMS on a -60 to 0 dBFS scale. Shows program energy entering the finalizer.

FIELD STATE: Combined Horizon/Event processing state. A process-state visualization, not a delivery-loudness meter.

OUTPUT LEVEL: Post-finalizer level on a -60 to 0 dBFS scale. Use with LIVE SIGNAL for level-fair review.

PLATINUM

RELEASE	FAMILY	PLACEMENT
v1.0.1	Mastering Core	Mix Bus

Mastering authority processor using silver air, gold drive, copper body, iron glue, nickel focus, platinum authority, and final output.

Recommended use: master bus authority; secondary red-orange color/amp/tape support

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice
gainmatch	Gain Match	Bool
AG_AIR	AG Air	Factory
AU_DRIVE	AU Drive	Factory
CU_BODY	CU Body	Factory
FE_GLUE	FE Glue	Factory
NI_FOCUS	NI Focus	Factory
PT_AUTHORITY	PT Authority	Factory
OUTPUT	Output	Factory

Factory starting points — source-derived purpose

PLATINUM CANON RESET

PLATINUM CANON RESET — Returns the hardware-inspired material lanes to the canonical center.

PLATINUM AIR CROWN

PLATINUM AIR CROWN — Raises AG Air and PT Authority toward an open, polished crown.

PLATINUM BODY THRONE

PLATINUM BODY THRONE — Uses CU Body and AU Drive for a broad, authoritative center.

PLATINUM GLUE FIELD

PLATINUM GLUE FIELD — Uses FE Glue to bring the master together without replacing its transient contrast.

PLATINUM FOCUS CUT

PLATINUM FOCUS CUT — Uses NI Focus to clarify a crowded center before adding more authority.

PLATINUM DUAL AUTH

PLATINUM DUAL AUTH — Balances independent authority lanes for a dual-source or asymmetric master.

PLATINUM FULL RANGE

PLATINUM FULL RANGE — Engages the complete Platinum material authority field; use only after a level-matched reference.

DIHWorld Audio

Master Field Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 1 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

IMHOTEP

RELEASE	FAMILY	PLACEMENT
v1.0.1	Master Field	Master Field

Macro master-field builder for foundation, architecture, dimension, finish, tonal axis, I/O trim, and Flower of Life dispersal.

Recommended use: macro master-field structure and finish

Customer formats: AU, VST3, Standalone

Primary controls

Flower of Life Dispersal • Gain Match • Channel Mode • Foundation • Architecture • Dimension • Finish • Tonal Axis • Input Trim • Output Trim

Factory starting points — source-derived purpose

MASTER BUILDER CANON

MASTER BUILDER CANON — The canonical balanced build: Foundation and Architecture are both centered, Dimension is moderate, and Finish stays musical for a controlled master field. Factory recipe: Foundation 62%, Architecture 62%, Dimension 52%, Finish 62%, Tilt 50%, Dispersal off.

CLEAN PRINT FRAME

CLEAN PRINT FRAME — A restrained print-preparation recipe with lower Foundation/Architecture and moderate Finish; use it before committing a clean stereo print. Factory recipe: Foundation 32%, Architecture 42%, Dimension 46%, Finish 52%, Tilt 50%, Dispersal off.

FOUNDATION MONUMENT

FOUNDATION MONUMENT — Weight-first architecture: high Foundation, modest Dimension, and restrained Finish establish a stable low-center before adding width. Factory recipe: Foundation 94%, Architecture 52%, Dimension 26%, Finish 42%, Tilt 38%, Dispersal off.

VOCAL MASTER ORDER

VOCAL MASTER ORDER — Voice-first organization: Architecture and Finish lead while Foundation remains light, keeping the vocal ordered and present without a heavy low build. Factory recipe: Foundation 36%, Architecture 76%, Dimension 56%, Finish 88%, Tilt 64%, Dispersal off.

DENSE MIX REBUILD

DENSE MIX REBUILD — Containment for crowded arrangements: higher Architecture and Foundation with reduced Dimension keep competing layers in one coherent field. Factory recipe: Foundation 76%, Architecture 86%, Dimension 38%, Finish 68%, Tilt 46%, Dispersal off.

OPEN PYRAMID FIELD

OPEN PYRAMID FIELD — An expansive architectural build with high Dimension and Architecture; use on open material and verify mono before committing. Factory recipe: Foundation 42%, Architecture 90%, Dimension 92%, Finish 74%, Tilt 58%, Dispersal off.

TRANSIENT STONWORK

TRANSIENT STONWORK — Transient-focused containment: Architecture is firm while Finish is held back so attacks remain defined instead of glossy. Factory recipe: Foundation 62%, Architecture 78%, Dimension 44%, Finish 36%, Tilt 44%, Dispersal off.

GREAT PYRAMID

GREAT PYRAMID — The broadest IMHOTEP construction: high Foundation, Architecture, Dimension, and Finish with Flower dispersal enabled for a large master field. Factory recipe: Foundation 86%, Architecture 100%, Dimension 88%, Finish 86%, Tilt 66%, Dispersal on.

Meters and visualizers

INPUT PEAK: Peak entering the master builder. Confirms headroom before macro shaping.

FIELD ACTIVITY: Combined foundation, architecture, dimension, and finish activity. Shows how strongly the macro field is engaged.

OUTPUT / PHI CEILING: Output level relative to containment. Persistent maximum readings mean less available headroom.

DIHWorld Audio

Master Field Technical Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 1 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

IMHOTEP

RELEASE	FAMILY	PLACEMENT
v1.0.1	Master Field	Master Field

Macro master-field builder for foundation, architecture, dimension, finish, tonal axis, I/O trim, and Flower of Life dispersal.

Recommended use: macro master-field structure and finish

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
dispersal	Flower of Life Dispersal	Bool
gainmatch	Gain Match	Bool
channelmode	Channel Mode	Choice
foundation	Foundation	Factory
architecture	Architecture	Factory
dimension	Dimension	Factory
finish	Finish	Factory
tilt	Tonal Axis	Factory
input	Input Trim	Factory
output	Output Trim	Factory

Factory starting points — source-derived purpose

MASTER BUILDER CANON

MASTER BUILDER CANON — The canonical balanced build: Foundation and Architecture are both centered, Dimension is moderate, and Finish stays musical for a controlled master field. Factory recipe: Foundation 62%, Architecture 62%, Dimension 52%, Finish 62%, Tilt 50%, Dispersal off.

CLEAN PRINT FRAME

CLEAN PRINT FRAME — A restrained print-preparation recipe with lower Foundation/Architecture and moderate Finish; use it before committing a clean stereo print. Factory recipe: Foundation 32%, Architecture 42%, Dimension 46%, Finish 52%, Tilt 50%, Dispersal off.

FOUNDATION MONUMENT

FOUNDATION MONUMENT — Weight-first architecture: high Foundation, modest Dimension, and restrained Finish establish a stable low-center before adding width. Factory recipe: Foundation 94%, Architecture 52%, Dimension 26%, Finish 42%, Tilt 38%, Dispersal off.

VOCAL MASTER ORDER

VOCAL MASTER ORDER — Voice-first organization: Architecture and Finish lead while Foundation remains light, keeping the vocal ordered and present without a heavy low build. Factory recipe: Foundation 36%, Architecture 76%, Dimension 56%, Finish 88%, Tilt 64%, Dispersal off.

DENSE MIX REBUILD

DENSE MIX REBUILD — Containment for crowded arrangements: higher Architecture and Foundation with reduced Dimension keep competing layers in one coherent field. Factory recipe: Foundation 76%, Architecture 86%, Dimension 38%, Finish 68%, Tilt 46%, Dispersal off.

OPEN PYRAMID FIELD

OPEN PYRAMID FIELD — An expansive architectural build with high Dimension and Architecture; use on open material and verify mono before committing. Factory recipe: Foundation 42%, Architecture 90%, Dimension 92%, Finish 74%, Tilt 58%, Dispersal off.

TRANSIENT STONEMWORK

TRANSIENT STONEMWORK — Transient-focused containment: Architecture is firm while Finish is held back so attacks remain defined instead of glossy. Factory recipe: Foundation 62%, Architecture 78%, Dimension 44%, Finish 36%, Tilt 44%, Dispersal off.

GREAT PYRAMID

GREAT PYRAMID — The broadest IMHOTEP construction: high Foundation, Architecture, Dimension, and Finish with Flower dispersal enabled for a large master field. Factory recipe: Foundation 86%, Architecture 100%, Dimension 88%, Finish 86%, Tilt 66%, Dispersal on.

Meters and visualizers

INPUT PEAK: Peak entering the master builder. Confirms headroom before macro shaping.

FIELD ACTIVITY: Combined foundation, architecture, dimension, and finish activity. Shows how strongly the macro field is engaged.

OUTPUT / PHI CEILING: Output level relative to containment. Persistent maximum readings mean less available headroom.

DIHWorld Audio

Utility / Observation Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 1 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

SESHAT

RELEASE	FAMILY	PLACEMENT
v1.0.1	Utility / Observation	Observation

Final observation and analysis lane with restored spacious panel layout and optional peak hold; Full Observation shows the complete meter set, while each named preset shows only the meter or panel relevant to that view. It is not a tone-shaping processor.

Recommended use: observation-first advisor/meter; translates phi score into guidance without altering audio

Customer formats: AU, VST3, Standalone

Primary controls

Hold Peaks • Gain Match • Channel Mode • Dual Mono Link

Factory starting points — source-derived purpose

SESHAT FULL OBSERVATION

SESHAT FULL OBSERVATION — Opens the full observation surface for a complete measurement pass.

SESHAT PEAK / TRUE PEAK

SESHAT PEAK / TRUE PEAK — Holds and reports true peaks so ceiling events can be located before changing the master.

SESHAT TRANSIENT IMPACT

SESHAT TRANSIENT IMPACT — Records transient impact/history so short events are not mistaken for average loudness.

SESHAT FIELD PRESSURE

SESHAT FIELD PRESSURE — Observes pressure or LUFS body over time for a level/contour decision.

SESHAT MOMENTUM DRIFT

SESHAT MOMENTUM DRIFT — Tracks movement/drift across the passage so automation and dynamics can be judged in context.

SESHAT PHI ALIGNMENT

SESHAT PHI ALIGNMENT — Checks alignment, stereo integrity, or correlation before committing a balance move.

SESHAT INTEGRITY GRID

SESHAT INTEGRITY GRID — Checks alignment, stereo integrity, or correlation before committing a balance move.

SESHAT CROWN / MOONSHOT

SESHAT CROWN / MOONSHOT — Observes the high/finished field and its ceiling behavior.

SESHAT LUFS BODY

SESHAT LUFS BODY — Observes pressure or LUFS body over time for a level/contour decision.

SESHAT CORRELATION

SESHAT CORRELATION — Checks alignment, stereo integrity, or correlation before committing a balance move.

SESHAT SOLFEGGIO ENERGY

SESHAT SOLFEGGIO ENERGY — Shows the harmonic-energy observation lane; read it alongside actual host meters.

SESHAT TRANSIENT HISTORY

SESHAT TRANSIENT HISTORY — Records transient impact/history so short events are not mistaken for average loudness.

SESHAT SIDE PRESSURE

SESHAT SIDE PRESSURE — Observes pressure or LUFS body over time for a level/contour decision.

SESHAT PRINT SCAN

SESHAT PRINT SCAN — Sets SESHAT's observation hold and gain-match view for the named measurement question.

Meters and visualizers

LUFS / BODY READ: Short-window perceptual loudness. Use for loudness context, not as the only delivery decision.

LEFT INPUT / RIGHT OUTPUT: Peak, RMS body, impact, and held peak. Shows entry and exit behavior; Hold Peaks retains the highest marker.

CORRELATION / MONO SAFETY: Left/right phase relationship. +1 is coherent, 0 is wide/uncorrelated, negative values risk cancellation.

SOLFEGGIO FREQUENCIES: Energy near the seven displayed resonant bands. Shows tonal concentration around 396 through 963 Hz.

IMPACT: Fast peak relative to the canon ceiling. Higher means stronger transient force.

FIELD: Body RMS plus stereo-side pressure. Higher means denser sustained spatial load.

MOMENTUM: Change in impact plus transient shape. Higher means faster, more active movement.

PHI ALIGNMENT: Proximity to DIH golden-ratio checkpoints. Higher means field pressure sits nearer a PHI reference point.

INTEGRITY: Similarity between impact and field pressure. Higher means transients and body remain proportionate.

CROWN: Weighted combined observation score. Summarizes impact, field, momentum, alignment, and integrity.

MOON: Transient shape plus momentum. Higher means stronger forward or launching behavior.

HF RISK: High-frequency energy imbalance. Higher values warn of potential harshness.

PHASE RISK: Correlation and side-energy danger. Higher values warn of mono cancellation.

LEVEL RISK: Peak/ceiling and transient danger. Higher values warn of insufficient headroom.

COMFORT: Alignment, integrity, and low-risk balance. Higher values indicate a more stable field.

ADVISOR: Combined risk recommendation. A diagnostic suggestion; it does not change audio.

REEL 1 - Impact: Transient-force rank. First reel; 396 is low and MOON is highest.

REEL 2 - Field: Sustained spatial-pressure rank. Second reel; numbers are symbolic stages, not Hz.

REEL 3 - Momentum: Motion/transient-change rank. Third reel; higher stages mean more movement.

REEL 4 - Alignment: PHI-alignment rank. Fourth reel; higher stages mean closer alignment.

REEL 5 - Moon: Forward-propulsion rank. Fifth reel; higher stages mean stronger launch.

DIHWorld Audio

Utility / Observation Technical Manual

Current product versions, controls, presets, meters, and placement

DIHWorld Audio builds connected production systems around the Imhotep 369 Engine—a Triadic Harmonic Lattice—and Ma'at 357 / MomentumBend. Phi-derived control and the canonical Phi/2 ceiling preserve movement, balance, and musical intent without brickwall limiting.

This edition documents 1 current products. Release numbers are taken from the installed DIHWorld Audio Audio Units verified on 2026-10-05; they are product versions, not a shared catalog version.

Canon reference: normalized $\Phi/2 = 0.809016994$. MomentumBend shapes motion and containment; the ceiling is a canonical boundary, not permission for hard limiting.

Operating law: begin from reset or a purpose-matched preset, compare at equal loudness, change one system at a time, and judge the result in the full arrangement.

SESHAT

RELEASE	FAMILY	PLACEMENT
v1.0.1	Utility / Observation	Observation

Final observation and analysis lane with restored spacious panel layout and optional peak hold; Full Observation shows the complete meter set, while each named preset shows only the meter or panel relevant to that view. It is not a tone-shaping processor.

Recommended use: observation-first advisor/meter; translates phi score into guidance without altering audio

Customer formats: AU, VST3, Standalone

Exposed parameter surface

Parameter ID	Display name	Type
hold_peaks	Hold Peaks	Bool
gainmatch	Gain Match	Bool
channelmode	Channel Mode	Choice
dualmonolink	Dual Mono Link	Choice

Factory starting points — source-derived purpose

SESHAT FULL OBSERVATION

SESHAT FULL OBSERVATION — Opens the full observation surface for a complete measurement pass.

SESHAT PEAK / TRUE PEAK

SESHAT PEAK / TRUE PEAK — Holds and reports true peaks so ceiling events can be located before changing the master.

SESHAT TRANSIENT IMPACT

SESHAT TRANSIENT IMPACT — Records transient impact/history so short events are not mistaken for average loudness.

SESHAT FIELD PRESSURE

SESHAT FIELD PRESSURE — Observes pressure or LUFS body over time for a level/contour decision.

SESHAT MOMENTUM DRIFT

SESHAT MOMENTUM DRIFT — Tracks movement/drift across the passage so automation and dynamics can be judged in context.

SESHAT PHI ALIGNMENT

SESHAT PHI ALIGNMENT — Checks alignment, stereo integrity, or correlation before committing a balance move.

SESHAT INTEGRITY GRID

SESHAT INTEGRITY GRID — Checks alignment, stereo integrity, or correlation before committing a balance move.

SESHAT CROWN / MOONSHOT

SESHAT CROWN / MOONSHOT — Observes the high/finished field and its ceiling behavior.

SESHAT LUFS BODY

SESHAT LUFS BODY — Observes pressure or LUFS body over time for a level/contour decision.

SESHAT CORRELATION

SESHAT CORRELATION — Checks alignment, stereo integrity, or correlation before committing a balance move.

SESHAT SOLFEGGIO ENERGY

SESHAT SOLFEGGIO ENERGY — Shows the harmonic-energy observation lane; read it alongside actual host meters.

SESHAT TRANSIENT HISTORY

SESHAT TRANSIENT HISTORY — Records transient impact/history so short events are not mistaken for average loudness.

SESHAT SIDE PRESSURE

SESHAT SIDE PRESSURE — Observes pressure or LUFS body over time for a level/contour decision.

SESHAT PRINT SCAN

SESHAT PRINT SCAN — Sets SESHAT's observation hold and gain-match view for the named measurement question.

Meters and visualizers

LUFS / BODY READ: Short-window perceptual loudness. Use for loudness context, not as the only delivery decision.

LEFT INPUT / RIGHT OUTPUT: Peak, RMS body, impact, and held peak. Shows entry and exit behavior; Hold Peaks retains the highest marker.

CORRELATION / MONO SAFETY: Left/right phase relationship. +1 is coherent, 0 is wide/uncorrelated, negative values risk cancellation.

SOLFEGGIO FREQUENCIES: Energy near the seven displayed resonant bands. Shows tonal concentration around 396 through 963 Hz.

IMPACT: Fast peak relative to the canon ceiling. Higher means stronger transient force.

FIELD: Body RMS plus stereo-side pressure. Higher means denser sustained spatial load.

MOMENTUM: Change in impact plus transient shape. Higher means faster, more active movement.

PHI ALIGNMENT: Proximity to DIH golden-ratio checkpoints. Higher means field pressure sits nearer a PHI reference point.

INTEGRITY: Similarity between impact and field pressure. Higher means transients and body remain proportionate.

CROWN: Weighted combined observation score. Summarizes impact, field, momentum, alignment, and integrity.

MOON: Transient shape plus momentum. Higher means stronger forward or launching behavior.

HF RISK: High-frequency energy imbalance. Higher values warn of potential harshness.

PHASE RISK: Correlation and side-energy danger. Higher values warn of mono cancellation.

LEVEL RISK: Peak/ceiling and transient danger. Higher values warn of insufficient headroom.

COMFORT: Alignment, integrity, and low-risk balance. Higher values indicate a more stable field.

ADVISOR: Combined risk recommendation. A diagnostic suggestion; it does not change audio.

REEL 1 - Impact: Transient-force rank. First reel; 396 is low and MOON is highest.

REEL 2 - Field: Sustained spatial-pressure rank. Second reel; numbers are symbolic stages, not Hz.

REEL 3 - Momentum: Motion/transient-change rank. Third reel; higher stages mean more movement.

REEL 4 - Alignment: PHI-alignment rank. Fourth reel; higher stages mean closer alignment.

REEL 5 - Moon: Forward-propulsion rank. Fifth reel; higher stages mean stronger launch.