

DIHWorld Audio

Routing Quick Reference

Corrected family placement and bus-routing orientation.

SILVER is the neutral M50 reference; GOLD is optional color after equal-loudness comparison. Do not use a serial GOLD -> AEGIS_NOVA -> SILVER default.

DIHWorld Better Bus Set - Current

Customer-safe bus starters | Current ANKH families | Website companion Updated: 2026-08-01

Purpose: cleaner Logic buses using current DIHWorld Audio plugin names, descriptive bus labels, shorter chains, and the current gain-matching rule.

Core rule: start buses around -18 dB so users can hear the DIH enhancement safely. Raise level only when the processor, source, and FieldState call for it. Some use cases may work hotter, even at unity, but approve unity only after output-matching to bypass and confirming no clipping, ringing, or level jump.

Recommended Main Routing

Source tracks
-> Drum Bus / Bass Bus / Lead Vocal Bus / BG Vocal Bus / Instrument Bus
-> optional sends to FX Bus, Color Bus, Width Bus, or Dynamics Bus
Family buses
-> Print / Master Bus
Print / Master Bus
-> Stereo Out

Customer Bus Starters

Lead Vocal Bus	SILVER M50 reference baseline; optional GOLD -> AegisNova	Gain-match SILVER and GOLD before choosing color. WPR is a separate ribbon-color option, not a replacement for the reference baseline.
BG Vocal Bus	GOLD -> TRIPLER -> EchoLocate	Stacks, doubles, and localization. Keep lead diction clear.
Drum Bus	Drum Morpher -> Ballpark -> DrumKrushGlue	Drum identity, punch, and glue. Use ANUBIS before the bus when transient guard is needed.
Bass Bus	MARIANA -> MONOLITH	Low-end focus without color pileup. DEPTH_BOOST_PRO may replace MONOLITH for definition. NTRPL is an optional earlier Harmonics & Pitch source insert.
Instrument Bus	Khepri Sacred Tape Machine -> PtahTube -> APIS	Music-bed tone, body, and harmonic color.
FX Bus	NTRSTLLR -> Cathedral -> SacredVerb	Shared spatial identity and room field. Keep reverbs on a bus.
Color Bus	Khepri Sacred Tape Machine -> PtahTube -> APIS	Parallel tone and bus color. SOVEREIGN replaces one slot for stronger color authority.
Width Bus	Depth Impact Hybrid X -> PARALLAX -> NSR	Width, placement, and front/back movement. SERQET can replace PARALLAX for a creative width move.
Dynamics Bus	ANUBIS -> OTIS -> DeBo	Parallel guard and movement. LOOKOUT may observe.
Print / Master Bus	Choose Prepare -> Balance/Field -> ANKH; SESHAT observes	Use no more than three active stages. See the mastering choices below.

Mastering Choices

Prepare	SPHYNX or PLATINUM	Normalize/calibrate or establish mastering authority.
Balance / Field	Maat, IMHOTEP, Horizon X, or Depth Impact Hybrid X	Choose the one job the print still needs.

Contain	ANKH	Final containment authority.
Observe	SESHAT	Last in line, observation only; not counted as an active processor.

Examples: SPHYNX -> Maat -> ANKH -> SESHAT, PLATINUM -> IMHOTEP -> ANKH -> SESHAT, or SPHYNX -> Horizon X -> ANKH -> SESHAT.

Logic Use

- Keep descriptive bus names so another user can understand the session quickly.
- Keep source tracks lean and put shared color, space, width, and dynamics on buses.
- Use up to three active processors on a source track or bus during a musical pass. Extra inserts are audition alternates, not the committed chain.
- Keep SESHAT last as observation only.
- Keep ANKH as final containment authority.
- If a bus does not clearly help at matched loudness, bypass it or use a simpler chain.

Go-to manual: ../DIHWorld_Audio_Complete_Manual_CURRENT.pdf

DIH Plugin Category Cheat Sheet - ANKH CURRENT

Current: 2026-08-25

Go-to user manual: ../DIHWorld_Audio_Complete_Manual_CURRENT.pdf Prime authority: ../CURRENT_FAMILY_AUTHORITY.md Placement authority: ../ROUTING_PLACEMENT_CANON.md

One primary home per plugin. Secondary tags do not override primary family.

VOCAL_MIC_SOURCE	6	GOLD, SILVER, WPR, AEGIS_NOVA, TRIPLER, EchoLocate
DYNAMICS_GUARD	4	ANUBIS, OTIS, DEBO, LOOKOUT
BASS_LOW_END	3	MARIANA, MONOLITH, DEPTH_BOOST_PRO
DRUM_INSTRUMENT	3	DIH_DRUM_MORPHER, BALLPARK, DRUMKRUSHGLUE
COLOR_AMP_TAPE	4	APIS, PTAHTUBE, KHEPRI, SOVEREIGN
FIELD_TONE_BALANCE	2	AUSET, AUSAR
DIMENSIONAL_IMPACT_MOVE	3	DEPTH_IMPACT_HYBRID_X, PARALLAX, NSR
FX_SPATIAL	3	NTRSTLLR, Cathedral, SacredVerb
HARMONICS_PITCH	4	THOTH, NTRPL, TEHUTI, AU
CREATIVE_TRANSFORM	3	SLOTMACHINE, ARCHAEOLOGIST_X, SERQET
MASTERING_CORE	5	ANKH, SPHYNX, MAAT, HORIZON_X, PLATINUM
MASTER_FIELD	1	IMHOTEP
UTILITY_OBSERVATION	1	SESHAT
TOTAL	42	

Vocal mic identity

- **SILVER:** neutral M50 reference microphone. Gain-match it to the dry source to establish the truthful baseline for level, tone, air, articulation, transient precision, and spatial reveal.
- **GOLD:** deliberate color microphone. Compare it with SILVER at equal loudness only when harmonic body, presence, soul, weight, or dimensional lift is wanted.
- **Do not use a serial GOLD -> AEGIS_NOVA -> SILVER chain as the default.** SILVER is the reference; GOLD is the optional color decision.

Secondary tags

MASTERING_SUPPORT	KHEPRI, DEPTH_IMPACT_HYBRID_X, OTIS, DEBO, GOLD, SILVER, SOVEREIGN
COLOR_AMP_TAPE_SUPPORT	PLATINUM
DYNAMICS_GUARD_SUPPORT	DRUMKRUSHGLUE
OBSERVATION	SESHAT, LOOKOUT, MAAT

VOCAL_FIRST	GOLD, SILVER, WPR, AEGIS_NOVA, TRIPLER, EchoLocate, AUSET
SPATIAL_PLACEMENT	DEPTH_IMPACT_HYBRID_X, NTRSTLLR, Cathedral, SacredVerb, PARALLAX, NSR, HORIZON_X
WIDTH	DEPTH_IMPACT_HYBRID_X, SERQET, Cathedral, SacredVerb, PARALLAX, NSR, HORIZON_X, TRIPLER, WPR
SIGNATURE_SERIES	NTRPL

Placement shorthand

Track/source preferred	Shape one source before shared family processing.
Bus preferred	Use on a family, parallel, or purpose-built bus.
Mastering	Use late, in a three-stage maximum mastering pass.
Observation	SESHAT reports behavior only and does not justify a longer processing chain. LOOKOUT is Insert Safe: it actively shapes transient/sustain gain and counts as an active processor; its Eye of Heru guidance is a secondary observation dot.

User Placement Rail

Every plugin entry should answer four plain questions:

Primary	Where to try the plugin first.
Secondary	The alternate placement when the source calls for it.
Group / Bus	The preferred family bus, aux return, or master lane.
Parallel	Whether the plugin is designed for send/return or parallel blend.

Blue dots mean bus, group, or parallel support. Blue dots do not replace the primary family color and do not tell the whole routing story by themselves.

Family Placement Summary

VOCAL_MIC_SOURCE	Track Insert	Vocal Bus	Lead or Background Vocal Bus	Optional
DYNAMICS_GUARD	Track Insert or Group Bus	Parallel impact by product	Dynamics Bus	Optional
BASS_LOW_END	Track Insert	Bass Bus	Bass Bus	Usually no
DRUM_INSTRUMENT	Instrument Track or Drum Bus by product	Track Insert / Drum Bus	Drum Bus	Product-specific; DrumKrushGlue can be a parallel drum-impact return
COLOR_AMP_TAPE	Track Insert	Color Bus	Color Bus	Optional color blend
FIELD_TONE_BALANCE	Group Bus	Track Insert	Field Tone Bus	Optional

DIMENSIONAL_IMPACT_MOVE	Track Insert or Width Bus	Aux Return	Width / Depth Bus	Yes for PARALLAX and NSR
FX_SPATIAL	Aux Return	Group Bus	Parallel Spatial Bus	Yes
HARMONICS_PITCH	Track Insert	Tone Bus	Harmonics / Pitch Bus	Usually no
CREATIVE_TRANSFORM	Track Insert	Parallel Creative Bus	Creative Transform Bus	Yes when destructive
MASTERING_CORE	Mix Bus	Master Field	Master Bus	No
MASTER_FIELD	Master Field	Mix Bus	Master Bus	No
UTILITY_OBSERVATION	Observation Slot	Last Meter Slot	Analysis / Print	No

DIH Routing Cheat Sheet - ANKH CURRENT

Current: 2026-08-01

Go-to user manual: `../DIHWorld_Audio_Complete_Manual_CURRENT.pdf` Prime authority:
`../CURRENT_FAMILY_AUTHORITY.md` Placement authority: `../ROUTING_PLACEMENT_CANON.md`

Reading The Placement Rail

Each plugin should be presented with:

Primary	First place to load it.
Secondary	Useful alternate placement.
Group / Bus	Preferred family lane or aux return.
Parallel	Whether send/return blend is intended.

Do not force the user to decode routing from dot color. Blue means bus/group/parallel support, but the manual must still state the exact lane.

Core Family Lanes

Source Tone	Vocal, mic, instrument identity before shared processing.	Lead or Background Vocal Bus
Dynamics Guard	Control, repair, impact, transient behavior.	Dynamics Bus
Bass / Low End	Foundation, sub, bass clarity.	Bass Bus
Drum / Instrument	Drum source, sampler, drum movement.	Drum Bus
Color / Amp / Tape	Saturation, tape, amp, tone color.	Color Bus or Parallel Color Bus
Field / Tone / Balance	Tone correction, balance, safety, repair.	Field Tone Bus
Width / Depth / Motion	Front/back, depth, width, dimensional motion.	Width / Depth Bus
FX / Spatial	Reverb, chamber, delay, shared spatial return.	Parallel Spatial Bus
Harmonics / Pitch	Tuning, pitch, harmonic EQ, instrument tone.	Harmonics / Pitch Bus
Creative Transform	Special transformation and effect identity.	Creative Transform Bus
Mastering Core	Final tonal/dynamic authority.	Master Bus
Master Field	Final structure and field finish.	Master Field
Utility / Observation	Analysis, metering, advisor.	Last observation slot

Mastering

Build the musical pass from no more than three active stages. SESHAT may follow as observation only.

1. Prepare: choose SPHYNX or PLATINUM.
2. Balance or field: choose MAAT, IMHOTEP, HORIZON_X, or DEPTH_IMPACT_HYBRID_X.
3. Contain: ANKH.
4. Observe: SESHAT last; observation only and not counted as an active processor.

Examples:

- Clean: SPHYNX -> MAAT -> ANKH -> SESHAT
- Authority: PLATINUM -> IMHOTEP -> ANKH -> SESHAT

- Loud / modern: SPHYNX -> HORIZON_X -> ANKH -> SESHAT
- Dimensional: DEPTH_IMPACT_HYBRID_X -> MAAT -> ANKH -> SESHAT

Authority rules

- ANKH contains. It is the official ceiling/dynamics authority.
- HORIZON_X finalizes and lifts; it does not replace ANKH.
- PLATINUM is Master Bus Authority and carries a secondary red-orange color/amp/tape dot.
- IMHOTEP structures the field; it is not a limiter.
- SESHAT observes only and remains last.
- DEPTH_IMPACT_HYBRID_X moves depth/front-back before containment.
- DEPTH_IMPACT_HYBRID_X carries the SPATIAL / FX / WIDTH shell: use it when width, depth, and front/back placement are one decision.

Operating law

- Begin bus and send auditioning near -18 dB. Many uses settle around -14 to -10 dB after matching.
- Unity is allowed only when bypass matched and free of clipping, ringing, harshness, or a level jump.
- Keep no more than three active processors on a track or bus. Anything else is a bypassed alternate or a separate scene.
- Presets do not control protected Input, Mix, Output, Power/Bypass, or final ceiling controls unless a plugin-specific canon explicitly requires it.