

DIHWorld Audio Sidechain Routing Guide

8 source-verified host-sidechain signal-flow schematics

Use the host Side Chain selector. External key audio is analysis/control only.

ANUBIS SIDECCHAIN ROUTING

Gate / expander external key

SOURCE / DIALOGUE TRACK

Insert ANUBIS here

ANUBIS

MAIN PROGRAM PATH

Audible target signal

SIDECCHAIN RESPONSE

KEY selects external detection. DUCK converts the key into program reduction.

WORKING CONTROLS

Threshold, Ratio, Range, Attack, Hold, Release, KEY, DUCK

ANUBIS OUTPUT

Key signal is never mixed in

KEY / TRIGGER TRACK

Send to host Sidechain

QUICK START

Insert ANUBIS on the signal to control; choose the trigger in the host Side Chain menu; enable KEY; optionally enable DUCK.

BALANCE RESTORE SIDCHAIN ROUTING

External stereo-balance reference

PROGRAM / MIX BUS

Insert BALANCE RESTORE here

BALANCE RESTORE

MAIN PROGRAM PATH

Audible target signal

SIDCHAIN RESPONSE

The reference L/R envelope offsets the program imbalance estimate. Reference audio is analysis-only.

WORKING CONTROLS

Sidechain Reference, Archive, Center, Width, Output

REFERENCE TRACK / BUS

Send to host Sidechain

BALANCE RESTORE OUTPUT


Key signal is never mixed in

QUICK START

Insert on the program bus; route a stable reference to Sidechain; enable Sidechain Reference; set Archive amount.

DRUMKRUSHGLUE SIDECCHAIN ROUTING

The key opens a pocket in added weight and glue. The original drum bus remains audible.



QUICK START

1. Put DrumKrushGlue on the drum bus or return.
2. Choose the kick as the host Sidechain source.
3. Load a sidechain preset.
4. Adjust **POCKET** for clearance.
5. Adjust **RECOVERY** until the cohesion returns with the groove.

KICK POCKET GLUE: 66% Pocket / 125 ms Recovery • GENTLE BUS POCKET: 40% Pocket / 230 ms Recovery

SACREDVERB SIDECCHAIN ROUTING

Wet-only external-key reverb ducking

REVERB AUX / SPATIAL BUS

Insert SACREDVERB here

SACREDVERB

MAIN PROGRAM PATH

Audible target signal

SIDECCHAIN RESPONSE

The external key reduces only the reverb and Solfeggio wet layer. The dry path remains intact.

WORKING CONTROLS

Sidechain Key, Reverb Duck, Key Recovery, Wet Mix

VOCAL / KICK / SNARE KEY

Send to host Sidechain

SACREDVERB OUTPUT


Key signal is never mixed in

QUICK START

Insert on an aux or spatial bus; choose the foreground source in the host; enable KEY; tune WET DUCK and RECOVERY.

MARIANA SIDECCHAIN ROUTING

The kick controls the generated low-end layer. The original bass remains audible.




QUICK START

1. Put MARIANA on the bass or low-end bus.
2. Choose the kick as the host Sidechain source.
3. Load a sidechain preset.
4. Adjust DUCK for clearance.
5. Adjust RECOVERY until the bass returns in time with the groove.

KICK DUCK FOUNDATION: 68% Duck / 135 ms Recovery • GENTLE KEY BREATH: 42% Duck / 240 ms Recovery

MONOLITH SIDECCHAIN ROUTING

The key clears added stone and weight. The original impact remains audible.




QUICK START

1. Put MONOLITH on bass or low percussion. 2. Choose the kick as the host Sidechain source. 3. Load a sidechain preset.
4. Adjust DUCK for stone clearance. 5. Adjust RECOVERY until the weight returns naturally.

KICK OPENS STONE: 66% Duck / 130 ms Recovery • GENTLE STONE POCKET: 40% Duck / 240 ms Recovery

NTRPL SIDECCHAIN ROUTING

The key clears the generated rewrite layer. The original source remains audible.



QUICK START

1. Put NTRPL on the vocal, instrument, music, or bass source.
2. Choose a rhythmic host Sidechain source.
3. Enable KEY.
4. Adjust DUCK for rewrite clearance.
5. Adjust RECOVERY until the rewrite returns with the groove.

KICK CLEARS REWRITE: 68% Duck / 135 ms Recovery • GENTLE REWRITE POCKET: 42% Duck / 240 ms Recovery

TEHUTI SIDECCHAIN ROUTING

Three-band spectral sidechain ducking

TARGET TRACK / BUS

Insert TEHUTI here

TEHUTI

MAIN PROGRAM PATH

Audible target signal

SIDECCHAIN RESPONSE

The key feeds independent low, mid, and high detectors.
The external signal is never mixed to output.

WORKING CONTROLS

Low Duck, Mid Duck, High Duck, Depth, Speed, Mix,
Flower, Gain Match

TEHUTI OUTPUT

Key signal is never mixed in

TRIGGER TRACK / BUS

Send to host Sidechain

QUICK START

Insert on the target; choose the trigger in the host; set band duck amounts; tune Depth and Speed.