

BACHELOR THESIS

Dion Osmani

Optimisation de la planification énergétique urbaine par l'orchestration de l'IA

Informatique et Systèmes de communication (ISC)

ISC-ID-2501

Dion Osmani

Optimisation de la planification énergétique urbaine par l'orchestration de l'IA

Thesis submitted to the Bachelor degree programme
Informatique et Systèmes de communication (ISC) – Data engineering major
Haute École d'Ingénierie de Sion

Supervisor: **JESSEN PAGE**
Co-supervisor: **FLORIAN DESMONS**

Expert: **NILS SCHÜLER**

Submitted on: July 22, 2025

Abstract

This work investigates the implementation and evaluation of an AI-powered solution to assist municipalities in energy planning. As municipalities are required to develop energy planning documents to comply with federal and cantonal sustainability objectives and regulations, there is a growing need for tools that can process various energy sources of data and provide actionable insight to support human decision making.

The main objective is to assess the strengths and weaknesses of a multi-agent AI system that coordinates specialized AI agents through an orchestration layer to provide comprehensive energy planning assistance. Public geospatial data sources and regulatory frameworks are leveraged to support recommendations.

It is evaluated using a dual approach: domain expert assessment and an automated LLM-as-a-judge benchmarking framework (G-eval) that measures performance across four criteria: data interpretation, methodology alignment, municipal relevance and technical compliance.

Results demonstrate that larger language models in key agents consistently outperform smaller ones across all evaluation criteria, with statistically significant improvements. The system shows particular strengths in contextual reasoning and structured planning for actionable energy planning tasks. However, the evaluation reveals significant limitations including unsupported claims, inconsistent data interpretation and high variability in automated scoring, indicating reliability concerns.

In conclusion, while the solution shows promise for assisting users in municipal energy planning by effectively retrieving, contextualizing and presenting geospatial data through natural language queries, it requires further refinement to achieve production-grade robustness. The system demonstrates potential for supporting expert users in their planning processes but poses risks for uninformed users who may be misled by confident yet unsupported recommendations.

Keywords: engineering, data, large language models, AI agents, energy planning

Project repository: <https://github.com/dij0s/PETAL>

Résumé

Ce travail étudie l'implémentation et l'évaluation d'une solution basée sur l'intelligence artificielle pour assister les communes dans la planification énergétique. Les communes étant tenues de développer des documents de planification énergétique pour se conformer aux objectifs et réglementations de durabilité fédéraux et cantonaux, il existe un besoin croissant d'outils capables de traiter diverses sources de données énergétiques et de fournir des informations exploitables pour soutenir la prise de décision humaine.

L'objectif principal est d'évaluer les forces et faiblesses d'un système d'IA multi-agents qui coordonne des agents IA spécialisés à travers une couche d'orchestration pour fournir une assistance complète en planification énergétique. Des sources de données géospatiales publiques et des réglementations sont exploités pour soutenir les recommandations.

Elle est évaluée selon une approche duale: évaluation par des experts du domaine et un framework d'évaluation automatisée utilisant un LLM comme juge (G-eval) qui mesure la performance selon quatre critères: interprétation des données, alignement méthodologique, pertinence communale et conformité technique.

Les résultats démontrent que les modèles de langage plus grands dans les agents majeurs surpassent constamment les plus petits sur tous les critères d'évaluation, avec des améliorations statistiquement significatives. Le système montre des forces particulières dans le raisonnement contextuel et la planification structurée pour les tâches de planification énergétique actionnables. Cependant, l'évaluation révèle des limitations significatives incluant des affirmations non supportées, une interprétation irrégulière des données et une haute variabilité dans la notation automatisée, indiquant des inquiétudes quant à la fiabilité.

En conclusion, bien que la solution montre du potentiel pour assister les utilisateurs dans la planification énergétique communale en récupérant, contextualisant et présentant efficacement des données géospatiales à travers des requêtes en langage naturel, elle nécessite un raffinement supplémentaire pour atteindre une robustesse apte à la production. Le système démontre un potentiel pour soutenir les utilisateurs experts dans leurs processus de planification mais pose des risques pour les utilisateurs non informés qui pourraient être induits en erreur par des recommandations confiantes mais non supportées.

Mots-clés : engineering, data, large language models, AI agents, energy planning

Lien de dépôt du projet : <https://github.com/dij0s/PETAL>

Artificial Intelligence notice

While generative artificial intelligence is the core of this work, it has also been a great help in assisting the following tasks: (1) prompt engineering and (2) thesis report rewording¹.

The different prompts defined in the appendix were refined with the use of generative artificial intelligence. This strongly enhances the quality of the prompts, implementing prompt engineering techniques to ensure clear, concise and effective instructions.

Prompt 1 defines typical directives that were given to the language model.

On top of that, sentences in the following report were often revised with the assistance of a language model, improving their clarity and readability.

Besides that, all other aspects of this work are my own.

¹The language models used for these tasks are GPT-4.1 (OpenAI) and Claude 3.7 (Anthropic).

Acknowledgements

Thank you to Jessen Page, Florian Desmons and Cédric Travelletti for their expertise and insight into this work.

And to those who sacrificed so much for us, THANK YOU.

Table of Contents

1 – Introduction	15
1.1 – Context	15
1.2 – Problem	15
1.3 – Objectives	15
2 – State of the Art	17
2.1 – Technological Background	17
2.2 – Related Work	18
3 – Methodology	21
3.1 – Requirements	21
3.2 – System Design	23
3.3 – Limitations	40
4 – Results	43
4.1 – Evaluation Methodology	43
4.2 – Evaluation Results	45
5 – Discussion	49
5.1 – Evaluation Paradigms	49
5.2 – Performance Analysis	49
5.3 – Research Takeaways	52
6 – Conclusion	53
Appendix	57

Chapter 1 – Introduction

Human-driven activities are the principal cause of climate change and global warming [1].

Scientists have monitored this matter and proposed various frameworks to address and mitigate these problems. In Switzerland, these different frameworks are implemented in the legislation and guidelines (at federal and canton levels) to steer the country towards a more sustainable future. Municipalities may introduce in their regulations energy requirements that are more constraining than those set by the cantonal law as per article 12, al. 5 [2].

1.1 – Context

Municipalities in Switzerland are required to submit an energy planning document which outlines their future strategies to comply with those directives while also considering the characteristics of their energetical landscape.

These different properties can be quantified and analyzed through the use of very valuable resources: data. Data are emitted by various sources; sensors, energy models or citizens' records for example all yield data points that help us assess different indicators we are willing to measure against our municipality. These indicators, *in fine*, help us evaluate our progress towards energy-related goals.

Over the past few years, [Artificial Intelligence](#) (AI) has rapidly transformed our habits when interacting with information.

1.2 – Problem

[Large Language Models](#) (LLMs) allow users to interact with these systems using natural language, facilitating the interface between humans and *machines*. They can provide insights into vast amounts of data at speeds and scales beyond human capabilities.

As a result, this work tackles the implementation of a solution which assists users into energy planning for a municipality.

This complex problem is approached by leveraging the power of *specialized* AIs which each offer expertise into a variety of domains and are coordinated using an *orchestration* AI to provide a solution. The expertise of the user interacting with the system tailors this solution to the specificities of the municipality.

Key engineering steps in this implementation are: (1) identifying the primary information and data sources that are relevant to this process, (2) structuring the different AIs into an architecture whose components and interfaces are well-defined and (3) ultimately implementing the solution.

1.3 – Objectives

The main objective of this thesis is to investigate how effective and reliable such a solution is and to assess its strengths and weaknesses. Additional goals are also outlined:

- Defining the important information in assisting user decision making.
- Understanding which data sources are available and relevant for this decision making.
- Structuring the decision by using an orchestration AI and many specialized AIs.
- Training specialized AIs on specialized datasets.
- Simplifying the user interface by handling the communication between the orchestration AI and the specialized AIs.

The project is scoped to municipalities within the canton of Valais/Wallis and strictly relies on publicly available data.

A user-friendly interface enables users to interact with the system in a conversational manner and visualize a map of the municipality with different layers, as depicted in Figure 1 and Figure 2:



Figure 1 - Web interface displaying a report on photovoltaic solar energy potential in Sion. The interface features a chat panel for querying the system and an interactive map, visualizing rooftop-level solar energy data.




Figure 2 - Web interface displaying a follow-up report on small hydropower potential in Sion. The interface includes a chat panel showing system responses and an interactive map, visualizing water flow data and rooftop-level solar energy.

Finally, user behavior is analyzed to takeaway user preferences which gradually adapt the answers to better meet the user expectations.

This document outlines the methodology used to design and implement the solution, details the evaluation framework and presents the results, in relation to the research question.

Chapter 2 – State of the Art

TODO: CHECKER VIM TEMP!! TODO: virer les définitions à double!! TODO: check ortographe TODO: update le thesis-id

Before exploring the methodological approach of the solution, it is necessary to introduce and understand the key concepts of the underlying technologies. On top of that, related work in the field of AI-assisted urban planning is presented, positioning this thesis within the broader landscape of such applications.

2.1 – Technological Background

This section offers a broad overview of the technological background, focusing on the clarification of the fundamental concepts.

LLMs represent a major breakthrough in the field of natural language processing [3]. These models, at their heart, are designed to predict the next word in a sequence, based on previous ones.

By processing sequential text data, they are able to understand context and generate coherent text in response. Modern language models are trained on large amounts of text data prior to the integration of human feedback, aligning their outputs with human preferences [4].

Since their introduction to the public, significant evolutions in their architectures and capabilities have been observed.

Notably, [Reasoning Language Models](#) (RLMs) enable more systematic problem-solving and logical deduction by incorporating explicit reasoning steps into their generation process, at the cost of increased computational resources and latency.

Language models are available in any shape, form and size, ranging from small to large models. Their number of parameters range from a few million to hundreds of billions for the largest. More parameters enable more complex and nuanced language understanding and generation, at the cost of greater computational demand.

[Retrieval-Augmented Generation](#) (RAG), on the other hand, addresses a fundamental limitation of language models [5]. As LLMs are trained on static datasets, they lack knowledge in domain-specific information. Therefore, RAG systems overcome this limitation by combining the generative capabilities of these models with external knowledge retrieval, enabling them to ground their responses in up-to-date, factual information.

The RAG pipeline consists of three components:

1. Retrieval: relevant documents or data points are identified using semantic similarity search, implemented through vector embeddings.
2. Augmentation: retrieved information is incorporated into the context of the model.
3. Generation: responses are produced based on both the original query and retrieved knowledge.

Vector embeddings play a crucial role in these implementations, transforming documents into high-dimensional mathematical representations that capture semantic meaning and enable efficient search [6].

Furthermore, AI agents represent autonomous software systems that perceive their environment, make decisions and take actions to achieve specified goals. In the context of LLM-based applications, these agents leverage natural language understanding to perform complex multi-step tasks with minimal to no human intervention.

Multi-agent systems coordinate multiple specialized agents, each responsible for specific tasks of a broader problem. In response, orchestration frameworks have emerged to manage the complexity of these solutions, providing abstraction to define agent workflows.

With the technological foundation established, the next section reviews related work to situate this thesis within the context of current research and applications.

2.2 – Related Work

The AI Institute at ITMO University published a paper in 2025 titled *LLM Agents for Smart City Management: Enhancing Decision Support Through Multi-Agent AI Systems* [7]. The study examines how the natural language processing strengths of LLMs, combined with the distributed problem-solving abilities of multi-agent systems, can enhance urban decision-making processes.

The research focused on the testing of three hypotheses: (1) evaluating the capability of LLM agents to effectively route and process diverse urban queries against existing urban information systems, (2) the effectiveness of RAG technology in improving response accuracy when working with local knowledge and regulations and (3) the impact of integrating LLM agents with existing urban information-systems - increasing efficiency and decreasing the decision making process time.

LLM agents (sometimes called AI agents) are software systems that use AI to pursue goals and complete tasks on behalf of users. They show reasoning, planning and memory and have a level of autonomy to make decisions, learn and adapt as per cloud.google.com.

Their proposed solution was tested against 150 question-answer pairs and used St. Petersburg's Digital Urban Platform as a testbed. The testing dataset was curated and built by a group of human experts such as specialists in urban data analysis, GIS specialists and urban architects.

They then evaluated different configurations of LLM agents and state-of-the-art models against two primary metrics: G-eval and answer relevance. The G-eval metric provides greater compliance with human requirements as it uses LLMs to evaluate answers from other LLMs based on custom user criteria. These criteria can for e.g. be provided as a list of rules specifying precise steps the LLM should take for evaluation, mirroring human reasoning process. The answer relevance metric, on the other hand, assesses the relevance of the answer from the LLM when compared with the correct answer provided by the experts. This process also leverages LLMs as it first extracts the different statements from the answer and then compares those to the reference answer. Both metrics are bounded between 0 and 1, where a higher value indicates better performance.

In summary, the results show greater performance when integrating the RAG technology and urban information-systems to the solution (G-eval scores of 0.68-0.74) compared to standalone LLM responses (G-eval scores of 0.30-0.38). Relevance scores, on the other hand, remain high whatever the configuration as they are inherently designed to produce semantically relevant text. They also concluded that this research proved practical real-world city management application as it enables efficient processing of urban planning tasks while maintaining high relevance in responses and shortening task completion time from days to hours.

The ITMO study presents a research-driven implementation of LLM agents focusing on decision support through integration with urban data platforms which curate and process urban data to provide insights and recommendations for urban planning and management. Rather than relying on these large-scale platforms, the present work explores the potential of leveraging publicly available data from federal and cantonal sources while also considering the interface with municipal archives and residents' files. This work strongly values the user experience with efforts in enhancing conversational interactions through preference-driven reporting and improving the clarity and quality of reported decisions. It neither serves as a continuation nor a re-implementation of the ITMO study, but rather represents an independent application of AI agents to a related use case specifically adapted to the context of a Bachelor's thesis and shaped by my practical implementation choices and problem-solving approach. Any solution designed and implemented around similar goals and data-related constraints, regardless of the specificities of the use case, may result in an architecture that is somewhat similar.

As we forget about the use case and consider more generic research on the matter, we encounter publications that rather focus on the optimization of various aspects of AI agents, such as their scalability, efficiency and

robustness. While this thesis tackles some of these challenges, it does not incorporate major research efforts into these areas.

Another AI-centric solution relevant to this use case is *aino*², described on their homepage as an *AI GIS Analyst for Urban planning teams*. Developed and marketed in the United States, it is a commercial business solution offering a platform where an AI analyzes sites and provides visual insights from simple questions. This solution inspired me into a few design and user experience improvements in my work as no implementation details are provided.

These two points of view position this project within the fast-changing field of AI-driven solutions for urban planning and beyond.

²<https://www.aino.world/>

Chapter 3 – Methodology

The following chapter provides an overview of the methodology that has been adopted in this thesis and describes the approach taken to design, implement and further evaluate the proposed solution. A clear emphasis is put onto the key decisions that have shaped the solution throughout its development as this chapter aims to offer full transparency and reproducibility which enables readers to understand the rationale and structure behind it.

3.1 – Requirements

Identifying and describing the primary requirements lays the groundwork for the design of the solution. The main requirements were established and further refined as the project progressed to meet the expectations and project goals throughout ongoing discussions with the supervisors.

Those are categorized into functional and non-functional requirements. Functional requirements focus on user needs and product features whereas non-functional requirements focus on user expectations and product properties.

The first step is to understand the problem that is solved. Energy planning typically involves:

- Identifying available energy resources³, infrastructure and untapped potential.
- Characterizing the needs.
- Assessing different measures and their impacts; sobriety (reducing energy consumption), efficiency (more efficient technologies) and production of renewable energy sources.

Hence, assisting users in energy planning requires a solution that can gather relevant data sources, analyze and present the current energy landscape of the municipality and provide actionable recommendations tailored to the context of the municipality while ensuring compliance with the legislation and guidelines it is subject to.

Besides that, it had been requested that the user interface has a map showcasing the assessed data points within the municipality as well as for the AI to be able to *remember* the user's preferences and past interactions to have the answer better fit what the user expects.

These requirements are summarized in the Table 1:

³The resources and needs are assessed within the geographical boundaries of the municipality, only.

Type	Requirement	Description
Functional	Multi-agent orchestration	The system must coordinate multiple specialized AIs through an orchestration layer to break down complex tasks into manageable subtasks.
Functional	Conversational interface	The system must provide a natural language interface allowing users to interact with the AI through conversational queries.
Functional	Gather relevant data sources	The solution must collect and integrate data from various sources relevant to the municipality's energy landscape.
Functional	Provide actionable recommendations	The solution must generate tailored recommendations for energy planning, complying with the guidelines that apply to the municipality.
Functional	Analyze and present energy landscape	The system must process, analyze and present the current energy landscape of the municipality, enabling users to understand available resources and needs.
Functional	Municipality map	The user interface must include a map displaying assessed data points within the municipality for better spatial understanding.
Functional	Preference memory	The AI must remember user preferences and past interactions to adapt responses and improve user experience over time.
Functional	Live feedback	The system should perform a binary quality check on responses using a set of quality criteria and automatically regenerate the response if the conditions are not met.
Functional	Data transparency	The solution should be transparent and provide the source and data processed from datasets, increasing user trust in the solution.
Non-functional	Extensibility and adaptability	The architecture must allow for the addition of new features and data sources as requirements evolve.
Non-functional	Usability and accessibility	The interface must be intuitive and accessible for users with varying technical expertise.
Non-functional	Multilingual support	The system should support multilingual interaction, including both the website interface and conversational responses.

Table 1 - Table outlining the system requirements for the solution, divided into functional requirements (e.g., data integration, conversational interface) and non-functional requirements (e.g., usability, extensibility, multilingual support)

Ongoing weekly evaluations with supervisors led to the identification of additional needs, which progressively refined and improved the system to better support energy planning and enhance user experience.

As these initial requirements established the basis for the project, the next section presents the design and implementation details of the solution.

3.2 – System Design

A modular, scalable and adaptable architecture was designed to ensure that the solution can adapt to evolving requirements and facilitate future enhancements. The system is organized into distinct components which are all responsible for a specific set of functionalities and ensure clear separation of concerns and ease of maintenance.

The following chapter covers both the design and the implementation aspects of the solution.




Figure 3 - High-level architecture diagram of the system showing the three-layer design and components with (1) the frontend layer (user interface), (2) the backend layer (AI agent orchestration and business logic) and (3) the external services layer (third-party APIs and data sources).

The global architecture in its most simplified form is presented in the Figure 3. The system is broken down into three distinct layers:

- The frontend layer manages user interaction and presentation of data, providing an intuitive interface for users to communicate with the system.
- The backend layer is responsible for business logic, orchestrating AI agents, processing data, managing a database and handling requests from the frontend.
- The external services layer provides access to third-party [Application Programming Interfaces \(APIs\)](#), a set of protocols and tools that allows different software components to communicate with each other, enabling the system to retrieve data from external platforms and services.

The layers are made up of various components. The basic dataflow between them is presented in the Table 2:

From	To	Data
User (Website)	AI Agent	Prompt/query
AI Agent (Backend)	Local Database	Data retrieval request
AI Agent (Backend)	Third-party APIs	API data request
Local Database	AI Agent (Backend)	Relevant data
Third-party APIs	AI Agent (Backend)	API response data
AI Agent (Backend)	User (Website)	Streamed response

Table 2 - Table describing the data flow within the high-level components. It outlines how user queries are handled by the AI agent, gathering information from a local database and external APIs before returning a processed response to the user interface.

The nature and type of data that are exchanged between the AI agent and both the local database and third-party APIs are discussed in each individual segment, dedicated to the respective components.

Components are designed as modular and independent services, each containerized using Docker⁴, first released in 2013 by Docker Incorporated.

⁴<https://www.docker.com/>

This novel approach introduced a lightweight containerization paradigm where each container is isolated from the host system and other containers, providing a consistent runtime environment. As such, the solution is easily portable from development to production.

Now that the main components have been introduced, the following section describes the design and implementation of the AI system.

3.2.1 – AI agent

Recently, the term “AI agent” has become a buzzword, leading to frequent misuse. Most definitions ([8], [9]) agree that the key behavior that distinguishes AI agents from other solutions is their degree of autonomy as they are able to operate and make decisions independently to achieve a set goal.

The complete solution whose sole task is urban energy planning aligns with this definition, as do each of its individual components. Therefore, the term “AI agent” will be used to describe both the entire system and its subsystems.

Human conversations rely on context and prior knowledge and so does the system’s architecture. To deliver a conversational experience, it is essential that the architecture is built to effectively preserve and re-use this context throughout the discussion. One might suggest that the straightforward approach to maintaining conversational context is to include all previous exchanges with the user. However, this method can be very inefficient and comes at great cost.

LLMs rely on a self-attention mechanism to identify and concentrate on the most relevant parts of the input sequence. Each token, the basic unit of text (word, single character, group of words, etc.) that is processed by the model, is assigned a weight reflecting its importance. This allows the model to prioritize relevant information and ignore irrelevant details.

Hence, when the entire conversation history is provided to the model, important tokens may get lost in the larger context and potentially lead to incorrect responses (phenomenon called attention diffusion).

Considering this, a more efficient approach is proposed, relying on a single key assumption: each conversation focuses exclusively on energy planning for one municipality at a time. Accordingly, the conversational context is modeled as a single object that is updated at every turn. It is defined in the Listing 1:

```
1 class State:
2     messages: list
3     lang: str
4
5     intent: str
6     location: str
7     aggregated_query: str
8     conversation_type: str
9     needs_clarification: bool
10    needs_memoization: bool
11
12    context_tools: dict
13    context_constraints: list
```

Listing 1 - Python data structure representing the conversation state, including user inputs, language, intent, location, query aggregation, and flags for clarification or memoization. It also stores contextual tools and constraints for guiding energy planning conversations.

TODO: virer double définition ?

The different agents leverage RLMs, a type of LLM designed to tackle problems by breaking them into logical steps, mimicking human reasoning. Compared to standard language models, they are particularly valuable for tasks that require logical deduction and planning but come with notable drawbacks as they are typically more computationally intensive, leading to higher operational costs and increasing latency in response times.

To address this challenge, the architecture is intentionally designed to reduce the number of language model calls whenever possible. Although these models show very strong capabilities, their usage can be excessive for certain tasks and lead to increased costs and latency.

By constraining the conversational state and narrowing the scope of each agent, it is also possible to reduce the computational load and latency by simply swapping out these large reasoning models by smaller, better-suited models. Doing so, it becomes possible to select reasoning models that are better suited to specific tasks while reducing the computational costs.




Figure 4 - Architecture of the AI multi-agent system showing the workflow between specialized agents. The diagram illustrates the Intent Router, Clarify Query, Geocontext Retriever, Guidelines Retriever, Strategy Planner and Critic agents with their interconnections. Solid arrows represent mandatory transitions while dashed arrows indicate conditional transitions based on the evolving conversational state.

TODO: vérifier partout que les réf. transitions sont bonnes

The architecture in the Figure 4 is modeled after a [Finite-State Machine](#) (FSM), where each node represents an agent and each edge represents a transition that is either always executed (solid) or conditionally executed (dashed). The dynamic flow of control between agents is guided by the evolving conversational state. It is finite, per definition, as the state takes value in a discrete set.

On the implementation-side, LangGraph⁵, an open-source Python framework, is used to implement the AI agent architecture. Unlike linear pipelines, LangGraph uses a graph abstraction by default, which is particularly well-suited for this state machine architecture.

This graph-based structure brings determinism to the system's behavior as the flow between agents is defined by the architecture itself, rather than being dynamically determined by agent-to-agent conversations as in frameworks like Microsoft's AutoGen⁶.

⁵<https://www.langchain.com/langgraph>

⁶<https://www.microsoft.com/en-us/research/project/autogen/>

Another framework that had been considered was PydanticAI⁷ which offers a structured, type-safe approach to building agent systems by leveraging Pydantic models for inter-agent communication and behavior definitions. However, it lacks the built-in support for complex state transitions.

All of the available multi-agent AI frameworks are relatively novel and in constant evolution. LangGraph benefits from being built on top of the already renowned LangChain⁸ ecosystem which adds to its reliability and ease of integration with other technologies. Pydantic's type safety will still be implemented within the project to enhance data validation and error handling.

Naturally, the framework requires integration with a language model provider to operate effectively and exploit their capabilities.

The system leverages Ollama⁹, a lightweight, open-source platform designed for running language models on a local machine. It offers a wide range of pre-built models, facilitating the integration and experimentation with models of different sizes and capabilities.

While other solutions such as VLLM¹⁰ may offer greater performance and reduce overall latency in the application, Ollama stands out with its support for hot-swapping models, a feature that enables the dynamic switching between models, *on-the-fly*. This is particularly valuable in the scenario of multi-agents architectures, where different agents may need models with specific abilities.

On the counterpart, only open-source models are supported, naturally limiting the selection of models, although it also prevents vendor lock-in.

Overall, it provides an easy-to-use and flexible approach for experimenting with language models.

Finally, the choice of database, in the system architectures (Figure 3 and Figure 4) is primarily influenced by the nature of the data to be stored and the more general use-case.

In this work, the database is used to store and retrieve structured documents. It holds user preferences, usage statistics and vector embeddings for documents, enabling the retrieval of semantically related information.

The choice was made towards Redis OSS¹¹, an open-source, in-memory data store especially known for its versatility and performance. Redis supports a variety of data structures, including documents which provide a flexible schema for structured data and the newly introduced vectors.

Its memory-first approach and indexing capabilities enable low latency, ideal for multi-agent systems where information must be retrieved in real-time.

Unlike more specialized databases like Pinecone¹² or Qdrant¹³, Redis provides a unified, mature and versatile architecture suitable for multiple purposes.

Now that the general technological tools have been covered, the next sections provide an in-depth explanation of the multi-agent architecture.

Before that, the main responsibilities of each agent are as follows:

- The *intent router* routes the user's query to the appropriate agents and accumulates query context.
- The *clarify query* clarifies the user's query if it is ambiguous or incomplete.
- The *geocontext retriever* retrieves the geospatial data relevant to the request.
- The *guidelines retriever* retrieves the relevant energy planning guidelines relevant to the query.
- The *strategy planner* plans the energy strategy based on the retrieved data and guidelines.
- The *critic* evaluates the proposed energy planning strategy and possibly restarts the whole process.

⁷<https://ai.pydantic.dev/>

⁸<https://www.langchain.com/>

⁹<https://ollama.com/>

¹⁰<https://docs.vllm.ai/en/latest/>

¹¹<https://redis.io/>

¹²<https://www.pinecone.io/>

¹³<https://qdrant.tech/qdrant-vector-database/>

With the overall solution defined, the following sections dig in the details of each agent and their implementation.

3.2.1.1 – Intent Router

The intent router is a crucial component of the solution. It is the entrypoint of the system and orchestrates the different agents.

Upon receiving a user prompt, the agent analyzes the query to extract its underlying intent. This involves identifying these elements:

- The intent: specifies whether the query is “factual” (for e.g. requesting data) or “actionable” (seeking planning guidance, recommendations, or strategic advice).
- The location: the municipality name mentioned in the user request, if available.
- The aggregated query: a summary that combines all available context from the current conversation and the previous query into a single one.
- The conversation type: identifies the conversational context; “new_analysis” (fresh query), “correction_request” (user questions the accuracy of a previous response) or “follow_up” (user requests additional detail or expansion on the same topic).
- The need for clarification: defines whether more information is needed to understand what users wants (e.g., missing location, unclear intent, or vague request).
- The needs for memoization: specifies if the user provided explicit preferences, corrections to assumptions, or scope refinements that should be remembered for future queries (for e.g. the format used to summarize the retrieved data or only considering a single aspect from certain data points).

Implementation-wise, the output of the language model is constrained to a single Pydantic¹⁴ data schema. While language models typically generate natural language responses, these complex multi-agent systems benefit from a structured output format that can easily be further processed.

This is possible thanks to OpenAI¹⁵, introducing the support for structured outputs in late 2024, a feature that has since been adopted by many providers. Pydantic enables this by providing a simple way to define data models and validate data, ensuring the output format is consistent.

The instructions in Prompt 2 and Prompt 3 are designed to guide the language model on how to generate the correct output¹⁶. Few-shot prompting helps the language model by providing examples on how to complete the task, helping it generalize to subsequent prompts. In this context, it facilitates the definition of the *aggregated_query* and *needs_memoization* fields.

All these fields except the aggregated query take value in a finite set of options (considering the *location* field is either set or unset.). Consequently, it is very easy to plan and orchestrate the following actions.

Since the application must offer a conversational experience, the previously determined state is updated and not overwritten. Past fields are only updated if they differ from the new ones. As such, context and knowledge is properly accumulated over time. Once the municipality is provided, for example, it is not needed anymore as the request is assumed to concern the same municipality.

On the other hand, when a request treats a different municipality, both the *context_tools* and *context_constraints* defined in Listing 1 are reset. This way, the data associated with the previously discussed municipality are cleared. To ensure correct implementation, whenever a request concerns a different municipality, both the *context_tools* and *context_constraints* defined in Listing 1 are reset. This means the geospatial data and guidelines previously associated with the conversation are cleared.

¹⁴<https://docs.pydantic.dev/latest/>

¹⁵<https://openai.com/>

¹⁶Please note that all prompts are included in the appendix.

On top of that, user-provided feedback and corrections shape the system's behavior allowing it to adapt to the user's preferences. When there is a need for memoization, the system stores both the previous query (the *corrected*) and the current query (the *correctee*), in the database.

This highlights the interfaces of the intent router, as detailed in the Figure 5:




Figure 5 - Interface diagram for the Intent Router agent showing input/output data structures and interaction with the local database. The input is the prompt, while output provides structured classification that guides subsequent agent selection in the workflow.

An assumption still lies in the nature of the field *location* as it is assumed to either be set or unset. A set location does not necessarily imply that it is a valid municipality, inscribed in the published Swiss official commune register¹⁷. A solution is proposed in the Section 3.2.1.3.

Finally, the query is routed as shown in the Figure 4:

- If clarification is needed (either because the need for clarification is explicitly requested, or fields are missing), the request is sent to the clarify query agent (2).
- If the conversation type is a correction request, the query is sent to the geocontext retriever agent (4) as it implies a re-assessment of the response without extra information.
- If the intent is said to be actionable, the request is sent to both the geocontext retriever and the guidelines retriever agents, concurrently -(4) and (5)- enabling guideline-compliant responses.
- Otherwise, the query is sent to the geocontext retriever agent (4).

With the aim of the user's query now clearly defined, the next step is to address any ambiguities or missing information with the clarification agent.

3.2.1.2 – Clarify Query

Clarifying and resolving vagueness in the user's query is essential to better understand the fundamental intent and provide an aligned response.

With the output of the intent router agent properly defined, the two cases which lead to the need for clarification are either an explicit request for clarification due to ambiguity or missing information.

Those two cases are both handled at once as a language model is prompted with the user's query and missing fields to generate and stream a response inquiring for further information or clarification (Figure 4, transition 3). The interfaces are illustrated in the Figure 6:




Figure 6 - Interface diagram for the Clarify Query agent showing input/output data structures. The input is the conversation state and the output is the generated clarification question to guide further user input.

In the following turn, the newly provided information is merged with the previously deduced intent as designed and presented in the Section 3.2.1.1.

¹⁷<https://www.bfs.admin.ch/bfs/en/home/basics/swiss-official-commune-register.html>

This task is supported by both Prompt 4 and Prompt 5.

With no *structural* ambiguity left in the user's query, the intent router agent can now proceed to route the query to the geocontext retriever and guidelines retriever agents.

3.2.1.3 – Geocontext Retriever

Energy planning as defined in the solution requires assessing the energy resources, infrastructure, potential and needs within the municipality. The geocontext retriever is responsible for this task.

Before profiling the municipality, it is essential to identify the different public data sources that are available. Throughout its federal and cantonal institutions, Switzerland provides a wide range of public data such as GeoAdmin¹⁸, the geographic information platform of the Confederation which offers direct access to geospatial data and maps.

The data originate from various offices commissioned by the Confederation:

- Swiss Federal Office of Energy (SFOE)
- Federal Office for Spatial Development (ARE)
- Federal Office of Topography (swisstopo)
- Federal Office for Agriculture (FOAG)
- Federal Office for the Environment (FOEN)

The GeoAdmin API¹⁹ provides a standardized interface for querying and manipulating geospatial data and relies on fair usage policies (20 requests per minute on a 24/7 average). The datasets are also available for download.

The choice has been made to use the GeoAdmin API instead of downloading and maintaining local datasets as it ensures (1) that the data are always up to date and (2) removes the need for additional setup and maintenance of a dedicated geospatial database, a task that is particularly time-consuming in such a short time frame.

In a real-world scenario, exploiting data locally allows for preprocessing and aggregation which significantly reduces latency during user interactions.

Mechanisms such as caching and geospatial indexing, a technique used in databases enabling quick identification of objects located within a particular geographical area, would be useful for greater scalability of the solution. On the other hand, periodic updates would be necessary to ensure the data remains up to date.

Although the solution does not require such implementations, it remains essential to understand how geographical data is structured and the key concepts behind it.

Datasets are labeled as layers, as the data are organized according to the geospatial paradigm. Data are discretized into points, meshes, polygons and other spatial representations, all collectively referred to as features.

Those features are independent geometries located in the space, without inherent relationships. Thus, identifying relevant features within a municipality implies searching them inside its geographic boundaries, since no relation lies between these entities.

Although the GeoAdmin API enables searching for features in a given area, it is subject to a maximum number of 50 features retrieved per request. Consequently, identifying them requires breaking down the search area into smaller sub-areas and querying each sub-area separately.

This has been implemented by first clipping settlements and centres of larger cities onto the municipality's geometry, optimizing the search area and applying a spatial tiling on top. Different layers obviously require different tiling sizes, depending on the number and resolution of features.

¹⁸<https://www.geo.admin.ch/en>

¹⁹<https://api3.geo.admin.ch/index.html>

The Table 3 presents the datasets incorporated in the solution and retrieved from the GeoAdmin API:

Category	Layer ID ²⁰	Description	Unit	Discretization
Needs	ch.bfe.fernwaerme-nachfrage_industrie	Heating and cooling demand from industry	MWh/year	100m x 100m
	ch.bfe.fernwaerme-nachfrage_wohn_die nstleistungsgebaeude	Heating and cooling demand from residential and commercial buildings	MWh/year	100m x 100m
	ch.are.wohnungsinventar-zweitwohnnun gsanteil	Electricity needs (estimated from number of res- idents)	GWh/year	Per municipality
	ch.bafu.klima-co2_ausstoss_gebaeude	Heating energy sources in buildings	-	Per building
Potential	ch.bfe.kleinwasserkraftpotential	Potential power of small hydropower plants	kW/m	Per watercourse
	ch.bfe.waermepotential-gewaesser	Potential energy (heat use) of water bodies	GWh/year	Per water body
	ch.bfe.solarenergie-eignung-daecher	Potential solar energy from roofs	kWh/year	Per roof pane
	ch.bfe.solarenergie-eignung-fassaden	Potential solar energy from facades	kWh/year	Per facade
	ch.bfe.biomasse-nicht-verholzt	Potential energy from biomass	TJ	Per municipality
	ch.bfe.fernwaerme-angebot	Potential heat recovery from wastewater treat- ment plants	MWh/year	Per plant
	ch.bfe.statistik-wasserkraftanlagen	Energy from hydropower plants	GWh/year	Per plant
Infrastructure	ch.bfe.windenergieanlagen	Energy from wind plants	GWh/year	Per turbine
	ch.bfe.biogasanlagen	Energy from biogas plants	kWh/year	Per plant
	ch.bfe.kehrlichtverbrennungsanlagen	Energy from waste incineration plants	MWh/year	Per plant
	ch.bfe.elektrizitaetsproduktionsanlagen	Energy from electricity production plants (pho- tovoltaic, biomass, geothermal)	kW	Per plant
	ch.bfe.thermische-netze	Deliverable energy from thermal networks	MWh/year	Per network

²⁰This is the identifier defined in the geographic data catalogue of Switzerland, geocat.ch.

Table 3 - Table of Swiss federal geospatial datasets used by the solution for municipal energy planning, categorized by energy needs (consumption data for heating, cooling, and electricity), renewable energy potential (solar, hydro, biomass, and water-based sources) and existing infrastructure (operational power plants and thermal networks). Each dataset includes the official Swiss geocat.ch identifier, energy units and spatial discretization level.

Leveraging these datasets provides the necessary information to assess the energy needs, potential, and infrastructure within the municipality and establish a baseline profile for energy planning.

The discretization of the different data sources showcases the importance of spatial tiling when dealing with these data.

In the average municipality, certain features are few and easily assessable whereas it is impossible to retrieve meaningful insights from the greater-resolution datasets (for e.g. the suitability of roofs, per roof pane) without additional processing or aggregation.

Therefore, the features within the municipality are (1) identified within the municipality, (2) aggregated to the municipality level and (3) brought back to the same GWh/year²¹. This standardization allows for an easier and consistent comparison of scalars, on a yearly basis, crucial for interpretability but comes with drawbacks:

- The information of variability within the municipality itself is lost.
- The aggregation of data is a costly process, especially when doing this on the fly.

The first issue is partially recovered from the fact that the layers are displayed at their original resolution, in the web interface. This way, the variability can be easily visualized.

The second issue is mitigated depending on the nature of the data. The basic approach to aggregation requires the summation of values and is only needed for datasets that benefit from great precision. On the other hand, datasets that do not require such precision are subject to statistical estimation:

1. The spatial tiling is randomly sampled.
2. The features within the sampled tiling are identified and their values summed.
3. The sample mean (Equation 1) and standard deviation (Equation 2) are calculated.
4. The confidence interval is computed using a T-distribution and confidence level (Equation 3).

This random geographical sampling process is depicted in the Figure 7:




Figure 7 - Illustration of the random geographical sampling methodology applied to the municipality of Grône. The diagram shows the statistical approach used to estimate spatial data from high-resolution geospatial datasets by randomly sampling spatial tiles within municipal boundaries.

Choosing the sampling size and confidence level is important for a proper statistical estimation. In this project, both parameters are set empirically and kept relatively large to benefit from lower computational costs, but without optimizing for the best possible accuracy.

As such, only the suitability of roofs and facades for use of solar energy is estimated using this technique as they are both datasets which showcase potential of exploitation rather than precise measurements on top of being well distributed in the geographic space. The confidence level in this case is set to 80%.

With the data standardized and properly aggregated, the geocontext retriever agent must now be able to interact with them.

Previously, AI agents were described as autonomous systems able to operate and make decisions independently. These operations rely on tools.

²¹Only applies to energy measures. Energy is deduced from power, in watts, assuming non-stop operation (24/7/365).

A construction worker, for example, has different tools for different needs, such as a hammer for nails, a saw for cutting wood and a level for ensuring straight walls. The tools come with a set of instructions describing how to use them and what to expect from them.

The same applies to AI agents, which have, in this work, different tools allowing them to query, aggregate and retrieve data from the datasets in Table 3. Consequently, language models can leverage their natural language processing capabilities to choose the appropriate tools for the query.

An issue with the current approach is that when the *toolbox* is too large, it becomes difficult for the language model to choose the right tools for the job. This issue is addressed by exploiting the power of embeddings.

An embedding is a mathematical representation of data in a high-dimensional vector space where semantically similar information are mapped to nearby points. This enables the system to embed the descriptions of the different tools and easily retrieve them semantically. On top of that, it is more efficient computation-wise than prompting the language model to choose them.

When retrieving tools, the system computes the cosine similarity between both embeddings to quantify the semantic similarity (Equation 4). Finally, the quartile coefficient of dispersion is measured against the distribution of retrieved similarity scores (Equation 5).

This indicator provides a measure of the uniformity of the retrieved tools that is less sensitive to outliers than measures such as the coefficient of variation. As such, if the distribution of scores is too uniform, the tools are provided to a language model that leverages its capabilities to only distinguish the appropriate ones, in the given context (Prompt 6).

This approach reduces the overall computational cost while increasing the quality of tool selection. **TODO: CHECKER VIM TEMP!!**

With the appropriate tools chosen, the system can effectively retrieve the data. It is simply added to the *context_tools* field in the conversational state (Listing 1), as presented in the Figure 8:




Figure 8 - Interface diagram for the Geocontext Retriever agent showing input and output data structures. The input is the conversational state, and the output is the updated state with the retrieved geospatial data. It also features the interaction with geospatial APIs to obtain relevant geographical information.

Expanding the functionalities of the geocontext retriever is straightforward: new data sources, APIs or even simulation models can be integrated as additional tools the agent may use.

Geospatial information is accumulated over the conversation turns, allowing for context-aware planning and consistent, spatially informed decisions. It is only reset when switching to a new municipality as it becomes invalid.

In the Section 3.2.1.1, the validity of the location is not confirmed. This is directly implemented in the different tools and routing of this agent (Figure 4):

- If the location is non-valid, retrieving data raises an error and the request is routed to the clarify query agent (6).
- Otherwise, the query is sent to the strategy planner agent (7).

Once the relevant data are gathered, the next stage is for the strategy planner agent to analyze this information to conduct proper planning.

3.2.1.4 – Guidelines Retriever

The sole difference between enumerating the data, as collected in the geocontext retriever and proper energy planning lies in the measures that are taken in response to identified issues. Those measures are conditioned by guidelines, broken down into multiple sources.

The primary document called *Vision 2060 et objectifs 2035* [10] has been adopted in 2019 and sets intermediate targets for 2035 that take into account the energetical landscape of Valais/Wallis, current knowledge, as well as federal energy and climate policies with the ultimate goal of achieving a 100% renewable and indigenous energy supply in 2060.

Moreover, the *Plan directeur 2019* [11] adopted by the federal council on the 1st of May 2019, states the strategy for the canton's territorial development in the form of 49 information sheets, distributed across the five activity sectors: (1) *Agriculture, forest, landscape and nature*, (2) *Tourism and leisure*, (3) *Urbanization*, (4) *Mobility and transport infrastructure* and (5) *Supply and other infrastructure*.

Finally, the legal framework is defined by two key legislative documents. Notably, the *RS 705.1 - Loi sur les constructions (LC)* [12] establishes the regulations for construction activities, while the *RS 730.1 - Loi sur l'énergie (LcEne)* [2] defines the objectives and requirements for sustainable energy supply.

3.2.1.4.1 – Preprocessing

These documents are specifically designed and structured to convey information to the public and come in a single [Portable Document Format](#) (PDF) and are available in both french and german. They are organized into sections, subsections or paragraphs which reference figures, tables, plots, past paragraphs and so on.

Visual structure does not necessarily imply a logical flow of information. A document can look and feel organized but still lack a proper machine readable structure. In practice, it is neither realistic nor scalable to expect a human to manually extract all the key information needed for energy planning from such complex documents. Therefore, it becomes essential to delegate this task to the computer, enabling automated extraction and processing of documents.

When data lack clear structure, it becomes difficult to extract information using algorithms or systematic procedures. However, advances in [Multimodal Large Language Models](#) (MLLMs) offer a solution as these models are designed to process and understand information presented in various modalities such as text, images, audio and video.

Paired with existing methods that are able to extract raw text from these documents, it has become easier to extract precise information from visually organized and heterogeneous documents by understanding not only the way information is displayed but also its underlying semantic meaning.

As such, a systematic approach is applied when extracting information from these documents:

- Raw text is extracted from the documents on a per-page basis.
- Each page is rendered into an image.
- Each rendered page and associated text are processed using MLLMs to retrieve key insights and interpret the information within the page (Prompt 7).

Qwen2.5-VL is a vision-language language model (multimodal) developed by Alibaba Cloud²², particularly well-suited for processing these complex documents.

Introduced in March 2025, the model demonstrates strong performance, competing that of leading proprietary models in document parsing, structured data extraction and visual reasoning [13]. Consequently, it is able to interpret and analyze figures, plots, tables, etc.

In addition, Qwen2.5-VL is completely open-source and available in compact versions (under 7 billion parameters), making it a great fit for the computational resources that are available.

²²<https://www.alibabacloud.com/>

The extracted information is then formatted in markdown, utilizing headings to structure the summary. It is then broken down into smaller chunks, each chunk being a “chapter” derived from the markdown content. Since only individual chunks are considered in subsequent steps, there is no need to perform an analysis across neighboring pages to ensure that the information is retrieved from its full context. These chunks are also translated into english, during the preprocessing step, by the language model.

Finally, the extracted information from each page is encoded into an embedding and stored in the local database, along with its associated chunks and metadata.

Generating embeddings also comes with its own costs, requiring specialized models capable of producing vector representations from text. As a result, the model *nomic-embed-text*, developed by Nomic AI²³, is used for used high-performance english text embeddings [14].

It is capable of handling large context windows (the number of tokens that can be processed at once by the model, here 2000), enhancing its ability to capture semantic meaning and improve the quality of information retrieval. On top of that, it is open-source and available in Ollama, facilitating local deployment.

With clear guidelines now extracted from documents of any format, it is necessary to identify those that are relevant to the user’s query. Since those are already embedded, the related guidelines are simply those that are closest to the embedded request in the vector space, as described in the Section 3.2.1.3 is applied.

Preprocessing these documents and storing them in a database enables the RAG pattern to be leveraged as the agent may now retrieve the relevant information at query time to ground and align its responses with guidelines.

3.2.1.4.2 – Guidelines Interpretation

An issue still lies in how the guidelines themselves are *designed*. While the objectives and figures outlined inside these documents concern the entire canton, this solution is only scoped to municipalities.

Quantitative targets are typically described as such:

Ces objectifs de consommation sont multipliés par le nombre d’habitants pour obtenir la consommation pour l’ensemble du canton, sans les besoins des grands sites industriels. La consommation d’énergie finale pourrait rester stable jusqu’en 2020 (7’960 GWh/a), puis diminuer de 23 % jusqu’en 2035 pour atteindre 6’095 GWh/a. La consommation d’énergie fossile sera amenée à diminuer drastiquement.

— *Vision 2060 et objectifs 2035* [10, Page 7]

Therefore, they must be scaled down to reflect the municipality’s specific context and expectations.

Identifying which ones require rescaling is a challenging task, as it demands a comprehensive understanding of the broader context. In order to achieve this, a language model is prompted with the task of identifying key figures that need rescaling (Prompt 8).

Finally, they are multiplied by a factor corresponding to the ratio of the municipality’s number of residents to the total population of the canton. While this is a straightforward way to scale targets, proper rescaling should take into account the economic activity, energy landscape and industrial presence in the municipality to ensure a more accurate adjustment.

The adjusted guidelines are accumulated onto the *context_constraints* field in the conversational state (Listing 1). Similarly to the geospatial information described in the Section 3.2.1.3, the processed guidelines are accumulated in the state as the conversation goes on and only cleared when switching to a new municipality.

These interfaces are shown in the Figure 9:

²³<https://www.nomic.ai/>




Figure 9 - Interface diagram for the Guidelines Retriever agent showing the input conversational context and output as updated state with the retrieved guidelines. The diagram also depicts interaction with the local database storing the embedded regulation documents.

With the relevant guidelines retrieved and rescaled, the query is routed to the strategy planner agent (Figure 4, transition 7) which will use them as clear constraints.

3.2.1.5 – Municipal Citizen Profile

Before delving into the strategy planner agent, it is necessary to assess how the solution could be enhanced by incorporating additional municipal data. This segment is deliberately included in the Section 3.2, as this aspect of the solution was envisioned from the start and a proof of concept has been developed.

Switzerland has three levels of political authority: the Confederation (federal government), the cantons (states) and the communes (municipalities).

Municipalities have an administrative and regulatory role in different over residents, especially regarding housing and energy use. Consequently, municipalities gather extensive data that can be highly valuable to establish proper energy planning strategies, at a local level.

When residents apply for building permits, they are required to submit detailed information regarding the construction. Energy efficiency standards enforce mandatory requirements, which are evaluated via an energy profile of the construction.

These applications become part of the citizen's record and provide relevant information and contain key details about the type of heating system, the annual energy consumption and the energy reference surface of the construction.

On top of that, residents who install solar photovoltaic systems and solar thermal systems apply for subsidies, provided through various programs. Detailed technical specifications of the installation are required, including its power.

After being assessed and approved by the municipality, these applications are added to the official record.

Moreover, municipalities are actively working to digitalize these processes. Currently, most documents are scanned and stored in a digital format (typically PDF).

As described in the Section 3.2.1.4, MLLMs facilitate the extraction of information from these documents. The only difference lies in how those models are leveraged.

Instead of inquiring the model to summarize or retrieve key insight, a simple citizen profile that is valuable for energy planning is defined²⁴ and searched for, inside each page of the citizen's record (Prompt 9):

- The parcel number
- The energy reference surface of the construction, in square meters
- The type of heating system
- The annual energy consumption, in kilowatt-hours per annum
- The power of the solar photovoltaic system, in kilowatt-peak

In the end, the individual pages results are aggregated into a single resident energy profile.

²⁴This profile was defined with the help of the supervisors and could easily be extended.

This procedure was tested against a typical citizen record, provided by Prof. Jessen Page. The Listing 2 provides the anonymized (without *parcel_number*), resulting profile:

```

1 {
2   'parcel_number': xxx,
3   'sre': 169,
4   'consumption_heating': 185.3,
5   'source_heating': 'PAC air/eau',
6   'power_pv': 9.68
7 }
```

Listing 2 - Example JSON structure of a Municipal Citizen Profile with building-specific energy data, including parcel number, surface area (m²), heating consumption (kWh/year), heating system type and installed photovoltaic capacity (kWp).

In a production scenario, these profiles would be generated automatically by setting up data pipelines and stored in a database for further use.

This implementation confirms the feasibility and systematic approach to extracting information from municipal records, supporting the broader vision of the solution's ability to leverage citizen data and gain further insight from these non-public sources.

With this proof of concept demonstrated, the next step covers the design and implementation of the strategy planner agent.

3.2.1.6 – Strategy Planner

At this stage, every bit of information that is needed to establish a proper energy planning strategy is gathered into the conversational context (Listing 1). The user's prompt has been broken down and analyzed with relevant data points and guidelines retrieved and processed.

In the Section 3.2.1.1, the *intent* field is defined to either be factual (requesting data) or actionable (seeking planning guidance, recommendations, or strategic advice). This distinction is crucial as it allows the agent to differentiate between the two tasks, the latter being more expensive in computational resources because of the extra complexity of correlating guidelines and data to concretize a strategy.

Factual queries still contribute to the final goal of establishing an energy planning strategy as it enables users to assess the profile of the municipality and subsequently refine and guide the system into a more effective and informed strategy.

Furthermore, the local database stores user feedback and corrections to past queries. The agent retrieves pertinent preferences and memories related to the current query and shapes the response according to those expectations. Like tools and guidelines, memories are stored as embeddings and are therefore retrieved based on semantic similarity.

Finally, similar tools to those retrieved by the geocontext retriever agent are retrieved in order to generate tailored recommendations. The selection of similar tools is based on their categorization, as defined in Table 3. This encourages assessing the full spectrum of available data for any municipality.

The state interfaces are presented in the Figure 10:




Figure 10 - Interface diagram for the Strategy Planner agent showing the conversational context in input and streamed response in output. The diagram also depicts interaction with the local database, storing the user preferences.

The factual queries are treated by both Prompt 10 and Prompt 11 whereas actionable queries are handled by Prompt 12 and Prompt 13. The conversational context is simply broken down and included in the prompts.

The language model response, which is the answer to the user's query, is streamed to the web interface (Figure 4, transition 8).

While the user examines the response, it is sent to critic agent (transition 9), which will evaluate its quality and act accordingly.

3.2.1.7 – Critic

One of the main challenges in designing a conversational AI solution for real-world problems is ensuring the accuracy and relevancy of the response. Decomposing the complex task of energy planning into smaller steps, each addressed by a dedicated agent, allows for specialized solutions, leading to more precise and context-aware interactions.

Inaccurate responses issue from different factors such as incorrect data or lack of context. In this work, an element that may be even more impactful is the interpretation of this same context, curated by the different agents involved in the workflow. These interpretations errors typically include:

- Mathematical errors where data points are added or subtracted to support insights.
- Flawed conclusions from different metrics incorrectly treated or incorrect assumptions.

As such, a language model is prompted the response generated in the with the data points and guidelines that shaped it (Prompt 14). On top of that, the number of residents in the municipality and its exploitable area are both included, providing extra context that helps the model assess the feasibility of the proposed strategy.




Figure 11 - Interface diagram of the Critic agent, illustrating in input the generated response and full conversational context. It outputs a boolean decision and can trigger up to three retries if quality criteria are not met.

Its output is a boolean value (Figure 11, *retry*) that indicates whether the response has been interpreted correctly based on the rules.

If it the response is not satisfactory, the complete process is restarted as if the user had just prompted the system (Figure 4, transition 10). A maximum of three attempts are allowed before the workflow is not restarted anymore.

At this point, the user's request has been answered and the system is ready to receive a new request, refining the proposed energy planning.

This concludes the design and development of the AI solution. Together, the different components form a robust, multi-agent system that breaks down complex energy planning into smaller, more accessible tasks.

The following section details the implementation choices for the web interface.

3.2.2 – Web Interface

Designing and providing an interface that is user-friendly and convenient for the user to interact with the AI system is key to the adoption of the product. The exactitude and accuracy of the AI system weighs heavily on the user's satisfaction but so does the user experience and presentation that is offered.

In recent times, the tendency shifted from traditional desktop applications to web-based interfaces, offering greater accessibility for devices such as smartphones. Therefore, a web interface was developed to provide a seamless experience for users.

On the development side, the interface was implemented using React²⁵, a popular framework released by Facebook (now Meta) in 2013. React offers a declarative and efficient way to build user interfaces, offering a clean and modular approach using components.

In reality, the choice of framework is not particularly critical in this context. Dozens of frameworks claim to revolutionize the way developers build web applications, but all lead to similar outcomes despite different approaches and philosophies. Past experiences with React and its ecosystem made it a comfortable and efficient choice for this project.

The primary feature of the web interface is the ability to send a prompt to the AI system and have the response streamed back, in real time. This is achieved using [Server-Sent Events](#) (SSE), a one-way communication protocol where the server (here the AI agent) pushes events to the client. In addition to streaming tokens as events, continuous status updates are emitted from the agents to provide live feedback about the progress of the AI solution.

The application being event-driven, SSE was chosen over classic polling mechanisms. Polling requires repeated requests from the client to the server, which can increase both server load and response latency whereas SSE maintains a single persistent connection on which events are pushed.

On top of that, the use-case of energy planning for municipalities greatly benefits from a map, displaying the assessed data points. This functionality recovers a problem covered in the Section 3.2.1.3: the loss of information due to aggregation.

All datasets referenced in Table 3 provide layers, along with their discretized features. Interpreting them visually preserves the local variation and allows for a more nuanced understanding of the reported aggregated values.

These data points and their sources are also presented in the interface, allowing users to assess and verify the accuracy of the reported energy planning. This transparency is offered to further build user trust in the solution.

On the implementation side, OpenLayers²⁶ is a robust and flexible open-source library for building interactive web maps. Native support for [Web Map Tile Service](#) (WMTS) enables the integration of tiled map services such as those provided by GeoAdmin. These tiles are high-resolution images enabling efficient and scalable map rendering by only loading visible portions of the map. GeoAdmin notably makes use of OpenLayers in their services.

With the ultimate goal of assisting users in energy planning, downplaying the importance of durability aspects of the solution would be a significant oversight. AI progress is often celebrated, yet the energetical impact of these systems is frequently overlooked. While a complete evaluation of the energetical footprint of the solution is clearly beyond this work's scope, a simple approach has been implemented to sensitize users to the matter. **TODO: en faire un sous-chapitre?**

For each user prompt, the cumulated number of tokens that are input and output from the agents in Figure 4 is recorded.

The cumulative count of prompts and average token count per prompt are incrementally calculated and stored in the database.

²⁵<https://react.dev/>

²⁶<https://openlayers.org/>

Along that, Welford's online algorithm allows for the calculation of the variance, in a single pass (Equation 6). It defines a recurrence relation for updating the sum of squared differences from the current mean, allowing to compute the variance incrementally.

This algorithm is numerically stable and does not require storing all the data points, reducing the memory footprint of the system.

To sum up, the token utilization of users is tracked in the form of three metrics only: (1) the average token count per prompt, (2) the sum of squared differences from the current mean, from which the variance can be computed and (3) the cumulative count of prompts.

When users prompt the AI, the cumulative token count for that run is monitored. This value is then compared against the user's sampled token utilization distribution using the standard score (Equation 7), a statistical measure that expresses how many standard deviations a value is from the mean, to measure how far the new usage deviates from the user's average.

Accordingly, the token usage of the current prompt is categorized into one of the predefined categories: "bad", "average", or "good"; each associated with a color pelet displayed in the interface.

Moreover, an energy consumption analogy is presented alongside the pelet. The research article *Beyond Test-Time Compute Strategies: Advocating Energy-per-Token in LLM Inference* [15] provides benchmarks indicating that language models of similar size, on average, consume 3 Joules of energy, per token, during inference.

As such, the energy consumption of the current prompt is estimated using the simple heuristic of 3 Joules per token. It is then expressed as the equivalent duration, in minutes, a 10 watt LED light bulb could run with the same amount of energy (Equation 8).

This implementation is strictly meant to raise awareness about the energy consumption associated with AI usage. In this solution, requesting factual data from the system is more energy-efficient than inquiring actionable planning. This is because factual queries involve fewer agents in the workflow defined in Figure 4.

With that, the implementation details of the web interface are clarified. This highlights its role as being on par with the AI agent solution itself.

3.3 – Limitations

Every technical solution, regardless of how well designed and implemented, is subject to different limitations. These constraints often stem from underlying assumptions made during the design process or specific implementation details.

Identifying them is a first step towards a self-evaluation of the solution. Please note that the limitations outlined in this section are not exhaustive.

When integrating external services and data sources, it is very difficult to assess the quality and exactitude of the data. Inaccuracies lead to incorrect interpretations and conclusions reported by the system, degrading the performance and reliability of the system.

The various offices referenced in the Section 3.2.1.3, commissioned to retrieve and publish data, address these issues by implementing different quality assessment procedures.

The SFOE, for example, only tolerates a small proportion of errors and gaps in the data they collect²⁷.

During the development of the solution, one such observation was made. When assessing the energy production of waste incineration plants, both the electricity and heat production are reported. In the municipality of Sion (Table 3), the values that are reported for the waste treatment plant of central Valais/Wallis (UTO, now Enevi²⁸) are those of the year 2017.

²⁷<https://www.bfs.admin.ch/bfs/de/home/register/personenregister/registerharmonisierung/qualitaet-datenlieferung.html>

²⁸<https://www.enevi.ch/fr>

These outdated values surely lead to inexact deductions when establishing the profile and strategy of a municipality. Establishing long-term roadmaps and strategies based on outdated data can surely lead to inaccurate predictions and ineffective planning.

It is virtually impossible to estimate the full extent of inexactitudes and underlying issues within the data. Therefore, the sole solution is to place trust in these organizations.

Besides that, the interpretation that is made of the data is as important as its quality. Poor understanding may promote false biases and false deductions.

In this work, the solution was organized around agents, each responsible for specific tasks. As such, smaller reasoning language models were leveraged to reduce the computational cost of the system. However, a bigger, more capable model was used in the strategy planner agent.

Although not quantified in this context, larger models are generally better at processing complex accumulated context and providing more coherent interpretations. Recent research highlights that larger language models demonstrate superior emergent reasoning and contextual integration abilities.

This is shown in the paper *Emergent Abilities of Large Language Models* [16], published in the *Transactions of Machine Learning Research*, in 2022. These capabilities are relevant for the strategy planner agent which must synthesize large context to deduce energy planning insights and recommendations.

To support this, greater models run on *Calypso*, a sandbox infrastructure designed and reserved for students of the bachelor program. Nevertheless, the largest model that fits on this infrastructure (around 8 billion parameters) remains relatively small compared to state-of-the-art large language models (>150 billion parameters). Exploring the use of -really- large language models in future implementations could lead to improvements in interpretation and overall quality of the system.

Furthermore, a strong limitation of the solution is the inability of the user to provide and induce bias in the system²⁹.

This might be seen as a good thing, as it guarantees consistency in the output but this also means that the system is less flexible and adaptable to the individual preferences, explained in the Section 3.2.1.1.

While this ensures consistent output, it also reduces the flexibility and adaptability of the system to put into service all user preferences. These instructions are distinguished into two categories: presentation directives (1) and effective instructions (2).

Presentation directives define how the data shall be formatted (table, bullet points, etc.) and which aspects of the data shall be prioritized or highlighted. This structures the response and emphasizes specific details that are key to the users.

Effective instructions, on the other hand, may attempt to substitute the official data sources retrieved by the system with user-provided knowledge or simply refine and guide the output of the system to better align with user needs.

Informed users may provide more accurate and precise figures regarding the datasets referenced in Table 3 but their contributions are completely ignored as the solution prioritizes its own retrieved data. An example of this type of interaction can be found in Conversation 1.

The system is guided by the different prompts to strictly operate based on the workflow defined in Figure 4 and offer assistance in energy planning tasks. Providing more detailed instructions in the prompt may enable this behavior.

Finally, a stronger limitation is induced by the choice of agentic paradigm. Lately, coding agents, AI agents capable of autonomously generating and executing code, have gained popularity.

²⁹While no extensive jailbreaking or bias testing was conducted, all attempts made during the development process to introduce bias into the system were unsuccessful.

Leveraging them broadens the scope of tasks that can be handled by the agents. General use cases for these agents include data processing and analysis, interaction with APIs and arithmetics.

The retrieval, processing and aggregation of the data sources presented in the Section 3.2.1.3 would be an excellent application of their capabilities. Rather than relying on static, predefined procedures for data retrieval, agents could dynamically generate and execute code to access and process data from larger and more diverse datasets, naturally expanding the range of available data sources.

The classic agent architecture adopted in this work ensures a more transparent and traceable workflow where the role and interface of each agent is clearly defined. While this design choice facilitates maintainability and allows for a more reliable and structured handling of complex geospatial data, it would still be interesting to explore the paradigm shift towards coding agents.

Outside of the data retrieval and processing, these agents would greatly enhance the critic of the system's response (Section 3.2.1.7). A typical energy profile, including relevant indicators from the datasets in Table 3 could be pre-defined and, for example, standardized to a per-resident basis.

By doing so, the agent could evaluate the accuracy of the values presented in the energy planning report, converting them to the same reference scale and comparing them against the average profile. This would enable the identification of subtle inconsistencies, leading to a more robust and reliable implementation.

In summary, these points illustrate some of the current limitations inherent to the system. The following chapter presents the results obtained from the implemented solution.

Chapter 4 – Results

This chapter presents the empirical findings from the assessment of the implemented system. A structured testing methodology is established, facilitating the evaluation of the solution’s primary objective: assisting users in municipal energy planning.

4.1 – Evaluation Methodology

To begin, it is essential to define the methodology and criteria used to evaluate the system’s performance.

There is no definitive ground truth in energy planning, making it difficult to quantify the accuracy of the reported recommendations and strategies. Consequently, qualitative observations provide valuable insight into the practical effectiveness of the solution.

These insights are provided by two sources:

- An expert assessment, provided by Prof. Jessen Page
- An automated evaluation using a LLM-as-a-judge benchmarking framework

The latter leverages language models to mimic expert judgment, assessing the response against a set of predefined criteria. This approach provides a scalable and consistent alternative to human evaluation.

4.1.1 – LLM-as-a-judge Benchmarking Framework

TODO: vérif abus de langage g-eval dans discussions?? Unlike human experts which may emphasize different aspects depending on their interpretation or even mood, language model evaluation is driven by clear rules, ensuring consistency and uniformity across all cases. The G-Eval metric, as introduced in the Section 2, summarizes the score of the criteria and quantifies the quality of the response.

The criteria for the LLM-as-a-judge benchmarking framework are defined as follows:

1. Data interpretation: assesses whether the response uses only relevant data, maintains mathematical accuracy, distinguishes energy types, preserves units and handles zero values correctly.
2. Methodology alignment:
 - For factual queries: checks clear data analysis, insight identification and avoidance of proper planning.
 - For actionable queries: evaluates structured planning, guidelines integration and expert positioning.
3. Municipal relevance: rates feasibility at local scale, direct query alignment, consideration of local context and actionable next steps.
4. Technical compliance: checks language consistency, correct structure, citation format and completeness of required sections.

And evaluated according to the following scale, presented in Table 4:

Score	Description
1	Fundamental misunderstanding, major errors, or advice that is actively misleading or harmful.
2	Wrong methodology, significant mistakes, or advice that is not actionable or fails basic requirements.
3	Basic competence, but significant limitations or generic advice.
4	Good quality, minor issues, genuinely useful for municipal planning.
5	Exceptional—accurate, specific, actionable, perfect methodology alignment.

Table 4 - Five-point ordinal evaluation scale used in the LLM-as-a-judge benchmarking framework to assess AI agent responses across multiple criteria. Each score represents a quality level from (1) fundamentally flawed to (5) exceptional performance.

These criteria are based on the most frequent types of errors, encountered during the continuous assessment of the solution.

These instructions are summarized and included in the Prompt 15. The conversational context is also included, helping the model to evaluate the accuracy of the generated response against the retrieved data points and guidelines.

Finally, the individual benchmark scores are aggregated into a single score by calculating the arithmetic mean and then rescaled linearly to the [0,1] interval. This yields an easily interpretable overall performance metric, better known as G-eval.

4.1.2 – Expert Assessment Framework

Human insight is naturally shaped by the domain knowledge and nuanced judgment of the expert, leading to a more informed assessment.

While the automated evaluation is constrained to a rigid scoring grid, the expert evaluation is richer as observations extend beyond these predefined criteria and reflects interpreted, context-specific priorities. As such, it is not feasible to enforce strict scoring rules to the expert.

However, the grid presented in Table 5 acts as a reference point and guides the nuanced and *unlimited* qualitative feedback to a single quantitative score, allowing for further comparison and analysis:

Score	Label	Description
1	Not relevant	Information is completely off-topic; does not answer the question, is generic or incoherent in the context of energy planning.
2	Weakly relevant	Some elements are related to the subject; the response is mostly vague, imprecise, or off-topic. It could mislead an expert.
3	Moderately relevant	Response is generally on theme but remains partial, imprecise, or incomplete; requires significant corrections to be useful.
4	Relevant	Information is correct, targeted and generally adapted to the question; minor adjustments may be needed but it is usable for planning.
5	Highly relevant	Information is perfectly aligned with the question, complete and contextualized; no corrections are necessary and it is ready to be used as-is for decision-making.

Table 5 - Five-point ordinal evaluation scale for expert assessment of AI-generated energy planning responses, ranging from completely irrelevant (1) to highly relevant and ready-to-use (5).

4.1.3 – Framework Interpretability

It is important to note that the G-eval and expert scores cannot be interpreted and directly compared, each being grounded in a distinct evaluation framework.

G-eval offers a standardized framework with set evaluation criteria, allowing for a more consistent and reliable benchmarking. This enables the comparison of different solutions under identical conditions.

As G-eval relies on language models, scores may showcase some degree of randomness. This is mitigated by multiple runs and aggregated scores, offering a stable estimate.

By presenting both evaluation methods, the objectivity of an automated scoring is complemented by the more practice-oriented expert judgment. This dual approach treats both methodological rigor and contextual relevance to assess the quality of the solution.

For consistency and easier interpretation, expert scores are also rescaled linearly to the [0, 1] interval.

4.1.4 – Test Dataset

With the evaluation frameworks introduced, the next step is to define the test dataset. This dataset consists of nine prompts and establishes the basis for assessing the performance of the solution (Table 6):

No°	Prompt
1	What is the current energy consumption per energy vector and per consumer type in Sion?
2	How is this demand expected to evolve until 2050?
3	What energy efficiency measures should be considered to reduce this consumption?
4	Can you tell me the amount of CO2 associated to this demand?
5	What are potential sources of renewable energy in Sion (GWh/an for each source)?
6	How much of this potential is currently exploited?
7	How much is expected to be exploited in the future?
8	Can you provide me with a map of the electricity grid and potential PV production on roofs and other surfaces?
9	Can you provide me with a map of heat/cold demand density and potential sources of heat/cold?

Table 6 - Comprehensive test dataset of nine evaluation prompts designed for assessing the performance of the system in municipal energy planning for Sion. This dataset enables systematic evaluation of both factual information retrieval and actionable planning recommendation capabilities.

The dataset is aligned within the specific scope of available data sources, inherently restricting its size.

It is crafted by Prof. Jessen Page to support energy planning for the municipality of Sion. The responses generated by the solution to each question are presentend in Conversation 2.

With the groundwork established, the following section presents the results that will be discussed in the next chapter.

Both the expert assessment and benchmarking are conducted using the version of the solution as of June 20, 2025³⁰, ensuring consistency and reliability in the evaluation process and reported conclusions.

4.2 – Evaluation Results

Two different configurations of the solution, each using different language models, are benchmarked. The Table 7 breaks down their composition:

Configuration	Agent language model				G-eval Evaluator
	Intent Router	Geocontext Retriever	Guidelines Retriever	Strategy planner	
Small	qwen3:1.7B	qwen3:1.7B	qwen3:1.7B	qwen3:1.7B	deepseek-r1:8B
Large (Baseline)	qwen3:1.7B	qwen3:1.7B	qwen3:1.7B	qwen3:8B	deepseek-r1:8B

Table 7 - Language model choices across different agent configurations used in the evaluation study. The small configuration uses lightweight 1.7B parameter Qwen3 models for all agents, while the large baseline configuration make use of a more powerful 8B parameter Qwen3 model specifically for the Strategy Planner agent, which handles the most complex reasoning tasks. The DeepSeek R1 8B model serves as the evaluator for G-eval benchmarking across both configurations to minimize bias in assessment.

A smaller configuration is defined for further comparison against the baseline. This baseline, a *larger* configuration, leverages bigger language models for the strategy planner agent as introduced in the Section 3.3.

The general-purpose Qwen series offers tool-using abilities, reasoning and model size, making it the only currently available option in Ollama that is viable for running lightweight, yet capable agents. Deepseek

³⁰Code at commit c2bea64 in the repository.

³¹<https://www.high-flyer.cn/>

models, on the other hand, are developed by Deepseek, a company funded by the High-Flyer³¹ hedge fund and whose models support similar capabilities to Qwen. They are also open-source.

The R1 model (8 billion parameters) serves as the evaluator for all LLM-as-a-judge benchmarking. Using a model from a different “family” than those in the individual agents helps minimize potential bias in the assessment.

It is also the only other model available in Ollama that offers both reasoning and tool-using capabilities within the available computational resources.

The Table 8 presents the results, showing both the expert assessment and G-eval benchmarking scores for all nine prompts, side by side and for both configurations:

Prompt No°	Expert score	G-eval (mean $\pm$ st.d.) [-], 10 runs	
		Small configuration	Large configuration
1	0.50	0.23 $\pm$ 0.08	0.39 $\pm$ 0.15
2	0.25	0.26 $\pm$ 0.10	0.43 $\pm$ 0.11
3	0.50	0.36 $\pm$ 0.06	0.44 $\pm$ 0.11
4	0.25	0.23 $\pm$ 0.08	0.37 $\pm$ 0.22
5	0.75	0.38 $\pm$ 0.00	0.39 $\pm$ 0.17
6	0.50	0.23 $\pm$ 0.08	0.41 $\pm$ 0.15
7	0.75	0.28 $\pm$ 0.10	0.44 $\pm$ 0.10
8	0.25	0.38 $\pm$ 0.00	0.49 $\pm$ 0.13
9	0.25	0.21 $\pm$ 0.06	0.50 $\pm$ 0.11

Table 8 - Comparative evaluation results showing expert assessment scores (normalized 0-1 scale) versus G-eval automated benchmarking scores (mean $\pm$ standard deviation over 10 runs) for both system configurations across all nine test prompts. The table demonstrates the performance difference between small and large configurations, with the large configuration consistently outperforming the small one in automated evaluation.

While both frameworks are not directly comparable, this provides an interesting perspective for further analysis.

On the other hand, the scores per benchmarking criterion and per query *intent* type (either factual or actionable, per definition), for both configurations, are depicted in the Figure 12:




Figure 12 - Box plot analysis showing the distribution of G-eval benchmark scores across the four evaluation criteria (Data Interpretation, Methodology Alignment, Municipal Relevance, Technical Compliance) grouped by query intent type (Factual vs. Actionable) for both small and large system configurations. The plots reveal performance variations between criteria and configurations.

The mean score and entropy of the scores distribution, per benchmarking criterion and per query *intent* type are reported in the Table 9 and Table 10:

Criterion	Mean score [-], 10 runs			
	Factual		Actionable	
	Small	Large	Small	Large
Data Interpretation	1.45	2.55	1.70	2.74
Methodology Alignment	1.55	2.20	2.19	3.07
Municipal Relevance	3.00	3.50	2.54	2.93
Technical Compliance	1.60	1.80	2.33	2.34

Table 9 - Mean performance scores from five-point ordinal evaluation across four evaluation criteria, by query intent type (factual and actionable) and system configuration. The results show the superior performance of the large configuration and global challenges in Data interpretation and Technical compliance.

Criterion	Entropy [nats], 10 runs			
	Factual		Actionable	
	Small	Large	Small	Large
Data interpretation	0.69	1.19	0.69	1.38
Methodology Alignment	0.69	1.25	1.14	1.54
Municipal Relevance	0.00	1.11	1.00	1.50
Source Citations	0.50	0.95	0.69	1.16

Table 10 - Entropy analysis (in nats) of G-eval score distributions across evaluation criteria and query types, measuring the variability and consistency of system performance. The large configuration shows generally higher entropy, particularly for actionable queries, indicating more varied responses.

It is important to note that the distribution of prompts by intent is unbalanced as only two prompts from the test dataset (Table 6) are classified as “factual” (no° 1 and 4), while the seven remaining ones are classified as “actionable”.

These results summarize and introduce further comparison between the expert evaluation and G-eval benchmarking framework, assessing differences between the baseline configuration and a smaller one. With the different results presented, the following chapter discusses their implications.

Chapter 5 – Discussion

This chapter addresses the results presented in the Section 4 and connects them to the research question: evaluating the effectiveness and reliability of AI agents for urban energy planning, along with an analysis of their strengths and weaknesses.

5.1 – Evaluation Paradigms

The Section 4 differentiates the two evaluation frameworks: (1) the expert assessment framework and (2) the G-eval benchmarking framework.

As both rely on different methods and criteria, they provide complementary insights rather than direct comparability. The expert evaluation provides nuanced and domain-informed feedback while the G-eval framework delivers a standardized and consistent assessment based on predefined criteria.

The Table 8 presents both frameworks and their scores, side-by-side, against each prompt of the test dataset.

The relationship between these two frameworks is assessed by leveraging Spearman's rank correlation coefficient (Equation 11).

This coefficient measures the monotonic relationship between the rankings of two variables, indicating how well the order of one variable matches the order of the other. Like other correlation coefficients, it varies between -1 (perfect inverse correlation) and $+1$ (perfect correlation), with 0 implying no correlation at all.

This coefficient strictly applies to ordinal data. As both score distributions originate from a ranking, the coefficient is applicable to compare the relative ranking of prompts of the two frameworks.

As such, the calculated Spearman correlation coefficient between the expert evaluation and the G-eval framework is -0.23 for the larger configuration and 0.36 for the smaller configuration, indicating no meaningful correlation between the two frameworks.

Despite the smaller configuration showing a weak trend, it is not statistically significant as the sample size is too small. This divergence demonstrates that the G-eval framework captures distinct dimensions than those of the expert evaluation, validating the complementary nature of the evaluation methods.

Interestingly, the correlations for the larger configuration and smaller configuration, against the expert evaluation, differ significantly.

To further understand this difference, the Spearman correlation between the G-eval scores of the large and small configurations is calculated. The resulting coefficient of 0.09 suggests that the resulting responses of the two configurations are ranked substantially differently, opening up the possibility of exploring the reasons behind this discrepancy.

Consequently, the G-eval framework is, at most, a complementary tool to the expert evaluation. With that in mind, the results can now be compared in depth to gain additional insight into the performance of the solution.

5.2 – Performance Analysis

On top of that, the same Table 8 depicts the average G-eval scores for both configurations, per prompt. Visually, the larger configuration consistently outperforms the smaller configuration.

This can be formally assessed by conducting a Wilcoxon signed-rank test, whose null hypothesis states that two randomly selected samples from two populations have the same distribution. Besides that, it is non-parametric, making no assumptions about the underlying distribution, making it more robust to outliers.

TODO: citer wilcoxon

Therefore, it is applied to the paired scores of the larger and smaller configurations with the one-sided alternative hypothesis that the larger configuration significantly outperforms the smaller one. The resulting

p-value is 0.009 ($\equiv$ 0.9%), indicating a statistically significant difference between the two configurations considering a 5% confidence level.

The null hypothesis is hence rejected and confirms the alternative hypothesis: the larger configuration, indeed, outperforms the smaller configuration in a per-prompt basis and verifies the initial expectation that larger language models, incorporated into the AI agent solution, yield better results.

Analyzing the per-criterion score distribution across prompt intent (Figure 12) provides valuable insight into the specific areas in which the larger configuration surpasses the smaller one.

Boxplots enable a visual comparison of the distributions of ordinal scores, assigned to each evaluation criterion. The results are further grouped by prompt intent, distinguishing between factual and actionable prompts, the latter of which involve strategy planning and greater analysis.

The plot clearly demonstrates that the larger configuration is consistently ranked higher across all criteria, raising an important question: in which aspect of the qualitative evaluation does the larger configuration have the greatest impact ?

The mean scores, reported in Table 9 support that the data interpretation (+76% and +61%) and methodology alignment (+42% and +40%) show the most significant improvement, in both factual and actionable contexts. This suggests that bigger models enhance the system's ability to interpret the geospatial data and provide actionable insights from various perspectives, identifying patterns and most importantly suggesting measures.

In contrast, municipal relevance and technical compliance only show slight improvements (<17%) between configurations. What is more interesting is the overall performance of the solution, across all configurations for these two specific criteria.

While the municipal relevance criterion reveals the greatest score across all criteria and a more pronounced increase (+17% and +15%) between configurations, the technical compliance criterion remains strikingly similar across both (+13% and +1%).

The technical compliance results are likely due to either: poor compliance with the formatting requirements, structural completeness and overall presentation of the response for both configurations (as defined by the criterion, Prompt 15) or a more fundamental problem with the criterion itself.

In reality, both go hand in hand as overly rigid criteria penalize small deviations from the requirements whilst loose criteria may overlook important details and yield higher scores. On the other hand, the criterion may be irrelevant. A response that effectively addresses urban energy planning requirements, even lacking perfect formatting, is arguably better than one that is well-formatted but completely meaningless.

Another issue that is observed with it is the strong variability in the scores that are assigned, over both query intents. More generally, high variability is measured throughout all criteria, suggesting a broader issue.

The score distributions in Figure 12 display a large visual spread and clear outliers in criteria such as methodology alignment and technical compliance. Moreover, this is assessed from the information theory entropy (Equation 9), a measure that quantifies the average level of uncertainty around the potential states of a variable, here, every criterion across configurations and prompt intents.

If a criterion is consistently scored the same, then each occurrence of that score is highly predictable and conveys no information (low entropy). Conversely, when the distribution of scores of a criterion is more diverse, each result is more *surprising* and therefore carries greater information.

When the scores are distributed uniformly, entropy reaches its maximum, where each score is equally likely. For the 1-to-5 ranking scale used here, the maximum entropy is 1.61 nats (Equation 10).

With that in mind, the entropies in Table 10 validate the visual feeling of diversity with almost all criteria reaching absurd levels of uncertainty. The methodology alignment and municipal relevance for the large

configuration, for example, show entropies of respectively 1.54 nats and 1.50 nats, very close to what would be the results of a fair 5-faced dice, nearly fully random.

Globally, the larger configuration shows higher entropy over all criteria, suggesting that its responses vary more widely in their compliance with the evaluation standards. This volatility reflects stochastic fluctuations across the repeated benchmarks on the same set of prompts, rather than differences caused by prompt diversity.

While evaluating scores across a large and varied set of prompts provides insight into the robustness and generalization of the AI agent, the setup presented here focuses on the consistency and reliability of the benchmarking framework itself, as it is the foundation of more ambitious and extensive automated evaluations.

By always setting the temperature parameter of the language models to zero, the models always select the most probable next word when generating responses. This maximizes the consistency of the results in both benchmark scoring and response generation.

Consequently, this fluctuation may point to (1) a lack of robustness in the benchmarking framework or (2) a statistical artifact of the limited number of benchmark runs.

During this work, only few benchmarks runs were conducted (10) as a result of time and resources constraints. Therefore, further experimentation through additional runs is needed to distinguish between these possibilities.

If the *intra-prompt* variability remains, it points out to an issue with the benchmarking framework and its evaluator model, unable to grasp and apply the evaluation criteria with nuance. Models may lack the semantic sensitivity needed to assess complex requirements. Conversely, if it decreases, it can then be attributed to a statistical irregularity due to few benchmark iterations.

When interpreting the results from a per-intent perspective, a clear trend emerges as the larger configuration outperforms the smaller one on actionable prompts, especially in criteria that involve increased reasoning and multi-step tasks, such as data interpretation and methodology alignment. The sole criterion that is scored higher in factual contexts is the municipal relevance criterion.

This hints at the ability of the system to perform better in less constrained, strategy-oriented tasks, rather than factual ones. However, this may also allude to an asymmetry in how the evaluation criteria are interpreted over intent types.

Data interpretation and methodology alignment may be inherently biased towards actionable prompts due to their nature of requiring more nuanced reasoning and context understanding, reinforcing previous concerns regarding the definition of the criteria.

Alongside the qualitative scoring of the expert, annotations were also collected. **TODO: donner résultats raw expert + benchmarking? TODO: vérifier abus de langage variables qualitatives -> ordinales OK mais quantitatives?**

The feedback highlights recurring issues observed in the testcase, emphasizing certain systematic weaknesses in the solution:

- Unsupported conclusions and takeaways, often delivered with high confidence.
- Mix of municipal data and unscaled cantonal data, leading to inconsistent or misleading figures.
- Misinterpretation of request, such as discussing production when only demand was requested.

While informed users might identify these inconsistencies and filter them out to extract meaningful insights, unfamiliar users may be deceived. Overall, these observations highlight both the potential and the current limitations of this project, as demonstrated through this analysis.

The implications are further discussed in the Section 5.3 and most importantly, brought back to the initial research question.

5.3 – Research Takeaways

By drawing from the results of both expert assessment and LLM-as-a-judge benchmarking, this section evaluates the ability of the proposed solution to assist users into urban energy planning tasks. The analysis states the main strengths and weaknesses of the system in terms of (1) effectiveness and (2) reliability.

Contextual reasoning and structured planning are typical tasks, encountered in energy planning. They involve the synthesis of diverse data and context into a strategy that aligns with the municipality and ensures compliance with regulatory frameworks.

The solution shows clear strengths in those areas, more particularly in contexts requiring proper analysis and the establishment of clear strategies.

Furthermore, the larger configuration which leverages more powerful language models achieves higher scores than the smaller one, across all criteria defined in the automated evaluation. This verifies the core assumption that greater models result in greater quality of responses.

While the system is effective in delivering meaningful and interpretable energy planning guidance, this does not guarantee its reliability.

The reported strategies often present unsupported claims, variable interpretations or ambiguous assumptions; critical flaws that undermine the agent’s reliability. These issues are observed and noted from the ongoing assessment of the solution and comments on the resulting recommendations.

Besides that, the evaluation methodology falls short in the distinction of what may be an architectural issue with the benchmarking framework and its criteria or simply areas of the responses that need improvement. This effect is further amplified by the stochastic nature of language models, introducing challenges for repeatability and quality assurance.

Although the system lacks the reliability needed for reliable decision-making, it does show assistance capacities.

The retrieval, contextualization and presentation of geospatial data from different perspectives, driven from a simple natural language query, fulfills a key feature that is expected of an assistant, supporting users in typical energy planning tasks.

In contrast, while expert users can effectively retrieve and refine the suggestions of the agent for practical planning, uninformed users are at greater risk of being misled.

Aside of the architectural and implementation-specific limitations presented in Section 3.3, extended testing that includes more benchmark runs and the use of larger, more capable, language models is necessary to validate the assumptions regarding ranking variability across responses to isolate more granular issues.

At this stage, the solution shows promise and supports the potential for AI agents in urban energy planning. However, it remains fragile and requires further development to achieve production-grade robustness.

Chapter 6 – Conclusion

Bibliography

- [1] “Evidence - NASA Science.” Accessed: Jul. 21, 2025. [Online]. Available: <https://science.nasa.gov/climate-change/evidence/>
- [2] “RS 730.1 - Loi Sur l’énergie - Canton Du Valais - Recueil de La Législation.” Accessed: Jul. 20, 2025. [Online]. Available: https://lex.vs.ch/app/fr/texts_of_law/730.1
- [3] A. Vaswani *et al.*, “Attention Is All You Need,” no. arXiv:1706.03762. arXiv, Aug. 2023. doi: [10.48550/arXiv.1706.03762](https://doi.org/10.48550/arXiv.1706.03762).
- [4] L. Ouyang *et al.*, “Training Language Models to Follow Instructions with Human Feedback,” no. arXiv:2203.02155. arXiv, Mar. 2022. doi: [10.48550/arXiv.2203.02155](https://doi.org/10.48550/arXiv.2203.02155).
- [5] P. Lewis *et al.*, “Retrieval-Augmented Generation for Knowledge-Intensive NLP Tasks,” no. arXiv:2005.11401. arXiv, Apr. 2021. doi: [10.48550/arXiv.2005.11401](https://doi.org/10.48550/arXiv.2005.11401).
- [6] T. Mikolov, K. Chen, G. Corrado, and J. Dean, “Efficient Estimation of Word Representations in Vector Space,” no. arXiv:1301.3781. arXiv, Sep. 2013. doi: [10.48550/arXiv.1301.3781](https://doi.org/10.48550/arXiv.1301.3781).
- [7] A. Kalyuzhnaya *et al.*, “LLM Agents for Smart City Management: Enhancing Decision Support Through Multi-Agent AI Systems,” *Smart Cities*, vol. 8, no. 1, p. 19, Jan. 2025, doi: [10.3390/smartcities8010019](https://doi.org/10.3390/smartcities8010019).
- [8] “What Are AI Agents? | IBM.” Accessed: Jul. 21, 2025. [Online]. Available: <https://www.ibm.com/think/topics/ai-agents>
- [9] “What Are AI Agents? Definition, Examples, and Types.” Accessed: Jul. 21, 2025. [Online]. Available: <https://cloud.google.com/discover/what-are-ai-agents>
- [10] “Stratégie énergétique - Energie - vs.ch.” Accessed: Jul. 20, 2025. [Online]. Available: <https://www.vs.ch/web/energie/strategie-energetique>
- [11] “Plan directeur cantonal 2019 - SDT - vs.ch.” Accessed: Jul. 20, 2025. [Online]. Available: <https://www.vs.ch/web/sdt/plan-directeur-cantonal-2019>
- [12] “RS 705.1 - Loi Sur Les Constructions - Canton Du Valais - Recueil de La Législation.” Accessed: Jul. 20, 2025. [Online]. Available: https://lex.vs.ch/app/fr/texts_of_law/705.1
- [13] S. Bai *et al.*, “Qwen2.5-VL Technical Report,” no. arXiv:2502.13923. arXiv, Feb. 2025. doi: [10.48550/arXiv.2502.13923](https://doi.org/10.48550/arXiv.2502.13923).
- [14] Z. Nussbaum, J. X. Morris, B. Duderstadt, and A. Mulyar, “Nomic Embed: Training a Reproducible Long Context Text Embedder,” no. arXiv:2402.01613. arXiv, Feb. 2025. doi: [10.48550/arXiv.2402.01613](https://doi.org/10.48550/arXiv.2402.01613).
- [15] P. Wilhelm, T. Wittkopp, and O. Kao, “Beyond Test-Time Compute Strategies: Advocating Energy-per-Token in LLM Inference,” in *Proceedings of the 5th Workshop on Machine Learning and Systems*, World Trade Center Rotterdam Netherlands: ACM, Mar. 2025, pp. 208–215. doi: [10.1145/3721146.3721953](https://doi.org/10.1145/3721146.3721953).
- [16] J. Wei *et al.*, “Emergent Abilities of Large Language Models,” no. arXiv:2206.07682. arXiv, Oct. 2022. doi: [10.48550/arXiv.2206.07682](https://doi.org/10.48550/arXiv.2206.07682).

Appendix

Prompts

```

1 Provide me a prompt for the following task:
2 TASK DETAILS
3
4 Please make sure to apply prompt engineering techniques to ensure clear, concise, and effective instructions.

```

Prompt 1 - Meta-prompt used for systematic prompt engineering

```

1 PromptTemplate.from_template("""
2 You are an AI assistant helping to route user requests about energy planning in Switzerland.
3
4 Your task is to extract and update metadata from user queries to maintain conversation context.
5
6 ## Classification Schema:
7 {format_description_llm}
8
9 ## Key Instructions for aggregated_query:
10 - **ALWAYS update aggregated_query** with the location that is provided.
11 - **ALWAYS update aggregated_query** with the current user's request
12 - If this is a new topic/question: Create a fresh, comprehensive query
13 - If this is a follow-up/clarification: Merge the previous context with the new information
14 - If this is a correction: Replace the incorrect parts with the corrected information
15 - Keep the aggregated query focused and specific - don't add assumptions
16
17 ## Examples:
18
19 **New Question:**
20 User: "What are the energy needs for households in Sion?"
21 → aggregated_query: "Energy needs for households in Sion"
22 → needs_memoization: False
23
24 **Follow-up Clarification:**
25 Previous: "Energy needs for households in Sion"
26 User: "Thanks a lot but when I ask for the energy needs for households, I only mean the electricity needs."
27 → aggregated_query: "Electricity needs for households in Sion"
28 → needs_memoization: True
29
30 **Topic Expansion:**
31 Previous: "Solar energy potential in Geneva"
32 User: "Thanks. What about wind energy too?"
33 → aggregated_query: "Solar and wind energy potential in Geneva"
34 → needs_memoization: False
35
36 **Completely New Topic:**
37 Previous: "Heating costs in Zurich"
38 User: "What can you tell me about Martigny?"
39 → aggregated_query: "General information about Martigny"
40 → needs_memoization: False
41 """)

```

Prompt 2 - System prompt for the Intent Router agent that defines its role in analyzing user queries to extract location information and classify intent as either factual (data requests) or actionable (planning recommendations). The prompt establishes the agent's responsibility for parsing natural language queries, validating municipality names against Swiss commune registers, and determining when clarification is needed for ambiguous requests.

```

1 PromptTemplate.from_template("""
2 **Previous Context:**
3 - Last input: "{previous_user_input}"
4 - Current state: {current_router}
5
6 **Current Input:** "{user_input}"

```

```
7 """
```

Prompt 3 - User prompt template for the Intent Router agent that provides the specific user query and conversation context for intent classification. This template structures the input data including the user's question, conversation history, and any previously identified location information, enabling the agent to make informed decisions about query intent and required clarifications.

```
1 PromptTemplate.from_template("""
2 You are an AI assistant helping to clarify user requests about energy planning in Switzerland.
3 Formulate a question asking for the specific missing details.
4 **Do not try to assume if a location is valid or not.**
5
6 If there is no extra needed information, then, they must have mistakenly input something.
7 Keep the answer short and address the user in a friendly, non-robotic way.
8
9 **IMPORTANT**: Your entire response MUST be written exclusively in {lang}.
10 """)
```

Prompt 4 - System prompt for the Clarify Query agent that defines its role in handling ambiguous or incomplete user requests by generating targeted clarification questions. The prompt instructs the agent to identify missing information, formulate clear and specific follow-up questions, and maintain a conversational tone while ensuring all necessary details for energy planning analysis are obtained from the user.

```
1 PromptTemplate.from_template("""
2 The user just queried some information and you need additional details about:
3
4 {needed_information}
5
6 User input: "{user_input}"
7 """)
```

Prompt 5 - User prompt template for the Clarify Query agent that structures requests for clarification by combining the original user query with identified missing information fields. This template enables the agent to generate contextually appropriate clarification questions that help users refine their energy planning inquiries.

```
1 PromptTemplate.from_template("""
2 You are an energy planning expert and you are given the following task :
3
4 In response to the user's input, you can select and execute any number of tools from the available set.
5 They will retrieve for you the data needed to answer the user input.
6 **IMPORTANT: The tools don't require any configuration.**
7
8 **Please note that all tools allow you to retrieve data specific to "{location}"**
9
10 ### User Request: "{user_request}"
11 """)
```

Prompt 6 - System prompt for the Geocontext Retriever agent that establishes its role in selecting and executing appropriate geospatial analysis tools based on user queries and municipal context. The prompt defines how the agent should interpret geographical requirements, choose relevant datasets, and format spatial information for downstream processing in the energy planning workflow.

```
1 PromptTemplate.from_template("""
2 You will be provided with an image of a PDF page. The content is written in **French** and originates from either:
3
4 1. Official Swiss legislation, which follows a strict structure (e.g., numbered titles, subtitles, and articles such as "Art. XX"), or
5 2. Strategic and planning documents that may contain diagrams, charts, tables, and explanatory text.
6
7 Your role is to extract and deliver a **literal, and detailed translation** of the content in **English**. **You MUST translate ALL meaningful content from French to English.** This is required for legal and regulatory compliance.
8
9 **Your output must cover the full content of the page but can be summarized to takeaway the important information. Do not emit what is important.**
10
11 ---
12
13 ## Context and Purpose:
```

```

14 The goal is to extract and preserve all important information from each page. The output will later be used in a **Retrieval-
15 Augmented Generation (RAG)** system. This system will respond to user queries to determine **what must or should be done**,
16 based on the content of Swiss legislation and government-designed energy planning.
17 Your output must therefore be exhaustive, clear, and suitable for machine indexing and retrieval.
18
19 ---
20
21 ## If the document is legislative (structured):
22
23 - A single page may contain **multiple articles or sections** — include **all of them** in your output.
24 - Preserve the hierarchical structure exactly:
25   - Titles and subtitles (e.g., "1", "1.1")
26   - Article identifiers (e.g., "Art. 4")
27   - Paragraphs, bullet points, and numbered clauses
28
29 - Translate the article title into English.
30 - Translate the entire content literally into English, with clear formatting to distinguish between sections and articles.
31 - DO NOT rephrase legant content, only condense to takeaway important information.
32
33 ---
34
35 ## If the document is unstructured or contains visual elements:
36
37 - Thoroughly describe any **charts, diagrams, plots, or visuals**:
38   - Explain the meaning of each component and the relationships depicted.
39   - Translate any text, annotations, or labels into English.
40
41 - For **tables**, explain the data clearly and narratively.
42   - Example: "The table shows electricity production in 2022: hydropower accounts for 58%, solar for 12%, and nuclear for 20%."
43
44 - Translate all written text fully.
45 - Define technical terms in simple, accessible English when appropriate.
46 - If strategic objectives or forecasts are present, explain their meaning and implications.
47
48 ---
49
50 ## General Guidelines:
51
52 - DO NOT mention page numbers, layout, visual formatting, or document type.
53 - DO translate all meaningful French content — **literal and complete translation is mandatory**.
54 - DO maintain logical structure and section order.
55 - DO explain legal, regulatory, or strategic context when evident.
56 - DO ensure that the output represents the **entire content of the page**, even if it includes multiple components.
57
58 ---
59
60 ## Output Format:
61
62 {Translated content of the full page}
63 """

```

Prompt 7 - System prompt for the data extraction component of the Guidelines Retriever that processes Swiss energy planning PDF documents to identify and extract relevant regulatory information. This prompt guides the automated parsing of complex regulatory documents, including federal and cantonal energy legislation, planning guidelines, and technical standards applicable to municipal energy strategies.

```

1 PromptTemplate.from_template("""
2 You are a text processor. Your job is to scale energy numbers in the following documents.
3
4 Instructions:
5 - For each document, find energy-related numbers.
6 - Multiply ONLY those numbers by {scaling_factor} and replace them in the text, rounded to 1 decimal place.
7 - DO NOT scale percentages, dates, or any other numbers.
8 - DO NOT add any explanations, notes, or comments.
9 - DO NOT change any other part of the text.
10 - Return the processed documents, separated by <doc>.
11
12 Input documents:

```

```

13 {constraints}
14
15 Output:
16 Return the same documents, in the same order, separated by <doc>. Only the relevant energy numbers should be changed.
17 """

```

Prompt 8 - System prompt for the Guidelines Retriever agent that defines its role in processing and interpreting Swiss federal and cantonal energy planning regulations. The prompt instructs the agent to analyze retrieved guideline documents, extract relevant regulatory requirements, and contextualize them for specific municipal energy planning scenarios while ensuring compliance with applicable legislation and best practices.

```

1 PromptTemplate.from_template(system_prompt = f"""
2 You are a professional energy data retriever and you will be given documents such as building permits or energy assessment for
3 buildings and houses from which you shall retrieve data which suits the following schema :
4
5 {
6     "parcel_number": {
7         "type": "integer",
8         "description": "Unique numerical identifier of the land or property parcel as listed in administrative or cadastral records.
9         Typically corresponds to the official 'parcel number' assigned by local authorities.",
10        "nullable": true
11    },
12    "sre": {
13        "type": "number",
14        "description": "Surface de référence énergétique (SRE) in square meters, representing the energy-relevant reference area of
15        the building, used for calculating energy performance indicators.",
16        "nullable": true
17    },
18    "consumption_heating": {
19        "type": "number",
20        "description": "Annual energy consumption for heating purposes, typically expressed in kilowatt-hours (kWh) or per annum
21        (kWh/a). Refers to the energy required to heat the building or dwelling over one year.",
22        "nullable": true
23    },
24    "source_heating": {
25        "type": "string",
26        "description": "Primary energy source used for heating. Common values include 'heat pump (PAC)', 'electricity', 'natural gas',
27        'fuel oil', 'wood', etc. Used to assess environmental and economic impact of heating.",
28        "nullable": true
29    },
30    "power_pv": {
31        "type": "number",
32        "description": "Installed peak power of photovoltaic (solar panel) system in kilowatts-peak (kWp) or kilowatt-crête (kWc),
33        indicating the maximum electrical output under standard test conditions.",
34        "nullable": true
35    }
36 }
37
38 You must ONLY return valid JSON with the ALL the keys and fill in the values you found in the documents.
39 Here's an example output
40
41 {
42     "parcel_number": 123456,
43     "sre": 250.0,
44     "consumption_heating": 18000.0,
45     "source_heating": "heat pump (PAC)",
46     "power_pv": 5.5
47 }
48
49 **IMPORTANT: If you cannot fill a value, simply set it to "None".**
50 """

```

Prompt 9 - Data extraction prompt for the Municipal Citizen Profile component that processes unstructured Swiss federal energy registers to extract building-specific energy characteristics. This prompt guides the automated extraction of parcel data, energy consumption patterns, heating systems, and renewable energy installations, enabling personalized energy planning recommendations based on actual building infrastructure.

```

1 PromptTemplate.from_template("""
2 You are an expert energy planning advisor for the municipality "{location}".
3 Current date: {month_year}. Reference any pre-{month_year} data as historical.
4
5 **IMMEDIATE INSTRUCTION - CONVERSATION TYPE: {conversation_type}**
6 {mode_instruction}
7
8 ## CORE REQUIREMENTS
9
10 ### MANDATORY LANGUAGE REQUIREMENT
11 **ABSOLUTE PRIORITY**: You MUST respond EXCLUSIVELY in {lang}.
12
13 ### MARKDOWN STRUCTURE RULES
14 - **HEADERS**: Use ONLY ### (H3) and #### (H4) - NO exceptions
15 - **NO BLANK LINES**: Avoid whitespace-only lines
16 - Use tables for comparisons, bullet points for findings
17 - **Bold** for key values, *italics* for emphasis
18 - **MANDATORY SOURCE CITATION**: When citing legislative documents or official guidelines, you MUST ALWAYS include
19 the source using format: **Source**. There is no need to include the source for data points.
20
21 ## MEMORY-DRIVEN INTERPRETATION
22
23 **MEMORY HIERARCHY** (highest to lowest priority):
24 1. **User Corrections**: Previously corrected interpretations OVERRIDE defaults
25 2. **Established Preferences**: Scope, format, focus area preferences
26 3. **Context Clarifications**: User-specified constraints or definitions
27 4. **Current Request**: Apply only if no conflicting memories
28
29 **MEMORY APPLICATION RULES**:
30 - Apply relevant memories BEFORE interpreting current request
31 - Acknowledge applied preferences: "As previously specified, analyzing..."
32 - Maintain consistency across related queries
33 - Ignore irrelevant memories
34
35 ## DATA INTERPRETATION STANDARDS
36
37 **Zero Value Rule**: "0" = complete absence of resource/infrastructure/consumption
38 **Units**: Always preserve and include units in responses
39 **Precision**: Round decimals for readability while maintaining accuracy
40 **Scope**: Data is location-specific for {location}
41 **Analysis Focus**: Provide factual insights, trends, and data relationships
42
43 ## RESPONSE FRAMEWORK - FACTUAL DATA ANALYSIS
44
45 **Expert Presentation**:
46 - Present as collaborative energy data analyst
47 - Provide clear, actionable data insights
48 - Hide internal tool names, tool descriptions, file names, implementation details
49
50 **Content Structure**:
51 ### Current Energy Profile
52 - **Key Data Points**: Most relevant findings from the data
53 - **Trends & Patterns**: What the numbers reveal over time
54 - **Comparative Context**: How values relate to typical ranges or benchmarks
55
56 ### Data Insights
57 - **Significant Findings**: What stands out in the data
58 - **Implications**: What these numbers suggest about {location}'s energy situation
59 - **Data Relationships**: Connections between different energy metrics
60
61 **Conclusion Format**:
62 ### Your Next Planning Steps
63 End with a section suggesting one or more related analyses from the available data sources that are the most valuable next
64 investigations, phrased in a friendly and helpful way.
65 **DO NOT EXPOSE THE INTERNAL DETAILS THAT MAKE UP THE DESCRIPTION OF A TOOL**:
66 {related_tools_description}
67
68 ---
69 **FINAL REMINDER - ABSOLUTE PRIORITY**: Your entire response MUST be written exclusively in {lang}. This overrides all
70 other formatting and content requirements. Every word, header, label, and piece of text must be in {lang}. This is mandatory and
71 non-negotiable.

```

```
68 """
```

Prompt 10 - System prompt for the Strategy Planner agent when handling factual queries that request data analysis and information retrieval. This prompt defines the agent's role in processing geographical context, municipal data, and guidelines to provide accurate, data-driven responses about current energy consumption, infrastructure status, and resource availability without generating planning recommendations.

```
1 PromptTemplate.from_template("""
2 ## Energy Data Analysis for {location}
3
4 ### Available Data
5 {tools_data}
6
7 ### User Request
8 **Query Type**: Factual (data analysis focus)
9 **Focus**: {aggregated_query}
10 **Original**: {user_query}
11
12 ### Applied User Preferences
13 {memories_description}
14
15 ---
16 **TASK**: Provide comprehensive data analysis with insights, trends, and factual findings.
17 """)
```

Prompt 11 - User prompt template for factual queries processed by the Strategy Planner agent, structuring how data requests are formatted with retrieved contextual information including geographical data, applicable guidelines, and municipal characteristics. This template ensures consistent data presentation and accurate information synthesis for informational energy planning queries.

```
1 PromptTemplate.from_template("""
2 You are an expert energy planning advisor for the municipality "{location}".
3 Current date: {month_year}. Reference any pre-{month_year} data as historical.
4
5 **IMMEDIATE INSTRUCTION - CONVERSATION TYPE: {conversation_type}**
6 {mode_instruction}
7
8 ## CORE REQUIREMENTS
9
10 ### MANDATORY LANGUAGE REQUIREMENT
11 **ABSOLUTE PRIORITY**: You MUST respond EXCLUSIVELY in {lang}.
12
13 ### SOURCE CITATION PROTOCOL
14 **MANDATORY**: All official documents, guidelines, and policies MUST be cited as:
15 **Source Name**
16 Example: "According to **Transport et distribution d'énergie, page n° 2**, municipalities must..."
17
18 ### MARKDOWN STRUCTURE RULES
19 - **HEADERS**: Use ONLY ### (H3) and #### (H4) - NO exceptions
20 - **NO BLANK LINES**: Avoid whitespace-only lines
21 - Use tables for comparisons, bullet points for findings
22 - **Bold** for key values, *italics* for policy emphasis
23 - **MANDATORY SOURCE CITATION**: When citing legislative documents or official guidelines, you MUST ALWAYS include
24 the source using format: **Source**. There is no need to include the source for data points.
25
26 ## MEMORY-DRIVEN INTERPRETATION
27
28 **MEMORY HIERARCHY** (highest to lowest priority):
29 1. **User Corrections**: Previously corrected interpretations OVERRIDE defaults
30 2. **Established Preferences**: Scope, format, focus area preferences
31 3. **Context Clarifications**: User-specified constraints or definitions
32 4. **Current Request**: Apply only if no conflicting memories
33
34 **MEMORY APPLICATION RULES**:
35 - Apply relevant memories BEFORE interpreting current request
36 - Acknowledge applied preferences: "As previously specified, focusing on..."
37 - Maintain consistency across related queries
38 - Ignore irrelevant memories
39 """)
```

```

39 ## DATA INTERPRETATION STANDARDS
40
41 **Data Relevance Rule**: ONLY use data points that directly address the user's specific query. If retrieved data doesn't match the
42 query focus, acknowledge its presence but don't include it in analysis.
43 **Zero Value Rule**: "0" = complete absence of resource/infrastructure/consumption
44 **Units**: Always preserve and include units in responses
45 **Precision**: Round decimals for readability while maintaining accuracy
46 **Scope**: Data is location-specific for {location}
47 **Analysis Focus**: Provide factual insights, trends, and data relationships
48
49 ## RESPONSE FRAMEWORK - ENERGY PLANNING METHODOLOGY
50
51 **Expert Presentation**:
52 - Present as collaborative energy planning advisor
53 - Guide user through systematic planning process
54 - Acknowledge user's local expertise and insights
55 - Hide internal tool names, file names, implementation details
56
57 **Guideline Integration Rules**:
58 - **Extract Timeframes**: Identify and highlight any temporal objectives (2030, 2035, 2050, etc.)
59 - **Implementation Phases**: Structure recommendations around guideline timelines
60 - **Milestone Identification**: Propose measurable progress indicators based on regulatory requirements
61 - **Feasibility Assessment**: Surface guideline-mentioned implementation considerations (financing, stakeholder engagement,
62 technical requirements)
63
64 **Structured Planning Approach**:
65
66 ### Data Relevance Check
67 - **Query Alignment**: Verify each data point directly addresses the user's specific question
68 - **Irrelevant Data Handling**: If data doesn't match query focus, exclude from analysis (may mention "additional data available
69 but not directly relevant")
70
71 ### Step 1: Resource & Need Assessment
72 - **Current State Analysis**: What the data reveals about {location}
73 - **Resource Identification**: Available energy sources and infrastructure
74 - **Demand Profile**: Current consumption patterns and future projections
75 - **Gap Analysis**: Shortfalls and opportunities identified
76
77 ### Step 2: Optimization Strategy Development
78 - **Sobriety Measures**: Energy reduction opportunities (per guidelines)
79 - **Technology Transitions**: Renewable/clean tech pathways (per guidelines)
80 - **Implementation Feasibility**: Regulatory requirements, funding mechanisms, and stakeholder considerations (per guidelines)
81 - **Implementation Priorities**: Timeline and sequencing based on compliance requirements
82
83 ### Step 3: Implementation Roadmap
84 - **Immediate Actions** ({roadmap_immediate}): Based on urgent compliance requirements
85 - **Short-term Milestones** ({roadmap_short_term}): Based on guideline timelines
86 - **Medium-term Targets** ({roadmap_medium_term}): Based on regulatory objectives
87 - **Progress Indicators**: Key metrics to track success
88
89 ### Step 4: Collaborative Planning Guidance
90 - **Local Context Questions**: What you, as local expert, should consider
91 - **Resource Prioritization**: Which opportunities merit deeper investigation
92 - **Next Analysis Steps**: Specific data explorations to refine planning
93
94 **Conclusion Format**:
95 ### Your Next Planning Steps
96 End with a section suggesting one or more related analyses from the available data sources that are the most valuable next
97 investigations, phrased in a friendly and helpful way.
98 **DO NOT EXPOSE THE INTERNAL DETAILS THAT MAKE UP THE DESCRIPTION OF A TOOL**:
99 {related_tools_description}
100
101 ### Questions for Local Validation
102 *Consider these implementation aspects that require local assessment:*
103 - **Political/Administrative**: [Based on guideline requirements]
104 - **Financial**: [Based on available funding mechanisms in guidelines]
105 - **Community**: [Based on stakeholder engagement requirements in guidelines]
106 - **Technical**: [Based on local capacity needs identified in guidelines]
107
108 ---

```



```

105  **FINAL REMINDER - ABSOLUTE PRIORITY**: Your entire response MUST be written exclusively in {lang}. This overrides all
106  other formatting and content requirements. Every word, header, label, and piece of text must be in {lang}. This is mandatory and
  non-negotiable.
  """

```

Prompt 12 - System prompt for the Strategy Planner agent when handling actionable queries that require strategic planning recommendations. This prompt defines the agent's role in synthesizing geographical data, regulatory guidelines, and municipal profiles to generate comprehensive energy planning strategies, implementation roadmaps, and specific actionable recommendations tailored to the municipality's context and constraints.

```

1  PromptTemplate.from_template("""
2  ## Energy Planning Guidance for {location}
3
4  ### Available Data
5  {tools_data}
6
7  ### Official Guidelines & Regulations
8  {constraints}
9
10 ### User Request
11 **Query Type**: Actionable (requires planning methodology and policy guidance)
12 **Focus**: {aggregated_query}
13 **Original**: {user_query}
14
15 ### Applied User Preferences
16 {memories_description}
17
18 ---
19 **TASK**: Guide the user through systematic energy planning methodology, combining data analysis with regulatory compliance
20 and local expertise integration. Follow the structured planning approach: assess resources/needs → identify optimization
  strategies → provide collaborative planning guidance.
  """)

```

Prompt 13 - User prompt template for actionable queries processed by the Strategy Planner agent, structuring how planning requests are formatted with comprehensive contextual information including geographical potential, regulatory constraints, municipal profiles, and user preferences. This template enables the generation of tailored strategic recommendations for municipal energy planning implementation.

```

1  PromptTemplate.from_template("""
2  Given that the municipality "{location}" has {residents_count} residents and an exploitable surface of {exploitable_surface} ha, we
  redacted the following report to answer the user request.
3
4  This is the data we have at our disposal:
5
6  ### Datapoints for "{location}"
7  {datapoints_description}
8
9  ### Guidelines for "{location}"
10 {guidelines}
11
12 And this is our answer to the user request "{user_request}":
13 {llm_answer}
14
15 Check for common interpretation errors:
16 1. **Mathematical Accuracy**: Are all calculations correct? Check arithmetic carefully
17 2. **Data Type Logic**: Are energy types properly distinguished and not inappropriately aggregated?
18 3. **Units & Precision**: Are units preserved, consistent, and meaningful?
19
20 If the answer is correct, complete and does not contain strong interpretation errors, return retry: False. Otherwise, return retry:
  True.
21 """)

```

Prompt 14 - System prompt for the Critic agent that performs quality assurance on generated responses before delivery to users. This prompt defines the agent's role in evaluating responses for mathematical accuracy, logical consistency, proper data interpretation, and alignment with guidelines, outputting a boolean decision on whether the response meets quality standards and should be delivered or regenerated.

```

1 PromptTemplate.from_template("""
2 You are an expert evaluator for municipal energy planning AI systems. You must be CRITICAL and SKEPTICAL - good
3 formatting and professional language do not equal good energy planning advice.
4
5 CONTEXT:
6 - Municipality: {location}
7 - User Query: {query}
8 - Query Type: {query_type} (factual = data analysis focus, actionable = planning methodology focus)
9 - Municipal Data Available: {municipal_data}
10 - Cantonal Guidelines: {cantonal_guidelines}
11
12 RESPONSE TO EVALUATE:
13 {response}
14
15 CRITICAL EVALUATION FRAMEWORK:
16 Rate each criterion from 1-5, where 5 requires EXCEPTIONAL quality, not just "looks professional":
17
18 1. DATA INTERPRETATION (1-5):
19 CRITICAL CHECKS - Be harsh on these:
20 - **Query Relevance**: Does it ONLY use data that directly addresses the user's specific question?
21 - **Mathematical Accuracy**: Are all calculations correct? Check arithmetic carefully
22 - **Data Type Logic**: Are energy types properly distinguished and not inappropriately aggregated?
23 - **Units & Precision**: Are units preserved, consistent, and meaningful?
24 - **Zero Value Handling**: Are zero values correctly interpreted as "complete absence" not "constraints"?
25
26 DATA SANITY CHECKS - Common failure modes from expert feedback:
27 - **CONSUMPTION vs PRODUCTION**: Does it mix these without proper justification?
28 - **DOUBLE-COUNTING**: Could the same energy be counted twice? (e.g., district heating production + end consumption)
29 - **INVALID AGGREGATION**: Are summed values actually additive? (Don't add PV + solar thermal inappropriately)
30 - **IRRELEVANT DATA INCLUSION**: Does it include retrieved data that doesn't match query focus?
31 - **TEMPORAL LOGIC**: Do timeframes make sense? (No past-year projections, consistent time references)
32 - **PRODUCTION vs POTENTIAL**: Are actual vs theoretical values properly distinguished?
33 - **DATA AVAILABILITY CLAIMS**: Does it claim "no data" while having access to that information?
34
35 RED FLAGS (automatic score ≤2):
36 - Using irrelevant data just because it was retrieved
37 - Mixing consumption/production inappropriately
38 - Double-counting energy flows
39 - Invalid aggregation of incompatible data types
40 - Temporal inconsistencies (projecting past years)
41 - Mathematical errors in calculations
42
43 2. METHODOLOGY ALIGNMENT (1-5):
44 For FACTUAL queries - Data Analysis Standards:
45 - **Current Energy Profile**: Clear presentation of key data points, trends, patterns
46 - **Data Insights**: Identifies significant findings and their implications
47 - **Factual Focus**: Avoids planning recommendations, stays analytical
48
49 For ACTIONABLE queries - Planning Methodology Standards:
50 - **Structured Approach**: Follows resource assessment → optimization strategy → implementation roadmap
51 - **Guideline Integration**: Properly extracts timeframes, implementation phases, milestones
52 - **Collaborative Guidance**: Provides next planning steps and local validation questions
53 - **Expert Positioning**: Presents as collaborative advisor, not directive authority
54
55 RED FLAGS (automatic score ≤2):
56 - Wrong methodology for query type (planning advice for factual query, or pure data for actionable query)
57 - Generic advice that ignores municipal context
58 - Missing key methodology components for query type
59
60 3. MUNICIPAL RELEVANCE (1-5):
61 CRITICAL CHECKS - This is where most responses fail:
62 - **Specificity**: Are insights/recommendations specific to THIS municipality, not generic?
63 - **Scale Appropriateness**: Are suggestions feasible at municipal scale and authority?
64 - **Query Alignment**: Does it directly address the specific question asked?
65 - **Local Context**: Does it consider municipal-specific constraints and opportunities?
66 - **Implementation Feasibility**: Are next steps actionable by municipal decision-makers?
67
68 RED FLAGS (automatic score ≤2):
69 - Generic recommendations applicable to any municipality
70 - Suggesting actions outside municipal authority

```

```

70 - Not answering the specific question asked
71 - Ignoring obvious municipal constraints or context
72
73 4. TECHNICAL COMPLIANCE (1-5):
74 FORMAT REQUIREMENTS:
75 - **Language Consistency**: Response in correct language throughout
76 - **Header Structure**: Uses only H3 (###) and H4 (####) headers
77 - **Citation Format**: Official sources cited as **Source Name** format
78 - **Structure Quality**: Appropriate use of tables, bullets, formatting
79
80 CONTENT REQUIREMENTS:
81 - **Source Accuracy**: Citations actually support the claims made
82 - **Professional Presentation**: Hides internal tool names, maintains expert positioning
83 - **Completeness**: Includes required conclusion sections (next steps, recommendations)
84
85 RED FLAGS (automatic score ≤2):
86 - Incorrect citation format or false citations
87 - Wrong header levels or poor formatting
88 - Missing required sections for query type
89 - Language inconsistencies
90
91 SCORING PHILOSOPHY:
92 - Score 1: Fundamental misunderstanding, major errors, or advice that is actively misleading or harmful.
93 - Score 2: Wrong methodology, significant mistakes, or advice that is not actionable or fails basic requirements.
94 - Score 3: Basic competence but significant limitations, generic advice, or methodology gaps
95 - Score 4: Good quality with minor issues, genuinely useful for municipal planning, correct methodology
96 - Score 5: Exceptional - accurate, specific, actionable, demonstrates deep understanding, perfect methodology alignment
97
98 BE ESPECIALLY CRITICAL OF:
99 - Responses that include irrelevant data just because it was retrieved
100 - Professional-sounding advice that's actually generic or inappropriate
101 - Methodology mismatches (planning advice for data queries, or vice versa)
102 - Mathematical errors disguised by confident presentation
103 - Claims not supported by actual data or guidelines
104
105 SCORING FORMAT:
106 {scoring_format}
107
108 Remember: Your job is to catch responses that sound authoritative but provide poor energy planning guidance. Be especially
109 harsh on data misuse and methodology misalignment.
"""

```

Prompt 15 - System prompt for the G-eval benchmarking framework that defines the evaluation criteria and scoring methodology for automated assessment of AI agent responses. This prompt instructs the evaluator model to assess responses across four key dimensions: data interpretation accuracy, methodology alignment with energy planning principles, municipal relevance, and technical compliance, using a standardized 1-5 scoring scale.

Conversations

```
1 # What are the energy needs for Sion ? I know for a fact that the electricity needs for households in Sion are of a
2 10'000 GWh/year. Do not take into account your numbers.
3
4 ### Energy Data Analysis for Sion
5
6 **Focus**: Electricity needs for households in Sion
7
8 ---
9
10 ### **Current Energy Profile**
11
12 - **Estimated Electricity Needs for Households**: **61.22 GWh/year** (excluding heating/cooling)
13 - **Source**: Estimated energy (electricity for everyday use only, heating and cooling not included) needs for households
14
15 ---
16
17 ### **Trends & Patterns**
18
19 - The value of **61.22 GWh/year** reflects **daily electricity consumption** for households, excluding heating and cooling.
20 - This figure is **significantly lower** than the user's claim of **10,000 GWh/year** (likely a misinterpretation of total energy
21 needs, which would include heating/cooling).
22 - The data is an **estimate** and **not inclusive of heating/cooling**, which would increase total energy demand by at least
23 **~50%**.
24
25 ---
26
27 ### **Comparative Context**
28
29 - **Typical Household Electricity Consumption**:
30 - Average residential electricity use in similar municipalities ranges from **10–20 GWh/year** (e.g., 10,000 GWh is likely for
31 industrial or commercial sectors).
32 - The value of **61.22 GWh/year** is **consistent with regional averages** for household electricity use.
33
34 ---
35
36 ### **Data Insights**
37
38 - **Key Finding**: The estimated electricity needs for households in Sion are **61.22 GWh/year**, highlighting the
39 **importance of energy efficiency** in household consumption.
40 - **Implication**: The data underscores the need for **energy management strategies** to reduce reliance on non-renewable
41 sources, especially if heating/cooling is included.
42 - **Data Relationships**:
43 - The **61.22 GWh/year** is derived from **everyday electricity use** and does not account for **heating/cooling
44 energy needs**.
45 - If heating/cooling were included, the total energy demand would increase by **~50%** (e.g., ~91 GWh/year).
46
47 ---
48
49 ### **Your Next Planning Steps**
50
51 1. **Verify Regional Benchmarking**: Confirm if Sion's household electricity needs align with regional averages (e.g., 10–20
52 GWh/year for households).
53 2. **Explore Renewable Potential**: Analyze solar potential (e.g., roof and facade solar) to assess how the 61.22 GWh could be
54 offset by renewables.
55 3. **Assess Heating/cooling Demand**: If the user's 10,000 GWh figure includes heating/cooling, explore opportunities for
56 **thermal networks** or **district heating** to reduce reliance on fossil fuels.
57
58 ---
59
60 **Note**: The provided data is an estimate
61 and does not account for heating/cooling. For a more comprehensive
62 analysis, additional data points (e.g., thermal energy potential,
63 biomass availability) would be needed.
```

Conversation 1 - Example conversation demonstrating the system's vulnerability to generating biased or potentially misleading results when fabricating specific numerical figures in the absence of complete data. This conversation illustrates the importance of the Critic agent and quality assurance mechanisms in detecting and preventing the dissemination of unsubstantiated quantitative claims in energy planning recommendations.

```

1  # Dataset evaluation
2
3  # Request: "What is the current energy consumption per energy vector and per consumer type in Sion ?"
4
5  ### Current Energy Profile
6
7  ### Key Data Points
8
9  - Household electricity needs: 61.22 GWh/year (excludes heating/cooling).
10 - Household heating/cooling needs: 180.80 GWh/year.
11 - Administrative building heating/cooling needs: 176.49 GWh/year.
12 - Thermal network capacity: 140.00 GWh/year (potential for heat distribution).
13
14 ### Trends & Patterns
15
16 - Heating/cooling dominates energy needs, accounting for ~73% of total energy demand (household + administrative).
17 - Electricity needs are primarily for everyday use, with ~26% of total energy consumption.
18 - Thermal networks can supply ~58% of the combined heating/cooling needs for households and administrative
19 buildings.
20
21 ### Comparative Context
22
23 - Household electricity needs are ~30% of the total thermal network capacity.
24 - Administrative buildings require ~58% of the thermal network capacity for heating/cooling.
25 ---
26
27 ### Data Insights
28
29 ### Significant Findings
30
31 - Heating/cooling needs are 2.4x higher than electricity needs for households.
32 - Administrative buildings require ~100% more heating/cooling than households (176.49 vs. 180.80 GWh).
33 - Thermal networks can meet ~58% of total heating/cooling demand but fall short of fully covering needs.
34
35 ### Implications
36
37 - Thermal network expansion could address the gap in heating/cooling supply.
38 - Renewable integration (e.g., solar, biomass) may reduce reliance on fossil fuels for heating.
39 - Energy efficiency in buildings is critical to reduce demand, especially for heating/cooling.
40
41 ### Data Relationships
42
43 - Thermal networks (140 GWh) are a key infrastructure for distributing heat, but their capacity is ~58% of the total
44 heating/cooling needs.
45 - Biomass and solar potential (e.g., roofing solar: 419.46 GWh) could supplement electricity needs if deployed.
46 ---
47
48 ### Recommended Data Explorations
49
50 *To build on this analysis, consider investigating:*
51
52 - Energy sources for heating/cooling (e.g., thermal networks, incineration heat: 15.131 GWh).
53 - Renewable potential (e.g., solar facades: 110.35 GWh, solar roofs: 419.46 GWh).
54 - Biomass utilization (available woody: 34.23 GWh, non-woody: 27.03 GWh).
55 - Energy efficiency measures for reducing heating/cooling demand in households and administrative buildings.
56 ---
57
58 Note: All values are location-specific to Sion and exclude production data (e.g., hydro, wind, biogas).
59 ---
60
61
62
63 # Request: "How is this demand expected to evolve until 2050 ?"
64
65 ### Systematic Energy Planning for Sion: 2050 Demand Evolution

```

****Focus****: Energy consumption per energy vector (electricity, heating, cooling, renewables) and consumer type (households, services, industry)

1. Resource Assessment & Baseline Data

Current Energy Needs (2023)

Consumer Type	Electricity (GWh)	Heating/Cooling (GWh)	Total Energy (GWh)
Households	2,360 (2015) → ~2,440 (2035)	180.80 (households) + 176.49 (services) = 357.29	~2,797
Services (Admin)	-	357.29	357.29
Industry	-	290 (constant until 2055)	290
Total	~2,440	~647.29	~3,087

Key Notes:

- **Households** dominate electricity demand (70% of total), while **heating/cooling** is split between households (55%) and services (45%).
- **Industry** consumes 290 GWh annually but is projected to stabilize until 2055.

2. Renewable Energy Potential

Solar Energy (Roof + Facade)

- **Photovoltaic (Electricity)**: 419.46 (roofs) + 110.35 (facades) = **529.81 GWh**
- **Solar Thermal (Heating)**: 159.96 (roofs) + 84.07 (facades) = **244.03 GWh**

Thermal Networks

- **District Heating/Cooling**: 140 GWh/a (renewable via waste incineration, geothermal, or heat recovery).

Biogas/Incineration

- **Biogas**: 0.0 GWh (no production data).
- **Waste Incineration**: 140 GWh/a (thermal networks).

Geothermal

- **Serpentin Géothermique**: 28 buildings.
- **Sonde Géothermique**: 3 buildings.

3. Projected Evolution to 2050

Energy Consumption Trends (Based on Vision 2060 Guidelines)

- **Final Energy Consumption**:
 - **2035**: 577 GWh (23% reduction from 2020).
 - **2050**: Projected to **drop by ~35%** from 2020 levels (750 GWh → 487 GWh), assuming continued decarbonization.
- **Electricity Demand**:
 - **2035**: 2,440 GWh (13% increase from 2000).
 - **2050**: Likely **plateau or slight decline** due to energy efficiency measures and electrification of heating.

Consumer-Specific Projections

Consumer Type	Electricity (2050)	Heating/Cooling (2050)	Renewable Share
Households	~2,440 GWh (stable)	400 GWh (100% solar/thermal)	100%
Services (Admin)	0 GWh (fully electrified)	400 GWh (thermal networks)	100%
Industry	0 GWh (renewable shift)	290 GWh (geothermal/thermal)	100%
Total	2,440 GWh	1,090 GWh	100%

4. Optimization Strategies

A. Decarbonization Pathways

- **Solar Expansion**: Install **530 GWh PV** (roofs + facades) to meet 2050 electricity needs.
- **Thermal Networks**: Expand to **1,090 GWh** via waste-to-energy, geothermal, and solar thermal.
- **Biogas Potential**: Develop 100 GWh/year from organic waste to replace fossil fuels.

**B. Efficiency Measures

- **Building Retrofits**: Prioritize solar thermal (244 GWh) and geothermal (28+3 buildings) for heating.
- **Electrification**: Replace fossil fuel-based heating in services (28 buildings using "Chaleur produite à distance") with renewables.

**C. Policy Alignment

- **Vision 2060 Compliance**: Ensure all energy vectors (electricity, heating, cooling) are 100% renewable by 2060.
- **Market Resilience**: Reduce reliance on non-renewables (e.g., "Mazout" and "Gaz" in building energy sources).

**5. Collaborative Planning Guidance

**Key Actions for Sion

Action	Owner	Timeline
Expand solar PV capacity (roofs/facades)	Municipal Energy Agency	2025–2035
Develop district heating network	Thermal Network Co.	2025–2040
Phase out fossil fuels in buildings	Building Authority	2030–2050
Pilot biogas-to-energy projects	Local Energy Cluster	2035–2045

**Stakeholder Engagement

- **Public**: Incentivize solar adoption via subsidies.
- **Industry**: Collaborate on waste-to-energy projects.
- **Policy Makers**: Update zoning laws to prioritize renewable infrastructure.

**6. Summary

By 2050, Sion's energy demand will shift entirely to renewables, with:

- **Solar** supplying 80% of electricity.
- **Thermal networks** and **geothermal** meeting 90% of heating/cooling needs.
- **Biogas** bridging gaps in industrial and residential sectors.

Vision 2060 Compliance: Sion is on track to achieve 100% renewable energy by 2060, provided current strategies are accelerated.

Next Steps:

1. Conduct a feasibility study for thermal network expansion.
2. Launch a public solar adoption campaign (2024).
3. Update energy policies to prioritize decarbonization.

Request: "What energy efficiency measures should be considered to reduce this consumption ?"

**Systematic Energy Planning Methodology for Sion (2025–2050)

This plan integrates data analysis, regulatory compliance (Vision 2060), and actionable measures to reduce consumption while aligning with renewable energy goals.

**1. Resource & Need Assessment

**Key Data Overview


```

205 | **Category** | **Value** | **Source** |
206 | --- | --- | --- |
207 | **Household Electricity Needs** | 61.22 GWh/year | User Input |
208 | **Heating/Cooling Needs (Households)** | 180.80 GWh/year | User Input |
209 | **Heating/Cooling Needs (Services)** | 176.49 GWh/year | User Input |
210 | **Industry Heating/Cooling Needs** | 48.98 GWh/year | User Input |
211 | **Thermal Network Capacity** | 140.00 GWh/year | Official Description |
212 | **Solar PV Potential (Roof + Facade)** | 419.46 + 110.35 = **529.81 GWh/year** | User Input + Official Description |
213 | **Biomass Potential** | 61.26 GWh/year (34.23 + 27.03) | User Input |
214 | **Large Hydro Thermal Potential** | 4300 GWh (heating) + 3150 GWh (cooling) | Official Description |
215 | **Waste Incineration Output** | 23.31 GWh (electricity) + 15.13 GWh (heating) | Official Description |
216
217 ### **Critical Insights**
218
219 - **Building Sector Dominates**: Heating/cooling needs (359.77 GWh/year) outpace electricity (61.22 GWh/year), highlighting
retrofitting and thermal efficiency as priorities.
220 - **Renewable Potential**: Solar (529.81 GWh), biomass (61.26 GWh), and hydro (4300 GWh) could meet 85% of current needs
if fully utilized.
221 - **Thermal Networks**: The 140 GWh capacity suggests opportunities to integrate waste heat and district heating.
222
223 ---
224
225 ### **2. Optimization Strategies**
226
227 ### **A. Sobriety Measures (Immediate Actions)**
228
229 1. **Building Retrofits**
230 - **Insulation & Double-Glazing**: Target 80% of buildings by 2035 to reduce heating demands by 48 GWh/year (per Vision
2060).
231 - **Smart Thermostats**: Install in 90% of households by 2030 to cut peak consumption.
232 2. **Behavioral Changes**
233 - **Awareness Campaigns**: Promote energy-saving habits (e.g., reduced heating setpoints, off-peak charging).
234 - **Incentives**: Subsidize energy-efficient appliances (e.g., heat pumps) for households.
235 3. **Industrial Efficiency**
236 - **Heat Recovery Systems**: Retrofit 70% of industrial facilities to reuse waste heat (e.g., from incineration).
237
238 ### **B. Technology Transitions (2025–2035)**
239
240 1. **Solar Energy Expansion**
241 - **Roof + Facade Installations**: Deploy 100% of solar potential (529.81 GWh/year) by 2030, offsetting 85% of electricity
needs.
242 - **Solar Thermal for Heating**: Use 84.07 GWh/year (facade) and 159.96 GWh/year (roof) for district heating.
243 2. **Thermal Network Integration**
244 - **District Heating**: Leverage 15.13 GWh/year from incineration and 140 GWh/year from networks to meet 90% of heating
needs.
245 - **Hydrothermal Systems**: Pilot projects on lakes/ivers to extract 100 GWh/year for heating by 2035.
246 3. **Biomass Utilization**
247 - **Cogeneration Plants**: Use 61.26 GWh/year of biomass for electricity and heat, replacing fossil fuels.
248
249 ### **C. Long-Term Vision (2035–2060)**
250
251 1. **100% Renewable Transition**
252 - **Hydrothermal Dominance**: Expand hydrothermal capacity to 2,000 GWh/year, meeting 80% of heating needs.
253 - **District Cooling**: Develop 3150 GWh/year cooling capacity from rivers/lakes.
254 2. **Grid Modernization**
255 - **Smart Grids**: Integrate solar, biomass, and hydrothermal sources to balance supply/demand.
256
257 ---
258
259 ### **3. Collaborative Planning Guidance**
260
261 ### **Steps for Implementation**
262
263 1. **Stakeholder Engagement**
264 - **Public Workshops**: Involve residents, industries, and NGOs in retrofitting and solar adoption.
265 - **Policy Alignment**: Ensure measures comply with Vision 2060 (e.g., 2035 targets for building retrofits).
266 2. **Monitoring & Reporting**
267 - **Annual Progress Reviews**: Track reductions in fossil fuel use and progress toward 2060 goals.
268 - **Data Transparency**: Publish energy consumption trends and renewable integration rates.
269 3. **Financial Mechanisms**

```


- **Green Bonds**: Fund large-scale solar and thermal network expansions.
- **Public-Private Partnerships**: Partner with companies for biomass cogeneration and hydrothermal projects.

4. Expected Evolution (2025–2050)

Year	Electricity Needs	Heating/Cooling Needs	Renewable Contribution
2025	61.22 GWh	359.77 GWh	60% (solar + biomass)
2035	50.00 GWh	300.00 GWh	85% (solar + hydrothermal)
2050	40.00 GWh	250.00 GWh	100% (renewables)

Key Metrics

- **Fossil Fuel Reduction**: 75% decrease by 2050 (per Vision 2060).
- **CO₂ Emissions**: 90% lower than 2025 levels (via renewable integration).

Conclusion

Sion's energy efficiency plan hinges on **prioritizing building retrofits, solar expansion, and thermal network integration**. By aligning with Vision 2060 and leveraging its abundant renewable resources, Sion can achieve a 100% renewable supply by 2060 while reducing consumption by 48 GWh/year in the building sector alone. Local expertise and regulatory compliance are critical to sustaining this transition.

Next Steps: Develop a 5-year roadmap with phased targets, secure funding, and launch public awareness campaigns by 2025.

Request: "Can you tell me the amount of CO2 associated to this demand?"

Current Energy Profile

Key Data Points

- **Household electricity needs**: 61.22 GWh/year (excludes heating/cooling)
- **Incineration energy production**: 23.314 GWh (electricity) + 15.131 GWh (heating)
- **Biomass potential**: 34.23 GWh (woody) + 27.03 GWh (non-woody)
- **Heating/cooling demand**: 180.80 GWh (households) + 176.49 GWh (administrative buildings)
- **Thermal network capacity**: 140.00 GWh/year
- **Solar potential**: 419.46 GWh (roof photovoltaic) + 159.96 GWh (roof thermal)
- **Hydro thermal potential**: 4,300 GWh (heating) + 3,150 GWh (cooling)

CO2 Emissions Insights

- **Energy sources**:
 - **Fossil fuel reliance**: Buildings primarily use **Gaz (2,439 buildings)** and **Electricité** (likely grid-dependent), which may emit CO2.
 - **Renewables**: Solar (PV and thermal), hydro, and biomass (if sustainably sourced) are low/zero-emission.
 - **Incineration**: Heat from waste incineration may have low CO2 emissions but depends on waste composition.
- **Building emissions**:
 - **High emitters**: 2,439 buildings use **>25 kg/m² CO₂** (likely fossil fuels), contributing to emissions.
 - **Low emitters**: 2,439 buildings in the **>25 kg/m²** category (highest emissions) vs. **0 kg/m²** (zero emissions).

Trends and Evolution to 2050

Current Trends

- **Renewable growth**: Solar PV (67.56 GWh) and hydro (4,300 GWh heating) dominate renewable potential.
- **Decarbonization gaps**: Reliance on Gaz and grid electricity (non-renewable) limits emissions reduction.
- **Thermal network potential**: 140 GWh/year from low-emission sources (e.g., incineration heat).

Projected Evolution

- Renewable expansion**:
 - Solar (roof: 419.46 GWh, facade: 419.46 GWh) and hydro could meet 30-50% of demand by 2050.
 - Biomass (61.26 GWh) and biogas (0.0 GWh) may scale if waste-to-energy policies improve.
- Emissions reduction**:
 - Replacing Gaz with renewables could cut CO2 by 40-60% by 2050.

- Thermal networks (140 GWh/year) could offset 10-20% of industrial heating demand.

3. **Challenges**:

- Grid electricity's carbon intensity depends on fossil fuel phase-out.
- Hydro potential (4,300 GWh) may face environmental constraints.

Summary

Current CO2 Emissions:

- **High-emission buildings** (Gas/Non-renewables) dominate, but **renewables** (solar, hydro) offer decarbonization potential.
- **Total emissions**: Not directly quantified, but **renewable adoption** could reduce emissions by 40-60% by 2050.

Future Outlook:

- **Optimistic scenario**: 70-80% renewable energy mix by 2050, with **CO2 emissions halved**.
- **Pessimistic scenario**: Fossil fuel reliance persists, leading to **minimal emission reduction**.

Recommendation: Prioritize solar expansion, thermal network integration, and grid decarbonization to align with net-zero goals.

Request: "What are potential sources of renewable energy in Sion (GWh/an for each source)?"

Systematic Energy Planning for Sion: Renewable Energy Potential

This analysis integrates data from Sion's current renewable energy capacity, projected growth (guidelines), and regulatory frameworks to guide actionable planning.

1. Assess Resources/Needs

Key Renewable Energy Sources (GWh/an):

Source	Potential (GWh/an)	Notes
Solar Photovoltaic (Roof)	419.46 ± 30.78	Current operational capacity (roof-mounted PV panels).
Solar Photovoltaic (Facade)	110.35 ± 7.66	Estimated potential for facades (includes ± error margins).
Solar Thermal (Roof)	159.96 ± 16.14	Thermal energy from roof-mounted solar panels.
Solar Thermal (Facade)	84.07 ± 7.16	Thermal energy potential for facades.
Hydrothermal Heating (Lakes/Rivers)	4300.00	Large-scale heat extraction from water bodies (reference point, not definitive).
Hydrothermal Cooling (Lakes/Rivers)	3150.00	Heat discharge potential for cooling applications.
Thermal Networks (Waste Incineration)	140.00	Energy from waste-to-energy incineration (current operational).
Wind Energy (Projected)	27.5	Guideline target for 2035 (not yet operational in Sion).
Biomass (Projected)	7.6	Guideline growth (e.g., agricultural/residual waste).
Environmental Heat (Projected)	29.3	Guideline growth (e.g., geothermal, waste heat recovery).

2. Identify Optimization Strategies

Prioritization Based on Feasibility & Guidelines:

- **Solar PV (Roof & Facade)**:
 - **Action**: Maximize rooftop and facade installations to leverage high solar potential (419.46 + 110.35 = **529.81 GWh/an**).
 - **Policy Alignment**: Aligns with Vision 2060's goal for solar photovoltaic growth (79.5 GWh/an by 2035).
- **Hydrothermal Heating/Cooling**:
 - **Action**: Pilot heat extraction from lakes/rivers for district heating/cooling (e.g., industrial use).
 - **Policy Alignment**: Matches guidelines emphasizing thermal waste valorization (8.1 GWh/an growth).
- **Thermal Networks (Waste Incineration)**:
 - **Action**: Expand waste-to-energy infrastructure to supply 140 GWh/an to district heating.
 - **Policy Alignment**: Aligns with low-CO₂ thermal networks in Vision 2060.
- **Biomass & Environmental Heat**:
 - **Action**: Develop biomass-to-energy projects (e.g., anaerobic digestion) and invest in waste heat recovery systems.
 - **Policy Alignment**: Supports projected biomass (7.6 GWh/an) and environmental heat (29.3 GWh/an) growth.
- **Wind Energy**:
 - **Action**: Conduct feasibility studies for wind farms in high-wind zones (e.g., nearby valleys).

- **Policy Alignment**: Complements Vision 2060's wind energy target (27.5 GWh/an by 2035).

3. Collaborative Planning Recommendations

Public-Private Partnerships

- Collaborate with energy companies for solar and thermal projects (e.g., solar thermal for district heating).
- Subsidize biomass and waste-to-energy initiatives to meet guideline growth targets.

Community Engagement

- Launch solar energy cooperatives for rooftops and facades.
- Educate stakeholders on geothermal and waste heat recovery opportunities.

Regulatory Support

- Streamline permits for hydrothermal and thermal network expansions.
- Introduce feed-in tariffs for renewable energy producers to incentivize investment.

Data Integration

- Use smart grid technology to optimize solar and thermal energy distribution.
- Monitor waste incineration and biomass projects to ensure alignment with 2035 targets.

Summary Table of Key Targets

Source	Current Capacity (GWh/an)	Projected Target (GWh/an by 2035)
Solar PV (Roof + Facade)	529.81	79.5
Hydrothermal Heating	4300.00	—
Thermal Networks (Waste Incineration)	140.00	—
Wind Energy	—	27.5
Biomass	—	7.6
Environmental Heat	—	29.3

Next Steps: Prioritize solar and thermal projects, pilot hydrothermal applications, and align with Vision 2060's renewable energy roadmap.

Request: "How much of this potential is currently exploited?"

Current Exploitation of Renewable Energy Sources in Sion (GWh/year)

Note: The data reflects current production or utilization, while potentials are provided where available.

Renewable Source	Current Exploitation (GWh/an)	Potential (GWh/an)	Key Insight
Incineration (Waste-to-Energy)	23.314 (electricity) + 15.131 (heat) = 38.445	N/A	Incineration contributes 38.4 GWh annually.
Solar PV (Photovoltaic)	67.56	~530 (facade + roof)	Solar PV accounts for ~12.8% of its total potential (530 GWh).
Thermal Networks (Infrastructure Capacity)	N/A	140.00	Capacity exists but actual exploitation is unspecified.
Hydrothermal (Large Lakes/Rivers)	N/A	4300.00 (heating)	Untapped potential for heating (4,300 GWh).
Biogas	0.0	N/A	No current exploitation; potential unconfirmed.
Solar Thermal (Facades/ Roofs)	N/A	244.03 (facade + roof)	No data on current thermal exploitation.
Industrial Heating/Cooling	N/A	48.98	Needs-driven, not a renewable source.

Key Findings

- Incineration** is the most actively exploited renewable source, contributing **38.4 GWh/year** (electricity + heat) from waste-to-energy.
- Solar PV** is the second-largest contributor, producing **67.56 GWh/year** (12.8% of its total solar potential of ~530 GWh).
- Hydrothermal potential** (4,300 GWh heating) and **thermal networks** (140 GWh capacity) remain largely unexploited, suggesting untapped opportunities for renewable energy.
- Biogas** and **solar thermal** show no current exploitation, despite potential availability.
- Total Current Exploitation**: **106 GWh/year** (incineration + solar PV).

Recommendations

- **Prioritize Solar Thermal Expansion**: Leverage facade/roof solar potential (530 GWh) to boost renewable output.
- **Develop Hydrothermal Projects**: Explore heating/cooling from lakes and rivers (4,300 GWh) for district heating systems.
- **Clarify Thermal Networks Usage**: Verify how much of the 140 GWh capacity is actively used for renewables like waste heat.
- **Investigate Biogas**: Confirm if biomass waste streams can be converted to biogas to meet the 0.0 GWh current output.

This analysis highlights gaps in renewable exploitation and opportunities for growth in Sion.

Request: "How much is expected to be exploited in the future ?"

Resource & Need Assessment

Current Renewable Potential in Sion

Energy Source	**Potential (GWh/an)**	**Notes**
---	---	---
Solar PV (Roofs)	419.46 ±30.78	Electricity generation
Solar PV (Facades)	110.35 ±7.66	Electricity generation
Solar Thermal (Roofs)	159.96 ±16.14	Heating potential
Solar Thermal (Facades)	84.07 ±7.16	Heating potential
Biomass (Woody)	34.23	Renewable heat and electricity potential
Biomass (Non-Woody)	27.03	Renewable heat and electricity potential
Hydrothermal (Heating)	4,300.00	Lakes/rivers for heating (reference point)
Hydrothermal (Cooling)	3,150.00	Lakes/rivers for cooling (reference point)
Thermal Networks Capacity	140.00	Existing infrastructure for heat distribution
Incineration Heat	15.131	Waste-to-energy heat production
Incineration Electricity	23.314	Waste-to-energy electricity production

Key Energy Needs

Sector	**Energy Demand (GWh/an)**	**Notes**
---	---	---
Households (Heating)	180.80	Thermal networks can cover 140 GWh (78% of demand)
Services (Heating)	176.49	Thermal networks can cover 140 GWh (79% of demand)
Industry (Heating/Cooling)	48.98	Thermal networks can cover 140 GWh (286% of demand)

Optimization Strategies

1. **Solar Energy Expansion**

- **Roof PV**: Current production is **67.56 GWh** (16% of roof potential). Future exploitation could reach **419.46 GWh** (electricity) if full deployment.
- **Facade PV**: Current production is **110.35 GWh** (100% of facade potential). No untapped potential here.
- **Solar Thermal**: Combine roof and facade thermal potential (**159.96 + 84.07 = 244.03 GWh**) to meet 40% of heating needs.

2. **Biomass Utilization**

- **Total Potential**: **61.26 GWh** (woody + non-woody). Prioritize biomass for industrial heating (48.98 GWh) and thermal networks (140 GWh).

3. **Hydrothermal Integration**

- **Heating Potential**: 4,300 GWh (could meet 100% of heating needs for 10 years).
- **Cooling Potential**: 3,150 GWh (could address industrial cooling needs).
- **Regulatory Consideration**: Requires local water rights and environmental impact assessments.

4. **Thermal Network Expansion**

- **Current Capacity**: 140 GWh. Expand using **hydrothermal** (4,300 GWh) and **biomass** (61.26 GWh) to cover 100% of heating needs.

5. **Incineration Synergy**

- **Heat**: 15.131 GWh can supplement thermal networks.
- **Electricity**: 23.314 GWh can reduce grid dependency.

```

535 ---
536
537 ### Implementation Roadmap
538
539 1. Short-Term (1–3 Years)
540   - Deploy rooftop solar PV to reach 80% of potential (335.57 GWh).
541   - Expand thermal networks to cover 100% of residential heating needs (180.80 GWh).
542 2. Medium-Term (3–5 Years)
543   - Integrate hydrothermal heating for 70% of industrial needs (34.29 GWh).
544   - Launch biomass-to-heat projects for 50% of industry demand (24.49 GWh).
545 3. Long-Term (5–10 Years)
546   - Fully utilize hydrothermal cooling and solar thermal for 100% of heating/cooling needs.
547   - Scale biomass and hydrothermal to meet 100% of industrial demand.
548
549 ---
550
551 ### Collaborative Planning Guidance
552
553 ### Regulatory & Policy Integration
554
555 - Local Water Rights: Secure permits for hydrothermal extraction from lakes/ivers.
556 - Renewable Targets: Align with regional goals for 100% renewable energy by 2040.
557
558 ### Community Engagement
559
560 - Public Workshops: Educate residents on solar adoption and thermal network expansion.
561 - Incentives: Offer subsidies for rooftop solar installations and biomass boilers.
562
563 ### Technical Validation
564
565 - Hydrothermal Feasibility: Conduct site-specific studies for lake/river extraction.
566 - Biomass Supply Chain: Ensure sustainable sourcing of woody/non-woody biomass.
567
568 ---
569
570 ### Next Steps for Sion
571
572 | Action | Responsibility | Timeline |
573 | --- | --- | --- |
574 | Solar PV Expansion (Roofs) | Local Government | 1–3 Years |
575 | Thermal Network Upgrades | Utility Providers | 3–5 Years |
576 | Hydrothermal Pilot Projects | Environmental Agencies | 5–10 Years |
577 | Biomass Supply Chain Development | Private Sector Partners | 3–5 Years |
578
579 ---
580
581 ### Questions for Local Expertise
582
583 1. Political: Are there existing policies to incentivize hydrothermal or biomass projects?
584 2. Financial: What is the projected ROI for solar thermal vs. biomass?
585 3. Community: What are the public perceptions of thermal network expansion?
586 4. Technical: Can the current thermal network infrastructure handle 100% renewable integration?
587
588 ---
589
590 Note: The above analysis assumes no regulatory barriers. Actual exploitation depends on local policies, infrastructure
591 readiness, and stakeholder collaboration.
592
593 ---
594 # Request: "Can you provide me with a map of the electricity grid and potential PV production on roofs and other surfaces ?"
595
596 ### Resource & Need Assessment
597
598 ### Energy Consumption Overview
599
600 | Category | Energy Need (GWh/year) | Notes |
601 | --- | --- | --- |
602 | Households (Electricity Only) | 61.22 | Excludes heating/cooling |
603 | Households (Heating/Cooling) | 140.00 | Includes thermal networks |
604 | Industry (Heating/Cooling) | 48.98 | |
605 | Total Energy Demand | 250.20 | Combines all sectors |

```

606	
607	### **Renewable Potential**
608	
609	Source Potential (GWh/year) Notes
610	--- --- ---
611	**Roof Solar PV** 419.46 ± 30.78 Photovoltaic
612	**Facade Solar PV** 110.35 ± 7.66 Photovoltaic
613	**Solar Thermal** 84.07 ± 7.16 Heating
614	**Hydroelectric (Small)** 115.02 Theoretical
615	**Thermal Networks** 140.00 Includes waste heat
616	**Large Hydro (Heating/Cooling)** 4,300.00 / 3,150.00 Untapped potential
617	
618	### **Existing Production**
619	
620	Source Output (GWh/year) Notes
621	--- --- ---
622	**PV (Operational)** 67.56 Installed capacity
623	**Biogas** 0.0 No current production
624	**Hydroelectric** 115.02 Small-scale potential
625	
626	---
627	
628	### Optimization Strategies
629	
630	### **1. Solar PV Expansion**
631	
632	- **Roof Potential**: 419.46 GWh/year (±30.78) for electricity. Prioritize roofs >500 m² under LcEne (Page 20) , requiring PV installation within 25 years.
633	- **Facade Potential**: 110.35 GWh/year (±7.66) for electricity. Facades with solar radiation >1,200 kWh/m² must be equipped.
634	- **Combined Use**: Pair PV with solar thermal (84.07 GWh/year) for dual energy output.
635	
636	### **2. Thermal Network Integration**
637	
638	- **Existing Capacity**: 140 GWh/year from thermal networks (e.g., waste incineration).
639	- **Synergy**: Combine with large hydro thermal potential (4,300 GWh/year for heating) to reduce fossil fuel reliance.
640	
641	### **3. Hydroelectric Development**
642	
643	- **Small Hydro**: 115.02 GWh/year potential. Requires ecological and legal assessments.
644	- **Large Hydro**: 4,300 GWh/year heating potential (e.g., lakes/rivers). Use for district heating/cooling.
645	
646	### **4. Regulatory Compliance**
647	
648	- **Roof Exemptions**: Buildings with <500 m² roofs or specific renovations (e.g., class C energy performance) are exempt from PV mandates.
649	- **Financial Participation**: Allow cross-canton investments in renewables (e.g., community solar projects).
650	
651	---
652	
653	### Collaborative Planning Guidance
654	
655	### **Next Steps**
656	
657	1. Map Roofs >500 m² : Identify buildings required to install PV under LcEne (Page 20) .
658	2. Assess Solar Radiation : Prioritize roofs with >1,200 kWh/m² for PV.
659	3. Thermal Network Expansion : Evaluate demand for 140 GWh/year capacity (e.g., industrial/heat sectors).
660	4. Stakeholder Engagement : Involve residents in solar co-ops and thermal network planning.
661	
662	### **Key Metrics to Monitor**
663	
664	- PV Capacity Growth : Track progress toward 419.46 GWh/year roof potential.
665	- Thermal Network Utilization : Ensure 140 GWh/year capacity meets industry/heating needs.
666	- Hydro Development : Balance small hydro (115.02 GWh/year) with ecological impacts.
667	
668	### **Policy Integration
669	
670	- LcEne Compliance : Ensure 25-year timelines for PV installations.
671	- Renewable Targets : Align with large hydro (4,300 GWh/year) and solar potential to meet 250.20 GWh/year demand.
672	
673	---
674	
675	### Regulatory Citations

- **LcEnE (Page 20)**: Mandates PV for roofs >500 m² and financial participation in renewables.
- **LcEnE (Page 20)**: Emphasizes 25-year timelines for energy transition.

For actionable planning, prioritize solar PV on eligible roofs, integrate thermal networks, and leverage hydro potential while adhering to **LcEnE** guidelines.

Request: "Can you provide me with a map of heat/cold demand density and potential sources of heat/cold?"

Heat/Cold Demand Density and Potential Sources in Sion

Step 1: Resource & Need Assessment

Demand Profile

Sector	Heating/Cooling Energy Needs (GWh/year)
Households	180.80
Administrative Buildings (Services)	176.49
Industry	48.98
Total	396.27

Note: Heating/cooling needs exclude electricity for everyday use. Total demand includes industrial and service sectors.

Potential Heat Sources

Source	Capacity (GWh/year)	Notes
Thermal Networks	140.00	Includes district heating/cooling (can integrate waste heat)
Waste Incineration	15.131	Heat from combustion used for district heating
Biomass (Woody + Non-Woody)	61.26	Total available biomass potential (34.23 + 27.03)
Solar Thermal (Facades + Roofs)	84.07 + 159.96 = 244.03	Estimated potential for heating
Large Hydro (Heating)	4,300.00	Untapped renewable potential for heat extraction
Large Hydro (Cooling)	3,150.00	Potential for heat discharge for cooling

Key Observations

- **High thermal demand** exists in households (51%) and services (45%), with industry contributing 12%.
- **Waste incineration** and **thermal networks** are critical for centralized heat supply.
- **Solar thermal** and **hydrothermal energy** offer scalable renewable alternatives.

Step 2: Optimization Strategy Development

Sobriety Measures

- **District heating networks**: Prioritize integration of waste heat (e.g., incineration, biomass) to reduce fossil fuel reliance.
- **Building retrofits**: Encourage solar thermal installations on facades and roofs (244 GWh potential).

Renewable Integration

- **Hydrothermal energy**: Leverage large lakes/rivers for heating (4,300 GWh) and cooling (3,150 GWh), though requires technical and regulatory alignment.
- **Biomass**: Convert woody/non-woody residues to heat/steam for industrial and service sectors (61.26 GWh potential).

Policy Alignment

- **Thermal networks**: Ensure compliance with low-CO₂ standards by prioritizing renewable sources.
- **Subsidies**: Advocate for incentives for solar thermal and biomass projects to offset upfront costs.

Step 3: Implementation Roadmap

1. **Short-Term (0–2 years)**

- Launch public-private partnerships for solar thermal installations (facades/roofs).
- Expand thermal network coverage to integrate waste heat from incineration.

2. **Medium-Term (3–5 years)**

- Develop hydrothermal projects with environmental impact assessments.

746- Pilot biomass-to-energy systems for industrial heat demand.
7473. ****Long-Term (5+ years)****
748- Decarbonize thermal networks via 100% renewable integration.
749- Scale hydrothermal energy for district cooling in high-demand areas.
750
751---
752
753### Step 4: Collaborative Planning Guidance
754
755****Next Steps****
756
7571. ****Data Visualization****: Create heat/cold demand density maps using sector-specific energy needs and source capacities.
7582. ****Stakeholder Engagement****: Involve industries, municipalities, and residents in prioritizing renewable integration.
7593. ****Regulatory Review****: Identify barriers to hydrothermal and biomass projects (e.g., permits, ecological safeguards).
760
761****Questions for Local Expertise****
762
763- What are the current thermal network expansion plans?
764- Are there existing policies supporting biomass or solar thermal adoption?
765- How feasible is hydrothermal energy integration given Sion's proximity to lakes/rivers?
766
767****Source****:
768
769- Thermal network capacity (140 GWh/year) and hydrothermal potentials (4,300/3,150 GWh) from official data.
770- Biomass potential (61.26 GWh) and solar thermal (244.03 GWh) from energy potential estimates.
771
772---
773
774****Note****: This analysis assumes no policy restrictions. Prioritize renewable integration to align with decarbonization goals.
775
776---

Conversation 2 - Complete conversation transcript showing the responses of the system to all nine test dataset prompts for municipal energy planning in Sion. This comprehensive evaluation demonstrates the system's performance across different query types including energy consumption analysis, future projections, efficiency measures, renewable potential assessment, and infrastructure mapping requests, providing the primary data for both expert assessment and automated benchmarking evaluation.

Equations

TODO: CHECKER les maths encore une fois TODO: juste citer la source wikipedia et enlever ça ??? TODO: EN FAIRE UNE FIGURE!!

$$\bar{x} = \frac{1}{N} \sum_{i=1}^N x_i \text{ where } \bar{x} \text{ is the sampled mean, } N \text{ the number of samples and } x_i \text{ the } i_{\text{th}} \text{ sample tile.}$$
 1.

$$s = \sqrt{\frac{\sum_{i=1}^N (x_i - \bar{x})^2}{N - 1}} \text{ where } s \text{ is the sample standard deviation of a single tile.}$$
 2.

$$\text{Confidence interval for a single tile} = \bar{x} \pm t_{\frac{\alpha}{2}, N-1} \cdot \frac{s}{\sqrt{N}}$$

where $t_{\frac{\alpha}{2}, N-1}$ is the critical value from the T-distribution for confidence level $1 - \alpha$ and $N - 1$ degrees of freedom.

 3.

$$\text{cosine similarity} := \cos(\theta) = \frac{A \cdot B}{\|A\| \|B\|} = \frac{\sum_{i=1}^n A_i B_i}{\sqrt{\sum_{i=1}^n A_i^2} \cdot \sqrt{\sum_{i=1}^n B_i^2}}$$

where θ is the angle between A and B, two n -dimensional vectors and A_i, B_i the i_{th} components of vectors A and B.

 4.

$$\text{quartile coefficient of dispersion} := \frac{\frac{1}{2} \text{IQR}}{\frac{Q_3 + Q_1}{2}} = \frac{\frac{1}{2}(Q_3 - Q_1)}{\frac{Q_3 + Q_1}{2}} = \frac{Q_3 - Q_1}{Q_3 + Q_1}$$

where IQR is the interquartile range and Q_1 and Q_3 the first and third quartiles, respectively.

 5.

$$\bar{x}_n = \bar{x}_{n-1} + \frac{x_n - \bar{x}_{n-1}}{n}$$

$$M_{2,n} = M_{2,n-1} + (x_n - \bar{x}_{n-1})(x_n - \bar{x}_n)$$

$$s_n^2 = \frac{M_{2,n}}{n - 1}$$

where $\bar{x}_n$ denotes the sample mean of the first n samples, $M_{2,n}$ is the sum of squares of differences from the current mean and s_n^2 the unbiased sample variance.

 6.

$$z = \frac{x - \mu}{\sigma}$$

where z is the standard score, μ is the mean of the population and σ is the standard deviation of the population.

 7.

$$\text{Runtime}_{\text{LED 10 W}} = \frac{h(x)}{10 * 60} [\text{minutes}]$$

8.

where $h(x) = 3x[\text{J}]$ is the heuristic meant to approximate the energy cost of x tokens.

$$H(X) := - \sum_{x \in \mathcal{X}} p(x) \ln p(x)$$

9.

where $H(X)$ is the entropy of the discrete random variable X which may be any member x within the set $\mathcal{X}$ and is distributed according to $p : \mathcal{X} \rightarrow [0, 1]$.

Let X be a discrete random variable that takes value in the set $\mathcal{X} := \{1, 2, 3, 4, 5\}$ and suppose X is uniformly distributed over $\mathcal{X} \Rightarrow p(x) = \frac{1}{5} \forall x \in \mathcal{X}$.

10.

Then, the entropy of X is :

$$H(X) = - \sum_{x \in \mathcal{X}} p(x) \ln p(x) = -5 \cdot \frac{1}{5} \ln \left(\frac{1}{5} \right) = \ln(5) \approx 1.61 \text{ nats.}$$

$$\text{Spearman coefficient of correlation} = \frac{\text{cov}[\text{R}[X], \text{R}[Y]]}{\sigma_{\text{R}[X]} \sigma_{\text{R}[Y]}}$$

11.

where $\text{R}[X]$ and $\text{R}[Y]$ are the ranks of raw scores (X_i, Y_i) , $\text{cov}[\text{R}[X], \text{R}[Y]]$ is the covariance of the rank variables and $\sigma_{\text{R}[X]}, \sigma_{\text{R}[Y]}$ are the standard deviations of the rank variables.

Table of Acronyms

AI :	Artificial Intelligence
API :	Application Programming Interface
FSM :	Finite-State Machine
LLM :	Large Language Model
MLLM :	Multimodal Large Language Model
PDF :	Portable Document Format
RAG :	Retrieval-Augmented Generation
RLM :	Reasoning Language Model
SSE :	Server-Sent Events
WMTS :	Web Map Tile Service

List of Figures

Figure 1	Web interface displaying a report on photovoltaic solar energy potential in Sion. The interface features a chat panel for querying the system and an interactive map, visualizing rooftop-level solar energy data.	16
Figure 2	Web interface displaying a follow-up report on small hydropower potential in Sion. The interface includes a chat panel showing system responses and an interactive map, visualizing water flow data and rooftop-level solar energy.	16
Figure 3	High-level architecture diagram of the system showing the three-layer design and components with (1) the frontend layer (user interface), (2) the backend layer (AI agent orchestration and business logic) and (3) the external services layer (third-party APIs and data sources).	23
Figure 4	Architecture of the AI multi-agent system showing the workflow between specialized agents. The diagram illustrates the Intent Router, Clarify Query, Geocontext Retriever, Guidelines Retriever, Strategy Planner and Critic agents with their interconnections. Solid arrows represent mandatory transitions while dashed arrows indicate conditional transitions based on the evolving conversational state.	25
Figure 5	Interface diagram for the Intent Router agent showing input/output data structures and interaction with the local database. The input is the prompt, while output provides structured classification that guides subsequent agent selection in the workflow.	28
Figure 6	Interface diagram for the Clarify Query agent showing input/output data structures. The input is the conversation state and the output is the generated clarification question to guide further user input.	28
Figure 7	Illustration of the random geographical sampling methodology applied to the municipality of Grône. The diagram shows the statistical approach used to estimate spatial data from high-resolution geospatial datasets by randomly sampling spatial tiles within municipal boundaries.	32
Figure 8	Interface diagram for the Geocontext Retriever agent showing input and output data structures. The input is the conversational state, and the output is the updated state with the retrieved geospatial data. It also features the interaction with geospatial APIs to obtain relevant geographical information.	33
Figure 9	Interface diagram for the Guidelines Retriever agent showing the input conversational context and output as updated state with the retrieved guidelines. The diagram also depicts interaction with the local database storing the embedded regulation documents.	35
Figure 10	Interface diagram for the Strategy Planner agent showing the conversational context in input and streamed response in output. The diagram also depicts interaction with the local database, storing the user preferences.	37
Figure 11	Interface diagram of the Critic agent, illustrating in input the generated response and full conversational context. It outputs a boolean decision and can trigger up to three retries if quality criteria are not met.	38
Figure 12	Box plot analysis showing the distribution of G-eval benchmark scores across the four evaluation criteria (Data Interpretation, Methodology Alignment, Municipal Relevance, Technical Compliance) grouped by query intent type (Factual vs. Actionable) for both small and large system configurations. The plots reveal performance variations between criteria and configurations.	46