

Totally Integrated Automation Portal		
HMI_1 [KTP400 Basic PN]		
HMI_1		
General		
Name	HMI_1	

Totally Integrated Automation Portal		
--------------------------------------	--	--

HMI_1 [KTP400 Basic PN]

Runtime settings

General

Start screen	1 - Root screen	Default template	
Default style of the project	Enabled	Style of the HMI device	WinCC Light V 1.0.1
Adapt font size to style	Enabled	Screen resolution	480, 272
Project ID	0	Logging language	Startup language

Services

Sm@rtAccess or service: start Sm@rtServer	Disabled
---	----------

Screens

Bit selection for text and graphic lists	Off	User-defined pictogram size	Disabled
X,Y:	64, 45	Scrolling mode	Scroll bar

Keyboard

Use screen keyboard	Enabled	Release button on exit	Disabled
Disable dialog window function keys	Disabled		

Alarms

Controller alarms

Buffer overflow	10 %	Acknowledgment group text	QGR
Use alarm class color	Disabled	Use help texts for system diagnostics	Enabled
System event duration	2 Seconds	PersistentAlarmBuffer	Enabled
Connection	HMI_Connection_1		

User administration

Enable limit for logon attempts	Enabled	Invalid logon attempts	3
Logon with password	Disabled	Group-specific rights	Disabled
Password aging	Disabled	Validity period	90
Warning period	7	Password generations	3
At least one special character	Disabled	At least one number	Disabled
Minimum password length	3		

Language & font

Preset runtime language	English (United States)
-------------------------	-------------------------

English (United States)	
-------------------------	--

Runtime language	Enabled	Fixed font 1	Tahoma
Default font	Tahoma, 11 Pixel	Configured font 1	

--	--	--

Totally Integrated Automation Portal		
--------------------------------------	--	--

Tag settings

Replace the separators on each sub-level of the path of the PLC tag:	Enabled	Compatibility mode: Set '_' between the PLC tags and the first-level element.	Disabled
Replace the '.' character if the name of the HMI tag is created from the PLC tag name	Enabled	Use '_' as the replacement character	Enabled
Use ';' as the replacement character	Disabled	Replace the characters '[' and ']' if the name of the HMI tag is created from the PLC tag name	Enabled
Use '{' and '}' as replacement characters	Enabled	Use '(' and ')' as replacement characters	Disabled

Settings for the prefix 'PLC' in the HMI tag name


Connection	HMI_Connection_1	PLC name as prefix in the HMI tag name	Disabled
------------	------------------	--	----------

Totally Integrated Automation Portal		
--------------------------------------	--	--

HMI_1 [KTP400 Basic PN] / Screens

1 - Root screen

Hardcopy of 1 - Root screen



General			
Name	1 - Root screen	Background color	255, 255, 255
Grid color	255, 255, 255	Number	1
Template	Background	Tooltip	
Layers			
Active layer	0		
Layer_0		Enabled	
Layer_1		Enabled	
Layer_2		Enabled	
Layer_3		Enabled	
Layer_4		Enabled	
Layer_5		Enabled	
Layer_6		Enabled	
Layer_7		Enabled	
Layer_8		Enabled	
Layer_9		Enabled	
Layer_10		Enabled	
Layer_11		Enabled	
Layer_12		Enabled	
Layer_13		Enabled	
Layer_14		Enabled	
Layer_15		Enabled	
Layer_16		Enabled	
Layer_17		Enabled	
Layer_18		Enabled	
Layer_19		Enabled	
Layer_20		Enabled	
Layer_21		Enabled	
Layer_22		Enabled	

Totally Integrated Automation Portal			
Layer_23	Enabled		
Layer_24	Enabled		
Layer_25	Enabled		
Layer_26	Enabled		
Layer_27	Enabled		
Layer_28	Enabled		
Layer_29	Enabled		
Layer_30	Enabled		
Layer_31	Enabled		
HmiScreenItemData			
Type	Text field		
General			
Text	Welcome to Dural Line Automation Interface		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	156, 154, 165	Border background color	231, 227, 231
Layout			
X position	8	Y position	32
Width	472	Height	78
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 20px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	HmiScreenItemData	Layer	0 - Layer_0
Softkey_F3			
Type	Function key		
General			
Key code	222	Global assignment	Disabled
Graphic	RUN	Authorization	
LED tag		Bit in the LED tag	0
Dynamizations\Event			
Event name	Release key		
Function list\SetPLCMode			
Connection	HMI_Connection_1	Mode	RUN
Softkey_F4			
Type	Function key		

Totally Integrated Automation Portal		
General		
Key code	223	Global assignment
Graphic	STOP HMI	Authorization
LED tag		Bit in the LED tag
Dynamizations\Event		
Event name	Release key	
Function list\StopRuntime		
Mode	Runtime	
Button_1		
Type	Button	
General		
Mode	Text	Hotkey
Text OFF	Kendali Otomatis	Text ON
Text list		Graphic OFF
Graphic ON		Graphic list
Process value		Bit number
Appearance		
Background color	41, 20, 107	Background fill pattern
Corner radius (border)	3	Foreground color
Border width	0	Line style
Border color	156, 154, 165	Border background color
Fill pattern		
Background color gradient (fill pattern)	231, 227, 231	Gradient 1 (fill pattern)
Color gradient 1 (fill pattern)	247, 247, 247	Offset gradient 1 (fill pattern)
Gradient 2 (fill pattern)	Enabled	Color gradient 2 (fill pattern)
Offset gradient 2 (fill pattern)	15	
Design		
Focus width	2	Focus color
Layout		
X position	24	Y position
Width	203	Height
Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic
Vertical alignment of the graphic	Middle	Fit object to contents
Margin left text (layout)	0	Margin top text (layout)
Margin right text (layout)	0	Margin bottom text (layout)
Margin left graphic (layout)	0	Margin top graphic (layout)
Margin right graphic (layout)	0	Margin bottom graphic (layout)
Text format		
Font	Tahoma, 16px, style=Bold	Orientation
Horizontal alignment of the text	Centered	Vertical alignment of the text
Styles/Designs		
Use style/design	Disabled	Style item appearance

Totally Integrated Automation Portal			
Miscellaneous			
Name	Button_1	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Event			
Event name	Click		
Function list\SetBit			
Tag	Mode Otomatis		
Function list\ActivateScreen			
Screen name	3 - Dashboard Otomatis	Object number	0
Softkey_F2			
Type	Function key		
General			
Key code	221	Global assignment	Disabled
Graphic	STOP	Authorization	
LED tag		Bit in the LED tag	0
Dynamizations\Event			
Event name	Release key		
Function list\SetPLCMode			
Connection	HMI_Connection_1	Mode	STOP
Softkey_F1			
Type	Function key		
General			
Key code	220	Global assignment	Disabled
Graphic	RES	Authorization	
LED tag		Bit in the LED tag	0
Dynamizations\Event			
Event name	Release key		
Function list\ActivateScreen			
Screen name	6 - Hard Reset	Object number	0
Button_2			
Type	Button		
General			
Mode	Text	Hotkey	None
Text OFF	Kendali Manual	Text ON	Text
Text list		Graphic OFF	
Graphic ON		Graphic list	
Process value		Bit number	0
Appearance			
Background color	41, 20, 107	Background fill pattern	Solid
Corner radius (border)	3	Foreground color	255, 255, 255
Border width	0	Line style	Solid


Totally Integrated Automation Portal			
Border color	66, 73, 82	Border background color	107, 105, 107
Fill pattern			
Background color gra- dient (fill pattern)	99, 101, 115	Gradient 1 (fill pat- tern)	Enabled
Color gradient 1 (fill pattern)	132, 134, 140	Offset gradient 1 (fill pattern)	15
Gradient 2 (fill pat- tern)	Enabled	Color gradient 2 (fill pattern)	90, 89, 99
Offset gradient 2 (fill pattern)	15		
Design			
Focus width	2	Focus color	148, 182, 231
Layout			
X position	248	Y position	104
Width	211	Height	76
Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic	Centered
Vertical alignment of the graphic	Middle	Fit object to contents	Disabled
Margin left text (lay- out)	0	Margin top text (lay- out)	0
Margin right text (lay- out)	0	Margin bottom text (layout)	0
Margin left graphic (layout)	0	Margin top graphic (layout)	0
Margin right graphic (layout)	0	Margin bottom graph- ic (layout)	0
Text format			
Font	Tahoma, 16px, style=Bold	Orientation	Horizontal
Horizontal alignment of the text	Centered	Vertical alignment of the text	Middle
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Button_2	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator con- trol	Enabled
Dynamizations\Event			
Event name	Release		
Function list\ActivateScreen			
Screen name	2 - Kendali Manual	Object number	0
Function list\SetBit			
Tag	Mode Manual		

Totally Integrated Automation Portal		
---	--	--

HMI_1 [KTP400 Basic PN] / Screens

2 - Kendali Manual

Hardcopy of 2 - Kendali Manual



General			
Name	2 - Kendali Manual	Background color	255, 255, 255
Grid color	255, 255, 255	Number	2
Template	Background	Tooltip	
Layers			
Active layer	0		
Layer_0		Enabled	
Layer_1		Enabled	
Layer_2		Enabled	
Layer_3		Enabled	
Layer_4		Enabled	
Layer_5		Enabled	
Layer_6		Enabled	
Layer_7		Enabled	
Layer_8		Enabled	
Layer_9		Enabled	
Layer_10		Enabled	
Layer_11		Enabled	
Layer_12		Enabled	
Layer_13		Enabled	
Layer_14		Enabled	
Layer_15		Enabled	
Layer_16		Enabled	
Layer_17		Enabled	
Layer_18		Enabled	
Layer_19		Enabled	
Layer_20		Enabled	
Layer_21		Enabled	
Layer_22		Enabled	

Totally Integrated Automation Portal			
Layer_23	Enabled		
Layer_24	Enabled		
Layer_25	Enabled		
Layer_26	Enabled		
Layer_27	Enabled		
Layer_28	Enabled		
Layer_29	Enabled		
Layer_30	Enabled		
Layer_31	Enabled		
Button_1			
Type	Button		
General			
Mode	Feedback with graphic	Hotkey	None
Text OFF	Kiri	Text ON	Text
Text list		Graphic OFF	L
Graphic ON	L-GRAY	Graphic list	
Process value		Bit number	0
Appearance			
Background color	99, 101, 115	Background fill pattern	Vertical gradient
Corner radius (border)	3	Foreground color	255, 255, 255
Border width	0	Line style	Solid
Border color	66, 73, 82	Border background color	107, 105, 107
Fill pattern			
Background color gradient (fill pattern)	99, 101, 115	Gradient 1 (fill pattern)	Enabled
Color gradient 1 (fill pattern)	132, 134, 140	Offset gradient 1 (fill pattern)	15
Gradient 2 (fill pattern)	Enabled	Color gradient 2 (fill pattern)	90, 89, 99
Offset gradient 2 (fill pattern)	15		
Design			
Focus width	2	Focus color	148, 182, 231
Layout			
X position	104	Y position	104
Width	80	Height	64
Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic	Centered
Vertical alignment of the graphic	Middle	Fit object to contents	Disabled
Margin left text (layout)	0	Margin top text (layout)	0
Margin right text (layout)	0	Margin bottom text (layout)	0
Margin left graphic (layout)	0	Margin top graphic (layout)	0
Margin right graphic (layout)	0	Margin bottom graphic (layout)	0
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment of the text	Centered	Vertical alignment of the text	Middle
Styles/Designs			
Use style/design	Disabled	Style item appearance	

Totally Integrated Automation Portal			
Miscellaneous			
Name	Button_1	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Event			
Event name	Press		
Function list\SetBit			
Tag	HMI_kiri		
Dynamizations\Event			
Event name	Release		
Function list\ResetBit			
Tag	HMI_kiri		
Button_2			
Type	Button		
General			
Mode	Feedback with graphic	Hotkey	None
Text OFF	Kanan	Text ON	Text
Text list		Graphic OFF	R
Graphic ON	R-GRAY	Graphic list	
Process value		Bit number	0
Appearance			
Background color	99, 101, 115	Background fill pattern	Vertical gradient
Corner radius (border)	3	Foreground color	255, 255, 255
Border width	0	Line style	Solid
Border color	66, 73, 82	Border background color	107, 105, 107
Fill pattern			
Background color gradient (fill pattern)	99, 101, 115	Gradient 1 (fill pattern)	Enabled
Color gradient 1 (fill pattern)	132, 134, 140	Offset gradient 1 (fill pattern)	15
Gradient 2 (fill pattern)	Enabled	Color gradient 2 (fill pattern)	90, 89, 99
Offset gradient 2 (fill pattern)	15		
Design			
Focus width	2	Focus color	148, 182, 231
Layout			
X position	296	Y position	104
Width	80	Height	64
Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic	Centered
Vertical alignment of the graphic	Middle	Fit object to contents	Disabled
Margin left text (layout)	0	Margin top text (layout)	0
Margin right text (layout)	0	Margin bottom text (layout)	0
Margin left graphic (layout)	0	Margin top graphic (layout)	0

Totally Integrated Automation Portal			
Margin right graphic (layout)	0	Margin bottom graphic (layout)	0
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment of the text	Centered	Vertical alignment of the text	Middle
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Button_2	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Event			
Event name	Press		
Function list\SetBit			
Tag	HMI_kanan		
Dynamizations\Event			
Event name	Release		
Function list\ResetBit			
Tag	HMI_kanan		
Button_3			
Type	Button		
General			
Mode	Feedback with graphic	Hotkey	None
Text OFF	Atas	Text ON	Text
Text list		Graphic OFF	U
Graphic ON	U-GRAY	Graphic list	
Process value		Bit number	0
Appearance			
Background color	49, 207, 206	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	255, 255, 255
Border width	0	Line style	Solid
Border color	66, 73, 82	Border background color	107, 105, 107
Fill pattern			
Background color gradient (fill pattern)	99, 101, 115	Gradient 1 (fill pattern)	Enabled
Color gradient 1 (fill pattern)	132, 134, 140	Offset gradient 1 (fill pattern)	15
Gradient 2 (fill pattern)	Enabled	Color gradient 2 (fill pattern)	90, 89, 99
Offset gradient 2 (fill pattern)	15		
Design			
Focus width	2	Focus color	148, 182, 231
Layout			
X position	200	Y position	27
Width	80	Height	66

Totally Integrated Automation Portal			
Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic	Centered
Vertical alignment of the graphic	Middle	Fit object to contents	Disabled
Margin left text (layout)	0	Margin top text (layout)	0
Margin right text (layout)	0	Margin bottom text (layout)	0
Margin left graphic (layout)	0	Margin top graphic (layout)	0
Margin right graphic (layout)	0	Margin bottom graphic (layout)	0
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment of the text	Centered	Vertical alignment of the text	Middle
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Button_3	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Event			
Event name	Press		
Function list\SetBit			
Tag	HMI_atas		
Dynamizations\Event			
Event name	Release		
Function list\ResetBit			
Tag	HMI_atas		
Button_4			
Type	Button		
General			
Mode	Feedback with graphic	Hotkey	None
Text OFF	Bawah	Text ON	Text
Text list		Graphic OFF	D
Graphic ON	D-GRAY	Graphic list	
Process value		Bit number	0
Appearance			
Background color	99, 101, 115	Background fill pattern	Vertical gradient
Corner radius (border)	3	Foreground color	255, 255, 255
Border width	0	Line style	Solid
Border color	66, 73, 82	Border background color	107, 105, 107
Fill pattern			
Background color gradient (fill pattern)	99, 101, 115	Gradient 1 (fill pattern)	Enabled
Color gradient 1 (fill pattern)	132, 134, 140	Offset gradient 1 (fill pattern)	15

Totally Integrated Automation Portal			
Gradient 2 (fill pattern)	Enabled	Color gradient 2 (fill pattern)	90, 89, 99
Offset gradient 2 (fill pattern)	15		
Design			
Focus width	2	Focus color	148, 182, 231
Layout			
X position	200	Y position	178
Width	80	Height	64
Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic	Centered
Vertical alignment of the graphic	Middle	Fit object to contents	Disabled
Margin left text (layout)	0	Margin top text (layout)	0
Margin right text (layout)	0	Margin bottom text (layout)	0
Margin left graphic (layout)	0	Margin top graphic (layout)	0
Margin right graphic (layout)	0	Margin bottom graphic (layout)	0
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment of the text	Centered	Vertical alignment of the text	Middle
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Button_4	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Event			
Event name	Press		
Function list\SetBit			
Tag	HMI_bawah		
Dynamizations\Event			
Event name	Release		
Function list\ResetBit			
Tag	HMI_bawah		
Text field_1			
Type	Text field		
General			
Text	Kendali Manual		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115

Totally Integrated Automation Portal			
Layout			
X position	8	Y position	8
Width	101	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Right	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_1	Layer	0 - Layer_0
Softkey_F1			
Type	Function key		
General			
Key code	220	Global assignment	Disabled
Graphic	RETURN_1	Authorization	
LED tag		Bit in the LED tag	0
Dynamizations\Event			
Event name	Release key		
Function list\ResetBit			
Tag	Mode Manual		
Function list\ActivateScreen			
Screen name	1 - Root screen	Object number	0
Softkey_F2			
Type	Function key		
General			
Key code	221	Global assignment	Enabled
Graphic		Authorization	
LED tag		Bit in the LED tag	0
Button_5			
Type	Button		
General			
Mode	Text	Hotkey	None
Text OFF	SYSTEM ERROR CLICK TO RESOLVE	Text ON	Text
Text list		Graphic OFF	
Graphic ON		Graphic list	
Process value		Bit number	0
Appearance			
Background color	206, 28, 24	Background fill pattern	Solid
Corner radius (border)	3	Foreground color	255, 255, 255
Border width	0	Line style	Solid


Totally Integrated Automation Portal			
Border color	66, 73, 82	Border background color	107, 105, 107
Fill pattern			
Background color gra- dient (fill pattern)	99, 101, 115	Gradient 1 (fill pat- tern)	Enabled
Color gradient 1 (fill pattern)	132, 134, 140	Offset gradient 1 (fill pattern)	15
Gradient 2 (fill pat- tern)	Enabled	Color gradient 2 (fill pattern)	90, 89, 99
Offset gradient 2 (fill pattern)	15		
Design			
Focus width	2	Focus color	148, 182, 231
Layout			
X position	12	Y position	64
Width	456	Height	152
Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic	Centered
Vertical alignment of the graphic	Middle	Fit object to contents	Disabled
Margin left text (lay- out)	0	Margin top text (lay- out)	0
Margin right text (lay- out)	0	Margin bottom text (layout)	0
Margin left graphic (layout)	0	Margin top graphic (layout)	0
Margin right graphic (layout)	0	Margin bottom graph- ic (layout)	0
Text format			
Font	Tahoma, 25px, style=Bold	Orientation	Horizontal
Horizontal alignment of the text	Centered	Vertical alignment of the text	Middle
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Button_5	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator con- trol	Enabled
Dynamizations\Event			
Event name		Release	
Function list\ActivateScreen			
Screen name	7 - System Error	Object number	0
Dynamizations\Visibility			
Tag - Cycle	System Error -	Data type	Range
Start range	1	End range	1
Visibility	Visible		

Totally Integrated Automation Portal		
---	--	--

HMI_1 [KTP400 Basic PN] / Screens

3 - Dashboard Otomatis

Hardcopy of 3 - Dashboard Otomatis



General			
Name	3 - Dashboard Otomatis	Background color	255, 255, 255
Grid color	255, 255, 255	Number	3
Template	Background	Tooltip	
Layers			
Active layer	0		
Layer_0		Enabled	
Logo H1		Enabled	
Logo H2		Enabled	
H1 timer		Enabled	
H2 timer		Enabled	
Button		Enabled	
Layer_6		Enabled	
Layer_7		Enabled	
Layer_8		Enabled	
Layer_9		Enabled	
Layer_10		Enabled	
Layer_11		Enabled	
Layer_12		Enabled	
Layer_13		Enabled	
Layer_14		Enabled	
Layer_15		Enabled	
Layer_16		Enabled	
Layer_17		Enabled	
Layer_18		Enabled	
Layer_19		Enabled	
Layer_20		Enabled	
Layer_21		Enabled	
Layer_22		Enabled	

Totally Integrated Automation Portal		
Layer_23	Enabled	
Layer_24	Enabled	
Layer_25	Enabled	
Layer_26	Enabled	
Layer_27	Enabled	
Layer_28	Enabled	
Layer_29	Enabled	
Layer_30	Enabled	
Layer_31	Enabled	
Text field_1		
Type	Text field	
General		
Text	Kendali Otomatis	
Appearance		
Background color	255, 255, 255	Background fill pattern
Corner radius (border)	3	Transparent
Border width	0	Foreground color
Border color	66, 73, 82	Line style
		Double line
		Border background color
		99, 101, 115
Layout		
X position	16	Y position
Width	113	Height
Left margin	3	Top margin
Right margin	2	Bottom margin
Fit object to contents	Enabled	
Text format		
Font	Tahoma, 13px, style=Bold	Orientation
Horizontal alignment	Left	Vertical alignment
Line break	Disabled	
Flashing		
Flashing	Disabled	
Styles/Designs		
Use style/design	Disabled	Style item appearance
Miscellaneous		
Name	Text field_1	Layer
		0 - Layer_0
Softkey_F1		
Type	Function key	
General		
Key code	220	Global assignment
Graphic	RETURN_1	Authorization
LED tag		Bit in the LED tag
		0
Dynamizations\Event		
Event name	Press key	
Function list\ActivateScreen		
Screen name	4 - Batalkan Otomatis	Object number
		0
Symbolic I/O field_1		
Type	Symbolic I/O field	
General		
Process value	0	Bit number
		0

Totally Integrated Automation Portal			
Mode	Output	Value status ON	1
Text OFF	0	Text ON	1
Text list	List Proses	Number of visible items	3
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius (border)	3	Foreground color	49, 52, 74
Border width	1	Line style	Solid
Border color	41, 20, 107	Border background color	255, 251, 255
Design			
Foreground color of selection	255, 255, 255	Background color of selection	0, 0, 0
Alternative color	231, 231, 239		
Layout			
X position	72	Y position	150
Width	56	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Disabled
Show selection field	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_1	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Proses
Text field_6			
Type	Text field		
General			
Text	ALK		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	182	Y position	32
Width	23	Height	17
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		

Totally Integrated Automation Portal			
Text format			
Font	Tahoma, 11px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_6	Layer	0 - Layer_0
Text field_7			
Type	Text field		
General			
Text	RIN		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	142	Y position	32
Width	23	Height	17
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 11px	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_7	Layer	0 - Layer_0
Text field_8			
Type	Text field		
General			
Text	DEOX		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	97	Y position	32
Width	32	Height	17
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2

Totally Integrated Automation Portal			
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 11px	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_8	Layer	0 - Layer_0
Text field_9			
Type	Text field		
General			
Text	CCC		
Appearance			
Background color	255, 255, 255	Background fill pat- tern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	61	Y position	32
Width	26	Height	17
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 11px	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_9	Layer	0 - Layer_0
Text field_10			
Type	Text field		
General			
Text	CAA		
Appearance			
Background color	255, 255, 255	Background fill pat- tern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	21	Y position	32
Width	26	Height	17
Left margin	3	Top margin	2

Totally Integrated Automation Portal			
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 11px	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_10	Layer	0 - Layer_0
Text field_4			
Type	Text field		
General			
Text	ST1		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	264	Y position	32
Width	23	Height	17
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 11px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_4	Layer	0 - Layer_0
Text field_11			
Type	Text field		
General			
Text	ST2		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	302	Y position	32
Width	23	Height	17

Totally Integrated Automation Portal			
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 11px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_11	Layer	0 - Layer_0
Symbolic I/O field_3			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Output	Value status ON	1
Text OFF	0	Text ON	1
Text list	List Nomor Proses	Number of visible items	3
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	1	Line style	Solid
Border color	41, 20, 107	Border background color	99, 101, 115
Design			
Foreground color of selection	255, 255, 255	Background color of selection	0, 0, 0
Alternative color	231, 231, 239		
Layout			
X position	138	Y position	150
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Disabled
Show selection field	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_3	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Nomor Proses

Totally Integrated Automation Portal		
Softkey_F2		
Type	Function key	
General		
Key code	221	Global assignment
Graphic	infoH1	Authorization
LED tag		Bit in the LED tag
Dynamizations\Event		
Event name	Release key	
Function list\ActivateScreen		
Screen name	H1 Detail	Object number
Softkey_F4		
Type	Function key	
General		
Key code	223	Global assignment
Graphic	rekalibrasi	Authorization
LED tag		Bit in the LED tag
Dynamizations\Event		
Event name	Release key	
Function list\ActivateScreen		
Screen name	5 - Kalibrasi Posisi Hanger	Object number
Softkey_F3		
Type	Function key	
General		
Key code	222	Global assignment
Graphic	infoH2	Authorization
LED tag		Bit in the LED tag
Dynamizations\Event		
Event name	Release key	
Function list\ActivateScreen		
Screen name	H2 Detail	Object number
S1		
Type	Button	
General		
Mode	Graphic	Hotkey
Text OFF		None
Text list		Text
Graphic ON		setupH1
Process value		Graphic list
Bit number	0	Bit number
Appearance		
Background color	99, 101, 115	Background fill pattern
Corner radius (border)	3	Vertical gradient
Border width	0	Foreground color
Border color	66, 73, 82	255, 255, 255
Line style	Solid	Border background color
		107, 105, 107

Totally Integrated Automation Portal		
Fill pattern		
Background color gradient (fill pattern)	99, 101, 115	Gradient 1 (fill pattern)
Color gradient 1 (fill pattern)	132, 134, 140	Offset gradient 1 (fill pattern)
Gradient 2 (fill pattern)	Enabled	Color gradient 2 (fill pattern)
Offset gradient 2 (fill pattern)	15	
Design		
Focus width	2	Focus color
Layout		
X position	368	Y position
Width	96	Height
Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic
Vertical alignment of the graphic	Middle	Fit object to contents
Margin left text (layout)	0	Margin top text (layout)
Margin right text (layout)	0	Margin bottom text (layout)
Margin left graphic (layout)	0	Margin top graphic (layout)
Margin right graphic (layout)	0	Margin bottom graphic (layout)
Text format		
Font	Tahoma, 13px, style=Bold	Orientation
Horizontal alignment of the text	Centered	Vertical alignment of the text
Styles/Designs		
Use style/design	Disabled	Style item appearance
Miscellaneous		
Name	S1	Layer
Tooltip		
Security		
Authorization		Allow operator control
Dynamizations\Visibility		
Tag - Cycle	H1_HMI Ready -	Data type
Start range	0	End range
Visibility	Visible	
Dynamizations\Event		
Event name		Release
Function list\ActivateScreen		
Screen name	H1-Jenis Proses	Object number
S2		
Type	Button	
General		
Mode	Graphic	Hotkey
Text OFF		Text ON
Text list		Graphic OFF
Graphic ON		Graphic list
Process value		Bit number

Totally Integrated Automation Portal			
Appearance			
Background color	99, 101, 115	Background fill pat- tern	Vertical gradient
Corner radius (border)	3	Foreground color	255, 255, 255
Border width	0	Line style	Solid
Border color	66, 73, 82	Border background color	107, 105, 107
Fill pattern			
Background color gra- dient (fill pattern)	99, 101, 115	Gradient 1 (fill pat- tern)	Enabled
Color gradient 1 (fill pattern)	132, 134, 140	Offset gradient 1 (fill pattern)	15
Gradient 2 (fill pat- tern)	Enabled	Color gradient 2 (fill pattern)	90, 89, 99
Offset gradient 2 (fill pattern)	15		
Design			
Focus width	2	Focus color	148, 182, 231
Layout			
X position	367	Y position	120
Width	96	Height	64
Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic	Centered
Vertical alignment of the graphic	Middle	Fit object to contents	Disabled
Margin left text (lay- out)	0	Margin top text (lay- out)	0
Margin right text (lay- out)	0	Margin bottom text (layout)	0
Margin left graphic (layout)	0	Margin top graphic (layout)	0
Margin right graphic (layout)	0	Margin bottom graph- ic (layout)	0
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment of the text	Centered	Vertical alignment of the text	Middle
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	S2	Layer	5 - Button
Tooltip			
Security			
Authorization		Allow operator con- trol	Enabled
Dynamizations\Visibility			
Tag - Cycle	H2_HMI Ready -	Data type	Range
Start range	0	End range	0
Visibility	Visible		
Dynamizations\Event			
Event name		Release	
Function list\ActivateScreen			
Screen name	H2-Jenis Proses	Object number	0
Rectangle_4			
Type	Rectangle		

Totally Integrated Automation Portal			
Appearance			
Background color	255, 251, 255	Background fill pattern	Solid
Border width	1	Line style	Solid
Border color	41, 20, 107		
Layout			
X position	16	Y position	48
Width	37	Height	67
Round corner width	0	Round corner height	0
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Rectangle_4	Layer	0 - Layer_0
Dynamizations\Appearance			
Tag - Cycle	Tank 5 -	Data type	Range
Range	0..0	Foreground color	40, 22, 111
Background color	250, 250, 250	Flashing	No
Range	1..1	Foreground color	40, 22, 111
Background color	206, 28, 24	Flashing	No
Text field_2			
Type	Text field		
General			
Text	HGR		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	22	Y position	125
Width	29	Height	17
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 11px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_2	Layer	0 - Layer_0
Text field_3			
Type	Text field		
General			
Text	PROSES		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent

Totally Integrated Automation Portal			
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	72	Y position	125
Width	48	Height	17
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 11px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_3	Layer	0 - Layer_0
Text field_5			
Type	Text field		
General			
Text	NP		
Appearance			
Background color	255, 255, 255	Background fill pat- tern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	146	Y position	125
Width	19	Height	17
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 11px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_5	Layer	0 - Layer_0
Text field_12			
Type	Text field		
General			
Text	ELAP		

Totally Integrated Automation Portal			
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	188	Y position	125
Width	32	Height	17
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 11px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_12	Layer	0 - Layer_0
Text field_13			
Type	Text field		
General			
Text	SET		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	242	Y position	125
Width	25	Height	17
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 11px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_13	Layer	0 - Layer_0
Rectangle_1			
Type	Rectangle		

Totally Integrated Automation Portal		
Appearance		
Background color	255, 251, 255	Background fill pat- tern
Border width	1	Line style
Border color	41, 20, 107	Solid
Layout		
X position	56	Y position
Width	37	Height
Round corner width	0	Round corner height
Styles/Designs		
Use style/design	Disabled	Style item appear- ance
Miscellaneous		
Name	Rectangle_1	Layer
Dynamizations\Appearance		
Tag - Cycle	Tank 4 -	Data type
Range	0..0	Foreground color
Background color	250, 250, 250	Flashing
Range	1..1	Foreground color
Background color	206, 28, 24	Flashing
Rectangle_2		
Type	Rectangle	
Appearance		
Background color	255, 251, 255	Background fill pat- tern
Border width	1	Line style
Border color	41, 20, 107	Solid
Layout		
X position	96	Y position
Width	37	Height
Round corner width	0	Round corner height
Styles/Designs		
Use style/design	Disabled	Style item appear- ance
Miscellaneous		
Name	Rectangle_2	Layer
Dynamizations\Appearance		
Tag - Cycle	Tank 3 -	Data type
Range	0..0	Foreground color
Background color	250, 250, 250	Flashing
Range	1..1	Foreground color
Background color	206, 28, 24	Flashing
Rectangle_3		
Type	Rectangle	
Appearance		
Background color	255, 251, 255	Background fill pat- tern
Border width	1	Line style
Border color	41, 20, 107	Solid
Layout		
X position	136	Y position
Width	37	Height
Round corner width	0	Round corner height

Totally Integrated Automation Portal		
Styles/Designs		
Use style/design	Disabled	Style item appear- ance
Miscellaneous		
Name	Rectangle_3	Layer
Dynamizations\Appearance		
Tag - Cycle	Tank 2 -	Data type
Range	0..0	Foreground color
Background color	250, 250, 250	Flashing
Range	1..1	Foreground color
Background color	206, 28, 24	Flashing
Rectangle_5		
Type	Rectangle	
Appearance		
Background color	255, 251, 255	Background fill pat- tern
Border width	1	Line style
Border color	41, 20, 107	
Layout		
X position	176	Y position
Width	37	Height
Round corner width	0	Round corner height
Styles/Designs		
Use style/design	Disabled	Style item appear- ance
Miscellaneous		
Name	Rectangle_5	Layer
Dynamizations\Appearance		
Tag - Cycle	Tank 1 -	Data type
Range	0..0	Foreground color
Background color	250, 250, 250	Flashing
Range	1..1	Foreground color
Background color	206, 28, 24	Flashing
Rectangle_6		
Type	Rectangle	
Appearance		
Background color	255, 251, 255	Background fill pat- tern
Border width	1	Line style
Border color	41, 20, 107	
Layout		
X position	256	Y position
Width	37	Height
Round corner width	0	Round corner height
Styles/Designs		
Use style/design	Disabled	Style item appear- ance
Miscellaneous		
Name	Rectangle_6	Layer
Dynamizations\Appearance		
Tag - Cycle	ST1 -	Data type
Range	0..0	Foreground color
Background color	250, 250, 250	Flashing
Range	1..1	Foreground color
Background color	206, 28, 24	Flashing

Totally Integrated Automation Portal		
Rectangle_7		
Type	Rectangle	
Appearance		
Background color	255, 251, 255	Background fill pat- tern
Border width	1	Line style
Border color	41, 20, 107	Solid
Layout		
X position	296	Y position
Width	37	Height
Round corner width	0	Round corner height
Styles/Designs		
Use style/design	Disabled	Style item appear- ance
Miscellaneous		
Name	Rectangle_7	Layer
Dynamizations\Appearance		
Tag - Cycle	ST2 -	Data type
Range	0..0	Foreground color
Background color	250, 250, 250	Flashing
Range	1..1	Foreground color
Background color	206, 28, 24	Flashing
Graphic view_1		
Type	Graphic view	
General		
Graphic	H1	
Appearance		
Background color	173, 174, 181	Background fill pat- tern
Border width	0	Line style
Border color	0, 0, 0	Solid
Layout		
X position	248	Y position
Width	54	Height
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size
Fit object to contents	Disabled	Stretch graphic
Miscellaneous		
Name	Graphic view_1	Layer
Dynamizations\Visibility		
Tag - Cycle	H1_hanger position -	Data type
Start range	3	End range
Visibility	Visible	3
Graphic view_2		
Type	Graphic view	
General		
Graphic	H1	
Appearance		
Background color	173, 174, 181	Background fill pat- tern
Border width	0	Line style
Border color	0, 0, 0	Solid
Layout		
X position	288	Y position
		64

Totally Integrated Automation Portal			
Width	54	Height	37
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_2	Layer	1 - Logo H1
Dynamizations\Visibility			
Tag - Cycle	H1_hanger position -	Data type	Range
Start range	2	End range	2
Visibility	Visible		
Graphic view_3			
Type	Graphic view		
General			
Graphic	H1		
Appearance			
Background color	173, 174, 181	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	168	Y position	64
Width	54	Height	37
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_3	Layer	1 - Logo H1
Dynamizations\Visibility			
Tag - Cycle	H1_hanger position -	Data type	Range
Start range	4	End range	4
Visibility	Visible		
Graphic view_4			
Type	Graphic view		
General			
Graphic	H1		
Appearance			
Background color	173, 174, 181	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	128	Y position	64
Width	54	Height	37
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_4	Layer	1 - Logo H1
Dynamizations\Visibility			
Tag - Cycle	H1_hanger position -	Data type	Range
Start range	5	End range	5
Visibility	Visible		
Graphic view_5			
Type	Graphic view		

Totally Integrated Automation Portal		
General		
Graphic	H1	
Appearance		
Background color	173, 174, 181	Background fill pattern
Border width	0	Line style
Border color	0, 0, 0	Transparent
Layout		
X position	88	Y position
Width	54	Height
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size
Fit object to contents	Disabled	Stretch graphic
Miscellaneous		
Name	Graphic view_5	Layer
Dynamizations\Visibility		
Tag - Cycle	H1_hanger position -	Data type
Start range	6	End range
Visibility	Visible	Range
Graphic view_6		
Type	Graphic view	
General		
Graphic	H1	
Appearance		
Background color	173, 174, 181	Background fill pattern
Border width	0	Line style
Border color	0, 0, 0	Transparent
Layout		
X position	48	Y position
Width	54	Height
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size
Fit object to contents	Disabled	Stretch graphic
Miscellaneous		
Name	Graphic view_6	Layer
Dynamizations\Visibility		
Tag - Cycle	H1_hanger position -	Data type
Start range	7	End range
Visibility	Visible	Range
Graphic view_7		
Type	Graphic view	
General		
Graphic	H1	
Appearance		
Background color	173, 174, 181	Background fill pattern
Border width	0	Line style
Border color	0, 0, 0	Transparent
Layout		
X position	8	Y position
Width	54	Height
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size
Fit object to contents	Disabled	Stretch graphic

Totally Integrated Automation Portal			
Miscellaneous			
Name	Graphic view_7	Layer	1 - Logo H1
Dynamizations\Visibility			
Tag - Cycle	H1_hanger position -	Data type	Range
Start range	8	End range	8
Visibility	Visible		
Graphic view_8			
Type	Graphic view		
General			
Graphic	H2		
Appearance			
Background color	173, 174, 181	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	288	Y position	64
Width	54	Height	37
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_8	Layer	2 - Logo H2
Dynamizations\Visibility			
Tag - Cycle	H2_hanger position -	Data type	Range
Start range	2	End range	2
Visibility	Visible		
Graphic view_9			
Type	Graphic view		
General			
Graphic	H2		
Appearance			
Background color	173, 174, 181	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	248	Y position	64
Width	54	Height	37
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_9	Layer	2 - Logo H2
Dynamizations\Visibility			
Tag - Cycle	H2_hanger position -	Data type	Range
Start range	3	End range	3
Visibility	Visible		
Graphic view_10			
Type	Graphic view		
General			
Graphic	H2		

Totally Integrated Automation Portal			
Appearance			
Background color	173, 174, 181	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	168	Y position	64
Width	54	Height	37
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_10	Layer	2 - Logo H2
Dynamizations\Visibility			
Tag - Cycle	H2_hanger position -	Data type	Range
Start range	4	End range	4
Visibility	Visible		
Graphic view_11			
Type	Graphic view		
General			
Graphic	H2		
Appearance			
Background color	173, 174, 181	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	128	Y position	64
Width	54	Height	37
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_11	Layer	2 - Logo H2
Dynamizations\Visibility			
Tag - Cycle	H2_hanger position -	Data type	Range
Start range	5	End range	5
Visibility	Visible		
Graphic view_12			
Type	Graphic view		
General			
Graphic	H2		
Appearance			
Background color	173, 174, 181	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	88	Y position	64
Width	54	Height	37
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_12	Layer	2 - Logo H2

Totally Integrated Automation Portal			
Dynamizations\Visibility			
Tag - Cycle	H2_hanger position -	Data type	Range
Start range	6	End range	6
Visibility	Visible		
Graphic view_13			
Type	Graphic view		
General			
Graphic	H2		
Appearance			
Background color	173, 174, 181	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	48	Y position	64
Width	54	Height	37
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_13	Layer	2 - Logo H2
Dynamizations\Visibility			
Tag - Cycle	H2_hanger position -	Data type	Range
Start range	7	End range	7
Visibility	Visible		
Graphic view_14			
Type	Graphic view		
General			
Graphic	H2		
Appearance			
Background color	173, 174, 181	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	8	Y position	64
Width	54	Height	37
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_14	Layer	2 - Logo H2
Dynamizations\Visibility			
Tag - Cycle	H2_hanger position -	Data type	Range
Start range	8	End range	8
Visibility	Visible		
Rectangle_8			
Type	Rectangle		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Border width	0	Line style	Solid
Border color	24, 28, 49		

Totally Integrated Automation Portal			
Layout			
X position	16	Y position	144
Width	336	Height	64
Round corner width	3	Round corner height	3
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Rectangle_8	Layer	0 - Layer_0
Graphic view_15			
Type	Graphic view		
General			
Graphic	H1-BIRU		
Appearance			
Background color	173, 174, 181	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	16	Y position	144
Width	47	Height	34
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_15	Layer	0 - Layer_0
Graphic view_16			
Type	Graphic view		
General			
Graphic	H2-BIRU		
Appearance			
Background color	173, 174, 181	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	16	Y position	174
Width	47	Height	34
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_16	Layer	0 - Layer_0
Symbolic I/O field_2			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Output	Value status ON	1
Text OFF	0	Text ON	1
Text list	List Proses	Number of visible items	3
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid

Totally Integrated Automation Portal			
Corner radius (border)	3	Foreground color	49, 52, 74
Border width	1	Line style	Solid
Border color	41, 20, 107	Border background color	255, 251, 255
Design			
Foreground color of selection	255, 255, 255	Background color of selection	0, 0, 0
Alternative color	231, 231, 239		
Layout			
X position	72	Y position	179
Width	56	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Disabled
Show selection field	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_2	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Proses
Symbolic I/O field_4			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Output	Value status ON	1
Text OFF	0	Text ON	1
Text list	List Nomor Proses	Number of visible items	3
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	1	Line style	Solid
Border color	41, 20, 107	Border background color	99, 101, 115
Design			
Foreground color of selection	255, 255, 255	Background color of selection	0, 0, 0
Alternative color	231, 231, 239		
Layout			
X position	138	Y position	179
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Disabled

Totally Integrated Automation Portal			
Show selection field Disabled			
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_4	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Nomor Proses
Graphic view_18			
Type	Graphic view		
General			
Graphic	CRANE		
Appearance			
Background color	173, 174, 181	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	287	Y position	148
Width	29	Height	28
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_18	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	hanger selected -	Data type	Range
Start range	1	End range	1
Visibility	Visible		
Dynamizations\Appearance			
Tag - Cycle	hanger selected -	Data type	Range
Range	2..2	Foreground color	247, 243, 247
Background color	247, 243, 247	Flashing	Yes
Graphic view_17			
Type	Graphic view		
General			
Graphic	CRANE		
Appearance			
Background color	173, 174, 181	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	287	Y position	178
Width	29	Height	28

Totally Integrated Automation Portal			
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_17	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	hanger selected -	Data type	Range
Start range	2	End range	2
Visibility	Visible		
Dynamizations\Appearance			
Tag - Cycle	hanger selected -	Data type	Range
Range	1..1	Foreground color	247, 243, 247
Background color	247, 243, 247	Flashing	Yes
ELAP 1			
Type	I/O field		
General			
Process value		Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	s99		
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	186	Y position	150
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	ELAP 1	Layer	3 - H1 timer
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Timer 1
Dynamizations\Visibility			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Start range	1	End range	1

Totally Integrated Automation Portal			
Visibility	Visible		
SET 1			
Type	I/O field		
General			
Process value			
Display format	Decimal		
Field length	2		
Format pattern	s99		
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	236	Y position	150
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	SET 1	Layer	3 - H1 timer
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 1
Dynamizations\Visibility			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Start range	1	End range	1
Visibility	Visible		
SET 2			
Type	I/O field		
General			
Process value			
Display format	Decimal		
Field length	2		
Format pattern	s99		

Totally Integrated Automation Portal			
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	236	Y position	150
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	SET 2	Layer	3 - H1 timer
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 2
Dynamizations\Visibility			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Start range	2	End range	2
Visibility	Visible		
ELAP 2			
Type	I/O field		
General			
Process value		Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	s99		
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	186	Y position	150

Totally Integrated Automation Portal			
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	ELAP 2	Layer	3 - H1 timer
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Timer 2
Dynamizations\Visibility			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Start range	2	End range	2
Visibility	Visible		
SET 3			
Type	I/O field		
General			
Process value		Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	s99		
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	236	Y position	152
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41

Totally Integrated Automation Portal			
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	SET 3	Layer	3 - H1 timer
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 3
Dynamizations\Visibility			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Start range	3	End range	3
Visibility	Visible		
ELAP 3			
Type	I/O field		
General			
Process value		Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	s99		
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	186	Y position	152
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	ELAP 3	Layer	3 - H1 timer
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Timer 3

Totally Integrated Automation Portal		
--------------------------------------	--	--

Dynamizations\Visibility

Tag - Cycle	H1_Nomor Proses -
Start range	3
Visibility	Visible

Data type	Range
End range	3

SET 4

Type	I/O field
------	-----------

General

Process value		Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	s99		

Appearance

Background color	255, 255, 255	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		

Characteristics

Hidden input	Disabled
--------------	----------

Layout

X position	236	Y position	151
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		

Text format

Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		

Limits

Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
-------------------------------	-------------	------------------------------	--------------

Styles/Designs

Use style/design	Disabled	Style item appearance	
------------------	----------	-----------------------	--

Miscellaneous

Name	SET 4	Layer	3 - H1 timer
------	-------	-------	--------------

Tooltip

Security

Authorization		Allow operator control	Enabled
---------------	--	------------------------	---------

Dynamizations\Tag connection

Property name	Process value	Tag	H1_Setpoint 4
---------------	---------------	-----	---------------

Dynamizations\Visibility

Tag - Cycle	H1_Nomor Proses -
Start range	4
Visibility	Visible

Data type	Range
End range	4

ELAP 4

Type	I/O field
------	-----------

General

Process value		Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled

Totally Integrated Automation Portal			
Format pattern s99			
Appearance			
Background color	255, 255, 255	Background fill pat- tern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	186	Y position	151
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	ELAP 4	Layer	3 - H1 timer
Tooltip			
Security			
Authorization		Allow operator con- trol	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Timer 4
Dynamizations\Visibility			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Start range	4	End range	4
Visibility	Visible		
SET 5			
Type	I/O field		
General			
Process value		Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	s99		
Appearance			
Background color	255, 255, 255	Background fill pat- tern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		

Totally Integrated Automation Portal			
Layout			
X position	236	Y position	150
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	SET 5	Layer	3 - H1 timer
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 5
Dynamizations\Visibility			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Start range	5	End range	5
Visibility	Visible		
ELAP 5			
Type	I/O field		
General			
Process value		Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	s99		
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	186	Y position	151
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		

Totally Integrated Automation Portal			
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	ELAP 5	Layer	3 - H1 timer
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Timer 5
Dynamizations\Visibility			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Start range	5	End range	5
Visibility	Visible		
SET 6			
Type	I/O field		
General			
Process value		Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	s99		
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	236	Y position	150
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	SET 6	Layer	3 - H1 timer
Tooltip			
Security			
Authorization		Allow operator control	Enabled

Totally Integrated Automation Portal			
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 6
Dynamizations\Visibility			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Start range	6	End range	6
Visibility	Visible		
ELAP 6			
Type	I/O field		
General			
Process value		Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	s99		
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	186	Y position	150
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	ELAP 6	Layer	3 - H1 timer
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Timer 6
Dynamizations\Visibility			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Start range	2	End range	2
Visibility	Visible		
SET 1_1			
Type	I/O field		
General			
Process value		Mode	Output

Totally Integrated Automation Portal			
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	s99		
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	236	Y position	179
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	SET 1_1	Layer	4 - H2 timer
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 1
Dynamizations\Visibility			
Tag - Cycle	H2_Nomor Proses -	Data type	Range
Start range	1	End range	1
Visibility	Visible		
ELAP 1_1			
Type	I/O field		
General			
Process value		Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	s99		
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		

Totally Integrated Automation Portal			
Characteristics			
Hidden input	Disabled		
Layout			
X position	186	Y position	179
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	ELAP 1_1	Layer	4 - H2 timer
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Timer 1
Dynamizations\Visibility			
Tag - Cycle	H2_Nomor Proses -	Data type	Range
Start range	1	End range	1
Visibility	Visible		

SET 2_1

Type	I/O field		
General			
Process value		Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	s99		
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	236	Y position	179
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		

Totally Integrated Automation Portal			
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	SET 2_1	Layer	4 - H2 timer
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 2
Dynamizations\Visibility			
Tag - Cycle	H2_Nomor Proses -	Data type	Range
Start range	2	End range	2
Visibility	Visible		
ELAP 2_1			
Type	I/O field		
General			
Process value		Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	s99		
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	186	Y position	179
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	ELAP 2_1	Layer	4 - H2 timer
Tooltip			
Security			
Authorization		Allow operator control	Enabled

Totally Integrated Automation Portal			
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Timer 2
Dynamizations\Visibility			
Tag - Cycle	H2_Nomor Proses -	Data type	Range
Start range	2	End range	2
Visibility	Visible		
SET 3_1			
Type	I/O field		
General			
Process value		Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	s99		
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	236	Y position	181
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	SET 3_1	Layer	4 - H2 timer
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 3
Dynamizations\Visibility			
Tag - Cycle	H2_Nomor Proses -	Data type	Range
Start range	3	End range	3
Visibility	Visible		
ELAP 3_1			
Type	I/O field		
General			
Process value		Mode	Output

Totally Integrated Automation Portal			
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	s99		
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	186	Y position	181
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	ELAP 3_1	Layer	4 - H2 timer
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Timer 3
Dynamizations\Visibility			
Tag - Cycle	H2_Nomor Proses -	Data type	Range
Start range	3	End range	3
Visibility	Visible		
SET 4_1			
Type	I/O field		
General			
Process value		Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	s99		
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		

Totally Integrated Automation Portal			
Characteristics			
Hidden input	Disabled		
Layout			
X position	236	Y position	180
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	SET 4_1	Layer	4 - H2 timer
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 4
Dynamizations\Visibility			
Tag - Cycle	H2_Nomor Proses -	Data type	Range
Start range	4	End range	4
Visibility	Visible		

ELAP 4_1

Type	I/O field		
General			
Process value		Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	s99		
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	186	Y position	180
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		

Totally Integrated Automation Portal			
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	ELAP 4_1	Layer	4 - H2 timer
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Timer 4
Dynamizations\Visibility			
Tag - Cycle	H2_Nomor Proses -	Data type	Range
Start range	4	End range	4
Visibility	Visible		
SET 5_1			
Type	I/O field		
General			
Process value		Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	s99		
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	236	Y position	179
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	SET 5_1	Layer	4 - H2 timer
Tooltip			
Security			
Authorization		Allow operator control	Enabled

Totally Integrated Automation Portal		
--------------------------------------	--	--

Dynamizations\Tag connection

Property name	Process value	Tag	H2_Setpoint 5
---------------	---------------	-----	---------------

Dynamizations\Visibility

Tag - Cycle	H2_Nomor Proses -	Data type	Range
Start range	5	End range	5
Visibility	Visible		

ELAP 5_1

Type	I/O field
------	-----------

General

Process value		Mode	Output
---------------	--	------	--------

Display format	Decimal	Shift decimal point	0
----------------	---------	---------------------	---

Field length	2	Show leading zeros	Disabled
--------------	---	--------------------	----------

Format pattern	s99
----------------	-----

Appearance

Background color	255, 255, 255	Background fill pattern	Solid
------------------	---------------	-------------------------	-------

Corner radius	3	Foreground color	41, 20, 107
---------------	---	------------------	-------------

Unit		Border width	1
------	--	--------------	---

Line style	Solid	Border color	41, 20, 107
------------	-------	--------------	-------------

Border background color	99, 101, 115
-------------------------	--------------

Characteristics

Hidden input	Disabled
--------------	----------

Layout

X position	186	Y position	180
------------	-----	------------	-----

Width	40	Height	24
-------	----	--------	----

Left margin	3	Top margin	2
-------------	---	------------	---

Right margin	2	Bottom margin	2
--------------	---	---------------	---

Fit object to contents	Disabled
------------------------	----------

Text format

Font	Tahoma, 13px	Orientation	Horizontal
------	--------------	-------------	------------

Horizontal alignment	Left	Vertical alignment	Middle
----------------------	------	--------------------	--------

Line break	Disabled
------------	----------

Limits

Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
-------------------------------	-------------	------------------------------	--------------

Styles/Designs

Use style/design	Disabled	Style item appearance	
------------------	----------	-----------------------	--

Miscellaneous

Name	ELAP 5_1	Layer	4 - H2 timer
------	----------	-------	--------------

Tooltip

Security

Authorization		Allow operator control	Enabled
---------------	--	------------------------	---------

Dynamizations\Tag connection

Property name	Process value	Tag	H2_Timer 5
---------------	---------------	-----	------------

Dynamizations\Visibility

Tag - Cycle	H2_Nomor Proses -	Data type	Range
Start range	5	End range	5
Visibility	Visible		

SET 6_1

Type	I/O field
------	-----------

General

Process value		Mode	Output
---------------	--	------	--------

Totally Integrated Automation Portal			
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	s99		
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	236	Y position	179
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	SET 6_1	Layer	4 - H2 timer
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 6
Dynamizations\Visibility			
Tag - Cycle	H2_Nomor Proses -	Data type	Range
Start range	6	End range	6
Visibility	Visible		
ELAP 6_1			
Type	I/O field		
General			
Process value		Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	s99		
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	1
Line style	Solid	Border color	41, 20, 107
Border background color	99, 101, 115		

Totally Integrated Automation Portal			
Characteristics			
Hidden input	Disabled		
Layout			
X position	186	Y position	179
Width	40	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	ELAP 6_1	Layer	4 - H2 timer
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Timer 6
Dynamizations\Visibility			
Tag - Cycle	H2_Nomor Proses -	Data type	Range
Start range	2	End range	2
Visibility	Visible		
Text field_14			
Type	Text field		
General			
Text	R		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	24, 154, 57
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	330	Y position	150
Width	17	Height	25
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 17px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	

Totally Integrated Automation Portal			
Miscellaneous			
Name	Text field_14	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_HMI Ready -	Data type	Range
Start range	1	End range	1
Visibility	Visible		
Text field_15			
Type	Text field		
General			
Text	R		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	24, 154, 57
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	330	Y position	176
Width	17	Height	25
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 17px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_15	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H2_HMI Ready -	Data type	Range
Start range	1	End range	1
Visibility	Visible		
R1			
Type	Button		
General			
Mode	Graphic	Hotkey	None
Text OFF		Text ON	Text
Text list		Graphic OFF	resetH1
Graphic ON		Graphic list	
Process value		Bit number	0
Appearance			
Background color	99, 101, 115	Background fill pattern	Vertical gradient
Corner radius (border)	3	Foreground color	255, 255, 255
Border width	0	Line style	Solid
Border color	66, 73, 82	Border background color	107, 105, 107

Totally Integrated Automation Portal			
Fill pattern			
Background color gradient (fill pattern)	99, 101, 115	Gradient 1 (fill pattern)	Enabled
Color gradient 1 (fill pattern)	132, 134, 140	Offset gradient 1 (fill pattern)	15
Gradient 2 (fill pattern)	Enabled	Color gradient 2 (fill pattern)	90, 89, 99
Offset gradient 2 (fill pattern)	15		
Design			
Focus width	2	Focus color	148, 182, 231
Layout			
X position	368	Y position	48
Width	96	Height	64
Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic	Centered
Vertical alignment of the graphic	Middle	Fit object to contents	Disabled
Margin left text (layout)	0	Margin top text (layout)	0
Margin right text (layout)	0	Margin bottom text (layout)	0
Margin left graphic (layout)	0	Margin top graphic (layout)	0
Margin right graphic (layout)	0	Margin bottom graphic (layout)	0
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment of the text	Centered	Vertical alignment of the text	Middle
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	R1	Layer	5 - Button
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Event			
Event name	Release		
Function list\ActivateScreen			
Screen name	H1 Konfirmasi Reset	Object number	0
Dynamizations\Visibility			
Tag - Cycle	H1_HMI Ready -	Data type	Range
Start range	1	End range	1
Visibility	Visible		
Group			
Type	Group		
Layout			
X position	380	Y position	192
Width	69	Height	21
Miscellaneous			
Name	Group	Layer	0 - Layer_0

Totally Integrated Automation Portal			
R1_1			
Type	Button		
General			
Mode	Graphic	Hotkey	None
Text OFF		Text ON	Text
Text list		Graphic OFF	resetH2
Graphic ON		Graphic list	
Process value		Bit number	0
Appearance			
Background color	99, 101, 115	Background fill pattern	Vertical gradient
Corner radius (border)	3	Foreground color	255, 255, 255
Border width	0	Line style	Solid
Border color	66, 73, 82	Border background color	107, 105, 107
Fill pattern			
Background color gradient (fill pattern)	99, 101, 115	Gradient 1 (fill pattern)	Enabled
Color gradient 1 (fill pattern)	132, 134, 140	Offset gradient 1 (fill pattern)	15
Gradient 2 (fill pattern)	Enabled	Color gradient 2 (fill pattern)	90, 89, 99
Offset gradient 2 (fill pattern)	15		
Design			
Focus width	2	Focus color	148, 182, 231
Layout			
X position	368	Y position	120
Width	96	Height	64
Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic	Centered
Vertical alignment of the graphic	Middle	Fit object to contents	Disabled
Margin left text (layout)	0	Margin top text (layout)	0
Margin right text (layout)	0	Margin bottom text (layout)	0
Margin left graphic (layout)	0	Margin top graphic (layout)	0
Margin right graphic (layout)	0	Margin bottom graphic (layout)	0
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment of the text	Centered	Vertical alignment of the text	Middle
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	R1_1	Layer	5 - Button
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Event			
Event name	Release		

Totally Integrated Automation Portal			
Function list\ActivateScreen			
Screen name	H2 Konfirmasi Reset	Object number	0
Dynamizations\Visibility			
Tag - Cycle	H2_HMI Ready -	Data type	Range
Start range	1	End range	1
Visibility	Visible		
R1_2			
Type	Button		
General			
Mode	Graphic	Hotkey	None
Text OFF		Text ON	Text
Text list		Graphic OFF	finalH1
Graphic ON		Graphic list	
Process value		Bit number	0
Appearance			
Background color	99, 101, 115	Background fill pattern	Vertical gradient
Corner radius (border)	3	Foreground color	255, 255, 255
Border width	0	Line style	Solid
Border color	66, 73, 82	Border background color	107, 105, 107
Fill pattern			
Background color gradient (fill pattern)	99, 101, 115	Gradient 1 (fill pattern)	Enabled
Color gradient 1 (fill pattern)	132, 134, 140	Offset gradient 1 (fill pattern)	15
Gradient 2 (fill pattern)	Enabled	Color gradient 2 (fill pattern)	90, 89, 99
Offset gradient 2 (fill pattern)	15		
Design			
Focus width	2	Focus color	148, 182, 231
Layout			
X position	368	Y position	48
Width	96	Height	64
Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic	Centered
Vertical alignment of the graphic	Middle	Fit object to contents	Disabled
Margin left text (layout)	0	Margin top text (layout)	0
Margin right text (layout)	0	Margin bottom text (layout)	0
Margin left graphic (layout)	0	Margin top graphic (layout)	0
Margin right graphic (layout)	0	Margin bottom graphic (layout)	0
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment of the text	Centered	Vertical alignment of the text	Middle
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	R1_2	Layer	5 - Button

Totally Integrated Automation Portal			
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Event			
Event name	Release		
Function list\ActivateScreen			
Screen name	H1 Selesaikan Proses	Object number	0
Dynamizations\Visibility			
Tag - Cycle	H1_Finish Process -	Data type	Range
Start range	1	End range	1
Visibility	Visible		
R1_3			
Type	Button		
General			
Mode	Graphic	Hotkey	None
Text OFF		Text ON	Text
Text list		Graphic OFF	finalH2
Graphic ON		Graphic list	
Process value		Bit number	0
Appearance			
Background color	99, 101, 115	Background fill pattern	Vertical gradient
Corner radius (border)	3	Foreground color	255, 255, 255
Border width	0	Line style	Solid
Border color	66, 73, 82	Border background color	107, 105, 107
Fill pattern			
Background color gradient (fill pattern)	99, 101, 115	Gradient 1 (fill pattern)	Enabled
Color gradient 1 (fill pattern)	132, 134, 140	Offset gradient 1 (fill pattern)	15
Gradient 2 (fill pattern)	Enabled	Color gradient 2 (fill pattern)	90, 89, 99
Offset gradient 2 (fill pattern)	15		
Design			
Focus width	2	Focus color	148, 182, 231
Layout			
X position	368	Y position	120
Width	96	Height	64
Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic	Centered
Vertical alignment of the graphic	Middle	Fit object to contents	Disabled
Margin left text (layout)	0	Margin top text (layout)	0
Margin right text (layout)	0	Margin bottom text (layout)	0
Margin left graphic (layout)	0	Margin top graphic (layout)	0
Margin right graphic (layout)	0	Margin bottom graphic (layout)	0
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal

Totally Integrated Automation Portal			
Horizontal alignment of the text	Centered	Vertical alignment of the text	Middle
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	R1_3	Layer	5 - Button
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Event			
Event name	Release		
Function list\ActivateScreen			
Screen name	H2 Selesaikan Proses	Object number	0
Dynamizations\Visibility			
Tag - Cycle	H2_Finish Process -	Data type	Range
Start range	1	End range	1
Visibility	Visible		
Button_5			
Type	Button		
General			
Mode	Text	Hotkey	None
Text OFF	SYSTEM ERROR CLICK TO RESOLVE	Text ON	Text
Text list		Graphic OFF	
Graphic ON		Graphic list	
Process value		Bit number	0
Appearance			
Background color	206, 28, 24	Background fill pattern	Solid
Corner radius (border)	3	Foreground color	255, 255, 255
Border width	0	Line style	Solid
Border color	66, 73, 82	Border background color	107, 105, 107
Fill pattern			
Background color gradient (fill pattern)	99, 101, 115	Gradient 1 (fill pattern)	Enabled
Color gradient 1 (fill pattern)	132, 134, 140	Offset gradient 1 (fill pattern)	15
Gradient 2 (fill pattern)	Enabled	Color gradient 2 (fill pattern)	90, 89, 99
Offset gradient 2 (fill pattern)	15		
Design			
Focus width	2	Focus color	148, 182, 231
Layout			
X position	8	Y position	64
Width	456	Height	152
Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic	Centered
Vertical alignment of the graphic	Middle	Fit object to contents	Disabled
Margin left text (layout)	0	Margin top text (layout)	0


Totally Integrated Automation Portal			
Margin right text (lay- out)	0	Margin bottom text (layout)	0
Margin left graphic (layout)	0	Margin top graphic (layout)	0
Margin right graphic (layout)	0	Margin bottom graph- ic (layout)	0
Text format			
Font	Tahoma, 25px, style=Bold	Orientation	Horizontal
Horizontal alignment of the text	Centered	Vertical alignment of the text	Middle
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Button_5	Layer	6 - Layer_6
Tooltip			
Security			
Authorization		Allow operator con- trol	Enabled
Dynamizations\Event			
Event name	Release		
Function list\ActivateScreen			
Screen name	7 - System Error	Object number	0
Dynamizations\Visibility			
Tag - Cycle	System Error -	Data type	Range
Start range	1	End range	1
Visibility	Visible		

Totally Integrated Automation Portal		
---	--	--

HMI_1 [KTP400 Basic PN] / Screens

4 - Batalkan Otomatis

Hardcopy of 4 - Batalkan Otomatis



General			
Name	4 - Batalkan Otomatis	Background color	255, 255, 255
Grid color	255, 255, 255	Number	6
Template	Background	Tooltip	
Layers			
Active layer	0		
Layer_0		Enabled	
Layer_1		Enabled	
Layer_2		Enabled	
Layer_3		Enabled	
Layer_4		Enabled	
Layer_5		Enabled	
Layer_6		Enabled	
Layer_7		Enabled	
Layer_8		Enabled	
Layer_9		Enabled	
Layer_10		Enabled	
Layer_11		Enabled	
Layer_12		Enabled	
Layer_13		Enabled	
Layer_14		Enabled	
Layer_15		Enabled	
Layer_16		Enabled	
Layer_17		Enabled	
Layer_18		Enabled	
Layer_19		Enabled	
Layer_20		Enabled	
Layer_21		Enabled	
Layer_22		Enabled	

Totally Integrated Automation Portal		
Layer_23	Enabled	
Layer_24	Enabled	
Layer_25	Enabled	
Layer_26	Enabled	
Layer_27	Enabled	
Layer_28	Enabled	
Layer_29	Enabled	
Layer_30	Enabled	
Layer_31	Enabled	
Text field_1		
Type	Text field	
General		
Text	KONFIRMASI PEMBATALAN KENDALI OTOMATIS	
Appearance		
Background color	255, 255, 255	Background fill pattern
Corner radius (border)	3	Foreground color
Border width	0	Line style
Border color	66, 73, 82	Border background color
Layout		
X position	96	Y position
Width	284	Height
Left margin	3	Top margin
Right margin	2	Bottom margin
Fit object to contents	Enabled	
Text format		
Font	Tahoma, 20px, style=Bold	Orientation
Horizontal alignment	Centered	Vertical alignment
Line break	Disabled	
Flashing		
Flashing	Disabled	
Styles/Designs		
Use style/design	Disabled	Style item appearance
Miscellaneous		
Name	Text field_1	Layer
0 - Layer_0		
Softkey_F1		
Type	Function key	
General		
Key code	220	Global assignment
Graphic	Cancel	Authorization
LED tag		Bit in the LED tag
Dynamizations\Event		
Event name	Press key	
Function list\ActivateScreen		
Screen name	3 - Dashboard Otomatis	Object number
0		
Softkey_F4		
Type	Function key	

Totally Integrated Automation Portal			
General			
Key code	223	Global assignment	Disabled
Graphic	CONFIRM	Authorization	
LED tag		Bit in the LED tag	0
Dynamizations\Event			
Event name	Press key		
Function list\ResetBit			
Tag	Mode Otomatis		
Function list\ActivateScreen			
Screen name	1 - Root screen	Object number	0
Softkey_F3			
Type	Function key		
General			
Key code	222	Global assignment	Enabled
Graphic		Authorization	
LED tag		Bit in the LED tag	0
Graphic view_1			
Type	Graphic view		
General			
Graphic	Warning		
Appearance			
Background color	173, 174, 181	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	192	Y position	16
Width	99	Height	83
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_1	Layer	0 - Layer_0
Text field_2			
Type	Text field		
General			
Text	MEMBATALKAN KENDALI OTOMATIS AKAN MENGHENTIKAN SELURUH PROSES OTOMATIS YANG BERLANGSUNG!		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	156, 48, 0
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	56	Y position	168
Width	374	Height	36


Totally Integrated Automation Portal			
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_2	Layer	0 - Layer_0

Totally Integrated Automation Portal		
--------------------------------------	--	--

HMI_1 [KTP400 Basic PN] / Screens

5 - Kalibrasi Posisi Hanger

Hardcopy of 5 - Kalibrasi Posisi Hanger



General			
Name	5 - Kalibrasi Posisi Hanger	Background color	255, 251, 255
Grid color	255, 251, 255	Number	9
Template	Background	Tooltip	
Layers			
Active layer	0		
Layer_0		Enabled	
Layer_1		Enabled	
Layer_2		Enabled	
Layer_3		Enabled	
Layer_4		Enabled	
Layer_5		Enabled	
Layer_6		Enabled	
Layer_7		Enabled	
Layer_8		Enabled	
Layer_9		Enabled	
Layer_10		Enabled	
Layer_11		Enabled	
Layer_12		Enabled	
Layer_13		Enabled	
Layer_14		Enabled	
Layer_15		Enabled	
Layer_16		Enabled	
Layer_17		Enabled	
Layer_18		Enabled	
Layer_19		Enabled	
Layer_20		Enabled	
Layer_21		Enabled	
Layer_22		Enabled	

Totally Integrated Automation Portal		
Layer_23	Enabled	
Layer_24	Enabled	
Layer_25	Enabled	
Layer_26	Enabled	
Layer_27	Enabled	
Layer_28	Enabled	
Layer_29	Enabled	
Layer_30	Enabled	
Layer_31	Enabled	
Graphic view_1		
Type	Graphic view	
General		
Graphic	H1-BIRU	
Appearance		
Background color	173, 174, 181	Background fill pattern
Border width	0	Line style
Border color	0, 0, 0	Solid
Layout		
X position	136	Y position
Width	69	Height
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size
Fit object to contents	Disabled	Stretch graphic
Miscellaneous		
Name	Graphic view_1	Layer
Graphic view_2		
Type	Graphic view	
General		
Graphic	H2-BIRU	
Appearance		
Background color	173, 174, 181	Background fill pattern
Border width	0	Line style
Border color	0, 0, 0	Solid
Layout		
X position	137	Y position
Width	67	Height
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size
Fit object to contents	Disabled	Stretch graphic
Miscellaneous		
Name	Graphic view_2	Layer
Text field_1		
Type	Text field	
General		
Text	Posisi sebenarnya:	
Appearance		
Background color	255, 255, 255	Background fill pattern
Corner radius (border)	3	Foreground color
Border width	0	Line style
Border color	66, 73, 82	Border background color

Totally Integrated Automation Portal			
Layout			
X position	152	Y position	56
Width	157	Height	23
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 16px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_1	Layer	0 - Layer_0
Symbolic I/O field_1			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Input/output	Value status ON	1
Text OFF	0	Text ON	1
Text list	List Posisi	Number of visible items	8
Appearance			
Background color	41, 20, 107	Background fill pattern	Solid
Corner radius (border)	3	Foreground color	255, 251, 255
Border width	0	Line style	Solid
Border color	41, 20, 107	Border background color	99, 101, 115
Design			
Foreground color of selection	255, 255, 255	Background color of selection	0, 0, 0
Alternative color	231, 231, 239		
Layout			
X position	240	Y position	88
Width	88	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Enabled
Show selection field	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_1	Layer	0 - Layer_0
Tooltip			

Totally Integrated Automation Portal		
Security		
Authorization		Allow operator control Enabled
Dynamizations\Tag connection		
Property name	Process value	Tag H1_hanger position
Symbolic I/O field_2		
Type	Symbolic I/O field	
General		
Process value	0	Bit number 0
Mode	Input/output	Value status ON 1
Text OFF	0	Text ON 1
Text list	List Posisi	Number of visible items 8
Appearance		
Background color	41, 20, 107	Background fill pattern Solid
Corner radius (border)	3	Foreground color 255, 251, 255
Border width	0	Line style Solid
Border color	41, 20, 107	Border background color 99, 101, 115
Design		
Foreground color of selection	255, 255, 255	Background color of selection 0, 0, 0
Alternative color	231, 231, 239	
Layout		
X position	240	Y position 128
Width	88	Height 32
Left margin	3	Top margin 2
Right margin	2	Bottom margin 2
Fit object to contents	Disabled	Display selection list Enabled
Show selection field	Enabled	
Text format		
Font	Tahoma, 13px, style=Bold	Orientation Horizontal
Horizontal alignment	Left	Vertical alignment Middle
Limits		
Color for High limit violated	239, 89, 99	Color for Low limit violated 247, 162, 41
Styles/Designs		
Use style/design	Disabled	Style item appearance
Miscellaneous		
Name	Symbolic I/O field_2	Layer 0 - Layer_0
Tooltip		
Security		
Authorization		Allow operator control Enabled
Dynamizations\Tag connection		
Property name	Process value	Tag H2_hanger position
Softkey_F1		
Type	Function key	
General		
Key code	220	Global assignment Disabled
Graphic	Cancel	Authorization
LED tag		Bit in the LED tag 0

Totally Integrated Automation Portal		
Dynamizations\Event		
Event name	Release key	
Function list\ActivateScreen		
Screen name	3 - Dashboard Otomatis	Object number
Softkey_F4		
Type	Function key	
General		
Key code	223	Global assignment
Graphic	CONFIRM	Authorization
LED tag		Bit in the LED tag
Dynamizations\Event		
Event name	Release key	
Function list\ActivateScreen		
Screen name	3 - Dashboard Otomatis	Object number
Text field_2		
Type	Text field	
General		
Text	Pastikan posisi hanger sesuai dengan posisi yang diinputkan.	
Appearance		
Background color	255, 255, 255	Background fill pattern
Corner radius (border)	3	Foreground color
Border width	0	Line style
Border color	66, 73, 82	Border background color
Layout		
X position	64	Y position
Width	351	Height
Left margin	3	Top margin
Right margin	2	Bottom margin
Fit object to contents	Enabled	
Text format		
Font	Tahoma, 13px	Orientation
Horizontal alignment	Left	Vertical alignment
Line break	Disabled	
Flashing		
Flashing	Disabled	
Styles/Designs		
Use style/design	Disabled	Style item appearance
Miscellaneous		
Name	Text field_2	Layer
Graphic view_3		
Type	Graphic view	
General		
Graphic	rekalibrasi-GRAY_1	
Appearance		
Background color	173, 174, 181	Background fill pattern
		Transparent

Totally Integrated Automation Portal			
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	0	Y position	0
Width	79	Height	56
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_3	Layer	0 - Layer_0

Totally Integrated Automation Portal		
---	--	--

HMI_1 [KTP400 Basic PN] / Screens

6 - Hard Reset

Hardcopy of 6 - Hard Reset



General			
Name	6 - Hard Reset	Background color	255, 251, 255
Grid color	255, 251, 255	Number	12
Template	Background	Tooltip	
Layers			
Active layer	0		
Layer_0		Enabled	
Layer_1		Enabled	
Layer_2		Enabled	
Layer_3		Enabled	
Layer_4		Enabled	
Layer_5		Enabled	
Layer_6		Enabled	
Layer_7		Enabled	
Layer_8		Enabled	
Layer_9		Enabled	
Layer_10		Enabled	
Layer_11		Enabled	
Layer_12		Enabled	
Layer_13		Enabled	
Layer_14		Enabled	
Layer_15		Enabled	
Layer_16		Enabled	
Layer_17		Enabled	
Layer_18		Enabled	
Layer_19		Enabled	
Layer_20		Enabled	
Layer_21		Enabled	
Layer_22		Enabled	

Totally Integrated Automation Portal		
Layer_23	Enabled	
Layer_24	Enabled	
Layer_25	Enabled	
Layer_26	Enabled	
Layer_27	Enabled	
Layer_28	Enabled	
Layer_29	Enabled	
Layer_30	Enabled	
Layer_31	Enabled	
Softkey_F1		
Type	Function key	
General		
Key code	220	Global assignment
Graphic	Cancel	Authorization
LED tag		Bit in the LED tag
0		
Dynamizations\Event		
Event name	Release key	
Function list\ActivateScreen		
Screen name	1 - Root screen	Object number
0		
Softkey_F4		
Type	Function key	
General		
Key code	223	Global assignment
Graphic	CONFIRM	Authorization
LED tag		Bit in the LED tag
0		
Dynamizations\Event		
Event name	Press key	
Function list\SetBit		
Tag	Hard Reset	
Dynamizations\Event		
Event name	Release key	
Function list\ResetBit		
Tag	Hard Reset	
Function list\ActivateScreen		
Screen name	1 - Root screen	Object number
0		
Text field_1		
Type	Text field	
General		
Text	KONFIRMASI RESET DB	
Appearance		
Background color	255, 255, 255	Background fill pattern
Transparent		
Corner radius (border)	3	Foreground color
0	156, 48, 0	Line style
		Double line

Totally Integrated Automation Portal			
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	117	Y position	120
Width	246	Height	28
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 20px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_1	Layer	0 - Layer_0
Graphic view_1			
Type	Graphic view		
General			
Graphic	Warning		
Appearance			
Background color	173, 174, 181	Background fill pat- tern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	191	Y position	24
Width	99	Height	83
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_1	Layer	0 - Layer_0
Text field_2			
Type	Text field		
General			
Text	Database akan dikembalikan pada state awal. Pastikan posisi hanger ada pada ST1 dan ST2.		
Appearance			
Background color	255, 255, 255	Background fill pat- tern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	90	Y position	160
Width	301	Height	36
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		


Totally Integrated Automation Portal			
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_2	Layer	0 - Layer_0

Totally Integrated Automation Portal		
---	--	--

HMI_1 [KTP400 Basic PN] / Screens

7 - System Error

Hardcopy of 7 - System Error



General			
Name	7 - System Error	Background color	255, 251, 255
Grid color	255, 251, 255	Number	10
Template	Background	Tooltip	
Layers			
Active layer	0		
Layer_0		Enabled	
Layer_1		Enabled	
Layer_2		Enabled	
Layer_3		Enabled	
Layer_4		Enabled	
Layer_5		Enabled	
Layer_6		Enabled	
Layer_7		Enabled	
Layer_8		Enabled	
Layer_9		Enabled	
Layer_10		Enabled	
Layer_11		Enabled	
Layer_12		Enabled	
Layer_13		Enabled	
Layer_14		Enabled	
Layer_15		Enabled	
Layer_16		Enabled	
Layer_17		Enabled	
Layer_18		Enabled	
Layer_19		Enabled	
Layer_20		Enabled	
Layer_21		Enabled	
Layer_22		Enabled	

Totally Integrated Automation Portal			
Layer_23	Enabled		
Layer_24	Enabled		
Layer_25	Enabled		
Layer_26	Enabled		
Layer_27	Enabled		
Layer_28	Enabled		
Layer_29	Enabled		
Layer_30	Enabled		
Layer_31	Enabled		
Dynamizations\Visibility			
Tag - Cycle	System Error -	Data type	Range
Start range	1	End range	1
Visibility	Visible		
Text field_1			
Type	Text field		
General			
Text	SISTEM KENDALI ERROR		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	156, 48, 0
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	111	Y position	118
Width	258	Height	28
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 20px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_1	Layer	0 - Layer_0
Graphic view_1			
Type	Graphic view		
General			
Graphic	Warning		
Appearance			
Background color	173, 174, 181	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	192	Y position	16
Width	99	Height	83

Totally Integrated Automation Portal			
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled	Miscellaneous	
Name	Graphic view_1	Layer	0 - Layer_0
Text field_2			
Type	Text field		
General			
Text	GANTRY CRANE HIT LIMIT SWITCH DB TELAH DIRESET - SEMUA PROSES BERHENTI KENDALIKAN SECARA MANUAL!		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	156, 48, 0
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	92	Y position	155
Width	297	Height	84
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_2	Layer	0 - Layer_0
Softkey_F4			
Type	Function key		
General			
Key code	223	Global assignment	Disabled
Graphic	CONFIRM	Authorization	
LED tag		Bit in the LED tag	0
Dynamizations\Event			
Event name	Release key		
Function list\ResetBit			
Tag	Mode Manual		
Function list\ResetBit			
Tag	Mode Otomatis		
Function list\ActivateScreen			
Screen name	1 - Root screen	Object number	0

Totally Integrated Automation Portal		
Softkey_F2		
Type	Function key	
General		
Key code	221	Global assignment
Graphic		Authorization
LED tag		Bit in the LED tag
		0

Totally Integrated Automation Portal		
--------------------------------------	--	--

HMI_1 [KTP400 Basic PN] / Screens / Hanger 1

H1 Detail

Hardcopy of H1 Detail



General			
Name	H1 Detail	Background color	255, 251, 255
Grid color	255, 251, 255	Number	17
Template	Background	Tooltip	
Layers			
Active layer	0		
Layer_0		Enabled	
Layer_1		Enabled	
Layer_2		Enabled	
Layer_3		Enabled	
Layer_4		Enabled	
Layer_5		Enabled	
Layer_6		Enabled	
Layer_7		Enabled	
Layer_8		Enabled	
Layer_9		Enabled	
Layer_10		Enabled	
Layer_11		Enabled	
Layer_12		Enabled	
Layer_13		Enabled	
Layer_14		Enabled	
Layer_15		Enabled	
Layer_16		Enabled	
Layer_17		Enabled	
Layer_18		Enabled	
Layer_19		Enabled	
Layer_20		Enabled	
Layer_21		Enabled	
Layer_22		Enabled	

Totally Integrated Automation Portal		
Layer_23	Enabled	
Layer_24	Enabled	
Layer_25	Enabled	
Layer_26	Enabled	
Layer_27	Enabled	
Layer_28	Enabled	
Layer_29	Enabled	
Layer_30	Enabled	
Layer_31	Enabled	
Graphic view_1		
Type	Graphic view	
General		
Graphic	infoH1-G	
Appearance		
Background color	173, 174, 181	Background fill pattern
Border width	0	Line style
Border color	0, 0, 0	Solid
Layout		
X position	0	Y position
Width	69	Height
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size
Fit object to contents	Disabled	Stretch graphic
Miscellaneous		
Name	Graphic view_1	Layer
Text field_2		
Type	Text field	
General		
Text	Proses	
Appearance		
Background color	255, 255, 255	Background fill pattern
Corner radius (border)	3	Foreground color
Border width	0	Line style
Border color	66, 73, 82	Border background color
Layout		
X position	16	Y position
Width	49	Height
Left margin	3	Top margin
Right margin	2	Bottom margin
Fit object to contents	Enabled	
Text format		
Font	Tahoma, 13px, style=Bold	Orientation
Horizontal alignment	Left	Vertical alignment
Line break	Disabled	
Flashing		
Flashing	Disabled	
Styles/Designs		
Use style/design	Disabled	Style item appearance
Miscellaneous		
Name	Text field_2	Layer
		0 - Layer_0

Totally Integrated Automation Portal			
Symbolic I/O field_1			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Output	Value status ON	1
Text OFF	0	Text ON	1
Text list	List Proses	Number of visible items	5
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Solid
Border color	41, 20, 107	Border background color	99, 101, 115
Design			
Foreground color of selection	255, 255, 255	Background color of selection	0, 0, 0
Alternative color	231, 231, 239		
Layout			
X position	16	Y position	71
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Disabled
Show selection field	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_1	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Proses
Text field_3			
Type	Text field		
General			
Text	Waktu		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	16	Y position	106

Totally Integrated Automation Portal			
Width	47	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_3	Layer	0 - Layer_0
Text field_5			
Type	Text field		
General			
Text	Alkaline		
Appearance			
Background color	41, 20, 107	Background fill pat- tern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	49	Y position	129
Width	49	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_5	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_2			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		

Totally Integrated Automation Portal			
Appearance			
Background color	247, 243, 247	Background fill pat- tern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	44	Y position	181
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	I/O field_2	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator con- trol	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 1
Text field_14			
Type	Text field		
General			
Text	Rinsing - 3		
Appearance			
Background color	41, 20, 107	Background fill pat- tern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	402	Y position	129
Width	66	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal

Totally Integrated Automation Portal			
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_14	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
I/O field_10			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	404	Y position	181
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_10	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 6
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5

Totally Integrated Automation Portal			
Visibility	Visible		
I/O field_4			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	332	Y position	181
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_4	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 5
Text field_11			
Type	Text field		
General			
Text	Rinsing-2		
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line

Totally Integrated Automation Portal			
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	264	Y position	129
Width	58	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_11	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_8			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pat- tern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	260	Y position	181
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	

Totally Integrated Automation Portal			
Miscellaneous			
Name	I/O field_8	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 4
Text field_10			
Type	Text field		
General			
Text	Deoxidizing		
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	185	Y position	129
Width	69	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_10	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_7			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107

Totally Integrated Automation Portal			
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	188	Y position	181
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	I/O field_7	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator con- trol	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 3
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Text field_9			
Type	Text field		
General			
Text	Rinsing-1		
Appearance			
Background color	41, 20, 107	Background fill pat- tern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	119	Y position	129
Width	58	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		

Totally Integrated Automation Portal			
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_9	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_6			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	116	Y position	181
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_6	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 2

Totally Integrated Automation Portal			
Symbolic I/O field_2			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Output	Value status ON	1
Text OFF	0	Text ON	1
Text list	List proses nomor 5	Number of visible items	3
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Design			
Foreground color of selection	255, 255, 255	Background color of selection	0, 0, 0
Alternative color	231, 231, 239		
Layout			
X position	336	Y position	127
Width	48	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Disabled
Show selection field	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_2	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Proses
Line_1			
Type	Line		
Appearance			
Line width	1	Line style	Solid
Color	41, 20, 107	Background color	255, 255, 255
Fill pattern	Transparent	Line-start style	Default
Line-end style	Arrow	Line-end shape	Flush
Layout			
X position	48	Y position	216
Width	416	Height	0
Line start X position	48	Line start Y position	216
Line end X position	464	Line end Y position	216

Totally Integrated Automation Portal		
Styles/Designs		
Use style/design	Disabled	Style item appear- ance
Miscellaneous		
Name	Line_1	Layer 0 - Layer_0
Rectangle_1		
Type	Rectangle	
Appearance		
Background color	255, 251, 255	Background fill pat- tern Solid
Border width	0	Line style Solid
Border color	24, 28, 49	
Layout		
X position	188	Y position 128
Width	136	Height 80
Round corner width	0	Round corner height 0
Styles/Designs		
Use style/design	Disabled	Style item appear- ance
Miscellaneous		
Name	Rectangle_1	Layer 0 - Layer_0
Dynamizations\Visibility		
Tag - Cycle	H1_Proses -	Data type Range
Start range	2	End range 2
Visibility	Visible	
Text field_1		
Type	Text field	
General		
Text	Posisi	
Appearance		
Background color	255, 255, 255	Background fill pat- tern Transparent
Corner radius (border)	3	Foreground color 41, 20, 107
Border width	0	Line style Double line
Border color	66, 73, 82	Border background color 99, 101, 115
Layout		
X position	88	Y position 48
Width	41	Height 20
Left margin	3	Top margin 2
Right margin	2	Bottom margin 2
Fit object to contents	Enabled	
Text format		
Font	Tahoma, 13px, style=Bold	Orientation Horizontal
Horizontal alignment	Left	Vertical alignment Middle
Line break	Disabled	
Flashing		
Flashing	Disabled	
Styles/Designs		
Use style/design	Disabled	Style item appear- ance
Miscellaneous		
Name	Text field_1	Layer 0 - Layer_0

Totally Integrated Automation Portal			
Symbolic I/O field_3			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Output	Value status ON	1
Text OFF	0	Text ON	1
Text list	List Posisi	Number of visible items	5
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Solid
Border color	41, 20, 107	Border background color	99, 101, 115
Design			
Foreground color of selection	255, 255, 255	Background color of selection	0, 0, 0
Alternative color	231, 231, 239		
Layout			
X position	88	Y position	70
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Disabled
Show selection field	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_3	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_hanger position
Text field_4			
Type	Text field		
General			
Text	Estimasi selesai		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	276	Y position	48

Totally Integrated Automation Portal			
Width	105	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_4	Layer	0 - Layer_0
Text field_6			
Type	Text field		
General			
Text	Mulai		
Appearance			
Background color	255, 255, 255	Background fill pat- tern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	200	Y position	48
Width	38	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_6	Layer	0 - Layer_0
I/O field_1			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pat- tern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0

Totally Integrated Automation Portal			
Line style	Double line	Border color	66, 73, 82
Characteristics			
Hidden input	Disabled		
Layout			
X position	44	Y position	152
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_1	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Timer 1
Dynamizations\Appearance			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Range	1..1	Foreground color	247, 243, 247
Background color	41, 20, 107	Flashing	Yes
I/O field_3			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	404	Y position	152
Width	64	Height	32

Totally Integrated Automation Portal			
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_3	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Timer 6
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
Dynamizations\Appearance			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Range	6..6	Foreground color	247, 243, 247
Background color	41, 20, 107	Flashing	Yes
I/O field_5			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	332	Y position	152
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		

Totally Integrated Automation Portal			
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_5	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Timer 5
Dynamizations\Appearance			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Range	5..5	Foreground color	247, 243, 247
Background color	41, 20, 107	Flashing	Yes
I/O field_9			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	260	Y position	152
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_9	Layer	0 - Layer_0

Totally Integrated Automation Portal			
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Timer 4
Dynamizations\Appearance			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Range	4..4	Foreground color	247, 243, 247
Background color	41, 20, 107	Flashing	Yes
I/O field_11			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	188	Y position	152
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_11	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Timer 3
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range

Totally Integrated Automation Portal			
Start range	1	End range	5
Dynamizations\Appearance			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Range	3..3	Foreground color	247, 243, 247
Background color	41, 20, 107	Flashing	Yes
I/O field_12			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	116	Y position	152
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_12	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Timer 2
Dynamizations\Appearance			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Range	2..2	Foreground color	247, 243, 247
Background color	41, 20, 107	Flashing	Yes

Totally Integrated Automation Portal			
I/O field_13			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Time	Shift decimal point	0
Field length	20	Show leading zeros	Disabled
Format pattern	9		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	176	Y position	72
Width	96	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_13	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Mulai
I/O field_14			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Time	Shift decimal point	0
Field length	20	Show leading zeros	Disabled
Format pattern	9		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107

Totally Integrated Automation Portal			
Unit		Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	280	Y position	72
Width	96	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_14	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Selesai
Softkey_F1			
Type	Function key		
General			
Key code	220	Global assignment	Disabled
Graphic	RETURN_1	Authorization	
LED tag		Bit in the LED tag	0
Dynamizations\Event			
Event name		Release key	
Function list\ActivateScreen			
Screen name	3 - Dashboard Otomatis	Object number	0
Text field_7			
Type	Text field		
General			
Text	SET		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line


Totally Integrated Automation Portal			
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	11	Y position	160
Width	25	Height	17
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 11px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_7	Layer	0 - Layer_0
Text field_8			
Type	Text field		
General			
Text	ELAP		
Appearance			
Background color	255, 255, 255	Background fill pat- tern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	11	Y position	189
Width	32	Height	17
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 11px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_8	Layer	0 - Layer_0

Totally Integrated Automation Portal		
---	--	--

HMI_1 [KTP400 Basic PN] / Screens / Hanger 1

H1 Konfirmasi Reset

Hardcopy of H1 Konfirmasi Reset



General			
Name	H1 Konfirmasi Reset	Background color	255, 251, 255
Grid color	255, 251, 255	Number	7
Template	Background	Tooltip	
Layers			
Active layer	0		
Layer_0		Enabled	
Layer_1		Enabled	
Layer_2		Enabled	
Layer_3		Enabled	
Layer_4		Enabled	
Layer_5		Enabled	
Layer_6		Enabled	
Layer_7		Enabled	
Layer_8		Enabled	
Layer_9		Enabled	
Layer_10		Enabled	
Layer_11		Enabled	
Layer_12		Enabled	
Layer_13		Enabled	
Layer_14		Enabled	
Layer_15		Enabled	
Layer_16		Enabled	
Layer_17		Enabled	
Layer_18		Enabled	
Layer_19		Enabled	
Layer_20		Enabled	
Layer_21		Enabled	
Layer_22		Enabled	

Totally Integrated Automation Portal			
Layer_23	Enabled		
Layer_24	Enabled		
Layer_25	Enabled		
Layer_26	Enabled		
Layer_27	Enabled		
Layer_28	Enabled		
Layer_29	Enabled		
Layer_30	Enabled		
Layer_31	Enabled		
Softkey_F1			
Type	Function key		
General			
Key code	220	Global assignment	
Graphic	Cancel	Authorization	
LED tag		Bit in the LED tag	
0			
Dynamizations\Event			
Event name	Release key		
Function list\ActivateScreen			
Screen name	3 - Dashboard Otomatis	Object number	
		0	
Softkey_F4			
Type	Function key		
General			
Key code	223	Global assignment	
Graphic	CONFIRM	Authorization	
LED tag		Bit in the LED tag	
		0	
Dynamizations\Event			
Event name	Release key		
Function list\SetBit			
Tag	H1_HMI Reset		
Function list\ActivateScreen			
Screen name	3 - Dashboard Otomatis	Object number	
		0	
Text field_1			
Type	Text field		
General			
Text	KONFIRMASI PEMBATALAN		
Appearance			
Background color	255, 255, 255	Background fill pattern	
Corner radius (border)	3	Foreground color	
Border width	0	Line style	
Border color	66, 73, 82	Border background color	
		99, 101, 115	
Layout			
X position	98	Y position	120
Width	284	Height	28
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2

Totally Integrated Automation Portal			
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 20px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_1	Layer	0 - Layer_0
Graphic view_1			
Type	Graphic view		
General			
Graphic	Warning		
Appearance			
Background color	173, 174, 181	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	191	Y position	24
Width	99	Height	83
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_1	Layer	0 - Layer_0
Graphic view_2			
Type	Graphic view		
General			
Graphic	resetH1		
Appearance			
Background color	173, 174, 181	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	0	Y position	0
Width	69	Height	49
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_2	Layer	0 - Layer_0
Text field_2			
Type	Text field		
General			
Text	Hanger akan dikembalikan ke hanger station ketika gantry tersedia.		


Totally Integrated Automation Portal			
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	96	Y position	160
Width	292	Height	36
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_2	Layer	0 - Layer_0

Totally Integrated Automation Portal		
--------------------------------------	--	--

HMI_1 [KTP400 Basic PN] / Screens / Hanger 1

H1 Konfirmasi Setup

Hardcopy of H1 Konfirmasi Setup



General			
Name	H1 Konfirmasi Setup	Background color	255, 251, 255
Grid color	255, 251, 255	Number	5
Template		Tooltip	
Layers			
Active layer	0		
Layer_0		Enabled	
Layer_1		Enabled	
Layer_2		Enabled	
Layer_3		Enabled	
Layer_4		Enabled	
Layer_5		Enabled	
Layer_6		Enabled	
Layer_7		Enabled	
Layer_8		Enabled	
Layer_9		Enabled	
Layer_10		Enabled	
Layer_11		Enabled	
Layer_12		Enabled	
Layer_13		Enabled	
Layer_14		Enabled	
Layer_15		Enabled	
Layer_16		Enabled	
Layer_17		Enabled	
Layer_18		Enabled	
Layer_19		Enabled	
Layer_20		Enabled	
Layer_21		Enabled	
Layer_22		Enabled	

Totally Integrated Automation Portal		
Layer_23	Enabled	
Layer_24	Enabled	
Layer_25	Enabled	
Layer_26	Enabled	
Layer_27	Enabled	
Layer_28	Enabled	
Layer_29	Enabled	
Layer_30	Enabled	
Layer_31	Enabled	
Text field_2		
Type	Text field	
General		
Text	Proses dengan durasi celup berikut akan dilakukan.	
Appearance		
Background color	255, 255, 255	Background fill pattern
Corner radius (border)	3	Foreground color
Border width	0	Line style
Border color	66, 73, 82	Border background color
Layout		
X position	16	Y position
Width	336	Height
Left margin	3	Top margin
Right margin	2	Bottom margin
Fit object to contents	Enabled	
Text format		
Font	Tahoma, 13px, style=Bold	Orientation
Horizontal alignment	Left	Vertical alignment
Line break	Disabled	
Flashing		
Flashing	Disabled	
Styles/Designs		
Use style/design	Disabled	Style item appearance
Miscellaneous		
Name	Text field_2	Layer
0 - Layer_0		
Softkey_F1		
Type	Function key	
General		
Key code	220	Global assignment
Graphic	Cancel	Authorization
LED tag		Bit in the LED tag
Dynamizations\Event		
Event name	Release key	
Function list\ActivateScreen		
Screen name	H1-Jenis Proses	Object number
0		
Softkey_F4		
Type	Function key	

Totally Integrated Automation Portal			
General			
Key code	223	Global assignment	Disabled
Graphic	CONFIRM	Authorization	
LED tag		Bit in the LED tag	0
Dynamizations\Event			
Event name	Release key		
Function list\ActivateScreen			
Screen name	3 - Dashboard Otomatis	Object number	0
Function list\SetBit			
Tag	H1_HMI Ready		
Symbolic I/O field_1			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Output	Value status ON	1
Text OFF	0	Text ON	1
Text list	List Proses	Number of visible items	5
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Solid
Border color	41, 20, 107	Border background color	99, 101, 115
Design			
Foreground color of selection	255, 255, 255	Background color of selection	0, 0, 0
Alternative color	231, 231, 239		
Layout			
X position	16	Y position	66
Width	440	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Disabled
Show selection field	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_1	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Proses

Totally Integrated Automation Portal		
Text field_3		
Type	Text field	
General		
Text	Durasi per Tangki (menit)	
Appearance		
Background color	255, 255, 255	Background fill pattern
Corner radius (border)	3	Transparent
Border width	0	Foreground color
Border color	66, 73, 82	Line style
		Border background color
Layout		
X position	16	Y position
Width	169	Height
Left margin	3	Top margin
Right margin	2	Bottom margin
Fit object to contents	Enabled	
Text format		
Font	Tahoma, 13px, style=Bold	Orientation
Horizontal alignment	Left	Vertical alignment
Line break	Disabled	
Flashing		
Flashing	Disabled	
Styles/Designs		
Use style/design	Disabled	Style item appearance
Miscellaneous		
Name	Text field_3	Layer
Text field_5		
Type	Text field	
General		
Text	Alkaline	
Appearance		
Background color	41, 20, 107	Background fill pattern
Corner radius (border)	3	Transparent
Border width	0	Foreground color
Border color	66, 73, 82	Line style
		Border background color
Layout		
X position	21	Y position
Width	49	Height
Left margin	3	Top margin
Right margin	2	Bottom margin
Fit object to contents	Enabled	
Text format		
Font	Tahoma, 13px	Orientation
Horizontal alignment	Left	Vertical alignment
Line break	Disabled	
Flashing		
Flashing	Disabled	
Styles/Designs		
Use style/design	Disabled	Style item appearance
Miscellaneous		
Name	Text field_5	Layer
		0 - Layer_0

Totally Integrated Automation Portal			
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_2			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	16	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_2	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 1
Text field_14			
Type	Text field		
General			
Text	Rinsing - 3		

Totally Integrated Automation Portal			
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	374	Y position	129
Width	66	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_14	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
I/O field_10			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	376	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		

Totally Integrated Automation Portal			
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_10	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 6
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
I/O field_4			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	304	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_4	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled

Totally Integrated Automation Portal			
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 5
Text field_11			
Type	Text field		
General			
Text	Rinsing-2		
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	236	Y position	129
Width	58	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_11	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_8			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		

Totally Integrated Automation Portal			
Layout			
X position	232	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_8	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 4
Text field_10			
Type	Text field		
General			
Text	Deoxidizing		
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	157	Y position	129
Width	69	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_10	Layer	0 - Layer_0

Totally Integrated Automation Portal			
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_7			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	160	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_7	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 3
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Text field_9			
Type	Text field		
General			
Text	Rinsing-1		

Totally Integrated Automation Portal			
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	91	Y position	129
Width	58	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_9	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_6			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	88	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		

Totally Integrated Automation Portal			
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_6	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 2
Symbolic I/O field_2			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Output	Value status ON	1
Text OFF	0	Text ON	1
Text list	List proses nomor 5	Number of visible items	3
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Design			
Foreground color of selection	255, 255, 255	Background color of selection	0, 0, 0
Alternative color	231, 231, 239		
Layout			
X position	308	Y position	127
Width	48	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Disabled
Show selection field	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_2	Layer	0 - Layer_0
Tooltip			

Totally Integrated Automation Portal		
Security		
Authorization		Allow operator control Enabled
Dynamizations\Tag connection		
Property name	Process value	Tag H1_Proses
Line_1		
Type	Line	
Appearance		
Line width	1	Line style Solid
Color	41, 20, 107	Background color 255, 255, 255
Fill pattern	Transparent	Line-start style Default
Line-end style	Arrow	Line-end shape Flush
Layout		
X position	20	Y position 216
Width	416	Height 0
Line start X position	20	Line start Y position 216
Line end X position	436	Line end Y position 216
Styles/Designs		
Use style/design	Disabled	Style item appearance
Miscellaneous		
Name	Line_1	Layer 0 - Layer_0
Rectangle_1		
Type	Rectangle	
Appearance		
Background color	255, 251, 255	Background fill pattern Solid
Border width	0	Line style Solid
Border color	24, 28, 49	
Layout		
X position	160	Y position 128
Width	136	Height 80
Round corner width	0	Round corner height 0
Styles/Designs		
Use style/design	Disabled	Style item appearance
Miscellaneous		
Name	Rectangle_1	Layer 0 - Layer_0
Dynamizations\Visibility		
Tag - Cycle	H1_Proses -	Data type Range
Start range	2	End range 2
Visibility	Visible	
Graphic view_1		
Type	Graphic view	
General		
Graphic	setupH1-G	
Appearance		
Background color	173, 174, 181	Background fill pattern Transparent
Border width	0	Line style Solid
Border color	0, 0, 0	
Layout		
X position	0	Y position 0
Width	62	Height 43


Totally Integrated Automation Portal		
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size
Fit object to contents	Disabled	Stretch graphic
Miscellaneous		
Name	Graphic view_1	Layer
		0 - Layer_0

Totally Integrated Automation Portal		
--------------------------------------	--	--

HMI_1 [KTP400 Basic PN] / Screens / Hanger 1

H1 Selesaikan Proses

Hardcopy of H1 Selesaikan Proses



General			
Name	H1 Selesaikan Proses	Background color	255, 251, 255
Grid color	255, 251, 255	Number	8
Template	Background	Tooltip	CBP-IP
Layers			
Active layer	0		
Layer_0		Enabled	
Layer_1		Enabled	
Layer_2		Enabled	
Layer_3		Enabled	
Layer_4		Enabled	
Layer_5		Enabled	
Layer_6		Enabled	
Layer_7		Enabled	
Layer_8		Enabled	
Layer_9		Enabled	
Layer_10		Enabled	
Layer_11		Enabled	
Layer_12		Enabled	
Layer_13		Enabled	
Layer_14		Enabled	
Layer_15		Enabled	
Layer_16		Enabled	
Layer_17		Enabled	
Layer_18		Enabled	
Layer_19		Enabled	
Layer_20		Enabled	
Layer_21		Enabled	
Layer_22		Enabled	

Totally Integrated Automation Portal		
Layer_23	Enabled	
Layer_24	Enabled	
Layer_25	Enabled	
Layer_26	Enabled	
Layer_27	Enabled	
Layer_28	Enabled	
Layer_29	Enabled	
Layer_30	Enabled	
Layer_31	Enabled	
Softkey_F4		
Type	Function key	
General		
Key code	223	Global assignment
Graphic	CONFIRM	Authorization
LED tag		Bit in the LED tag
0		
Dynamizations\Event		
Event name	Release key	
Function list\SetBit		
Tag	H1_HMI Finish	
Function list\ActivateScreen		
Screen name	3 - Dashboard Otomatis	Object number
0		
Softkey_F1		
Type	Function key	
General		
Key code	220	Global assignment
Graphic		Authorization
LED tag		Bit in the LED tag
0		
Softkey_F2		
Type	Function key	
General		
Key code	221	Global assignment
Graphic		Authorization
LED tag		Bit in the LED tag
0		
Text field_6		
Type	Text field	
General		
Text	Proses akan tersimpan pada database.	
Appearance		
Background color	255, 255, 255	Background fill pattern
Corner radius (border)	3	Transparent
Border width	0	Foreground color
Border color	66, 73, 82	Line style
41, 20, 107		
Double line		
Layout		
X position	16	Border background color
Width	258	99, 101, 115
Left margin	3	
Y position		
216		
Height		
20		
Top margin		
2		

Totally Integrated Automation Portal			
Right margin	2	Bottom margin	2
Fit object to contents			
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_6	Layer	0 - Layer_0
Graphic view_1			
Type	Graphic view		
General			
Graphic	finalH1		
Appearance			
Background color	173, 174, 181	Background fill pat- tern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	0	Y position	0
Width	58	Height	40
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_1	Layer	0 - Layer_0
Text field_1			
Type	Text field		
General			
Text	Proses berikut telah selesai.		
Appearance			
Background color	255, 255, 255	Background fill pat- tern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	16	Y position	45
Width	188	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		

Totally Integrated Automation Portal			
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_1	Layer	0 - Layer_0
Symbolic I/O field_1			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Output	Value status ON	1
Text OFF	0	Text ON	1
Text list	List Proses	Number of visible items	5
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Solid
Border color	41, 20, 107	Border background color	99, 101, 115
Design			
Foreground color of selection	255, 255, 255	Background color of selection	0, 0, 0
Alternative color	231, 231, 239		
Layout			
X position	16	Y position	66
Width	440	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Disabled
Show selection field	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_1	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Proses
Text field_3			
Type	Text field		
General			
Text	Durasi per Tangki (menit)		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107

Totally Integrated Automation Portal			
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	16	Y position	106
Width	169	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_3	Layer	0 - Layer_0
Text field_5			
Type	Text field		
General			
Text	Alkaline		
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	21	Y position	129
Width	49	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_5	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_2			
Type	I/O field		

Totally Integrated Automation Portal			
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	1	Show leading zeros	Disabled
Format pattern	9		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	16	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_2	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Timer 1
Text field_14			
Type	Text field		
General			
Text	Rinsing - 3		
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	374	Y position	129
Width	66	Height	20

Totally Integrated Automation Portal			
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_14	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
I/O field_10			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	1	Show leading zeros	Disabled
Format pattern	9		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	376	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_10	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled

Totally Integrated Automation Portal			
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Timer 6
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
I/O field_4			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	1	Show leading zeros	Disabled
Format pattern	9		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	304	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_4	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Timer 5
Text field_11			
Type	Text field		
General			
Text	Rinsing-2		

Totally Integrated Automation Portal			
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	236	Y position	129
Width	58	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_11	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_8			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	1	Show leading zeros	Disabled
Format pattern	9		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	232	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		

Totally Integrated Automation Portal			
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_8	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Timer 4
Text field_10			
Type	Text field		
General			
Text	Deoxidizing		
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	157	Y position	129
Width	69	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_10	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_7			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0

Totally Integrated Automation Portal			
Field length	1	Show leading zeros	Disabled
Format pattern	9		
Appearance			
Background color	247, 243, 247	Background fill pat- tern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	160	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	I/O field_7	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator con- trol	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Timer 3
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Text field_9			
Type	Text field		
General			
Text	Rinsing-1		
Appearance			
Background color	41, 20, 107	Background fill pat- tern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	91	Y position	129
Width	58	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		

Totally Integrated Automation Portal			
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_9	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_6			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	1	Show leading zeros	Disabled
Format pattern	9		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	88	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_6	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5

Totally Integrated Automation Portal			
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	
Symbolic I/O field_2			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Output	Value status ON	1
Text OFF	0	Text ON	1
Text list	List proses nomor 5	Number of visible items	3
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Design			
Foreground color of selection	255, 255, 255	Background color of selection	0, 0, 0
Alternative color	231, 231, 239		
Layout			
X position	308	Y position	127
Width	48	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Disabled
Show selection field	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_2	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Proses
Line_1			
Type	Line		
Appearance			
Line width	1	Line style	Solid
Color	41, 20, 107	Background color	255, 255, 255
Fill pattern	Transparent	Line-start style	Default
Line-end style	Arrow	Line-end shape	Flush
Layout			
X position	20	Y position	216


Totally Integrated Automation Portal			
Width	416	Height	0
Line start X position	20	Line start Y position	216
Line end X position	436	Line end Y position	216
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Line_1	Layer	0 - Layer_0
Rectangle_1			
Type	Rectangle		
Appearance			
Background color	255, 251, 255	Background fill pat- tern	Solid
Border width	0	Line style	Solid
Border color	24, 28, 49		
Layout			
X position	160	Y position	128
Width	136	Height	80
Round corner width	0	Round corner height	0
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Rectangle_1	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H2_Proses -	Data type	Range
Start range	2	End range	2
Visibility	Visible		

Totally Integrated Automation Portal		
--------------------------------------	--	--

HMI_1 [KTP400 Basic PN] / Screens / Hanger 1

H1-Jenis Proses

Hardcopy of H1-Jenis Proses



General			
Name	H1-Jenis Proses	Background color	255, 251, 255
Grid color	255, 255, 255	Number	4
Template	Background	Tooltip	CBP-IP
Layers			
Active layer	0		
Layer_0		Enabled	
Layer_1		Enabled	
Layer_2		Enabled	
Layer_3		Enabled	
Layer_4		Enabled	
Layer_5		Enabled	
Layer_6		Enabled	
Layer_7		Enabled	
Layer_8		Enabled	
Layer_9		Enabled	
Layer_10		Enabled	
Layer_11		Enabled	
Layer_12		Enabled	
Layer_13		Enabled	
Layer_14		Enabled	
Layer_15		Enabled	
Layer_16		Enabled	
Layer_17		Enabled	
Layer_18		Enabled	
Layer_19		Enabled	
Layer_20		Enabled	
Layer_21		Enabled	
Layer_22		Enabled	

Totally Integrated Automation Portal			
Layer_23	Enabled		
Layer_24	Enabled		
Layer_25	Enabled		
Layer_26	Enabled		
Layer_27	Enabled		
Layer_28	Enabled		
Layer_29	Enabled		
Layer_30	Enabled		
Layer_31	Enabled		
Symbolic I/O field_1			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Input	Value status ON	1
Text OFF	0	Text ON	1
Text list	List Proses	Number of visible items	6
Appearance			
Background color	41, 20, 107	Background fill pattern	Solid
Corner radius (border)	3	Foreground color	255, 251, 255
Border width	0	Line style	Solid
Border color	41, 20, 107	Border background color	99, 101, 115
Design			
Foreground color of selection	255, 255, 255	Background color of selection	41, 20, 107
Alternative color	41, 162, 206		
Layout			
X position	16	Y position	66
Width	440	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Enabled
Show selection field	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_1	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Proses
Text field_2			
Type	Text field		

Totally Integrated Automation Portal		
General		
Text	Proses	
Appearance		
Background color	255, 255, 255	Background fill pattern
Corner radius (border)	3	Foreground color
Border width	0	Line style
Border color	66, 73, 82	Border background color
Layout		
X position	16	Y position
Width	49	Height
Left margin	3	Top margin
Right margin	2	Bottom margin
Fit object to contents	Enabled	
Text format		
Font	Tahoma, 13px, style=Bold	Orientation
Horizontal alignment	Left	Vertical alignment
Line break	Disabled	
Flashing		
Flashing	Disabled	
Styles/Designs		
Use style/design	Disabled	Style item appearance
Miscellaneous		
Name	Text field_2	Layer
Text field_3		
Type	Text field	
General		
Text	Durasi per Tangki	
Appearance		
Background color	255, 255, 255	Background fill pattern
Corner radius (border)	3	Foreground color
Border width	0	Line style
Border color	66, 73, 82	Border background color
Layout		
X position	16	Y position
Width	117	Height
Left margin	3	Top margin
Right margin	2	Bottom margin
Fit object to contents	Enabled	
Text format		
Font	Tahoma, 13px, style=Bold	Orientation
Horizontal alignment	Left	Vertical alignment
Line break	Disabled	
Flashing		
Flashing	Disabled	
Styles/Designs		
Use style/design	Disabled	Style item appearance
Miscellaneous		
Name	Text field_3	Layer

Totally Integrated Automation Portal		
Softkey_F4		
Type	Function key	
General		
Key code	223	Global assignment
Graphic	CONFIRM	Authorization
LED tag		Bit in the LED tag
Dynamizations\Event		
Event name	Release key	
Function list\ActivateScreen		
Screen name	H1 Konfirmasi Setup	Object number
Softkey_F1		
Type	Function key	
General		
Key code	220	Global assignment
Graphic	RETURN_1	Authorization
LED tag		Bit in the LED tag
Dynamizations\Event		
Event name	Release key	
Function list\ActivateScreen		
Screen name	3 - Dashboard Otomatis	Object number
Softkey_F2		
Type	Function key	
General		
Key code	221	Global assignment
Graphic		Authorization
LED tag		Bit in the LED tag
Graphic view_1		
Type	Graphic view	
General		
Graphic	setupH1-G	
Appearance		
Background color	173, 174, 181	Background fill pattern
Border width	0	Line style
Border color	0, 0, 0	
Layout		
X position	0	Y position
Width	62	Height
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size
Fit object to contents	Disabled	Stretch graphic
Miscellaneous		
Name	Graphic view_1	Layer
Text field_5		
Type	Text field	

Totally Integrated Automation Portal			
General			
Text	Alkaline		
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	21	Y position	129
Width	49	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_5	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_2			
Type	I/O field		
General			
Process value	0	Mode	Input
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	41, 20, 107	Background fill pattern	Solid
Corner radius	3	Foreground color	255, 251, 255
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	16	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		

Totally Integrated Automation Portal			
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_2	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 1
Text field_14			
Type	Text field		
General			
Text	Rinsing - 3		
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	374	Y position	129
Width	66	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_14	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
I/O field_10			
Type	I/O field		
General			
Process value	0	Mode	Input
Display format	Decimal	Shift decimal point	0

Totally Integrated Automation Portal			
Field length	2	Show leading zeros	Disabled
Appearance			
Background color	41, 20, 107	Background fill pattern	Solid
Corner radius	3	Foreground color	255, 251, 255
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	376	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_10	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 6
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
I/O field_4			
Type	I/O field		
General			
Process value	0	Mode	Input
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	41, 20, 107	Background fill pattern	Solid
Corner radius	3	Foreground color	255, 251, 255
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		

Totally Integrated Automation Portal			
Layout			
X position	304	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_4	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 5
Text field_11			
Type	Text field		
General			
Text	Rinsing-2		
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	236	Y position	129
Width	58	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_11	Layer	0 - Layer_0

Totally Integrated Automation Portal			
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_8			
Type	I/O field		
General			
Process value	0	Mode	Input
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	41, 20, 107	Background fill pattern	Solid
Corner radius	3	Foreground color	255, 251, 255
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	232	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_8	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 4
Text field_10			
Type	Text field		
General			
Text	Deoxidizing		

Totally Integrated Automation Portal			
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	157	Y position	129
Width	69	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_10	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_7			
Type	I/O field		
General			
Process value	0	Mode	Input
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	41, 20, 107	Background fill pattern	Solid
Corner radius	3	Foreground color	255, 251, 255
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	160	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		

Totally Integrated Automation Portal			
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_7	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 3
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Text field_9			
Type	Text field		
General			
Text	Rinsing-1		
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	91	Y position	129
Width	58	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_9	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_6			
Type	I/O field		
General			
Process value	0	Mode	Input
Display format	Decimal	Shift decimal point	0

Totally Integrated Automation Portal			
Field length	2	Show leading zeros	Disabled
Appearance			
Background color	41, 20, 107	Background fill pattern	Solid
Corner radius	3	Foreground color	255, 251, 255
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	88	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_6	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Setpoint 2
Symbolic I/O field_2			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Output	Value status ON	1
Text OFF	0	Text ON	1
Text list	List proses nomor 5	Number of visible items	3
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115

Totally Integrated Automation Portal			
Design			
Foreground color of selection	255, 255, 255	Background color of selection	0, 0, 0
Alternative color	231, 231, 239		
Layout			
X position	308	Y position	127
Width	48	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Disabled
Show selection field	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_2	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Proses
Line_1			
Type	Line		
Appearance			
Line width	1	Line style	Solid
Color	41, 20, 107	Background color	255, 255, 255
Fill pattern	Transparent	Line-start style	Default
Line-end style	Arrow	Line-end shape	Flush
Layout			
X position	20	Y position	216
Width	416	Height	0
Line start X position	20	Line start Y position	216
Line end X position	436	Line end Y position	216
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Line_1	Layer	0 - Layer_0
Rectangle_1			
Type	Rectangle		
Appearance			
Background color	255, 251, 255	Background fill pattern	Solid
Border width	0	Line style	Solid
Border color	24, 28, 49		
Layout			
X position	160	Y position	133
Width	136	Height	80

Totally Integrated Automation Portal			
Round corner width	0	Round corner height	0
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Rectangle_1	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	2	End range	2
Visibility	Visible		
Group			
Type	Group		
Layout			
X position	146	Y position	226
Width	188	Height	36
Miscellaneous			
Name	Group	Layer	0 - Layer_0

Totally Integrated Automation Portal		
--------------------------------------	--	--

HMI_1 [KTP400 Basic PN] / Screens / Hanger 2

H2 Detail

Hardcopy of H2 Detail



General			
Name	H2 Detail	Background color	255, 251, 255
Grid color	255, 251, 255	Number	11
Template	Background	Tooltip	
Layers			
Active layer	0		
Layer_0		Enabled	
Layer_1		Enabled	
Layer_2		Enabled	
Layer_3		Enabled	
Layer_4		Enabled	
Layer_5		Enabled	
Layer_6		Enabled	
Layer_7		Enabled	
Layer_8		Enabled	
Layer_9		Enabled	
Layer_10		Enabled	
Layer_11		Enabled	
Layer_12		Enabled	
Layer_13		Enabled	
Layer_14		Enabled	
Layer_15		Enabled	
Layer_16		Enabled	
Layer_17		Enabled	
Layer_18		Enabled	
Layer_19		Enabled	
Layer_20		Enabled	
Layer_21		Enabled	
Layer_22		Enabled	

Totally Integrated Automation Portal		
Layer_23	Enabled	
Layer_24	Enabled	
Layer_25	Enabled	
Layer_26	Enabled	
Layer_27	Enabled	
Layer_28	Enabled	
Layer_29	Enabled	
Layer_30	Enabled	
Layer_31	Enabled	
Graphic view_1		
Type	Graphic view	
General		
Graphic	infoH2-G	
Appearance		
Background color	173, 174, 181	Background fill pattern
Border width	0	Line style
Border color	0, 0, 0	Solid
Layout		
X position	0	Y position
Width	69	Height
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size
Fit object to contents	Disabled	Stretch graphic
Miscellaneous		
Name	Graphic view_1	Layer
Text field_2		
Type	Text field	
General		
Text	Proses	
Appearance		
Background color	255, 255, 255	Background fill pattern
Corner radius (border)	3	Foreground color
Border width	0	Line style
Border color	66, 73, 82	Border background color
Layout		
X position	16	Y position
Width	49	Height
Left margin	3	Top margin
Right margin	2	Bottom margin
Fit object to contents	Enabled	
Text format		
Font	Tahoma, 13px, style=Bold	Orientation
Horizontal alignment	Left	Vertical alignment
Line break	Disabled	
Flashing		
Flashing	Disabled	
Styles/Designs		
Use style/design	Disabled	Style item appearance
Miscellaneous		
Name	Text field_2	Layer
		0 - Layer_0

Totally Integrated Automation Portal			
Symbolic I/O field_1			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Output	Value status ON	1
Text OFF	0	Text ON	1
Text list	List Proses	Number of visible items	5
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Solid
Border color	41, 20, 107	Border background color	99, 101, 115
Design			
Foreground color of selection	255, 255, 255	Background color of selection	0, 0, 0
Alternative color	231, 231, 239		
Layout			
X position	16	Y position	71
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Disabled
Show selection field	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_1	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Proses
Text field_3			
Type	Text field		
General			
Text	Waktu		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	16	Y position	106

Totally Integrated Automation Portal			
Width	47	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_3	Layer	0 - Layer_0
Text field_5			
Type	Text field		
General			
Text	Alkaline		
Appearance			
Background color	41, 20, 107	Background fill pat- tern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	49	Y position	129
Width	49	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_5	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_2			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		

Totally Integrated Automation Portal			
Appearance			
Background color	247, 243, 247	Background fill pat- tern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	44	Y position	181
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	I/O field_2	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator con- trol	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 1
Text field_14			
Type	Text field		
General			
Text	Rinsing - 3		
Appearance			
Background color	41, 20, 107	Background fill pat- tern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	402	Y position	129
Width	66	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal

Totally Integrated Automation Portal			
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_14	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
I/O field_10			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	404	Y position	181
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_10	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 6
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5

Totally Integrated Automation Portal			
Visibility	Visible		
I/O field_4			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	332	Y position	181
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_4	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 5
Text field_11			
Type	Text field		
General			
Text	Rinsing-2		
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line

Totally Integrated Automation Portal			
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	264	Y position	129
Width	58	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_11	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_8			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pat- tern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	260	Y position	181
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	

Totally Integrated Automation Portal			
Miscellaneous			
Name	I/O field_8	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 4
Text field_10			
Type	Text field		
General			
Text	Deoxidizing		
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	185	Y position	129
Width	69	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_10	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_7			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107

Totally Integrated Automation Portal			
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	188	Y position	181
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	I/O field_7	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator con- trol	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 3
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Text field_9			
Type	Text field		
General			
Text	Rinsing-1		
Appearance			
Background color	41, 20, 107	Background fill pat- tern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	119	Y position	129
Width	58	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		

Totally Integrated Automation Portal			
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_9	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_6			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	116	Y position	181
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_6	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 2

Totally Integrated Automation Portal			
Symbolic I/O field_2			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Output	Value status ON	1
Text OFF	0	Text ON	1
Text list	List proses nomor 5	Number of visible items	3
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Design			
Foreground color of selection	255, 255, 255	Background color of selection	0, 0, 0
Alternative color	231, 231, 239		
Layout			
X position	336	Y position	127
Width	48	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Disabled
Show selection field	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_2	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Proses
Line_1			
Type	Line		
Appearance			
Line width	1	Line style	Solid
Color	41, 20, 107	Background color	255, 255, 255
Fill pattern	Transparent	Line-start style	Default
Line-end style	Arrow	Line-end shape	Flush
Layout			
X position	48	Y position	216
Width	416	Height	0
Line start X position	48	Line start Y position	216
Line end X position	464	Line end Y position	216

Totally Integrated Automation Portal		
Styles/Designs		
Use style/design	Disabled	Style item appear- ance
Miscellaneous		
Name	Line_1	Layer 0 - Layer_0
Rectangle_1		
Type	Rectangle	
Appearance		
Background color	255, 251, 255	Background fill pat- tern Solid
Border width	0	Line style Solid
Border color	24, 28, 49	
Layout		
X position	186	Y position 131
Width	136	Height 80
Round corner width	0	Round corner height 0
Styles/Designs		
Use style/design	Disabled	Style item appear- ance
Miscellaneous		
Name	Rectangle_1	Layer 0 - Layer_0
Dynamizations\Visibility		
Tag - Cycle	H2_Proses -	Data type Range
Start range	2	End range 2
Visibility	Visible	
Text field_1		
Type	Text field	
General		
Text	Posisi	
Appearance		
Background color	255, 255, 255	Background fill pat- tern Transparent
Corner radius (border)	3	Foreground color 41, 20, 107
Border width	0	Line style Double line
Border color	66, 73, 82	Border background color 99, 101, 115
Layout		
X position	88	Y position 48
Width	41	Height 20
Left margin	3	Top margin 2
Right margin	2	Bottom margin 2
Fit object to contents	Enabled	
Text format		
Font	Tahoma, 13px, style=Bold	Orientation Horizontal
Horizontal alignment	Left	Vertical alignment Middle
Line break	Disabled	
Flashing		
Flashing	Disabled	
Styles/Designs		
Use style/design	Disabled	Style item appear- ance
Miscellaneous		
Name	Text field_1	Layer 0 - Layer_0

Totally Integrated Automation Portal			
Symbolic I/O field_3			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Output	Value status ON	1
Text OFF	0	Text ON	1
Text list	List Posisi	Number of visible items	5
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Solid
Border color	41, 20, 107	Border background color	99, 101, 115
Design			
Foreground color of selection	255, 255, 255	Background color of selection	0, 0, 0
Alternative color	231, 231, 239		
Layout			
X position	88	Y position	70
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Disabled
Show selection field	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_3	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_hanger position
Text field_4			
Type	Text field		
General			
Text	Estimasi selesai		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	276	Y position	48

Totally Integrated Automation Portal			
Width	105	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_4	Layer	0 - Layer_0
Text field_6			
Type	Text field		
General			
Text	Mulai		
Appearance			
Background color	255, 255, 255	Background fill pat- tern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	200	Y position	48
Width	38	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_6	Layer	0 - Layer_0
I/O field_1			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pat- tern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0

Totally Integrated Automation Portal			
Line style	Double line	Border color	66, 73, 82
Characteristics			
Hidden input	Disabled		
Layout			
X position	44	Y position	152
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_1	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Timer 1
Dynamizations\Appearance			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Range	1..1	Foreground color	247, 243, 247
Background color	41, 20, 107	Flashing	Yes
I/O field_3			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	404	Y position	152
Width	64	Height	32

Totally Integrated Automation Portal			
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_3	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Timer 6
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
Dynamizations\Appearance			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Range	6..6	Foreground color	247, 243, 247
Background color	41, 20, 107	Flashing	Yes
I/O field_5			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	332	Y position	152
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		

Totally Integrated Automation Portal			
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_5	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Timer 5
Dynamizations\Appearance			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Range	5..5	Foreground color	247, 243, 247
Background color	41, 20, 107	Flashing	Yes
I/O field_9			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	260	Y position	152
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_9	Layer	0 - Layer_0

Totally Integrated Automation Portal			
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Timer 4
Dynamizations\Appearance			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Range	4..4	Foreground color	247, 243, 247
Background color	41, 20, 107	Flashing	Yes
I/O field_11			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	188	Y position	152
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_11	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Timer 3
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range

Totally Integrated Automation Portal			
Start range	1	End range	5
Dynamizations\Appearance			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Range	3..3	Foreground color	247, 243, 247
Background color	41, 20, 107	Flashing	Yes
I/O field_12			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	116	Y position	152
Width	64	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_12	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Timer 2
Dynamizations\Appearance			
Tag - Cycle	H1_Nomor Proses -	Data type	Range
Range	2..2	Foreground color	247, 243, 247
Background color	41, 20, 107	Flashing	Yes

Totally Integrated Automation Portal			
I/O field_13			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Time	Shift decimal point	0
Field length	20	Show leading zeros	Disabled
Format pattern	9		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit		Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	176	Y position	72
Width	96	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_13	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Mulai
I/O field_14			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Time	Shift decimal point	0
Field length	20	Show leading zeros	Disabled
Format pattern	9		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107

Totally Integrated Automation Portal			
Unit		Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	280	Y position	72
Width	96	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_14	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Selesai
Softkey_F1			
Type	Function key		
General			
Key code	220	Global assignment	Disabled
Graphic	RETURN_1	Authorization	
LED tag		Bit in the LED tag	0
Dynamizations\Event			
Event name		Release key	
Function list\ActivateScreen			
Screen name	3 - Dashboard Otomatis	Object number	0
Text field_7			
Type	Text field		
General			
Text	SET		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line

Totally Integrated Automation Portal			
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	11	Y position	160
Width	25	Height	17
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 11px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_7	Layer	0 - Layer_0
Text field_8			
Type	Text field		
General			
Text	ELAP		
Appearance			
Background color	255, 255, 255	Background fill pat- tern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	11	Y position	189
Width	32	Height	17
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 11px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_8	Layer	0 - Layer_0

Totally Integrated Automation Portal		
---	--	--

HMI_1 [KTP400 Basic PN] / Screens / Hanger 2

H2 Konfirmasi Reset

Hardcopy of H2 Konfirmasi Reset



General			
Name	H2 Konfirmasi Reset	Background color	255, 251, 255
Grid color	255, 251, 255	Number	16
Template	Background	Tooltip	
Layers			
Active layer	0		
Layer_0		Enabled	
Layer_1		Enabled	
Layer_2		Enabled	
Layer_3		Enabled	
Layer_4		Enabled	
Layer_5		Enabled	
Layer_6		Enabled	
Layer_7		Enabled	
Layer_8		Enabled	
Layer_9		Enabled	
Layer_10		Enabled	
Layer_11		Enabled	
Layer_12		Enabled	
Layer_13		Enabled	
Layer_14		Enabled	
Layer_15		Enabled	
Layer_16		Enabled	
Layer_17		Enabled	
Layer_18		Enabled	
Layer_19		Enabled	
Layer_20		Enabled	
Layer_21		Enabled	
Layer_22		Enabled	

Totally Integrated Automation Portal			
Layer_23	Enabled		
Layer_24	Enabled		
Layer_25	Enabled		
Layer_26	Enabled		
Layer_27	Enabled		
Layer_28	Enabled		
Layer_29	Enabled		
Layer_30	Enabled		
Layer_31	Enabled		
Softkey_F1			
Type	Function key		
General			
Key code	220	Global assignment	
Graphic	Cancel	Authorization	
LED tag		Bit in the LED tag	
0			
Dynamizations\Event			
Event name	Release key		
Function list\ActivateScreen			
Screen name	3 - Dashboard Otomatis	Object number	
		0	
Softkey_F4			
Type	Function key		
General			
Key code	223	Global assignment	
Graphic	CONFIRM	Authorization	
LED tag		Bit in the LED tag	
		0	
Dynamizations\Event			
Event name	Release key		
Function list\SetBit			
Tag	H2_HMI Reset		
Function list\ActivateScreen			
Screen name	3 - Dashboard Otomatis	Object number	
		0	
Text field_1			
Type	Text field		
General			
Text	KONFIRMASI PEMBATALAN		
Appearance			
Background color	255, 255, 255	Background fill pattern	
Corner radius (border)	3	Foreground color	
Border width	0	Line style	
Border color	66, 73, 82	Border background color	
		99, 101, 115	
Layout			
X position	98	Y position	120
Width	284	Height	28
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2

Totally Integrated Automation Portal			
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 20px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_1	Layer	0 - Layer_0
Graphic view_1			
Type	Graphic view		
General			
Graphic	Warning		
Appearance			
Background color	173, 174, 181	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	191	Y position	24
Width	99	Height	83
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_1	Layer	0 - Layer_0
Graphic view_2			
Type	Graphic view		
General			
Graphic	resetH2		
Appearance			
Background color	173, 174, 181	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	0	Y position	0
Width	69	Height	49
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_2	Layer	0 - Layer_0
Text field_2			
Type	Text field		
General			
Text	Hanger akan dikembalikan ke hanger station ketika gantry tersedia.		

Totally Integrated Automation Portal			
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	96	Y position	160
Width	292	Height	36
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_2	Layer	0 - Layer_0

Totally Integrated Automation Portal		
--------------------------------------	--	--

HMI_1 [KTP400 Basic PN] / Screens / Hanger 2

H2 Konfirmasi Setup

Hardcopy of H2 Konfirmasi Setup



General			
Name	H2 Konfirmasi Setup	Background color	255, 251, 255
Grid color	255, 251, 255	Number	14
Template		Tooltip	
Layers			
Active layer	0		
Layer_0		Enabled	
Layer_1		Enabled	
Layer_2		Enabled	
Layer_3		Enabled	
Layer_4		Enabled	
Layer_5		Enabled	
Layer_6		Enabled	
Layer_7		Enabled	
Layer_8		Enabled	
Layer_9		Enabled	
Layer_10		Enabled	
Layer_11		Enabled	
Layer_12		Enabled	
Layer_13		Enabled	
Layer_14		Enabled	
Layer_15		Enabled	
Layer_16		Enabled	
Layer_17		Enabled	
Layer_18		Enabled	
Layer_19		Enabled	
Layer_20		Enabled	
Layer_21		Enabled	
Layer_22		Enabled	

Totally Integrated Automation Portal		
Layer_23	Enabled	
Layer_24	Enabled	
Layer_25	Enabled	
Layer_26	Enabled	
Layer_27	Enabled	
Layer_28	Enabled	
Layer_29	Enabled	
Layer_30	Enabled	
Layer_31	Enabled	
Text field_2		
Type	Text field	
General		
Text	Proses dengan durasi celup berikut akan dilakukan.	
Appearance		
Background color	255, 255, 255	Background fill pattern
Corner radius (border)	3	Foreground color
Border width	0	Line style
Border color	66, 73, 82	Border background color
Layout		
X position	16	Y position
Width	336	Height
Left margin	3	Top margin
Right margin	2	Bottom margin
Fit object to contents	Enabled	
Text format		
Font	Tahoma, 13px, style=Bold	Orientation
Horizontal alignment	Left	Vertical alignment
Line break	Disabled	
Flashing		
Flashing	Disabled	
Styles/Designs		
Use style/design	Disabled	Style item appearance
Miscellaneous		
Name	Text field_2	Layer
0 - Layer_0		
Softkey_F1		
Type	Function key	
General		
Key code	220	Global assignment
Graphic	Cancel	Authorization
LED tag		Bit in the LED tag
Dynamizations\Event		
Event name	Release key	
Function list\ActivateScreen		
Screen name	H2-Jenis Proses	Object number
0		
Softkey_F4		
Type	Function key	

Totally Integrated Automation Portal			
General			
Key code	223	Global assignment	Disabled
Graphic	CONFIRM	Authorization	
LED tag		Bit in the LED tag	0
Dynamizations\Event			
Event name	Release key		
Function list\ActivateScreen			
Screen name	3 - Dashboard Otomatis	Object number	0
Function list\SetBit			
Tag	H2_HMI Ready		
Symbolic I/O field_1			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Output	Value status ON	1
Text OFF	0	Text ON	1
Text list	List Proses	Number of visible items	5
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Solid
Border color	41, 20, 107	Border background color	99, 101, 115
Design			
Foreground color of selection	255, 255, 255	Background color of selection	0, 0, 0
Alternative color	231, 231, 239		
Layout			
X position	16	Y position	66
Width	440	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Disabled
Show selection field	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_1	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Proses

Totally Integrated Automation Portal		
Text field_3		
Type	Text field	
General		
Text	Durasi per Tangki (menit)	
Appearance		
Background color	255, 255, 255	Background fill pattern
Corner radius (border)	3	Transparent
Border width	0	Foreground color
Border color	66, 73, 82	Line style
		Border background color
Layout		
X position	16	Y position
Width	169	Height
Left margin	3	Top margin
Right margin	2	Bottom margin
Fit object to contents	Enabled	
Text format		
Font	Tahoma, 13px, style=Bold	Orientation
Horizontal alignment	Left	Vertical alignment
Line break	Disabled	
Flashing		
Flashing	Disabled	
Styles/Designs		
Use style/design	Disabled	Style item appearance
Miscellaneous		
Name	Text field_3	Layer
Text field_5		
Type	Text field	
General		
Text	Alkaline	
Appearance		
Background color	41, 20, 107	Background fill pattern
Corner radius (border)	3	Transparent
Border width	0	Foreground color
Border color	66, 73, 82	Line style
		Border background color
Layout		
X position	21	Y position
Width	49	Height
Left margin	3	Top margin
Right margin	2	Bottom margin
Fit object to contents	Enabled	
Text format		
Font	Tahoma, 13px	Orientation
Horizontal alignment	Left	Vertical alignment
Line break	Disabled	
Flashing		
Flashing	Disabled	
Styles/Designs		
Use style/design	Disabled	Style item appearance
Miscellaneous		
Name	Text field_5	Layer
		0 - Layer_0

Totally Integrated Automation Portal			
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_2			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	16	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_2	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 1
Text field_14			
Type	Text field		
General			
Text	Rinsing - 3		

Totally Integrated Automation Portal			
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	374	Y position	129
Width	66	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_14	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
I/O field_10			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	376	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		

Totally Integrated Automation Portal			
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_10	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 6
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
I/O field_4			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	304	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_4	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled

Totally Integrated Automation Portal			
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 5
Text field_11			
Type	Text field		
General			
Text	Rinsing-2		
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	236	Y position	129
Width	58	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_11	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_8			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		

Totally Integrated Automation Portal			
Layout			
X position	232	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_8	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 4
Text field_10			
Type	Text field		
General			
Text	Deoxidizing		
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	157	Y position	129
Width	69	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_10	Layer	0 - Layer_0

Totally Integrated Automation Portal			
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_7			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	160	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_7	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 3
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Text field_9			
Type	Text field		
General			
Text	Rinsing-1		

Totally Integrated Automation Portal			
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	91	Y position	129
Width	58	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_9	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_6			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	88	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		

Totally Integrated Automation Portal			
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_6	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 2
Symbolic I/O field_2			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Output	Value status ON	1
Text OFF	0	Text ON	1
Text list	List proses nomor 5	Number of visible items	3
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Design			
Foreground color of selection	255, 255, 255	Background color of selection	0, 0, 0
Alternative color	231, 231, 239		
Layout			
X position	308	Y position	127
Width	48	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Disabled
Show selection field	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_2	Layer	0 - Layer_0
Tooltip			

Totally Integrated Automation Portal		
Security		
Authorization		Allow operator control Enabled
Dynamizations\Tag connection		
Property name	Process value	Tag H1_Proses
Line_1		
Type	Line	
Appearance		
Line width	1	Line style Solid
Color	41, 20, 107	Background color 255, 255, 255
Fill pattern	Transparent	Line-start style Default
Line-end style	Arrow	Line-end shape Flush
Layout		
X position	20	Y position 216
Width	416	Height 0
Line start X position	20	Line start Y position 216
Line end X position	436	Line end Y position 216
Styles/Designs		
Use style/design	Disabled	Style item appearance
Miscellaneous		
Name	Line_1	Layer 0 - Layer_0
Rectangle_1		
Type	Rectangle	
Appearance		
Background color	255, 251, 255	Background fill pattern Solid
Border width	0	Line style Solid
Border color	24, 28, 49	
Layout		
X position	160	Y position 128
Width	136	Height 80
Round corner width	0	Round corner height 0
Styles/Designs		
Use style/design	Disabled	Style item appearance
Miscellaneous		
Name	Rectangle_1	Layer 0 - Layer_0
Dynamizations\Visibility		
Tag - Cycle	H2_Proses -	Data type Range
Start range	2	End range 2
Visibility	Visible	
Graphic view_1		
Type	Graphic view	
General		
Graphic	setupH2-G	
Appearance		
Background color	173, 174, 181	Background fill pattern Transparent
Border width	0	Line style Solid
Border color	0, 0, 0	
Layout		
X position	0	Y position 0
Width	62	Height 43


Totally Integrated Automation Portal		
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size
Fit object to contents	Disabled	Stretch graphic
Miscellaneous		
Name	Graphic view_1	Layer
		0 - Layer_0

Totally Integrated Automation Portal		
--------------------------------------	--	--

HMI_1 [KTP400 Basic PN] / Screens / Hanger 2

H2 Selesaikan Proses

Hardcopy of H2 Selesaikan Proses



General			
Name	H2 Selesaikan Proses	Background color	255, 251, 255
Grid color	255, 251, 255	Number	15
Template	Background	Tooltip	CBP-IP
Layers			
Active layer	0		
Layer_0		Enabled	
Layer_1		Enabled	
Layer_2		Enabled	
Layer_3		Enabled	
Layer_4		Enabled	
Layer_5		Enabled	
Layer_6		Enabled	
Layer_7		Enabled	
Layer_8		Enabled	
Layer_9		Enabled	
Layer_10		Enabled	
Layer_11		Enabled	
Layer_12		Enabled	
Layer_13		Enabled	
Layer_14		Enabled	
Layer_15		Enabled	
Layer_16		Enabled	
Layer_17		Enabled	
Layer_18		Enabled	
Layer_19		Enabled	
Layer_20		Enabled	
Layer_21		Enabled	
Layer_22		Enabled	

Totally Integrated Automation Portal		
Layer_23	Enabled	
Layer_24	Enabled	
Layer_25	Enabled	
Layer_26	Enabled	
Layer_27	Enabled	
Layer_28	Enabled	
Layer_29	Enabled	
Layer_30	Enabled	
Layer_31	Enabled	
Softkey_F4		
Type	Function key	
General		
Key code	223	Global assignment
Graphic	CONFIRM	Authorization
LED tag		Bit in the LED tag
0		
Dynamizations\Event		
Event name	Release key	
Function list\SetBit		
Tag	H2_HMI Finish	
Function list\ActivateScreen		
Screen name	3 - Dashboard Otomatis	Object number
0		
Softkey_F1		
Type	Function key	
General		
Key code	220	Global assignment
Graphic		Authorization
LED tag		Bit in the LED tag
0		
Softkey_F2		
Type	Function key	
General		
Key code	221	Global assignment
Graphic		Authorization
LED tag		Bit in the LED tag
0		
Text field_6		
Type	Text field	
General		
Text	Proses akan tersimpan pada database.	
Appearance		
Background color	255, 255, 255	Background fill pattern
Corner radius (border)	3	Transparent
Border width	0	Foreground color
Border color	66, 73, 82	Line style
41, 20, 107		
Double line		
Layout		
X position	16	Border background color
Width	258	99, 101, 115
Left margin	3	
Y position		
216		
Height		
20		
Top margin		
2		

Totally Integrated Automation Portal			
Right margin	2	Bottom margin	2
Fit object to contents			
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_6	Layer	0 - Layer_0
Graphic view_1			
Type	Graphic view		
General			
Graphic	finalH2		
Appearance			
Background color	173, 174, 181	Background fill pat- tern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	0	Y position	0
Width	58	Height	40
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Graphic view_1	Layer	0 - Layer_0
Text field_1			
Type	Text field		
General			
Text	Proses berikut telah selesai.		
Appearance			
Background color	255, 255, 255	Background fill pat- tern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	16	Y position	45
Width	188	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		

Totally Integrated Automation Portal			
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_1	Layer	0 - Layer_0
Symbolic I/O field_1			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Output	Value status ON	1
Text OFF	0	Text ON	1
Text list	List Proses	Number of visible items	5
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Solid
Border color	41, 20, 107	Border background color	99, 101, 115
Design			
Foreground color of selection	255, 255, 255	Background color of selection	0, 0, 0
Alternative color	231, 231, 239		
Layout			
X position	16	Y position	66
Width	440	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Disabled
Show selection field	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_1	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Proses
Text field_3			
Type	Text field		
General			
Text	Durasi per Tangki (menit)		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107

Totally Integrated Automation Portal			
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	16	Y position	106
Width	169	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_3	Layer	0 - Layer_0
Text field_5			
Type	Text field		
General			
Text	Alkaline		
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	21	Y position	129
Width	49	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_5	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_2			
Type	I/O field		

Totally Integrated Automation Portal			
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	1	Show leading zeros	Disabled
Format pattern	9		
Appearance			
Background color	247, 243, 247	Background fill pat- tern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	16	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	I/O field_2	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator con- trol	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Timer 1
Text field_14			
Type	Text field		
General			
Text	Rinsing - 3		
Appearance			
Background color	41, 20, 107	Background fill pat- tern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	374	Y position	129
Width	66	Height	20

Totally Integrated Automation Portal			
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_14	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
I/O field_10			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	1	Show leading zeros	Disabled
Format pattern	9		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	376	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_10	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled

Totally Integrated Automation Portal			
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Timer 6
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
I/O field_4			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	1	Show leading zeros	Disabled
Format pattern	9		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	304	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_4	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Timer 5
Text field_11			
Type	Text field		
General			
Text	Rinsing-2		

Totally Integrated Automation Portal			
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	236	Y position	129
Width	58	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_11	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_8			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	1	Show leading zeros	Disabled
Format pattern	9		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	232	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		

Totally Integrated Automation Portal			
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_8	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Timer 4
Text field_10			
Type	Text field		
General			
Text	Deoxidizing		
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	157	Y position	129
Width	69	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_10	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_7			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0

Totally Integrated Automation Portal			
Field length	1	Show leading zeros	Disabled
Format pattern	9		
Appearance			
Background color	247, 243, 247	Background fill pat- tern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	160	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	I/O field_7	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator con- trol	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Timer 3
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Text field_9			
Type	Text field		
General			
Text	Rinsing-1		
Appearance			
Background color	41, 20, 107	Background fill pat- tern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	91	Y position	129
Width	58	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		

Totally Integrated Automation Portal			
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_9	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_6			
Type	I/O field		
General			
Process value	0	Mode	Output
Display format	Decimal	Shift decimal point	0
Field length	1	Show leading zeros	Disabled
Format pattern	9		
Appearance			
Background color	247, 243, 247	Background fill pattern	Solid
Corner radius	3	Foreground color	41, 20, 107
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	88	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_6	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5


Totally Integrated Automation Portal			
Visibility Visible			
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Timer 2
Symbolic I/O field_2			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Output	Value status ON	1
Text OFF	0	Text ON	1
Text list	List proses nomor 5	Number of visible items	3
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Design			
Foreground color of selection	255, 255, 255	Background color of selection	0, 0, 0
Alternative color	231, 231, 239		
Layout			
X position	308	Y position	127
Width	48	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Disabled
Show selection field	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_2	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Proses
Line_1			
Type	Line		
Appearance			
Line width	1	Line style	Solid
Color	41, 20, 107	Background color	255, 255, 255
Fill pattern	Transparent	Line-start style	Default
Line-end style	Arrow	Line-end shape	Flush
Layout			
X position	20	Y position	216

Totally Integrated Automation Portal			
Width	416	Height	0
Line start X position	20	Line start Y position	216
Line end X position	436	Line end Y position	216
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Line_1	Layer	0 - Layer_0
Rectangle_1			
Type	Rectangle		
Appearance			
Background color	255, 251, 255	Background fill pat- tern	Solid
Border width	0	Line style	Solid
Border color	24, 28, 49		
Layout			
X position	160	Y position	120
Width	136	Height	80
Round corner width	0	Round corner height	0
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Rectangle_1	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	2	End range	2
Visibility	Visible		

HMI_1 [KTP400 Basic PN] / Screens / Hanger 2

H2-Jenis Proses

Hardcopy of H2-Jenis Proses



General			
Name	H2-Jenis Proses	Background color	255, 251, 255
Grid color	255, 255, 255	Number	13
Template	Background	Tooltip	CBP-IP
Layers			
Active layer	0		
Layer_0		Enabled	
Layer_1		Enabled	
Layer_2		Enabled	
Layer_3		Enabled	
Layer_4		Enabled	
Layer_5		Enabled	
Layer_6		Enabled	
Layer_7		Enabled	
Layer_8		Enabled	
Layer_9		Enabled	
Layer_10		Enabled	
Layer_11		Enabled	
Layer_12		Enabled	
Layer_13		Enabled	
Layer_14		Enabled	
Layer_15		Enabled	
Layer_16		Enabled	
Layer_17		Enabled	
Layer_18		Enabled	
Layer_19		Enabled	
Layer_20		Enabled	
Layer_21		Enabled	
Layer_22		Enabled	

Totally Integrated Automation Portal			
Layer_23	Enabled		
Layer_24	Enabled		
Layer_25	Enabled		
Layer_26	Enabled		
Layer_27	Enabled		
Layer_28	Enabled		
Layer_29	Enabled		
Layer_30	Enabled		
Layer_31	Enabled		
Symbolic I/O field_1			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Input	Value status ON	1
Text OFF	0	Text ON	1
Text list	List Proses	Number of visible items	6
Appearance			
Background color	41, 20, 107	Background fill pattern	Solid
Corner radius (border)	3	Foreground color	255, 251, 255
Border width	0	Line style	Solid
Border color	41, 20, 107	Border background color	99, 101, 115
Design			
Foreground color of selection	255, 255, 255	Background color of selection	41, 20, 107
Alternative color	41, 162, 206		
Layout			
X position	16	Y position	66
Width	440	Height	32
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Enabled
Show selection field	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_1	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Proses
Text field_2			
Type	Text field		

Totally Integrated Automation Portal			
General			
Text	Proses		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	16	Y position	42
Width	49	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_2	Layer	0 - Layer_0
Text field_3			
Type	Text field		
General			
Text	Durasi per Tangki		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	16	Y position	106
Width	117	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_3	Layer	0 - Layer_0

Totally Integrated Automation Portal		
Softkey_F4		
Type	Function key	
General		
Key code	223	Global assignment
Graphic	CONFIRM	Authorization
LED tag		Bit in the LED tag
Dynamizations\Event		
Event name	Release key	
Function list\ActivateScreen		
Screen name	H2 Konfirmasi Setup	Object number
Softkey_F1		
Type	Function key	
General		
Key code	220	Global assignment
Graphic	RETURN_1	Authorization
LED tag		Bit in the LED tag
Dynamizations\Event		
Event name	Release key	
Function list\ActivateScreen		
Screen name	3 - Dashboard Otomatis	Object number
Softkey_F2		
Type	Function key	
General		
Key code	221	Global assignment
Graphic		Authorization
LED tag		Bit in the LED tag
Graphic view_1		
Type	Graphic view	
General		
Graphic	setupH2-G	
Appearance		
Background color	173, 174, 181	Background fill pattern
Border width	0	Line style
Border color	0, 0, 0	
Layout		
X position	0	Y position
Width	62	Height
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size
Fit object to contents	Disabled	Stretch graphic
Miscellaneous		
Name	Graphic view_1	Layer
Text field_5		
Type	Text field	

Totally Integrated Automation Portal			
General			
Text	Alkaline		
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	21	Y position	129
Width	49	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_5	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_2			
Type	I/O field		
General			
Process value	0	Mode	Input
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	41, 20, 107	Background fill pattern	Solid
Corner radius	3	Foreground color	255, 251, 255
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	16	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		

Totally Integrated Automation Portal			
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_2	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 1
Text field_14			
Type	Text field		
General			
Text	Rinsing - 3		
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	374	Y position	129
Width	66	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_14	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
I/O field_10			
Type	I/O field		
General			
Process value	0	Mode	Input
Display format	Decimal	Shift decimal point	0

Totally Integrated Automation Portal			
Field length	2	Show leading zeros	Disabled
Appearance			
Background color	41, 20, 107	Background fill pattern	Solid
Corner radius	3	Foreground color	255, 251, 255
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	376	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_10	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 6
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
I/O field_4			
Type	I/O field		
General			
Process value	0	Mode	Input
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	41, 20, 107	Background fill pattern	Solid
Corner radius	3	Foreground color	255, 251, 255
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		

Totally Integrated Automation Portal			
Layout			
X position	304	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_4	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	3	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 5
Text field_11			
Type	Text field		
General			
Text	Rinsing-2		
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	236	Y position	129
Width	58	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_11	Layer	0 - Layer_0

Totally Integrated Automation Portal			
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_8			
Type	I/O field		
General			
Process value	0	Mode	Input
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	41, 20, 107	Background fill pattern	Solid
Corner radius	3	Foreground color	255, 251, 255
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	232	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_8	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 4
Text field_10			
Type	Text field		
General			
Text	Deoxidizing		

Totally Integrated Automation Portal			
Appearance			
Background color	41, 20, 107	Background fill pat- tern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	157	Y position	129
Width	69	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appear- ance	
Miscellaneous			
Name	Text field_10	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_7			
Type	I/O field		
General			
Process value	0	Mode	Input
Display format	Decimal	Shift decimal point	0
Field length	2	Show leading zeros	Disabled
Format pattern	99		
Appearance			
Background color	41, 20, 107	Background fill pat- tern	Solid
Corner radius	3	Foreground color	255, 251, 255
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	160	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		

Totally Integrated Automation Portal			
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_7	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 3
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Text field_9			
Type	Text field		
General			
Text	Rinsing-1		
Appearance			
Background color	41, 20, 107	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	91	Y position	129
Width	58	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Text field_9	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
I/O field_6			
Type	I/O field		
General			
Process value	0	Mode	Input
Display format	Decimal	Shift decimal point	0

Totally Integrated Automation Portal			
Field length	2	Show leading zeros	Disabled
Appearance			
Background color	41, 20, 107	Background fill pattern	Solid
Corner radius	3	Foreground color	255, 251, 255
Unit	min	Border width	0
Line style	Double line	Border color	66, 73, 82
Border background color	99, 101, 115		
Characteristics			
Hidden input	Disabled		
Layout			
X position	88	Y position	153
Width	64	Height	48
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Line break	Disabled		
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	I/O field_6	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Visibility			
Tag - Cycle	H1_Proses -	Data type	Range
Start range	1	End range	5
Visibility	Visible		
Dynamizations\Tag connection			
Property name	Process value	Tag	H2_Setpoint 2
Symbolic I/O field_2			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Output	Value status ON	1
Text OFF	0	Text ON	1
Text list	List proses nomor 5	Number of visible items	3
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	41, 20, 107
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115

Totally Integrated Automation Portal			
Design			
Foreground color of selection	255, 255, 255	Background color of selection	0, 0, 0
Alternative color	231, 231, 239		
Layout			
X position	308	Y position	127
Width	48	Height	24
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Disabled
Show selection field	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Centered	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic I/O field_2	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Tag connection			
Property name	Process value	Tag	H1_Proses
Line_1			
Type	Line		
Appearance			
Line width	1	Line style	Solid
Color	41, 20, 107	Background color	255, 255, 255
Fill pattern	Transparent	Line-start style	Default
Line-end style	Arrow	Line-end shape	Flush
Layout			
X position	20	Y position	216
Width	416	Height	0
Line start X position	20	Line start Y position	216
Line end X position	436	Line end Y position	216
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Line_1	Layer	0 - Layer_0
Rectangle_1			
Type	Rectangle		
Appearance			
Background color	255, 251, 255	Background fill pattern	Solid
Border width	0	Line style	Solid
Border color	24, 28, 49		
Layout			
X position	160	Y position	128
Width	136	Height	80


Totally Integrated Automation Portal			
Round corner width	0	Round corner height	0
Styles/Designs		Style item appear- ance	
Use style/design	Disabled		
Miscellaneous			
Name	Rectangle_1	Layer	0 - Layer_0
Dynamizations\Visibility			
Tag - Cycle	H2_Proses -	Data type	Range
Start range	2	End range	2
Visibility	Visible		
Group			
Type	Group		
Layout			
X position	146	Y position	226
Width	188	Height	36
Miscellaneous			
Name	Group	Layer	0 - Layer_0

Totally Integrated Automation Portal		
---	--	--

HMI_1 [KTP400 Basic PN] / Screen management / Templates

Background

Hardcopy of Background



General				
Name	Background	Background color	255, 251, 255	
Grid color	255, 255, 255	Tab sequence in foreground	Enabled	
Layers				
Active layer	0			
Layer_0		Enabled		
Layer_1		Enabled		
Layer_2		Enabled		
Layer_3		Enabled		
Layer_4		Enabled		
Layer_5		Enabled		
Layer_6		Enabled		
Layer_7		Enabled		
Layer_8		Enabled		
Layer_9		Enabled		
Layer_10		Enabled		
Layer_11		Enabled		
Layer_12		Enabled		
Layer_13		Enabled		
Layer_14		Enabled		
Layer_15		Enabled		
Layer_16		Enabled		
Layer_17		Enabled		
Layer_18		Enabled		
Layer_19		Enabled		
Layer_20		Enabled		
Layer_21		Enabled		
Layer_22		Enabled		

Totally Integrated Automation Portal			
Layer_23	Enabled		
Layer_24	Enabled		
Layer_25	Enabled		
Layer_26	Enabled		
Layer_27	Enabled		
Layer_28	Enabled		
Layer_29	Enabled		
Layer_30	Enabled		
Layer_31	Enabled		
Template_Text field_2			
Type	Text field		
General			
Text	PT DIRGANTARA INDONESIA		
Appearance			
Background color	255, 255, 255	Background fill pattern	Transparent
Corner radius (border)	3	Foreground color	255, 255, 255
Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115
Layout			
X position	16	Y position	8
Width	182	Height	20
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Line break	Disabled		
Flashing			
Flashing	Disabled		
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Template_Text field_2	Layer	0 - Layer_0
Template_Graphic view_1			
Type	Graphic view		
General			
Graphic	Logo PTDI 5%_1		
Appearance			
Background color	173, 174, 181	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	80	Y position	0
Width	321	Height	272
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Template_Graphic view_1	Layer	0 - Layer_0


Totally Integrated Automation Portal			
Date/time field_1			
Type	Date/time field		
General			
Display system time	Enabled	Process value	
Show date	Disabled	Show time	
Mode	Output		
Appearance			
Foreground color	41, 20, 107	Background color	247, 243, 247
Background fill pattern	Solid	Corner radius (border)	3
Border width	2	Line style	Double line
Border color	41, 20, 107	Border background color	255, 255, 255
Layout			
X position	376	Y position	8
Width	92	Height	25
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Enabled		
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Date/time field_1	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled

Totally Integrated Automation Portal		
---	--	--

HMI_1 [KTP400 Basic PN] / Screen management / Templates

Template_1

Hardcopy of Template_1



General				
Name	Template_1	Background color	181, 182, 181	
Grid color	0, 0, 0	Tab sequence in foreground	Enabled	
Layers				
Active layer	0			
Layer_0		Enabled		
Layer_1		Enabled		
Layer_2		Enabled		
Layer_3		Enabled		
Layer_4		Enabled		
Layer_5		Enabled		
Layer_6		Enabled		
Layer_7		Enabled		
Layer_8		Enabled		
Layer_9		Enabled		
Layer_10		Enabled		
Layer_11		Enabled		
Layer_12		Enabled		
Layer_13		Enabled		
Layer_14		Enabled		
Layer_15		Enabled		
Layer_16		Enabled		
Layer_17		Enabled		
Layer_18		Enabled		
Layer_19		Enabled		
Layer_20		Enabled		
Layer_21		Enabled		
Layer_22		Enabled		

Totally Integrated Automation Portal			
Layer_23	Enabled		
Layer_24	Enabled		
Layer_25	Enabled		
Layer_26	Enabled		
Layer_27	Enabled		
Layer_28	Enabled		
Layer_29	Enabled		
Layer_30	Enabled		
Layer_31	Enabled		
Exit			
Type	Button		
General			
Mode	Graphic	Hotkey	None
Text OFF	Exit	Text ON	Exit
Text list		Graphic OFF	ExitRuntime_KTP400_Basic_PN_TR
Graphic ON	ExitRuntime_KTP400_Basic_PN_TR	Graphic list	
Process value		Bit number	0
Appearance			
Background color	239, 235, 239	Background fill pattern	Vertical gradient
Corner radius (border)	3	Foreground color	49, 52, 74
Border width	1	Line style	Solid
Border color	156, 154, 165	Border background color	107, 105, 107
Fill pattern			
Background color gradient (fill pattern)	231, 227, 231	Gradient 1 (fill pattern)	Enabled
Color gradient 1 (fill pattern)	247, 247, 247	Offset gradient 1 (fill pattern)	15
Gradient 2 (fill pattern)	Enabled	Color gradient 2 (fill pattern)	222, 215, 214
Offset gradient 2 (fill pattern)	15		
Design			
Focus width	2	Focus color	148, 182, 231
Layout			
X position	388	Y position	227
Width	63	Height	44
Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic	Centered
Vertical alignment of the graphic	Middle	Fit object to contents	Disabled
Margin left text (layout)	0	Margin top text (layout)	0
Margin right text (layout)	0	Margin bottom text (layout)	0
Margin left graphic (layout)	0	Margin top graphic (layout)	0
Margin right graphic (layout)	0	Margin bottom graphic (layout)	0
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment of the text	Centered	Vertical alignment of the text	Middle
Styles/Designs			
Use style/design	Disabled	Style item appearance	

Totally Integrated Automation Portal			
Miscellaneous			
Name	Exit	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Event			
Event name		Release	
Function list\StopRuntime			
Mode		Runtime	
Template_Button			
Type	Button		
General			
Mode	Graphic	Hotkey	None
Text OFF		Text ON	
Text list		Graphic OFF	AlarmDisplay_KTP400_Basic_PN_TR
Graphic ON		Graphic list	
Process value		Bit number	0
Appearance			
Background color	239, 235, 239	Background fill pattern	Vertical gradient
Corner radius (border)	3	Foreground color	49, 52, 74
Border width	1	Line style	Solid
Border color	156, 154, 165	Border background color	107, 105, 107
Fill pattern			
Background color gradient (fill pattern)	231, 227, 231	Gradient 1 (fill pattern)	Enabled
Color gradient 1 (fill pattern)	247, 247, 247	Offset gradient 1 (fill pattern)	15
Gradient 2 (fill pattern)	Enabled	Color gradient 2 (fill pattern)	222, 215, 214
Offset gradient 2 (fill pattern)	15		
Design			
Focus width	2	Focus color	148, 182, 231
Layout			
X position	268	Y position	227
Width	63	Height	44
Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic	Centered
Vertical alignment of the graphic	Middle	Fit object to contents	Disabled
Margin left text (layout)	0	Margin top text (layout)	0
Margin right text (layout)	0	Margin bottom text (layout)	0
Margin left graphic (layout)	0	Margin top graphic (layout)	0
Margin right graphic (layout)	0	Margin bottom graphic (layout)	0
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment of the text	Centered	Vertical alignment of the text	Middle

Totally Integrated Automation Portal			
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Template_Button	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Alarms			
Type	Button		
General			
Mode	Graphic	Hotkey	None
Text OFF	Alarms	Text ON	Alarms
Text list		Graphic OFF	AlarmDisplay_KTP400_Basic_PN_TR
Graphic ON	AlarmDisplay_KTP400_Basic_PN_TR	Graphic list	
Process value		Bit number	0
Appearance			
Background color	239, 235, 239	Background fill pattern	Vertical gradient
Corner radius (border)	3	Foreground color	49, 52, 74
Border width	1	Line style	Solid
Border color	156, 154, 165	Border background color	107, 105, 107
Fill pattern			
Background color gradient (fill pattern)	231, 227, 231	Gradient 1 (fill pattern)	Enabled
Color gradient 1 (fill pattern)	247, 247, 247	Offset gradient 1 (fill pattern)	15
Gradient 2 (fill pattern)	Enabled	Color gradient 2 (fill pattern)	222, 215, 214
Offset gradient 2 (fill pattern)	15		
Design			
Focus width	2	Focus color	148, 182, 231
Layout			
X position	148	Y position	227
Width	63	Height	44
Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic	Centered
Vertical alignment of the graphic	Middle	Fit object to contents	Disabled
Margin left text (layout)	0	Margin top text (layout)	0
Margin right text (layout)	0	Margin bottom text (layout)	0
Margin left graphic (layout)	0	Margin top graphic (layout)	0
Margin right graphic (layout)	0	Margin bottom graphic (layout)	0
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment of the text	Centered	Vertical alignment of the text	Middle
Styles/Designs			
Use style/design	Disabled	Style item appearance	

Totally Integrated Automation Portal			
Miscellaneous			
Name	Alarms	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Event			
Event name		Release	
Function list>ShowAlarmWindow			
Object name	Alarm window_Unacknowledged	Display mode	Toggle
Start screen			
Type	Button		
General			
Mode	Graphic	Hotkey	None
Text OFF	Start screen	Text ON	Start screen
Text list		Graphic OFF	NavigateHome_KTP400_Basic_PN_TR
Graphic ON	NavigateHome_KTP400_Basic_PN_TR	Graphic list	
Process value		Bit number	0
Appearance			
Background color	239, 235, 239	Background fill pattern	Vertical gradient
Corner radius (border)	3	Foreground color	49, 52, 74
Border width	1	Line style	Solid
Border color	156, 154, 165	Border background color	107, 105, 107
Fill pattern			
Background color gradient (fill pattern)	231, 227, 231	Gradient 1 (fill pattern)	Enabled
Color gradient 1 (fill pattern)	247, 247, 247	Offset gradient 1 (fill pattern)	15
Gradient 2 (fill pattern)	Enabled	Color gradient 2 (fill pattern)	222, 215, 214
Offset gradient 2 (fill pattern)	15		
Design			
Focus width	2	Focus color	148, 182, 231
Layout			
X position	28	Y position	227
Width	63	Height	44
Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic	Centered
Vertical alignment of the graphic	Middle	Fit object to contents	Disabled
Margin left text (layout)	0	Margin top text (layout)	0
Margin right text (layout)	0	Margin bottom text (layout)	0
Margin left graphic (layout)	0	Margin top graphic (layout)	0
Margin right graphic (layout)	0	Margin bottom graphic (layout)	0
Text format			
Font	Tahoma, 13px, style=Bold	Orientation	Horizontal
Horizontal alignment of the text	Centered	Vertical alignment of the text	Middle

Totally Integrated Automation Portal			
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Start screen	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Dynamizations\Event			
Event name	Release		
Function list\ActivateScreen			
Screen name	1 - Root screen	Object number	0
Symbolic_IO_Field_Screen			
Type	Symbolic I/O field		
General			
Process value	0	Bit number	0
Mode	Input/output	Value status ON	1
Text OFF	0	Text ON	1
Text list	TextList_ScreenNames	Number of visible items	3
Appearance			
Background color	255, 255, 255	Background fill pattern	Solid
Corner radius (border)	3	Foreground color	49, 52, 74
Border width	1	Line style	Solid
Border color	156, 154, 165	Border background color	231, 227, 231
Design			
Foreground color of selection	255, 255, 255	Background color of selection	165, 207, 214
Alternative color	231, 231, 239		
Layout			
X position	82	Y position	8
Width	311	Height	29
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled	Display selection list	Enabled
Show selection field	Enabled		
Text format			
Font	Tahoma, 19px	Orientation	Horizontal
Horizontal alignment	Left	Vertical alignment	Middle
Limits			
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Symbolic_IO_Field_Screen	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled

Totally Integrated Automation Portal			
Dynamizations\Tag connection			
Property name	Process value	Tag	
HmiScreenItemData			
Type	Date/time field		
General			
Display system time	Enabled	Process value	
Show date	Disabled	Show time	
Mode	Output		
Appearance			
Foreground color	0, 0, 0	Background color	255, 255, 255
Background fill pattern	Transparent	Corner radius (border)	3
Border width	0	Line style	Double line
Border color	156, 154, 165	Border background color	231, 227, 231
Layout			
X position	395	Y position	22
Width	85	Height	22
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Right	Vertical alignment	Middle
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	HmiScreenItemData	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
HmiScreenItemData_1			
Type	Date/time field		
General			
Display system time	Enabled	Process value	
Show date	Enabled	Show time	Disabled
Mode	Output		
Appearance			
Foreground color	0, 0, 0	Background color	255, 255, 255
Background fill pattern	Transparent	Corner radius (border)	3
Border width	0	Line style	Double line
Border color	156, 154, 165	Border background color	231, 227, 231
Layout			
X position	395	Y position	0
Width	85	Height	22
Left margin	3	Top margin	2
Right margin	2	Bottom margin	2
Fit object to contents	Disabled		
Text format			
Font	Tahoma, 13px	Orientation	Horizontal
Horizontal alignment	Right	Vertical alignment	Middle


Totally Integrated Automation Portal			
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	HmiScreenItemData_1	Layer	0 - Layer_0
Tooltip			
Security			
Authorization		Allow operator control	Enabled
Logo			
Type	Graphic view		
General			
Graphic	Logo of HMI_1		
Appearance			
Background color	222, 219, 222	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	0	Y position	0
Width	80	Height	45
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Logo	Layer	0 - Layer_0
Softkey_F3			
Type	Function key		
General			
Key code	222	Global assignment	Enabled
Graphic		Authorization	
LED tag		Bit in the LED tag	0
Template_Graphic view_1			
Type	Graphic view		
General			
Graphic	Logo PTDI 5%		
Appearance			
Background color	173, 174, 181	Background fill pattern	Transparent
Border width	0	Line style	Solid
Border color	0, 0, 0		
Layout			
X position	96	Y position	0
Width	321	Height	272
Fit embedded graphic object to screen size	Fit graphic to object size	Fit graphic to size	Stretch graphic
Fit object to contents	Disabled		
Miscellaneous			
Name	Template_Graphic view_1	Layer	0 - Layer_0

Totally Integrated Automation Portal		
--------------------------------------	--	--

HMI_1 [KTP400 Basic PN] / Screen management

Global screen

Hardcopy of Global screen



General			
Name	Global screen	Background color	181, 182, 181
Grid color	0, 0, 0		
Alarm window_Unacknowledged			
Type	Alarm window		
General			
Alarm classes	Errors	Source of alarms	Alarms
Pending alarms	Disabled	Unacknowledged alarms	Enabled
Appearance			
Background color of table	255, 255, 255	Alternative color	231, 231, 239
Foreground color of table	49, 52, 74	Foreground color of selection	255, 255, 255
Background color of selection	148, 182, 231	Background color	247, 243, 247
Focus color	148, 182, 231	Header foreground color	49, 52, 74
Header background color	239, 235, 239	Color of the grid lines	255, 255, 255
Layout			
X position	12	Y position	12
Width	430	Height	222
Fit object to contents	Disabled	Lines per alarms	1
Visible alarms	1		
Window			
Display automatically	Enabled	Modal dialog	Disabled
Enabled	Enabled	Title	Unacknowledged alarms
Close button	Enabled		

Totally Integrated Automation Portal			
Display			
Vertical scrolling	Enabled	Horizontal scrolling	Disabled
Horizontal grid lines	Disabled	Focus width	2
Text format			
Table font	Tahoma, 13px	Table header font	Tahoma, 13px, style=Bold
Toolbar			
"Info text" button	Enabled	Acknowledge button	Enabled
Loop-In-Alarm button	Disabled	Toolbar style	Buttons
Button border			
Width (button border)	1	Style (button border)	Solid
Foreground color (button border)	156, 154, 165	Background color (button border)	156, 154, 165
Corner radius (button border)	3		
Button fill pattern			
Fill pattern (button fill pattern)	Vertical gradient	Background color (button fill pattern)	239, 235, 239
Background color gradient (button fill pattern)	239, 235, 239	Gradient 1 (button fill pattern)	Enabled
Color gradient 1 (button fill pattern)	247, 247, 247	Offset gradient 1 (button fill pattern)	15
Gradient 2 (button fill pattern)	Enabled	Color gradient 2 (button fill pattern)	231, 223, 222
Offset gradient 2 (button fill pattern)	15		
Columns			
Columns	Alarm number, Time, Alarm text, Date, Alarm class	Column headers	Enabled
Time in milliseconds	Disabled	Time sorting order	Descending
Column headers			
Alarm number	Default value	Time	Default value
Alarm status	Default value	Alarm text	Default value
Alarm class	Default value	Date	Default value
Acknowledgment group	Default value	Diagnosable	Default value
PLC (error location)	Default value		
Table header border			
Width (table header border)	1	Style (table header border)	Solid
Color (table header border)	156, 154, 165	Background color (table header border)	156, 154, 165
Corner radius (table header border)	2		
Table header fill pattern			
Fill pattern (table header fill pattern)	Vertical gradient	Background color gradient (table header fill pattern)	239, 235, 239
Gradient 1 (table header fill pattern)	Enabled	Color gradient 1 (table header fill pattern)	247, 247, 247
Offset gradient 1 (table header fill pattern)	15	Gradient 2 (table header fill pattern)	Enabled
Color gradient 2 (table header fill pattern)	231, 223, 222	Offset gradient 2 (table header fill pattern)	15
Styles/Designs			
Use style/design	Disabled	Style item appearance	

Totally Integrated Automation Portal			
Miscellaneous			
Name	Alarm window_Unacknowledged		
Alarm window_Pending			
Type	Alarm window		
General			
Alarm classes	Errors	Source of alarms	Alarms
Pending alarms	Enabled	Unacknowledged alarms	Disabled
Appearance			
Background color of table	255, 255, 255	Alternative color	231, 231, 239
Foreground color of table	49, 52, 74	Foreground color of selection	255, 255, 255
Background color of selection	148, 182, 231	Background color	247, 243, 247
Focus color	148, 182, 231	Header foreground color	49, 52, 74
Header background color	239, 235, 239	Color of the grid lines	255, 255, 255
Layout			
X position	24	Y position	24
Width	430	Height	222
Fit object to contents	Disabled	Lines per alarms	1
Visible alarms	1		
Window			
Display automatically	Enabled	Modal dialog	Disabled
Enabled	Enabled	Title	Pending alarms
Close button	Enabled		
Display			
Vertical scrolling	Enabled	Horizontal scrolling	Disabled
Horizontal grid lines	Disabled	Focus width	2
Text format			
Table font	Tahoma, 13px	Table header font	Tahoma, 13px, style=Bold
Toolbar			
"Info text" button	Enabled	Acknowledge button	Enabled
Loop-In-Alarm button	Disabled	Toolbar style	Buttons
Button border			
Width (button border)	1	Style (button border)	Solid
Foreground color (button border)	156, 154, 165	Background color (button border)	156, 154, 165
Corner radius (button border)	3		
Button fill pattern			
Fill pattern (button fill pattern)	Vertical gradient	Background color (button fill pattern)	239, 235, 239
Background color gradient (button fill pattern)	239, 235, 239	Gradient 1 (button fill pattern)	Enabled
Color gradient 1 (button fill pattern)	247, 247, 247	Offset gradient 1 (button fill pattern)	15
Gradient 2 (button fill pattern)	Enabled	Color gradient 2 (button fill pattern)	231, 223, 222
Offset gradient 2 (button fill pattern)	15		
Columns			
Columns	Alarm number, Time, Alarm text, Date, Alarm class	Column headers	Enabled
Time in milliseconds	Disabled	Time sorting order	Descending

Totally Integrated Automation Portal			
Column headers			
Alarm number	Default value	Time	Default value
Alarm status	Default value	Alarm text	Default value
Alarm class	Default value	Date	Default value
Acknowledgment group	Default value	Diagnosable	Default value
PLC (error location)	Default value		
Table header border			
Width (table header border)	1	Style (table header border)	Solid
Color (table header border)	156, 154, 165	Background color (table header border)	156, 154, 165
Corner radius (table header border)	2		
Table header fill pattern			
Fill pattern (table header fill pattern)	Vertical gradient	Background color gradient (table header fill pattern)	239, 235, 239
Gradient 1 (table header fill pattern)	Enabled	Color gradient 1 (table header fill pattern)	247, 247, 247
Offset gradient 1 (table header fill pattern)	15	Gradient 2 (table header fill pattern)	Enabled
Color gradient 2 (table header fill pattern)	231, 223, 222	Offset gradient 2 (table header fill pattern)	15
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	Alarm window_Pending		
Alarm indicator			
Type	Alarm indicator		
Layout			
X position	420	Y position	45
General			
Display alarm classes	Acknowledged : Errors Pending : Errors		
Dynamizations\Event			
Event name	Click		
Function list\ShowAlarmWindow			
Object name	Alarm window_Pending	Display mode	Toggle
Dynamizations\Event			
Event name	Click when flashing		
Function list\ShowAlarmWindow			
Object name	Alarm window_Pending	Display mode	Toggle
System events			
Type	Alarm window		
General			
Alarm classes	System	Source of alarms	Alarms

Totally Integrated Automation Portal			
Pending alarms	Enabled	Unacknowledged alarms	Disabled
Appearance			
Background color of table	255, 255, 255	Alternative color	231, 231, 239
Foreground color of table			
Background color of selection	49, 52, 74	Foreground color of selection	255, 255, 255
Focus color	148, 182, 231	Background color	247, 243, 247
Header background color	148, 182, 231	Header foreground color	49, 52, 74
Header background color	239, 235, 239	Color of the grid lines	255, 255, 255
Layout			
X position	36	Y position	36
Width	430	Height	222
Fit object to contents	Disabled	Lines per alarms	1
Visible alarms	1		
Window			
Display automatically	Enabled	Modal dialog	Disabled
Enabled	Enabled	Title	Active system events
Close button	Enabled		
Display			
Vertical scrolling	Enabled	Horizontal scrolling	Disabled
Horizontal grid lines	Disabled	Focus width	2
Text format			
Table font	Tahoma, 13px	Table header font	Tahoma, 13px, style=Bold
Toolbar			
"Info text" button	Enabled	Acknowledge button	Enabled
Loop-In-Alarm button	Disabled	Toolbar style	Buttons
Button border			
Width (button border)	1	Style (button border)	Solid
Foreground color (button border)	156, 154, 165	Background color (button border)	156, 154, 165
Corner radius (button border)	3		
Button fill pattern			
Fill pattern (button fill pattern)	Vertical gradient	Background color (button fill pattern)	239, 235, 239
Background color gradient (button fill pattern)	239, 235, 239	Gradient 1 (button fill pattern)	Enabled
Color gradient 1 (button fill pattern)	247, 247, 247	Offset gradient 1 (button fill pattern)	15
Gradient 2 (button fill pattern)	Enabled	Color gradient 2 (button fill pattern)	231, 223, 222
Offset gradient 2 (button fill pattern)	15		
Columns			
Columns	Alarm number, Time, Alarm text, Date, Alarm class	Column headers	Enabled
Time in milliseconds	Disabled	Time sorting order	Descending
Column headers			
Alarm number	Default value	Time	Default value
Alarm status	Default value	Alarm text	Default value
Alarm class	Default value	Date	Default value
Acknowledgment group	Default value	Diagnosable	Default value
PLC (error location)	Default value		

Totally Integrated Automation Portal			
Table header border			
Width (table header border)	1	Style (table header border)	Solid
Color (table header border)	156, 154, 165	Background color (table header border)	156, 154, 165
Corner radius (table header border)	2		
Table header fill pattern			
Fill pattern (table header fill pattern)	Vertical gradient	Background color gradient (table header fill pattern)	239, 235, 239
Gradient 1 (table header fill pattern)	Enabled	Color gradient 1 (table header fill pattern)	247, 247, 247
Offset gradient 1 (table header fill pattern)	15	Gradient 2 (table header fill pattern)	Enabled
Color gradient 2 (table header fill pattern)	231, 223, 222	Offset gradient 2 (table header fill pattern)	15
Styles/Designs			
Use style/design	Disabled	Style item appearance	
Miscellaneous			
Name	System events		

Totally Integrated Automation Portal		
--------------------------------------	--	--

HMI_1 [KTP400 Basic PN] / HMI tags

Umum [7]

Mode Otomatis

General			
Name	Mode Otomatis	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1		
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

mode_otomatis

hanger selected

General			
Name	hanger selected	Connection	HMI_Connection_1
Data type	Int	Array elements	0
Length	2	Address	
Access mode	<symbolic access>	PLC tag	Positioning_DB."hanger selected"
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

Totally Integrated Automation Portal		
--------------------------------------	--	--

IDLE

General			
Name	IDLE	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	Positioning_DB.IDLE
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

Hard Reset

General			
Name	Hard Reset	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1		
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

Hard Reset DB Hanger

Mode Manual

General			
Name	Mode Manual	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	

Totally Integrated Automation Portal			
Access mode	<symbolic access>	Coding	Binary
PLC name			
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	
mode_manual			
Repositioning			
General			
Name	Repositioning	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	"Step Gerak".Reposition
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	
System Error			
General			
Name	System Error	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1		
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	

Totally Integrated Automation Portal			
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	
Sys Error Main Tag			

Totally Integrated Automation Portal																																																																													
HMI_1 [KTP400 Basic PN] / HMI tags																																																																													
Hanger 1 [25]																																																																													
H1_Proses																																																																													
<table border="1"> <tr> <td colspan="4">General</td></tr> <tr> <td>Name</td><td>H1_Proses</td><td>Connection</td><td>HMI_Connection_1</td></tr> <tr> <td>Data type</td><td>Int</td><td>Array elements</td><td>0</td></tr> <tr> <td>Length</td><td>2</td><td>Address</td><td></td></tr> <tr> <td>Access mode</td><td><symbolic access></td><td>PLC tag</td><td>"Hanger Data".Hanger[1].Proses</td></tr> <tr> <td>Coding</td><td>Binary</td><td>PLC name</td><td>PLC_1</td></tr> <tr> <td colspan="4">Settings</td></tr> <tr> <td>Acquisition cycle</td><td>1 s</td><td>Acquisition mode</td><td>Cyclic in operation</td></tr> <tr> <td colspan="3">Limits</td></tr> <tr> <td>Upper 2</td><td></td><td>Lower 2</td><td></td></tr> <tr> <td colspan="3">Linear scaling</td></tr> <tr> <td>Linear scaling</td><td>Disabled</td><td>PLC value range end value</td><td>10</td></tr> <tr> <td>PLC value range start value</td><td>0</td><td>HMI device value range end value</td><td>100</td></tr> <tr> <td>HMI device value range start value</td><td>0</td><td></td><td></td></tr> <tr> <td colspan="3">Values</td></tr> <tr> <td>ID tag</td><td></td><td>Start value</td><td></td></tr> <tr> <td colspan="3">Comment</td></tr> <tr> <td>Comment</td><td></td><td>Source comment</td><td></td></tr> <tr> <td colspan="3">Multiplexing</td></tr> <tr> <td>Multiplexing</td><td>Disabled</td><td>Index tag</td><td></td></tr> </table>			General				Name	H1_Proses	Connection	HMI_Connection_1	Data type	Int	Array elements	0	Length	2	Address		Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1].Proses	Coding	Binary	PLC name	PLC_1	Settings				Acquisition cycle	1 s	Acquisition mode	Cyclic in operation	Limits			Upper 2		Lower 2		Linear scaling			Linear scaling	Disabled	PLC value range end value	10	PLC value range start value	0	HMI device value range end value	100	HMI device value range start value	0			Values			ID tag		Start value		Comment			Comment		Source comment		Multiplexing			Multiplexing	Disabled	Index tag	
General																																																																													
Name	H1_Proses	Connection	HMI_Connection_1																																																																										
Data type	Int	Array elements	0																																																																										
Length	2	Address																																																																											
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1].Proses																																																																										
Coding	Binary	PLC name	PLC_1																																																																										
Settings																																																																													
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation																																																																										
Limits																																																																													
Upper 2		Lower 2																																																																											
Linear scaling																																																																													
Linear scaling	Disabled	PLC value range end value	10																																																																										
PLC value range start value	0	HMI device value range end value	100																																																																										
HMI device value range start value	0																																																																												
Values																																																																													
ID tag		Start value																																																																											
Comment																																																																													
Comment		Source comment																																																																											
Multiplexing																																																																													
Multiplexing	Disabled	Index tag																																																																											
H1_Setpoint 1																																																																													
<table border="1"> <tr> <td colspan="4">General</td></tr> <tr> <td>Name</td><td>H1_Setpoint 1</td><td>Connection</td><td>HMI_Connection_1</td></tr> <tr> <td>Data type</td><td>Time</td><td>Array elements</td><td>0</td></tr> <tr> <td>Length</td><td>4</td><td>Address</td><td></td></tr> <tr> <td>Access mode</td><td><symbolic access></td><td>PLC tag</td><td>"Hanger Data".Hanger[1].Setpoint[1]</td></tr> <tr> <td>Coding</td><td>Binary</td><td>PLC name</td><td>PLC_1</td></tr> <tr> <td colspan="4">Settings</td></tr> <tr> <td>Acquisition cycle</td><td>1 s</td><td>Acquisition mode</td><td>Cyclic in operation</td></tr> <tr> <td colspan="3">Limits</td></tr> <tr> <td>Upper 2</td><td></td><td>Lower 2</td><td></td></tr> <tr> <td colspan="3">Linear scaling</td></tr> <tr> <td>Linear scaling</td><td>Enabled</td><td>PLC value range end value</td><td>60000</td></tr> <tr> <td>PLC value range start value</td><td>0</td><td>HMI device value range end value</td><td>1</td></tr> <tr> <td>HMI device value range start value</td><td>0</td><td></td><td></td></tr> <tr> <td colspan="3">Values</td></tr> <tr> <td>ID tag</td><td></td><td>Start value</td><td></td></tr> <tr> <td colspan="3">Comment</td></tr> <tr> <td>Comment</td><td></td><td>Source comment</td><td></td></tr> <tr> <td colspan="3">Multiplexing</td></tr> <tr> <td>Multiplexing</td><td>Disabled</td><td>Index tag</td><td></td></tr> </table>			General				Name	H1_Setpoint 1	Connection	HMI_Connection_1	Data type	Time	Array elements	0	Length	4	Address		Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1].Setpoint[1]	Coding	Binary	PLC name	PLC_1	Settings				Acquisition cycle	1 s	Acquisition mode	Cyclic in operation	Limits			Upper 2		Lower 2		Linear scaling			Linear scaling	Enabled	PLC value range end value	60000	PLC value range start value	0	HMI device value range end value	1	HMI device value range start value	0			Values			ID tag		Start value		Comment			Comment		Source comment		Multiplexing			Multiplexing	Disabled	Index tag	
General																																																																													
Name	H1_Setpoint 1	Connection	HMI_Connection_1																																																																										
Data type	Time	Array elements	0																																																																										
Length	4	Address																																																																											
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1].Setpoint[1]																																																																										
Coding	Binary	PLC name	PLC_1																																																																										
Settings																																																																													
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation																																																																										
Limits																																																																													
Upper 2		Lower 2																																																																											
Linear scaling																																																																													
Linear scaling	Enabled	PLC value range end value	60000																																																																										
PLC value range start value	0	HMI device value range end value	1																																																																										
HMI device value range start value	0																																																																												
Values																																																																													
ID tag		Start value																																																																											
Comment																																																																													
Comment		Source comment																																																																											
Multiplexing																																																																													
Multiplexing	Disabled	Index tag																																																																											

Totally Integrated Automation Portal		
--------------------------------------	--	--

H1_Setpoint 2

General			
Name	H1_Setpoint 2	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1].Setpoint[2]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H1_Setpoint 3

General			
Name	H1_Setpoint 3	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1].Setpoint[3]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H1_Setpoint 4

General			
Name	H1_Setpoint 4	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1].Setpoint[4]
Coding	Binary	PLC name	PLC_1

Totally Integrated Automation Portal			
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H1_Setpoint 5

General			
Name	H1_Setpoint 5	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1].Setpoint[5]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H1_Setpoint 6

General			
Name	H1_Setpoint 6	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1].Setpoint[6]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000

Totally Integrated Automation Portal		
PLC value range start value	0	HMI device value range end value
HMI device value range start value	0	
Values		
ID tag		Start value
Comment		
Comment		Source comment
Multiplexing		
Multiplexing	Disabled	Index tag

H1_Setpoint 7

General			
Name	H1_Setpoint 7	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1].Setpoint[7]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H1_Setpoint 8

General			
Name	H1_Setpoint 8	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1].Setpoint[8]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	

Totally Integrated Automation Portal			
Multiplexing			
Multiplexing	Disabled	Index tag	
H1_Setpoint 9			
General			
Name	H1_Setpoint 9	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1].Setpoint[9]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	
H1_HMI Ready			
General			
Name	H1_HMI Ready	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1].HMI_Ready
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	
H1_hanger position			
General			
Name	H1_hanger position	Connection	HMI_Connection_1
Data type	Int	Array elements	0

Totally Integrated Automation Portal			
Length	2	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1].Position
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H1_Nomor Proses

General			
Name	H1_Nomor Proses	Connection	HMI_Connection_1
Data type	Int	Array elements	0
Length	2	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1]."Nomor Proses"
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic continuous
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H1_Finish Process

General			
Name	H1_Finish Process	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1]."Finish Process"
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation

Totally Integrated Automation Portal			
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H1_HMI Finish

General			
Name	H1_HMI Finish	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1].HMI_Finish
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H1_Timer 1

General			
Name	H1_Timer 1	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1]."Timer cel-up"[1]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1

Totally Integrated Automation Portal		
HMI device value range start value	0	
Values		
ID tag		Start value
Comment		
Comment		Source comment
Multiplexing		
Multiplexing	Disabled	Index tag

H1_Timer 2

General			
Name	H1_Timer 2	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1]."Timer cel-up"[2]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H1_Timer 3

General			
Name	H1_Timer 3	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1]."Timer cel-up"[3]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	

Totally Integrated Automation Portal		
--------------------------------------	--	--

Multiplexing

Multiplexing	Disabled
--------------	----------

Index tag

H1_Timer 4

General

Name	H1_Timer 4	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1]."Timer cel-up"[4]
Coding	Binary	PLC name	PLC_1

Settings

Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
-------------------	-----	------------------	---------------------

Limits

Upper 2	Lower 2
---------	---------

Linear scaling

Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		

Values

ID tag	Start value
--------	-------------

Comment

Comment	Source comment
---------	----------------

Multiplexing

Multiplexing	Disabled
--------------	----------

Index tag

H1_Timer 5

General

Name	H1_Timer 5	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1]."Timer cel-up"[5]
Coding	Binary	PLC name	PLC_1

Settings

Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
-------------------	-----	------------------	---------------------

Limits

Upper 2	Lower 2
---------	---------

Linear scaling

Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		

Values

ID tag	Start value
--------	-------------

Comment

Comment	Source comment
---------	----------------

Multiplexing

Multiplexing	Disabled
--------------	----------

Index tag

Totally Integrated Automation Portal			
H1_Timer 6			
General			
Name	H1_Timer 6	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1].Timer cel-up"[6]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	
H1_HMI Reset			
General			
Name	H1_HMI Reset	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1].HMI_Reset
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	
H1_Mulai			
General			
Name	H1_Mulai	Connection	HMI_Connection_1
Data type	Time_Of_Day	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1].Start_ToD

Totally Integrated Automation Portal			
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H1_Selesai

General			
Name	H1_Selesai	Connection	HMI_Connection_1
Data type	Time_Of_Day	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1].Stop_ToD
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H1_Setpoint Ready

General			
Name	H1_Setpoint Ready	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[1].Set-point_Ready
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	

Totally Integrated Automation Portal			
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

Totally Integrated Automation Portal																																																																													
HMI_1 [KTP400 Basic PN] / HMI tags																																																																													
Hanger 2 [25]																																																																													
H2_Proses																																																																													
<table border="1"> <tr> <td colspan="4">General</td></tr> <tr> <td>Name</td><td>H2_Proses</td><td>Connection</td><td>HMI_Connection_1</td></tr> <tr> <td>Data type</td><td>Int</td><td>Array elements</td><td>0</td></tr> <tr> <td>Length</td><td>2</td><td>Address</td><td></td></tr> <tr> <td>Access mode</td><td><symbolic access></td><td>PLC tag</td><td>"Hanger Data".Hanger[2].Proses</td></tr> <tr> <td>Coding</td><td>Binary</td><td>PLC name</td><td>PLC_1</td></tr> <tr> <td colspan="4">Settings</td></tr> <tr> <td>Acquisition cycle</td><td>1 s</td><td>Acquisition mode</td><td>Cyclic in operation</td></tr> <tr> <td colspan="3">Limits</td></tr> <tr> <td>Upper 2</td><td></td><td>Lower 2</td><td></td></tr> <tr> <td colspan="3">Linear scaling</td></tr> <tr> <td>Linear scaling</td><td>Disabled</td><td>PLC value range end value</td><td>10</td></tr> <tr> <td>PLC value range start value</td><td>0</td><td>HMI device value range end value</td><td>100</td></tr> <tr> <td>HMI device value range start value</td><td>0</td><td></td><td></td></tr> <tr> <td colspan="3">Values</td></tr> <tr> <td>ID tag</td><td></td><td>Start value</td><td></td></tr> <tr> <td colspan="3">Comment</td></tr> <tr> <td>Comment</td><td></td><td>Source comment</td><td></td></tr> <tr> <td colspan="3">Multiplexing</td></tr> <tr> <td>Multiplexing</td><td>Disabled</td><td>Index tag</td><td></td></tr> </table>			General				Name	H2_Proses	Connection	HMI_Connection_1	Data type	Int	Array elements	0	Length	2	Address		Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2].Proses	Coding	Binary	PLC name	PLC_1	Settings				Acquisition cycle	1 s	Acquisition mode	Cyclic in operation	Limits			Upper 2		Lower 2		Linear scaling			Linear scaling	Disabled	PLC value range end value	10	PLC value range start value	0	HMI device value range end value	100	HMI device value range start value	0			Values			ID tag		Start value		Comment			Comment		Source comment		Multiplexing			Multiplexing	Disabled	Index tag	
General																																																																													
Name	H2_Proses	Connection	HMI_Connection_1																																																																										
Data type	Int	Array elements	0																																																																										
Length	2	Address																																																																											
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2].Proses																																																																										
Coding	Binary	PLC name	PLC_1																																																																										
Settings																																																																													
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation																																																																										
Limits																																																																													
Upper 2		Lower 2																																																																											
Linear scaling																																																																													
Linear scaling	Disabled	PLC value range end value	10																																																																										
PLC value range start value	0	HMI device value range end value	100																																																																										
HMI device value range start value	0																																																																												
Values																																																																													
ID tag		Start value																																																																											
Comment																																																																													
Comment		Source comment																																																																											
Multiplexing																																																																													
Multiplexing	Disabled	Index tag																																																																											
H2_Setpoint 1																																																																													
<table border="1"> <tr> <td colspan="4">General</td></tr> <tr> <td>Name</td><td>H2_Setpoint 1</td><td>Connection</td><td>HMI_Connection_1</td></tr> <tr> <td>Data type</td><td>Time</td><td>Array elements</td><td>0</td></tr> <tr> <td>Length</td><td>4</td><td>Address</td><td></td></tr> <tr> <td>Access mode</td><td><symbolic access></td><td>PLC tag</td><td>"Hanger Data".Hanger[2].Setpoint[1]</td></tr> <tr> <td>Coding</td><td>Binary</td><td>PLC name</td><td>PLC_1</td></tr> <tr> <td colspan="4">Settings</td></tr> <tr> <td>Acquisition cycle</td><td>1 s</td><td>Acquisition mode</td><td>Cyclic in operation</td></tr> <tr> <td colspan="3">Limits</td></tr> <tr> <td>Upper 2</td><td></td><td>Lower 2</td><td></td></tr> <tr> <td colspan="3">Linear scaling</td></tr> <tr> <td>Linear scaling</td><td>Enabled</td><td>PLC value range end value</td><td>60000</td></tr> <tr> <td>PLC value range start value</td><td>0</td><td>HMI device value range end value</td><td>1</td></tr> <tr> <td>HMI device value range start value</td><td>0</td><td></td><td></td></tr> <tr> <td colspan="3">Values</td></tr> <tr> <td>ID tag</td><td></td><td>Start value</td><td></td></tr> <tr> <td colspan="3">Comment</td></tr> <tr> <td>Comment</td><td></td><td>Source comment</td><td></td></tr> <tr> <td colspan="3">Multiplexing</td></tr> <tr> <td>Multiplexing</td><td>Disabled</td><td>Index tag</td><td></td></tr> </table>			General				Name	H2_Setpoint 1	Connection	HMI_Connection_1	Data type	Time	Array elements	0	Length	4	Address		Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2].Setpoint[1]	Coding	Binary	PLC name	PLC_1	Settings				Acquisition cycle	1 s	Acquisition mode	Cyclic in operation	Limits			Upper 2		Lower 2		Linear scaling			Linear scaling	Enabled	PLC value range end value	60000	PLC value range start value	0	HMI device value range end value	1	HMI device value range start value	0			Values			ID tag		Start value		Comment			Comment		Source comment		Multiplexing			Multiplexing	Disabled	Index tag	
General																																																																													
Name	H2_Setpoint 1	Connection	HMI_Connection_1																																																																										
Data type	Time	Array elements	0																																																																										
Length	4	Address																																																																											
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2].Setpoint[1]																																																																										
Coding	Binary	PLC name	PLC_1																																																																										
Settings																																																																													
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation																																																																										
Limits																																																																													
Upper 2		Lower 2																																																																											
Linear scaling																																																																													
Linear scaling	Enabled	PLC value range end value	60000																																																																										
PLC value range start value	0	HMI device value range end value	1																																																																										
HMI device value range start value	0																																																																												
Values																																																																													
ID tag		Start value																																																																											
Comment																																																																													
Comment		Source comment																																																																											
Multiplexing																																																																													
Multiplexing	Disabled	Index tag																																																																											

Totally Integrated Automation Portal		
--------------------------------------	--	--

H2_Setpoint 2

General			
Name	H2_Setpoint 2	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2].Setpoint[2]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H2_Setpoint 3

General			
Name	H2_Setpoint 3	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2].Setpoint[3]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H2_Setpoint 4

General			
Name	H2_Setpoint 4	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2].Setpoint[4]
Coding	Binary	PLC name	PLC_1

Totally Integrated Automation Portal			
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H2_Setpoint 5

General			
Name	H2_Setpoint 5	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2].Setpoint[5]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H2_Setpoint 6

General			
Name	H2_Setpoint 6	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2].Setpoint[6]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000

Totally Integrated Automation Portal		
PLC value range start value	0	HMI device value range end value
HMI device value range start value	0	
Values		
ID tag		Start value
Comment		
Comment		Source comment
Multiplexing		
Multiplexing	Disabled	Index tag

H2_Setpoint 7

General			
Name	H2_Setpoint 7	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2].Setpoint[7]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H2_Setpoint 8

General			
Name	H2_Setpoint 8	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2].Setpoint[8]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	

Totally Integrated Automation Portal			
Multiplexing			
Multiplexing	Disabled	Index tag	
H2_Setpoint 9			
General			
Name	H2_Setpoint 9	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2].Setpoint[9]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	
H2_HMI Ready			
General			
Name	H2_HMI Ready	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2].HMI_Ready
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	
H2_hanger position			
General			
Name	H2_hanger position	Connection	HMI_Connection_1
Data type	Int	Array elements	0

Totally Integrated Automation Portal			
Length	2	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2].Position
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H2_Nomor Proses

General			
Name	H2_Nomor Proses	Connection	HMI_Connection_1
Data type	Int	Array elements	0
Length	2	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2]."Nomor Proses"
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic continuous
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H2_Finish Process

General			
Name	H2_Finish Process	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2]."Finish Process"
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation

Totally Integrated Automation Portal			
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H2_HMI Finish

General			
Name	H2_HMI Finish	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2].HMI_Finish
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H2_Timer 1

General			
Name	H2_Timer 1	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2]."Timer cel-up"[1]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1

Totally Integrated Automation Portal			
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	
H2_Timer 2			
General			
Name	H2_Timer 2	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2]."Timer cel-up"[2]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	
H2_Timer 3			
General			
Name	H2_Timer 3	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2]."Timer cel-up"[3]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	

Totally Integrated Automation Portal		
--------------------------------------	--	--

Multiplexing

Multiplexing	Disabled
--------------	----------

Index tag

H2_Timer 4

General

Name	H2_Timer 4	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2]."Timer cel-up"[4]
Coding	Binary	PLC name	PLC_1

Settings

Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
-------------------	-----	------------------	---------------------

Limits

Upper 2	Lower 2
---------	---------

Linear scaling

Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		

Values

ID tag	Start value
--------	-------------

Comment

Comment	Source comment
---------	----------------

Multiplexing

Multiplexing	Disabled
--------------	----------

Index tag

H2_Timer 5

General

Name	H2_Timer 5	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2]."Timer cel-up"[5]
Coding	Binary	PLC name	PLC_1

Settings

Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
-------------------	-----	------------------	---------------------

Limits

Upper 2	Lower 2
---------	---------

Linear scaling

Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		

Values

ID tag	Start value
--------	-------------

Comment

Comment	Source comment
---------	----------------

Multiplexing

Multiplexing	Disabled
--------------	----------

Index tag

Totally Integrated Automation Portal			
H2_Timer 6			
General			
Name	H2_Timer 6	Connection	HMI_Connection_1
Data type	Time	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2].Timer cel-up"[6]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Enabled	PLC value range end value	60000
PLC value range start value	0	HMI device value range end value	1
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	
H2_HMI Reset			
General			
Name	H2_HMI Reset	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2].HMI_Reset
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	
H2_Mulai			
General			
Name	H2_Mulai	Connection	HMI_Connection_1
Data type	Time_Of_Day	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2].Start_ToD

Totally Integrated Automation Portal			
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H2_Selesai

General			
Name	H2_Selesai	Connection	HMI_Connection_1
Data type	Time_Of_Day	Array elements	0
Length	4	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2].Stop_ToD
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

H2_Setpoint Ready

General			
Name	H2_Setpoint Ready	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	"Hanger Data".Hanger[2].Set-point_Ready
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	

Totally Integrated Automation Portal			
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

Totally Integrated Automation Portal																																												
HMI_1 [KTP400 Basic PN] / HMI tags																																												
Manual [4]																																												
HMI_atas																																												
<table border="1"> <thead> <tr> <th colspan="2">General</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>HMI_atas</td></tr> <tr> <td>Data type</td><td>Bool</td></tr> <tr> <td>Length</td><td>1</td></tr> <tr> <td>Access mode</td><td><symbolic access></td></tr> <tr> <td>PLC name</td><td>PLC_1</td></tr> <tr> <th colspan="2">Settings</th></tr> <tr> <td>Acquisition cycle</td><td>1 s</td></tr> <tr> <td colspan="2">Limits</td></tr> <tr> <td>Upper 2</td><td></td></tr> <tr> <td colspan="2">Linear scaling</td></tr> <tr> <td>Linear scaling</td><td>Disabled</td></tr> <tr> <td>PLC value range start value</td><td>0</td></tr> <tr> <td>HMI device value range start value</td><td>0</td></tr> <tr> <td colspan="2">Values</td></tr> <tr> <td>ID tag</td><td></td></tr> <tr> <td colspan="2">Comment</td></tr> <tr> <td>Comment</td><td></td></tr> <tr> <td colspan="2">Multiplexing</td></tr> <tr> <td>Multiplexing</td><td>Disabled</td></tr> <tr> <td colspan="2">Index tag</td></tr> </tbody> </table>			General		Name	HMI_atas	Data type	Bool	Length	1	Access mode	<symbolic access>	PLC name	PLC_1	Settings		Acquisition cycle	1 s	Limits		Upper 2		Linear scaling		Linear scaling	Disabled	PLC value range start value	0	HMI device value range start value	0	Values		ID tag		Comment		Comment		Multiplexing		Multiplexing	Disabled	Index tag	
General																																												
Name	HMI_atas																																											
Data type	Bool																																											
Length	1																																											
Access mode	<symbolic access>																																											
PLC name	PLC_1																																											
Settings																																												
Acquisition cycle	1 s																																											
Limits																																												
Upper 2																																												
Linear scaling																																												
Linear scaling	Disabled																																											
PLC value range start value	0																																											
HMI device value range start value	0																																											
Values																																												
ID tag																																												
Comment																																												
Comment																																												
Multiplexing																																												
Multiplexing	Disabled																																											
Index tag																																												
hmi_atas																																												
HMI_bawah																																												
<table border="1"> <thead> <tr> <th colspan="2">General</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>HMI_bawah</td></tr> <tr> <td>Data type</td><td>Bool</td></tr> <tr> <td>Length</td><td>1</td></tr> <tr> <td>Access mode</td><td><symbolic access></td></tr> <tr> <td>PLC name</td><td>PLC_1</td></tr> <tr> <th colspan="2">Settings</th></tr> <tr> <td>Acquisition cycle</td><td>1 s</td></tr> <tr> <td colspan="2">Limits</td></tr> <tr> <td>Upper 2</td><td></td></tr> <tr> <td colspan="2">Linear scaling</td></tr> <tr> <td>Linear scaling</td><td>Disabled</td></tr> <tr> <td>PLC value range start value</td><td>0</td></tr> <tr> <td>HMI device value range start value</td><td>0</td></tr> <tr> <td colspan="2">Values</td></tr> <tr> <td>ID tag</td><td></td></tr> <tr> <td colspan="2">Comment</td></tr> <tr> <td>Comment</td><td></td></tr> <tr> <td colspan="2">Multiplexing</td></tr> <tr> <td>Multiplexing</td><td>Disabled</td></tr> <tr> <td colspan="2">Index tag</td></tr> </tbody> </table>			General		Name	HMI_bawah	Data type	Bool	Length	1	Access mode	<symbolic access>	PLC name	PLC_1	Settings		Acquisition cycle	1 s	Limits		Upper 2		Linear scaling		Linear scaling	Disabled	PLC value range start value	0	HMI device value range start value	0	Values		ID tag		Comment		Comment		Multiplexing		Multiplexing	Disabled	Index tag	
General																																												
Name	HMI_bawah																																											
Data type	Bool																																											
Length	1																																											
Access mode	<symbolic access>																																											
PLC name	PLC_1																																											
Settings																																												
Acquisition cycle	1 s																																											
Limits																																												
Upper 2																																												
Linear scaling																																												
Linear scaling	Disabled																																											
PLC value range start value	0																																											
HMI device value range start value	0																																											
Values																																												
ID tag																																												
Comment																																												
Comment																																												
Multiplexing																																												
Multiplexing	Disabled																																											
Index tag																																												

Totally Integrated Automation Portal			
hmi_bawah			
HMI_kanan			
General			
Name	HMI_kanan	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1		
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	
hmi_kanan			
HMI_kiri			
General			
Name	HMI_kiri	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	Coding	Binary
PLC name	PLC_1		
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	
hmi_kiri			

Totally Integrated Automation Portal																																																																													
HMI_1 [KTP400 Basic PN] / HMI tags																																																																													
Occupancy [7]																																																																													
ST1																																																																													
<table border="1"> <tr> <td colspan="4">General</td></tr> <tr> <td>Name</td><td>ST1</td><td>Connection</td><td>HMI_Connection_1</td></tr> <tr> <td>Data type</td><td>Bool</td><td>Array elements</td><td>0</td></tr> <tr> <td>Length</td><td>1</td><td>Address</td><td></td></tr> <tr> <td>Access mode</td><td><symbolic access></td><td>PLC tag</td><td>Occupancy_DB.occupancy[3]</td></tr> <tr> <td>Coding</td><td>Binary</td><td>PLC name</td><td>PLC_1</td></tr> <tr> <td colspan="4">Settings</td></tr> <tr> <td>Acquisition cycle</td><td>1 s</td><td>Acquisition mode</td><td>Cyclic in operation</td></tr> <tr> <td colspan="3">Limits</td></tr> <tr> <td>Upper 2</td><td></td><td>Lower 2</td><td></td></tr> <tr> <td colspan="3">Linear scaling</td></tr> <tr> <td>Linear scaling</td><td>Disabled</td><td>PLC value range end value</td><td>10</td></tr> <tr> <td>PLC value range start value</td><td>0</td><td>HMI device value range end value</td><td>100</td></tr> <tr> <td>HMI device value range start value</td><td>0</td><td></td><td></td></tr> <tr> <td colspan="3">Values</td></tr> <tr> <td>ID tag</td><td></td><td>Start value</td><td></td></tr> <tr> <td colspan="3">Comment</td></tr> <tr> <td>Comment</td><td></td><td>Source comment</td><td></td></tr> <tr> <td colspan="3">Multiplexing</td></tr> <tr> <td>Multiplexing</td><td>Disabled</td><td>Index tag</td><td></td></tr> </table>			General				Name	ST1	Connection	HMI_Connection_1	Data type	Bool	Array elements	0	Length	1	Address		Access mode	<symbolic access>	PLC tag	Occupancy_DB.occupancy[3]	Coding	Binary	PLC name	PLC_1	Settings				Acquisition cycle	1 s	Acquisition mode	Cyclic in operation	Limits			Upper 2		Lower 2		Linear scaling			Linear scaling	Disabled	PLC value range end value	10	PLC value range start value	0	HMI device value range end value	100	HMI device value range start value	0			Values			ID tag		Start value		Comment			Comment		Source comment		Multiplexing			Multiplexing	Disabled	Index tag	
General																																																																													
Name	ST1	Connection	HMI_Connection_1																																																																										
Data type	Bool	Array elements	0																																																																										
Length	1	Address																																																																											
Access mode	<symbolic access>	PLC tag	Occupancy_DB.occupancy[3]																																																																										
Coding	Binary	PLC name	PLC_1																																																																										
Settings																																																																													
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation																																																																										
Limits																																																																													
Upper 2		Lower 2																																																																											
Linear scaling																																																																													
Linear scaling	Disabled	PLC value range end value	10																																																																										
PLC value range start value	0	HMI device value range end value	100																																																																										
HMI device value range start value	0																																																																												
Values																																																																													
ID tag		Start value																																																																											
Comment																																																																													
Comment		Source comment																																																																											
Multiplexing																																																																													
Multiplexing	Disabled	Index tag																																																																											
ST2																																																																													
<table border="1"> <tr> <td colspan="4">General</td></tr> <tr> <td>Name</td><td>ST2</td><td>Connection</td><td>HMI_Connection_1</td></tr> <tr> <td>Data type</td><td>Bool</td><td>Array elements</td><td>0</td></tr> <tr> <td>Length</td><td>1</td><td>Address</td><td></td></tr> <tr> <td>Access mode</td><td><symbolic access></td><td>PLC tag</td><td>Occupancy_DB.occupancy[2]</td></tr> <tr> <td>Coding</td><td>Binary</td><td>PLC name</td><td>PLC_1</td></tr> <tr> <td colspan="4">Settings</td></tr> <tr> <td>Acquisition cycle</td><td>1 s</td><td>Acquisition mode</td><td>Cyclic in operation</td></tr> <tr> <td colspan="3">Limits</td></tr> <tr> <td>Upper 2</td><td></td><td>Lower 2</td><td></td></tr> <tr> <td colspan="3">Linear scaling</td></tr> <tr> <td>Linear scaling</td><td>Disabled</td><td>PLC value range end value</td><td>10</td></tr> <tr> <td>PLC value range start value</td><td>0</td><td>HMI device value range end value</td><td>100</td></tr> <tr> <td>HMI device value range start value</td><td>0</td><td></td><td></td></tr> <tr> <td colspan="3">Values</td></tr> <tr> <td>ID tag</td><td></td><td>Start value</td><td></td></tr> <tr> <td colspan="3">Comment</td></tr> <tr> <td>Comment</td><td></td><td>Source comment</td><td></td></tr> <tr> <td colspan="3">Multiplexing</td></tr> <tr> <td>Multiplexing</td><td>Disabled</td><td>Index tag</td><td></td></tr> </table>			General				Name	ST2	Connection	HMI_Connection_1	Data type	Bool	Array elements	0	Length	1	Address		Access mode	<symbolic access>	PLC tag	Occupancy_DB.occupancy[2]	Coding	Binary	PLC name	PLC_1	Settings				Acquisition cycle	1 s	Acquisition mode	Cyclic in operation	Limits			Upper 2		Lower 2		Linear scaling			Linear scaling	Disabled	PLC value range end value	10	PLC value range start value	0	HMI device value range end value	100	HMI device value range start value	0			Values			ID tag		Start value		Comment			Comment		Source comment		Multiplexing			Multiplexing	Disabled	Index tag	
General																																																																													
Name	ST2	Connection	HMI_Connection_1																																																																										
Data type	Bool	Array elements	0																																																																										
Length	1	Address																																																																											
Access mode	<symbolic access>	PLC tag	Occupancy_DB.occupancy[2]																																																																										
Coding	Binary	PLC name	PLC_1																																																																										
Settings																																																																													
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation																																																																										
Limits																																																																													
Upper 2		Lower 2																																																																											
Linear scaling																																																																													
Linear scaling	Disabled	PLC value range end value	10																																																																										
PLC value range start value	0	HMI device value range end value	100																																																																										
HMI device value range start value	0																																																																												
Values																																																																													
ID tag		Start value																																																																											
Comment																																																																													
Comment		Source comment																																																																											
Multiplexing																																																																													
Multiplexing	Disabled	Index tag																																																																											

Totally Integrated Automation Portal		
--------------------------------------	--	--

Tank 1

General			
Name	Tank 1	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	Occupancy_DB.occupancy[4]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

Tank 2

General			
Name	Tank 2	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	Occupancy_DB.occupancy[5]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

Tank 3

General			
Name	Tank 3	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	Occupancy_DB.occupancy[6]
Coding	Binary	PLC name	PLC_1

Totally Integrated Automation Portal			
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

Tank 4

General			
Name	Tank 4	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	Occupancy_DB.occupancy[7]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10
PLC value range start value	0	HMI device value range end value	100
HMI device value range start value	0		
Values			
ID tag		Start value	
Comment			
Comment		Source comment	
Multiplexing			
Multiplexing	Disabled	Index tag	

Tank 5

General			
Name	Tank 5	Connection	HMI_Connection_1
Data type	Bool	Array elements	0
Length	1	Address	
Access mode	<symbolic access>	PLC tag	Occupancy_DB.occupancy[8]
Coding	Binary	PLC name	PLC_1
Settings			
Acquisition cycle	1 s	Acquisition mode	Cyclic in operation
Limits			
Upper 2		Lower 2	
Linear scaling			
Linear scaling	Disabled	PLC value range end value	10

Totally Integrated Automation Portal		
PLC value range start value	0	HMI device value range end value
HMI device value range start value	0	
Values		
ID tag		Start value
Comment		
Comment		Source comment
Multiplexing		
Multiplexing	Disabled	Index tag

Totally Integrated Automation Portal		
---	--	--

HMI_1 [KTP400 Basic PN]

Connections

HMI_Connection_1

Name	HMI_Connection_1	Communication driver	SIMATIC S7 1200
Comment		Online	Enabled
Station	S7-1200 station_1	Partner	PLC_1
Node	CPU 1212C AC/DC/Rly, PROFINET interface (R0/S1)	HMI time synchronization mode	None

Parameter

HMI device			
Interface	PROFINET (X1)	Address	192.168.0.2
Access point	S7ONLINE		
PLC			
Address	192.168.0.1		

Totally Integrated Automation Portal		
<h2>HMI_1 [KTP400 Basic PN] / HMI alarms</h2> <h3>Discrete alarms</h3> <p>This folder is empty.</p>		

Totally Integrated Automation Portal		
<h2>HMI_1 [KTP400 Basic PN] / HMI alarms</h2> <h3>Analog alarms</h3> <p>This folder is empty.</p>		

Totally Integrated Automation Portal						
HMI_1 [KTP400 Basic PN] / HMI alarms						
Alarm groups						
Alarm_group_1						
General <table border="1"> <tr> <td>Name</td><td>Alarm_group_1</td><td>ID</td><td>1</td></tr> </table>			Name	Alarm_group_1	ID	1
Name	Alarm_group_1	ID	1			
Alarm_group_10						
General <table border="1"> <tr> <td>Name</td><td>Alarm_group_10</td><td>ID</td><td>10</td></tr> </table>			Name	Alarm_group_10	ID	10
Name	Alarm_group_10	ID	10			
Alarm_group_11						
General <table border="1"> <tr> <td>Name</td><td>Alarm_group_11</td><td>ID</td><td>11</td></tr> </table>			Name	Alarm_group_11	ID	11
Name	Alarm_group_11	ID	11			
Alarm_group_12						
General <table border="1"> <tr> <td>Name</td><td>Alarm_group_12</td><td>ID</td><td>12</td></tr> </table>			Name	Alarm_group_12	ID	12
Name	Alarm_group_12	ID	12			
Alarm_group_13						
General <table border="1"> <tr> <td>Name</td><td>Alarm_group_13</td><td>ID</td><td>13</td></tr> </table>			Name	Alarm_group_13	ID	13
Name	Alarm_group_13	ID	13			
Alarm_group_14						
General <table border="1"> <tr> <td>Name</td><td>Alarm_group_14</td><td>ID</td><td>14</td></tr> </table>			Name	Alarm_group_14	ID	14
Name	Alarm_group_14	ID	14			
Alarm_group_15						
General <table border="1"> <tr> <td>Name</td><td>Alarm_group_15</td><td>ID</td><td>15</td></tr> </table>			Name	Alarm_group_15	ID	15
Name	Alarm_group_15	ID	15			
Alarm_group_16						
General <table border="1"> <tr> <td>Name</td><td>Alarm_group_16</td><td>ID</td><td>16</td></tr> </table>			Name	Alarm_group_16	ID	16
Name	Alarm_group_16	ID	16			
Alarm_group_2						
General <table border="1"> <tr> <td>Name</td><td>Alarm_group_2</td><td>ID</td><td>2</td></tr> </table>			Name	Alarm_group_2	ID	2
Name	Alarm_group_2	ID	2			
Alarm_group_3						
General <table border="1"> <tr> <td>Name</td><td>Alarm_group_3</td><td>ID</td><td>3</td></tr> </table>			Name	Alarm_group_3	ID	3
Name	Alarm_group_3	ID	3			
Alarm_group_4						
General <table border="1"> <tr> <td>Name</td><td>Alarm_group_4</td><td>ID</td><td>4</td></tr> </table>			Name	Alarm_group_4	ID	4
Name	Alarm_group_4	ID	4			
Alarm_group_5						
General <table border="1"> <tr> <td>Name</td><td>Alarm_group_5</td><td>ID</td><td>5</td></tr> </table>			Name	Alarm_group_5	ID	5
Name	Alarm_group_5	ID	5			

Totally Integrated Automation Portal		
Alarm_group_6		
General		
Name	Alarm_group_6	ID
Alarm_group_7		
General		
Name	Alarm_group_7	ID
Alarm_group_8		
General		
Name	Alarm_group_8	ID
Alarm_group_9		
General		
Name	Alarm_group_9	ID

Totally Integrated Automation Portal		
--------------------------------------	--	--

HMI_1 [KTP400 Basic PN] / HMI alarms

Alarm classes

Acknowledgement

General			
Name	Acknowledgement	Display name	A
ID	33	Common alarm class	Acknowledgement
Alarm log	<No log>		
Acknowledgment			
State machine	Alarm with single-mode acknowledgment		
State texts			
Text for "Incoming"	I	Text for "Outgoing"	O
Text for "Acknowledged"	A		
Colors			
Background "Incoming/Acknowledged"	255, 255, 255	Background "Incoming"	255, 0, 0
Background "Incoming/Outgoing/Acknowledged"	255, 255, 255	Background "Incoming/Outgoing"	255, 0, 0

Errors

General			
Name	Errors	Display name	!
ID	1	Common alarm class	<No alarm class>
Alarm log	<No log>		
Acknowledgment			
State machine	Alarm with single-mode acknowledgment		
State texts			
Text for "Incoming"	I	Text for "Outgoing"	O
Text for "Acknowledged"	A		
Colors			
Background "Incoming/Acknowledged"	255, 255, 255	Background "Incoming"	255, 0, 0
Background "Incoming/Outgoing/Acknowledged"	255, 255, 255	Background "Incoming/Outgoing"	255, 0, 0

No Acknowledgement

General			
Name	No Acknowledgement	Display name	NA
ID	34	Common alarm class	No Acknowledgement
Alarm log	<No log>		
Acknowledgment			
State machine	Alarm without acknowledgment		
State texts			
Text for "Incoming"	I	Text for "Outgoing"	O
Text for "Acknowledged"	A		
Colors			
Background "Incoming/Acknowledged"	255, 255, 255	Background "Incoming"	255, 0, 0

Totally Integrated Automation Portal			
Background "Incoming/Outgoing/Acknowledged"	255, 255, 255	Background "Incoming/Outgoing"	255, 0, 0
System			
General			
Name	System	Display name	\$
ID	3	Common alarm class	<No alarm class>
Alarm log	<No log>		
Acknowledgment			
State machine	Alarm without acknowledgment		
State texts			
Text for "Incoming"	I	Text for "Outgoing"	O
Text for "Acknowledged"	A		
Colors			
Background "Incoming/Acknowledged"	255, 255, 255	Background "Incoming"	255, 255, 255
Background "Incoming/Outgoing/Acknowledged"	255, 255, 255	Background "Incoming/Outgoing"	255, 255, 255
Warnings			
General			
Name	Warnings	Display name	
ID	2	Common alarm class	<No alarm class>
Alarm log	<No log>		
Acknowledgment			
State machine	Alarm without acknowledgment		
State texts			
Text for "Incoming"	I	Text for "Outgoing"	O
Text for "Acknowledged"	A		
Colors			
Background "Incoming/Acknowledged"	255, 255, 255	Background "Incoming"	255, 255, 255
Background "Incoming/Outgoing/Acknowledged"	255, 255, 255	Background "Incoming/Outgoing"	255, 255, 255

Totally Integrated Automation Portal		
<h2>HMI_1 [KTP400 Basic PN] / HMI alarms</h2> <h3>System events</h3> <p>This folder is empty.</p>		

Totally Integrated Automation Portal		
<h2>HMI_1 [KTP400 Basic PN]</h2> <h3>Recipes</h3> <p>This folder is empty.</p>		

Totally Integrated Automation Portal		
<h2>HMI_1 [KTP400 Basic PN] / Historical data</h2> <h3>Datalogs</h3> <p>This folder is empty.</p>		

Totally Integrated Automation Portal		
<h2>HMI_1 [KTP400 Basic PN] / Historical data</h2> <h3>AlarmLogs</h3> <p>This folder is empty.</p>		

Totally Integrated Automation Portal		
<h2>HMI_1 [KTP400 Basic PN]</h2> <h3>Scheduled tasks</h3> <p>This folder is empty.</p>		

Totally Integrated Automation Portal		
HMI_1 [KTP400 Basic PN] / Text and graphic lists		
Text lists		
List Nomor Proses		
Name	List Nomor Proses	List range
Comment		Value/Range
Value: 0		
Entry type	Single value	Text
STA		
Value: 1		
Entry type	Single value	Text
1		
Value: 2		
Entry type	Single value	Text
2		
Value: 3		
Entry type	Single value	Text
3		
Value: 4		
Entry type	Single value	Text
4		
Value: 5		
Entry type	Single value	Text
5		
Value: 6		
Entry type	Single value	Text
6		
Value: 7		
Entry type	Single value	Text
7		
List Posisi		
Name	List Posisi	List range
Comment		Value/Range
Value: 2		
Entry type	Single value	Text
ST2		
Value: 3		
Entry type	Single value	Text
ST1		
Value: 4		
Entry type	Single value	Text
ALK		
Value: 5		
Entry type	Single value	Text
RIN		

Totally Integrated Automation Portal		
Value: 6		
Entry type	Single value	Text DEOX
Value: 7		
Entry type	Single value	Text CCC
Value: 8		
Entry type	Single value	Text CAA
List Proses		
Name	List Proses	List range Value/Range
Comment		
Value: 1		
Entry type	Single value	Text CBP-IP
Value: 2		
Entry type	Single value	Text CBP-ADS
Value: 3		
Entry type	Single value	Text CCC
Value: 4		
Entry type	Single value	Text CAA
Value: 5		
Entry type	Single value	Text SAA
Value: 0		
Entry type	Single value	Text -
Value: 6		
Entry type	Single value	Text RES
List proses nomor 5		
Name	List proses nomor 5	List range Value/Range
Comment		
Value: 3		
Entry type	Single value	Text CCC
Value: 4		
Entry type	Single value	Text CAA
Value: 5		
Entry type	Single value	Text SAA

Totally Integrated Automation Portal										
List Proses_NoRES										
<table border="1"> <tr> <td>Name</td><td>List Proses_NoRES</td><td>List range</td><td>Value/Range</td></tr> <tr> <td>Comment</td><td></td><td></td><td></td></tr> </table>			Name	List Proses_NoRES	List range	Value/Range	Comment			
Name	List Proses_NoRES	List range	Value/Range							
Comment										
Value: 1										
Entry type	Single value	Text	CBP-IP							
Value: 2										
Entry type	Single value	Text	CBP-ADS							
Value: 3										
Entry type	Single value	Text	CCC							
Value: 4										
Entry type	Single value	Text	CAA							
Value: 5										
Entry type	Single value	Text	SAA							
Value: 0										
Entry type	Single value	Text	-							
TextList_OriginalScreenNames										
Name	TextList_OriginalScreenNames	List range	Value/Range							
Comment										
Value: 1										
Entry type	Single value	Text	Root screen							
TextList_ScreenNames										
Name	TextList_ScreenNames	List range	Value/Range							
Comment										
Value: 1										
Entry type	Single value	Text	Root screen							

Totally Integrated Automation Portal		
<h2>HMI_1 [KTP400 Basic PN] / Text and graphic lists</h2> <h3>Graphic lists</h3> <p>This folder is empty.</p>		

Totally Integrated Automation Portal																																		
HMI_1 [KTP400 Basic PN] / User administration																																		
User																																		
Administrator																																		
<table border="1"> <tr> <td colspan="4">General</td> </tr> <tr> <td>Name</td><td>Administrator</td><td>Number</td><td>1</td></tr> <tr> <td colspan="4">Automatic logoff</td> </tr> <tr> <td>Automatic logoff</td><td>Enabled</td><td>Logoff time</td><td>5</td></tr> <tr> <td colspan="4">Comment</td> </tr> <tr> <td>Comment</td><td colspan="3">The user 'Administrator' is assigned to the 'Administrator' group.</td></tr> <tr> <td colspan="4">Groups</td> </tr> <tr> <td>Groups</td><td colspan="3">Administrator group;</td></tr> </table>			General				Name	Administrator	Number	1	Automatic logoff				Automatic logoff	Enabled	Logoff time	5	Comment				Comment	The user 'Administrator' is assigned to the 'Administrator' group.			Groups				Groups	Administrator group;		
General																																		
Name	Administrator	Number	1																															
Automatic logoff																																		
Automatic logoff	Enabled	Logoff time	5																															
Comment																																		
Comment	The user 'Administrator' is assigned to the 'Administrator' group.																																	
Groups																																		
Groups	Administrator group;																																	

Totally Integrated Automation Portal																														
HMI_1 [KTP400 Basic PN] / User administration																														
Groups																														
Administrator group																														
<table border="1"> <thead> <tr> <th colspan="4">General</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>Administrator group</td><td>Display name</td><td>Administrator group</td></tr> <tr> <td>Number</td><td>1</td><td>Password aging</td><td>Disabled</td></tr> <tr> <th colspan="4">Comment</th></tr> <tr> <td>Comment</td><td>The 'Administrator' group is initially granted all rights.</td><td colspan="2"></td></tr> <tr> <th colspan="4">Authorizations</th></tr> <tr> <td>Authorizations</td><td>User administration; Monitor; Operate;</td><td colspan="2"></td></tr> </tbody> </table>			General				Name	Administrator group	Display name	Administrator group	Number	1	Password aging	Disabled	Comment				Comment	The 'Administrator' group is initially granted all rights.			Authorizations				Authorizations	User administration; Monitor; Operate;		
General																														
Name	Administrator group	Display name	Administrator group																											
Number	1	Password aging	Disabled																											
Comment																														
Comment	The 'Administrator' group is initially granted all rights.																													
Authorizations																														
Authorizations	User administration; Monitor; Operate;																													
Users																														
<table border="1"> <thead> <tr> <th colspan="4">General</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>Users</td><td>Display name</td><td>Users</td></tr> <tr> <td>Number</td><td>2</td><td>Password aging</td><td>Disabled</td></tr> <tr> <th colspan="4">Comment</th></tr> <tr> <td>Comment</td><td>The 'Users' group is initially granted 'Operating' rights.</td><td colspan="2"></td></tr> <tr> <th colspan="4">Authorizations</th></tr> <tr> <td>Authorizations</td><td>Operate;</td><td colspan="2"></td></tr> </tbody> </table>			General				Name	Users	Display name	Users	Number	2	Password aging	Disabled	Comment				Comment	The 'Users' group is initially granted 'Operating' rights.			Authorizations				Authorizations	Operate;		
General																														
Name	Users	Display name	Users																											
Number	2	Password aging	Disabled																											
Comment																														
Comment	The 'Users' group is initially granted 'Operating' rights.																													
Authorizations																														
Authorizations	Operate;																													

Totally Integrated Automation Portal												
HMI_1 [KTP400 Basic PN] / User administration												
Authorizations												
Monitor												
<table border="1"> <thead> <tr> <th colspan="2">General</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>Monitor</td></tr> <tr> <td>Authorization number</td><td>2</td></tr> <tr> <td>Comment</td><td></td></tr> <tr> <td>Comment</td><td>'Monitor' authorization.</td></tr> </tbody> </table>			General		Name	Monitor	Authorization number	2	Comment		Comment	'Monitor' authorization.
General												
Name	Monitor											
Authorization number	2											
Comment												
Comment	'Monitor' authorization.											
Operate												
<table border="1"> <thead> <tr> <th colspan="2">General</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>Operate</td></tr> <tr> <td>Authorization number</td><td>3</td></tr> <tr> <td>Comment</td><td></td></tr> <tr> <td>Comment</td><td>'Operate' authorization.</td></tr> </tbody> </table>			General		Name	Operate	Authorization number	3	Comment		Comment	'Operate' authorization.
General												
Name	Operate											
Authorization number	3											
Comment												
Comment	'Operate' authorization.											
User administration												
<table border="1"> <thead> <tr> <th colspan="2">General</th> </tr> </thead> <tbody> <tr> <td>Name</td><td>User administration</td></tr> <tr> <td>Authorization number</td><td>1</td></tr> <tr> <td>Comment</td><td></td></tr> <tr> <td>Comment</td><td>Authorization 'User administration' for managing users in the user view in Runtime.</td></tr> </tbody> </table>			General		Name	User administration	Authorization number	1	Comment		Comment	Authorization 'User administration' for managing users in the user view in Runtime.
General												
Name	User administration											
Authorization number	1											
Comment												
Comment	Authorization 'User administration' for managing users in the user view in Runtime.											