

Stock Count List

Printed On: 21/04/2011

| Item Code | Item Name | Location | Sub Location | Book Qty | Physical Qty |
|----------------------|-------------------------------|--------------------|--------------|----------|--------------|
| Test Item Stock | Test Item Stock | 1asd | | 40 | |
| Test Item Stock - QC | Test Item Stock - QC | 1asd | | 20 | |
| Test Item IT - QC | Test Item IT - QC | 1asd | | 5 | |
| 20101201-BIM-CCTV | 20101201-BIM-CCTV-Dome | 1asdasdasdasdasdas | | 1 | |
| Test Item IT | Test Item IT | 1asdasdasdasdasdas | | 2 | |
| Test Item IT - QC | Test Item IT - QC | 1asdasdasdasdasdas | | 50 | |
| Test Item IT | Test Item IT | dfgddfg | | 1 | |
| Test Item IT - QC | Test Item IT - QC | dfgddfg | | 25 | |
| 20101201-BIM-CCTV | 20101201-BIM-CCTV-Dome | dfgddfg | | 3 | |
| Test Item IT - QC | Test Item IT - QC | dgdgdf | | 4 | |
| Test Item IT - QC | Test Item IT - QC | dgdgdf | | 8 | |
| 20101201-BIM-CCTV | 20101201-BIM-CCTV-Dome | manchester | MI | 0 | |
| 20101201-BIM-Paper | 20101201-BIM-Paper A4 - White | manchester | ME | 1 | |
| Test Item IT | Test Item IT | manchester | ME | 2 | |
| Test Item IT - QC | Test Item IT - QC | manchester | ME | 10 | |
| Test Item Stock - QC | Test Item Stock - QC | manchester | ME | 20 | |
| 20101201-BIM-CCTV | 20101201-BIM-CCTV-Dome | manchester | ME | 0 | |
| 20101215-BIM-Oil | 20101215-BIM- Mozola Oil | manchester | ME | 0 | |
| 20101201-BIM-Paper | 20101201-BIM-Paper A4 - White | manchester | MU | 0 | |
| Test Item IT - QC | Test Item IT - QC | manchester | MU | 0 | |
| Test Item Stock | Test Item Stock | manchester | MU | 150 | |
| 20101216-BIM-CCTV | 20101216-BIM-CCTV-Dome | manchester | MU | 1 | |
| 20101215-BIM-Oil | 20101215-BIM- Mozola Oil | manchester | MU | 0 | |
| 20101201-BIM-CCTV | 20101201-BIM-CCTV-Dome | manchester | MU | 0 | |
| Test Item IT | Test Item IT | manchester | MU | 75 | |
| Test Item Stock - QC | Test Item Stock - QC | manchester | MU | 200 | |
| Test Item Stock - QC | Test Item Stock - QC | manchester | MU | 200 | |
| 20101216-BIM-CCTV | 20101216-BIM-CCTV-Dome | manchester | MC | 3 | |
| 20101201-BIM-CCTV | 20101201-BIM-CCTV-Dome | manchester | MC | 0 | |
| 20101215-BIM-Oil | 20101215-BIM- Mozola Oil | manchester | MC | 0 | |
| 20101215-BIM-Oil | 20101215-BIM- Mozola Oil | Testing1 | | 1 | |
| Test Item Stock - QC | Test Item Stock - QC | Testing1 | | 50 | |

Stock Count List

Printed On: 21/04/2011

| Item Code | Item Name | Location | Sub Location | Book Qty | Physical Qty |
|----------------------|-------------------------------|-------------|--------------|----------|--------------|
| Test Item IT - QC | Test Item IT - QC | Testing1 | | 14 | |
| Test Item IT - QC | Test Item IT - QC | W1_testing | B1 | 50 | |
| Test Item Stock | Test Item Stock | W1_testing | B1 | 5 | |
| 20101201-BIM-Paper | 20101201-BIM-Paper A4 - White | W1_testing | B1 | 1 | |
| Test Item IT | Test Item IT | W1_testing | B1 | 2 | |
| 20101201-BIM-CCTV | 20101201-BIM-CCTV-Dome | W1_testing | B1 | 5 | |
| 20101215-BIM-Oil | 20101215-BIM- Mozola Oil | W1_testing | B1 | 2 | |
| Test Item Stock - QC | Test Item Stock - QC | W1_testing | B1 | 10 | |
| Test Item IT - QC | Test Item IT - QC | W10_testing | | 15 | |
| 20101201-BIM-CCTV | 20101201-BIM-CCTV-Dome | W10_testing | | 2 | |
| Test Item IT | Test Item IT | W10_testing | | 2 | |
| 20101201-BIM-Paper | 20101201-BIM-Paper A4 - White | W10_testing | | 1 | |
| 20101215-BIM-Oil | 20101215-BIM- Mozola Oil | W10_testing | | 1 | |
| 20101216-BIM-CCTV | 20101216-BIM-CCTV-Dome | W10_testing | | 4 | |
| 20101201-BIM-Paper | 20101201-BIM-Paper A4 - White | W12 | | 2 | |
| Test Item IT - QC | Test Item IT - QC | W12 | | 5 | |
| Test Item Stock - QC | Test Item Stock - QC | W12 | | 50 | |
| Test Item IT - QC | Test Item IT - QC | W13 | | 14 | |
| 20101201-BIM-CCTV | 20101201-BIM-CCTV-Dome | W13 | | 3 | |
| Test Item Stock | Test Item Stock | W13 | | 3 | |
| Test Item Stock - QC | Test Item Stock - QC | W13 | | 50 | |
| TT2 | TT2 | W2 | | 61 | |
| Test Item IT - QC | Test Item IT - QC | W2 | | 40 | |
| 20101215-BIM-Oil | 20101215-BIM- Mozola Oil | W2 | | 2 | |
| Test Item IT | Test Item IT | W2 | | 3 | |
| Test Item Stock - QC | Test Item Stock - QC | W2 | | 14 | |
| 20101201-BIM-CCTV | 20101201-BIM-CCTV-Dome | W2 | | 3 | |
| Test Item IT - QC | Test Item IT - QC | W4_testing | | 10 | |
| 20101201-BIM-CCTV | 20101201-BIM-CCTV-Dome | W4_testing | | -3 | |
| Test Item Stock | Test Item Stock | W4_testing | | 100 | |
| 20101216-BIM-CCTV | 20101216-BIM-CCTV-Dome | W4_testing | | 9 | |
| Test Item IT | Test Item IT | W4_testing | | 84 | |

Stock Count List

Printed On: 21/04/2011

| Item Code | Item Name | Location | Sub Location | Book Qty | Physical Qty |
|----------------------|-------------------------------|-------------|--------------|----------|--------------|
| Test Item Stock - QC | Test Item Stock - QC | W4_testing | | 67 | |
| Test Item IT - QC | Test Item IT - QC | W5 | | 25 | |
| Test Item Stock - QC | Test Item Stock - QC | W5 | | 25 | |
| Test Item Stock | Test Item Stock | W5 | | 50 | |
| Test Item IT | Test Item IT | W5 | | 56 | |
| 20101215-BIM-Oil | 20101215-BIM- Mozola Oil | Warehouse A | Storeroom 1 | 2 | |
| Test Item Stock - QC | Test Item Stock - QC | Warehouse A | Storeroom 1 | 10 | |
| Test Item IT - QC | Test Item IT - QC | Warehouse A | Storeroom 1 | 9 | |
| 20101201-BIM-Paper | 20101201-BIM-Paper A4 - White | Warehouse A | Storeroom 1 | 100 | |
| Test Item Stock - QC | Test Item Stock - QC | Warehouse A | Storeroom 2 | 3 | |