Test Run Report




Test Run Overview

Started 02 Jun 2017, 13:10:26 Ended 02 Jun 2017, 13:12:59


Duration (mm:ss) 02:33.548

Test Results Summary

Passed 1 Failed 0 Skipped 0



Test Case Summary



successful
successful
successful
successful
successful
successful
successful
successful
successful

📘 KnowledgeManagement.testcase

Summary

Started 02 Jun 2017, 13:10:26 Ended 02 Jun 2017, 13:12:57

Duration (mm:ss) 02:31.238
Outcome Successful

Output

- Salesforce Connect: Provar_CenterAgent (Test)
 - (i) Opening Salesforce connection Connection name: Provar_Supervisor
 - ① Connection details. Connection name: Provar_Supervisor, urlString: sf:user=provarsupervisor@ladbrokescoral.com.sit;password={password};environment=SANDBOX;metadataConnection=Ladbroke, environment: <default>, userName: provarsupervisor@ladbrokescoral.com.sit, password: [supplied], securityToken: [empty]
 - ① Created Object ID log file. Path: D:\Project\POC\LadBrok\2June\Ladbroke\ANT\..\ANT\Results(2)\Artifacts\Provar_Supervisor-objectids.log Salesforce connection opened successfully. Connection name: Provar_Supervisor, ResultName: Provar_CenterAgent, resultScope: Test

On SF Knowledge tab

- 1 Start of With Screen. Connection Name: Provar_CenterAgent, target: sf:ui:target?tab=standard-Knowledge&application=Service_Console
- (i) Encoding Username: provarsupervisor@ladbrokescoral.com.sit
- ① Successfully opened Chrome WebDriver to https://test.salesforce.com/.
- ① Opening Salesforce Tab. Tab Name: standard-Knowledge, Url: _ui/knowledge/ui/KnowledgeHome
- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Opening page. URL: https://test.salesforce.com/?un=provarsupervisor%40ladbrokescoral.com.sit&pw=Provar01&startURL=%2Fconsole%3Ftsid%3D02u9E0000008dF3
- (i) Start of waitForPageToLoad. Timeout(ms): 90000
- (i) End of waitForPageToLoad. Duration(ms): 16330
- Start of waitForPageToLoad. Timeout(ms): 90000
- End of waitForPageToLoad. Duration(ms): 788
- Injecting script to close tabs
- ① Got sid cookie: sid=00D9E000000DBXC!

ARAAQFIiLZevfaJe0VaO8W9LDrYYrcrCLCfKLopGR6KULegGQ.xbdUukn9ZFo9DHyiMzwZ5uC0l7Z_Qx5X1sWhsENW_2ueW9; path=/; domain=ladbrokescoral--sit.cs88.my.salesforce.com;secure;

- ① Switched focus to main window. URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/console?tsid=02u9E0000008dF3
- ① Clicking WebElement. WebElement [tag: span, text: Knowledge]
- ① Switched focus to frame. Window: main, Selector: xpath: //div[contains(@class, 'x-window') and contains(@class, 'sd_widget_window')]]] -> css selector: iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome? isdtp=vw&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral-sit.cs88.my.salesforce.com&isftw=true

On Knowledge page

- 1 Start of With Screen. Connection Name: Provar_CenterAgent, target: ui:pageobject:target?pageId=pageobjects.Knowledge
- (i) Browser window has been opened. Name: main
- (1) Opening Page context. Name: screen, data: null, frame: null

Click the Filters

- ① Start of Interact. Connection: Provar_CenterAgent, Locator: ui:pageobject:field? field=KnowledgeFooter.filters&pageId=pageobjects.Knowledge, before wait: null, after wait: null, auto retry: null
- ① Locator: ui:pageobject:field?field=KnowledgeFooter.filters&pageId=pageobjects.Knowledge
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/console?tsid=02u9E0000008dF3
- ① Switched focus to frame. Window: main, Selector: xpath: //iframe[contains(@id,'scc_widget_knowledgeOne')], URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome?

is dtp=vw&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com&isftw=true

- (i) Clicking WebElement. WebElement [tag: a, text: Filters]
- (i) All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null
- (i) Main window reselected. Window: main
- ① Switched focus to frame. Window: main, Selector: xpath: //div[contains(@class, 'x-window') and contains(@class, 'sd_widget_window')]]] -> css selector: iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome?isdtp=vw&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com&isftw=true

Set the Search field to FAQ External Demo 27040

- ① Start of Interact. Connection: Provar_CenterAgent, Locator: ui:locator?name=searchInput&path=toolBar, before wait: null, after wait: null, auto retry: null
- Locator: ui:locator?name=searchInput&path=toolBar
- i Interaction: ui:interaction?name=set
- ① Switched focus to frame. Window: main, Selector: xpath: //div[contains(@class, 'x-window') and contains(@class, 'sd_widget_window')]]] -> css selector: iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome?isdtp=vw&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com&isftw=true
- Getting webElement: By.xpath: //input[@id='knowledgeSearchInput_kbOneTab']
- ① Got webElement. tagName: INPUT, id: knowledgeSearchInput_kbOneTab, type: null, selector: //input[@id='knowledgeSearchInput_kbOneTab']
- ① Typing value. tagName: INPUT, type: null, value: FAQ External Demo 27040, blur: false, selector: // input[@id='knowledgeSearchInput_kbOneTab']
- All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null
- (i) Main window reselected. Window: main

On SF Knowledge tab

- 1 Start of With Screen. Connection Name: Provar_CenterAgent, target: sf:ui:target?tab=standard-Knowledge&application=Service_Console
- ① Opening Salesforce Tab. Tab Name: standard-Knowledge, Url: _ui/knowledge/ui/KnowledgeHome
- ① Opening Page context. Name: screen, data: null, frame: null
- ⑤ Switched focus to main window. URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/console?tsid=02u9E0000008dF3
- ① Switched focus to frame. Window: main, Selector: xpath: //div[contains(@class, 'x-window') and contains(@class, 'sd_widget_window')]]] -> css selector: iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome? isdtp=vw&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral-sit.cs88.my.salesforce.com&isftw=true

With Articles Table 1

- ① Start of With Row. Connection Name: Provar_CenterAgent, target: sf:ui:locator:row?table=articlesTable
- ① Switched focus to frame. Window: main, Selector: xpath: //div[contains(@class, 'x-window') and contains(@class, 'sd_widget_window')]]] -> css selector: iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome? isdtp=vw&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com&isftw=true
- (i) Applying row locator to rows. Row Count: 20, Row Locator: 1

The row locator matched 1 row.

VerifyArticleDescription



After Screenshot : 2017/06/02 13:11:44

- ① Start of UiAssert. Connection: Provar_CenterAgent
- Resolving field title

- ① Switched focus to frame. Window: main, Selector: xpath: //div[contains(@class, 'x-window') and contains(@class, 'sd_widget_window')]]] -> css selector: iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome?isdtp=vw&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com&isftw=true
- ① Switched focus to frame. Window: main, Selector: xpath: //div[contains(@class, 'x-window') and contains(@class, 'sd_widget_window')]]] -> css selector: iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome?isdtp=vw&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com&isftw=true
- (i) Asserting field attributes: title
- (1) Asserting Attribute: value to PrimitiveValueImpl [value: FAQ, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- Assertion successful.FAQ External Demo 27040 Contains FAQ
- Resolving field articleType
- ① Switched focus to frame. Window: main, Selector: xpath: //div[contains(@class, 'x-window') and contains(@class, 'sd_widget_window')]]] -> css selector: iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome?isdtp=vw&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com&isftw=true
- ① Switched focus to frame. Window: main, Selector: xpath: //div[contains(@class, 'x-window') and contains(@class, 'sd_widget_window')]]] -> css selector: iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome?isdtp=vw&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com&isftw=true
- Asserting field attributes: articleType
- (1) Asserting Attribute: value to PrimitiveValueImpl [value: Coral FAQ, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- Assertion successful.Coral FAQ EqualTo Coral FAQ
- (i) Object read successfully. Result Name: ArticleDescription
- (i) Sending screenshot. Data length: 53160
- (i) All Sub-Test Steps were successful.

Clear the Search field

- ① Start of Interact. Connection: Provar_CenterAgent, Locator: ui:locator?name=searchInput&path=toolBar, before wait: null, after wait: null, auto retry: null
- (i) Locator: ui:locator?name=searchInput&path=toolBar
- 1 Interaction: ui:interaction?name=clear
- ① Switched focus to frame. Window: main, Selector: xpath: //div[contains(@class, 'x-window') and contains(@class, 'sd_widget_window')]]] -> css selector: iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome?isdtp=vw&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com&isftw=true
- Getting webElement: By.xpath: //input[@id='knowledgeSearchInput_kbOneTab']
- ① Got webElement. tagName: INPUT, id: knowledgeSearchInput_kbOneTab, type: null, selector: //input[@id='knowledgeSearchInput_kbOneTab']
- ① Clearing value. tagName: INPUT, type: null, selector: //input[@id='knowledgeSearchInput_kbOneTab']
- (1) All Sub-Test Steps were successful.
- (1) Closing Page context. Name: screen, data: null
- (i) Main window reselected. Window: main

On SF Knowledge tab

- ① Start of With Screen. Connection Name: Provar_CenterAgent, target: sf:ui:target?tab=standard-Knowledge&application=Service_Console
- ① Opening Salesforce Tab. Tab Name: standard-Knowledge, Url: _ui/knowledge/ui/KnowledgeHome
- (1) Opening Page context. Name: screen, data: null, frame: null
- 1 Switched focus to main window. URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/console?tsid=02u9E0000008dF3
- ① Switched focus to frame. Window: main, Selector: xpath: //div[contains(@class, 'x-window') and contains(@class, 'sd_widget_window')]]] -> css selector: iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome? isdtp=vw&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral-sit.cs88.my.salesforce.com&isftw=true

Click the Article Category Filter button

- ① Start of Interact. Connection: Provar_CenterAgent, Locator: ui:locator?name=filter_Article_Type&path=filtersBar, before wait: null, after wait: null, auto retry: null
- ① Locator: ui:locator?name=filter_Article_Type&path=filtersBar
- i) Interaction: ui:interaction?name=action

- ① Switched focus to frame. Window: main, Selector: xpath: //div[contains(@class, 'x-window') and contains(@class, 'sd_widget_window')]]] -> css selector: iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome?isdtp=vw&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com&isftw=true
- Clicking WebElement. WebElement [tag: span, text: Article Category]

With Article Category Filter Options {option = "My Account"}

- ⑤ Start of With Row. Connection Name: Provar_CenterAgent, target: sf:ui:locator:row?table=filtersBar%2FArticle_TypeFilterOptions
- ① Switched focus to frame. Window: main, Selector: xpath: //div[contains(@class, 'x-window') and contains(@class, 'sd_widget_window')]]] -> css selector: iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome?isdtp=vw&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com&isftw=true
- ① Applying row locator to rows. Row Count: 17, Row Locator: {option = "My Account"}

The row locator matched 1 row.

Click the Option button

- ⑤ Start of Interact. Connection: Provar_CenterAgent, Locator: ui:locator?name=option, before wait: null, after wait: null, auto retry: null
- 1 Locator: ui:locator?name=option
- i Interaction: ui:interaction?name=action
- ① Switched focus to frame. Window: main, Selector: xpath: //div[contains(@class, 'x-window') and contains(@class, 'sd_widget_window')]]] -> css selector: iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome?isdtp=vw&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com&isftw=true
- ① Clicking WebElement. WebElement [tag: a, text: My Account, href: javascript:void(0);]
- (i) All Sub-Test Steps were successful.

Click the Reset button

- ① Start of Interact. Connection: Provar_CenterAgent, Locator: ui:locator?name=resetFilters&path=filtersBar, before wait: null, after wait: null, auto retry: null
- ① Locator: ui:locator?name=resetFilters&path=filtersBar
- i Interaction: ui:interaction?name=action
- ① Switched focus to frame. Window: main, Selector: xpath: //div[contains(@class, 'x-window') and contains(@class, 'sd_widget_window')]]] -> css selector: iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome? isdtp=vw&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com&isftw=true
- ① Clicking WebElement. WebElement [tag: a, text: Reset, href: javascript:void(0);]

Click the Brand Filter button

- ① Start of Interact. Connection: Provar_CenterAgent, Locator: ui:locator?name=filter_Brand&path=filtersBar, before wait: null, after wait: null, auto retry: null
- Locator: ui:locator?name=filter_Brand&path=filtersBar
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to frame. Window: main, Selector: xpath: //div[contains(@class, 'x-window') and contains(@class, 'sd_widget_window')]]] -> css selector: iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome?isdtp=vw&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com&isftw=true
- ① Clicking WebElement. WebElement [tag: span, text: Brand]

With Brand Filter Options {option = "Ladbrokes"}

- $\textcircled{1} \textbf{ Start of With Row. Connection Name: Provar_CenterAgent, target: sf:ui:locator:row?table=filtersBar\%2FBrandFilterOptions}$
- ① Switched focus to frame. Window: main, Selector: xpath: //div[contains(@class, 'x-window') and contains(@class, 'sd_widget_window')]]] -> css selector: iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome?isdtp=vw&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com&isftw=true
- Applying row locator to rows. Row Count: 6, Row Locator: {option = "Ladbrokes"}

The row locator matched 1 row.

Click the Option button

- ① Start of Interact. Connection: Provar_CenterAgent, Locator: ui:locator?name=option, before wait: null, after wait: null, auto retry: null
- 1 Locator: ui:locator?name=option
- i Interaction: ui:interaction?name=action
- ① Switched focus to frame. Window: main, Selector: xpath: //div[contains(@class, 'x-window') and contains(@class, 'sd_widget_window')]]] -> css selector: iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome?

is dtp=vw&n once=12bcac31ec fa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com&isftw=true

- ① Clicking WebElement. WebElement [tag: a, text: Ladbrokes, href: javascript:void(0);]
- i All Sub-Test Steps were successful.
- i All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null
- (i) Main window reselected. Window: main

On SF Knowledge tab

- 1 Start of With Screen. Connection Name: Provar_CenterAgent, target: sf:ui:target?tab=standard-Knowledge&application=Service_Console
- ① Opening Salesforce Tab. Tab Name: standard-Knowledge, Url: _ui/knowledge/ui/KnowledgeHome
- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Switched focus to main window. URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/console?tsid=02u9E0000008dF3
- ① Switched focus to frame. Window: main, Selector: xpath: //div[contains(@class, 'x-window') and contains(@class, 'sd_widget_window')]]] -> css selector: iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome? isdtp=vw&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral-sit.cs88.my.salesforce.com&isftw=true
- With Articles Table 1
- With Articles Table {title = "Test FAQ 1"}
 - ① Start of With Row. Connection Name: Provar_CenterAgent, target: sf:ui:locator:row?table=articlesTable
 - ① Switched focus to frame. Window: main, Selector: xpath: //div[contains(@class, 'x-window') and contains(@class, 'sd_widget_window')]]] -> css selector: iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome?isdtp=vw&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com&isftw=true
 - (i) Applying row locator to rows. Row Count: 2, Row Locator: {title = "Test FAQ 1"}


The row locator matched 1 row.

Click the Title link

- 1 Start of Interact. Connection: Provar_CenterAgent, Locator: ui:locator?name=title, before wait: null, after wait: null, auto retry: null
- 1 Locator: ui:locator?name=title
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to frame. Window: main, Selector: xpath: //div[contains(@class, 'x-window') and contains(@class, 'sd_widget_window')]]] -> css selector: iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome? isdtp=vw&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=https%3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com&isftw=true
- ① Clicking WebElement. WebElement [tag: a, text: Test FAQ 1, href: javascript:srcUp(%27%2Farticles%2FCoral_FAQ%2FTest-FAQ-1%3Fpopup%3Dfalse%26id%3DkA49E000004CJS%26isdtp%3Dvw%27, true);]
- (i) All Sub-Test Steps were successful.
- (i) All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null
- (i) Main window reselected. Window: main

On SF Coral FAQ View Knowledge Article screen

- ① Start of With Screen. Connection Name: Provar_CenterAgent, target: sf:ui:target?object=Coral_FAQ__kav&action=kaArticle
- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Switched focus to main window. URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/console?tsid=02u9E0000008dF3
- 1 Found the Primary tab. Id: scc-pt-2
- ① Active secondary container: [[[[ChromeDriver: chrome on XP (c1624740d802e6c2052760a73c2be13a)] -> css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets)]
- ① Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/articles/Coral_FAQ/Test-FAQ-1? popup=false&id=kA49E0000004CJS&isdtp=vw&isWsVw=true&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=ht%3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com
- VerifyTitleSummaryNotes



After Screenshot: 2017/06/02 13:12:45

- i Start of UiAssert. Connection: Provar_CenterAgent
- (i) Resolving field Title
- ① Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/articles/Coral_FAQ/Test-FAQ-1? popup=false&id=kA49E0000004CJS&isdtp=vw&isWsVw=true&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrig %3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com
- ① Getting webElement: By.xpath: (//div[@id='InlineEditDialogContent']//div[contains(@class, 'inlineEditDiv') or contains(@class, 'inlineEditCompoundDiv')]/table//tr/td[contains(@class,'labelCol') and (.//text() = 'Title')]/following-sibling::td[1] | //div[contains(@class,'pbBody') and not(//div[@id='InlineEditDialog' and contains(@style, 'visible')])]//div[contains(@class,'pbSubsection')][1]/table//tr/th[contains(@class,'labelCol') and (.//text() = 'Title')]/following-sibling::td[1]/span)
- ① Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/articles/Coral_FAQ/Test-FAQ-1? popup=false&id=kA49E0000004CJS&isdtp=vw&isWsVw=true&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrig %3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com
- Asserting field attributes: Title
- ① Asserting Attribute: value to PrimitiveValueImpl [value: Test FAQ 1, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- Assertion successful.Test FAQ 1 EqualTo Test FAQ 1
- Resolving field Summary
- ① Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/articles/Coral_FAQ/Test-FAQ-1? popup=false&id=kA49E0000004CJS&isdtp=vw&isWsVw=true&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrig %3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com
- ① Getting webElement: By.xpath: (//div[@id='InlineEditDialog' and .//h2[@id='InlineEditDialogTitle' and .//text() = 'Summary']]// div[@id='InlineEditDialogContent'] | //div[contains(@class,'pbBody') and not(//div[@id='InlineEditDialog' and contains(@style, 'visible')])]// div[contains(@class,'pbSubsection')][1]/table//tr/th[contains(@class,'labelCol') and (.//text() = 'Summary')]/following-sibling::td[1]/span)
- ① Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/articles/Coral_FAQ/Test-FAQ-1? popup=false&id=kA49E0000004CJS&isdtp=vw&isWsVw=true&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrig %3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com
- (i) Asserting field attributes: Summary
- ① Asserting Attribute: value to PrimitiveValueImpl [value: Test FAQ 1 summary, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- Assertion successful. Test FAQ 1 summary EqualTo Test FAQ 1 summary
- Resolving field Internal_Notes__c
- ① Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/articles/Coral_FAQ/Test-FAQ-1? popup=false&id=kA49E000004CJS&isdtp=vw&isWsVw=true&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrig %3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com
- ① Getting webElement: By.xpath: (//div[@id='InlineEditDialog' and .//h2[@id='InlineEditDialogTitle' and .//text() = 'Internal Notes']]// div[@id='InlineEditDialogContent'] | //div[contains(@class,'pbBody') and not(//div[@id='InlineEditDialog' and contains(@style, 'visible')]]]// div[contains(@class,'pbSubsection')][1]/table//tr/th[contains(@class,'labelCol') and (.//text() = 'Internal Notes')]/following-sibling::td[1]/span)
- Asserting field attributes: Internal_Notes__c
- ① Asserting Attribute: value to PrimitiveValueImpl [value: Test article, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

- Assertion successful. Test article EqualTo Test article
- (i) Object read successfully. Result Name: Values
- Sending screenshot. Data length: 56727
- All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null
- i Main window reselected. Window: main

On Knowledge page

- ① Start of With Screen. Connection Name: Provar_CenterAgent, target: ui:pageobject:target?pageId=pageobjects.Knowledge
- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Switched focus to main window. URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/console?tsid=02u9E0000008dF3
- 1 Found the Primary tab. Id: scc-pt-2
- ① Active secondary container: [[[[ChromeDriver: chrome on XP (c1624740d802e6c2052760a73c2be13a)] -> css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets)]
- ① Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-displa

popup=false&id=kA49E0000004CJS&isdtp=vw&isWsVw=true&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrigin=ht%3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com

Click the Url

- ① Start of Interact. Connection: Provar_CenterAgent, Locator: ui:pageobject:field?field=url&pageId=pageobjects.Knowledge, before wait: null, after wait: null, auto retry: null
- ① Locator: ui:pageobject:field?field=url&pageId=pageobjects.Knowledge
- i Interaction: ui:interaction?name=action
- ① Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/articles/Coral_FAQ/Test-FAQ-1? popup=false&id=kA49E0000004CJS&isdtp=vw&isWsVw=true&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrig %3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com
- ① Clicking WebElement. WebElement [tag: span, text: URLs]

With HelpCenter row

- ① Start of With Row. Connection Name: Provar_CenterAgent, target: ui:pageobject:row?field=HelpCenter&pageId=pageobjects.Knowledge
- ① Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/articles/Coral_FAQ/Test-FAQ-1? popup=false&id=kA49E000004CJS&isdtp=vw&isWsVw=true&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrameOrig %3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com#
- ① Applying row locator to rows. Row Count: 10, Row Locator: {HelpCenterURL = "Coral Help Centre URL"}
- 1 Testing row number 1
- (i) Resolving EqualTo. = Coral Help Centre URL, result: false
- (i) Testing row number 2
- (i) Resolving EqualTo. = Coral Help Centre URL, result: false
- 1 Testing row number 3
- (i) Resolving EqualTo. = Coral Help Centre URL, result: false
- Testing row number 4
- Resolving EqualTo. = Coral Help Centre URL, result: false
- Testing row number 5
- 1 Resolving EqualTo. Coral Help Centre URL = Coral Help Centre URL, result: true
- Row number 5 matched
- (i) Matched row number 5
- UI Assert
 - 1 Start of UiAssert. Connection: Provar_CenterAgent
 - (i) Resolving field Value
 - ① Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-displa

hide-offsets) iframe, URL: https://ladbrokescoral--sit.cs88.my.salesforce.com/articles/Coral_FAQ/Test-FAQ-1? popup=false&id=kA49E0000004CJS&isdtp=vw&isWsVw=true&nonce=12bcac31ecfa18794916d5339bdce65e7f4f9c40be72f5233b4dcfa5995d16b6&sfdclFrame%3A%2F%2Fladbrokescoral--sit.cs88.my.salesforce.com#

① Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-displa

- Asserting field attributes: Value
- ① Asserting Attribute: value to PrimitiveValueImpl [value: https://sit-ladbrokescoral.cs88.force.com/coral/s/article/Test-FAQ-1, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- Assertion successful.https://sit-ladbrokescoral.cs88.force.com/coral/s/article/Test-FAQ-1 EqualTo https://sit-ladbrokescoral.cs88.force.com/coral/s/article/Test-FAQ-1
- (i) Object read successfully. Result Name: URLValue
- (i) All Sub-Test Steps were successful.
- (i) All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null
- 1 Main window reselected. Window: main