

SQL Editor (week2 skill)

```

1 USE Dikshita_2520090007;
2 CREATE TABLE orders (
3   ord_no INT PRIMARY KEY,
4   purch_amt DECIMAL(10,2),
5   ord_date DATE,
6   customer_id INT,
7   salesman_id INT);
      
```

Result Grid

ord_no	purch_amt	ord_date	customer_id	salesman_id
70007	948.50	2012-09-10	3005	5002
70008	5760.00	2012-09-10	3002	5001
70009	270.65	2012-09-10	3001	5005
NULL	NULL	NULL	NULL	NULL

orders 1

Output

Action Output

#	Time	Action	Message	Duration / Fetch
164	20:10:05	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date ...	Error Code: 1050. Table 'orders' already exists	0.000 sec
165	20:10:09	USE Dikshita_2520090007	0 row(s) affected	0.000 sec
166	20:10:09	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date ...	Error Code: 1050. Table 'orders' already exists	0.000 sec
167	20:10:20	INSERT INTO orders VALUES (70001,150.50,2012-10-05,3005,5002), (70009,270.65,201...	12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0	0.000 sec
168	20:10:24	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
169	20:10:24	SELECT * FROM orders WHERE ord_date='2012-09-10' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

SQL Editor (week2 skill)

```

21 (70011,75.29,'2012-08-17',3003,5007),
22 (70013,3045.60,'2012-04-25',3002,5001);
23 SELECT * FROM orders
24 WHERE purch_amt > 2000;
25 SELECT * FROM orders
26 WHERE ord_date='2012-09-10';
      
```

Result Grid

ord_no	purch_amt	ord_date	customer_id	salesman_id
70003	2480.40	2012-10-10	3009	5003
70005	2400.60	2012-07-27	3007	5001
70008	5760.00	2012-09-10	3002	5001
70013	3045.60	2012-04-25	3002	5001
NULL	NULL	NULL	NULL	NULL

orders 1

Output

Action Output

#	Time	Action	Message	Duration / Fetch
164	20:10:05	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date ...	Error Code: 1050. Table 'orders' already exists	0.000 sec
165	20:10:09	USE Dikshita_2520090007	0 row(s) affected	0.000 sec
166	20:10:09	CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date ...	Error Code: 1050. Table 'orders' already exists	0.000 sec
167	20:10:20	INSERT INTO orders VALUES (70001,150.50,2012-10-05,3005,5002), (70009,270.65,201...	12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0	0.000 sec
168	20:10:24	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
169	20:10:24	SELECT * FROM orders WHERE ord_date='2012-09-10' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

week1 skill week2 skill* x

Limit to 1000 rows

```

27 • SELECT * FROM orders
28 WHERE salesman_id=5001;
29 • SELECT * FROM orders
30 ORDER BY purch_amt DESC;
31 • SELECT * FROM orders
32 ORDER BY ord_date;

```

SQLAdditions: Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

customer_id	highest_purchase
3005	948.50
3002	5760.00
3009	2480.40
3007	2400.60
3001	270.65
3004	1983.43
3003	75.29

Result 13 x Result 14 Result 15 Result 16 Result 17 Result 18 Result 19 Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration
182	20:11:37	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY custo...	2 row(s) returned	0.000 sec
183	20:11:37	SELECT customer_id, COUNT(*) AS total_orders FROM orders GROUP BY customer_id HA...	3 row(s) returned	0.000 sec
184	20:11:37	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY custo...	5 row(s) returned	0.000 sec
185	20:11:37	SELECT customer_id, MAX(purch_amt) AS max_purchase FROM orders GROUP BY custom...	3 row(s) returned	0.000 sec
186	20:11:37	SELECT salesman_id, COUNT(*) AS total_orders FROM orders GROUP BY salesman_id HA...	3 row(s) returned	0.000 sec
187	20:11:37	SELECT ord_date, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY ord_da...	4 row(s) returned	0.000 sec

week1 skill week2 skill* x

Limit to 1000 rows

```

31 • SELECT * FROM orders
32 ORDER BY ord_date;
33 • SELECT SUM(purch_amt) AS total_revenue
34 FROM orders;
35
36 • SELECT AVG(purch_amt) AS average_order
37 FROM orders;

```

SQLAdditions: Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

ord_no	purch_amt	ord_date	customer_id	salesman_id
70002	65.26	2012-10-05	3002	5001
70005	2400.60	2012-07-27	3007	5001
70008	5760.00	2012-09-10	3002	5001
70013	3045.60	2012-04-25	3002	5001

orders 3 x orders 4 orders 5 Result 6 Result 7 Result 8 Result 9 Result Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
182	20:11:37	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY custo...	2 row(s) returned	0.000 sec / 0.000 sec
183	20:11:37	SELECT customer_id, COUNT(*) AS total_orders FROM orders GROUP BY customer_id HA...	3 row(s) returned	0.000 sec / 0.000 sec
184	20:11:37	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY custo...	5 row(s) returned	0.000 sec / 0.000 sec
185	20:11:37	SELECT customer_id, MAX(purch_amt) AS max_purchase FROM orders GROUP BY custom...	3 row(s) returned	0.000 sec / 0.000 sec
186	20:11:37	SELECT salesman_id, COUNT(*) AS total_orders FROM orders GROUP BY salesman_id HA...	3 row(s) returned	0.000 sec / 0.000 sec
187	20:11:37	SELECT ord_date, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY ord_da...	4 row(s) returned	0.000 sec / 0.000 sec

week1 skill week2 skill*

SQLAdditions: < > | ? | Jump to

Automatic context help is disabled. Use the manually get help for the current caret posi toggle automatic help.

```

55 FROM orders
56 GROUP BY customer_id;
57
58 • SELECT customer_id,
59 MAX(purch_amt) AS highest_purchase
60 FROM orders

```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: | Result Grid | Form Editor

ord_no	purch_amt	ord_date	customer_id	salesman_id
70008	5760.00	2012-09-10	3002	5001
70013	3045.60	2012-04-25	3002	5001
70003	2480.40	2012-10-10	3009	5003
70005	2400.60	2012-07-27	3007	5001
70010	1983.43	2012-10-10	3004	5006
70007	948.50	2012-09-10	3005	5002
70009	270.65	2012-09-10	3001	5005

orders 4 x orders 5 Result 6 Result 7 Result 8 Result 9 Result 10 Result Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration
✓ 182	20:11:37	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY custo...	2 row(s) returned	0.000 s
✓ 183	20:11:37	SELECT customer_id, COUNT(*) AS total_orders FROM orders GROUP BY customer_id HA...	3 row(s) returned	0.000 s
✓ 184	20:11:37	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY custo...	5 row(s) returned	0.000 s
✓ 185	20:11:37	SELECT customer_id, MAX(purch_amt) AS max_purchase FROM orders GROUP BY custom...	3 row(s) returned	0.000 s
✓ 186	20:11:37	SELECT salesman_id, COUNT(*) AS total_orders FROM orders GROUP BY salesman_id HA...	3 row(s) returned	0.000 s
✓ 187	20:11:37	SELECT ord_date, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY ord_da...	4 row(s) returned	0.000 s

week1 skill week2 skill*

SQLAdditions: < > | ? | Jump to

Automatic context help is disabled. Use the manually get help for the current caret posit toggle automatic help.

```

71 FROM orders
72 GROUP BY customer_id
73 HAVING SUM(purch_amt) > 2500;
74
75 • SELECT customer_id,
76 COUNT(*) AS total_orders
77 FROM orders

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Result Grid | Form Editor

total_revenue
17541.18

Result 6 x Result 7 Result 8 Result 9 Result 10 Result 11 Result 12 Res Read Only ult 15 Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration
✓ 182	20:11:37	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY custo...	2 row(s) returned	0.000 sei
✓ 183	20:11:37	SELECT customer_id, COUNT(*) AS total_orders FROM orders GROUP BY customer_id HA...	3 row(s) returned	0.000 sei
✓ 184	20:11:37	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY custo...	5 row(s) returned	0.000 sei
✓ 185	20:11:37	SELECT customer_id, MAX(purch_amt) AS max_purchase FROM orders GROUP BY custom...	3 row(s) returned	0.000 sei
✓ 186	20:11:37	SELECT salesman_id, COUNT(*) AS total_orders FROM orders GROUP BY salesman_id HA...	3 row(s) returned	0.000 sei
✓ 187	20:11:37	SELECT ord_date, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY ord_da...	4 row(s) returned	0.000 sei

week1 skill week2 skill

SQLAdditions: Jump to

Automatic context help is disabled. Use the to manually get help for the current caret position toggle automatic help.

```

75 • SELECT customer_id,
76 COUNT(*) AS total_orders
77 FROM orders
78 GROUP BY customer_id
79 HAVING COUNT(*) > 1;
80

```

Result Grid

customer_id	total_orders
3005	2
3002	3
3009	2

Result 9 Result 10 Result 11 Result 12 Result 14 Result 15 Result 16 x Read Only Result 18 Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration /
182	20:11:37	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY custo...	2 row(s) returned	0.000 sec.
183	20:11:37	SELECT customer_id, COUNT(*) AS total_orders FROM orders GROUP BY customer_id HA...	3 row(s) returned	0.000 sec.
184	20:11:37	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY custo...	5 row(s) returned	0.000 sec.
185	20:11:37	SELECT customer_id, MAX(purch_amt) AS max_purchase FROM orders GROUP BY custom...	3 row(s) returned	0.000 sec.
186	20:11:37	SELECT salesman_id, COUNT(*) AS total_orders FROM orders GROUP BY salesman_id HA...	3 row(s) returned	0.000 sec.
187	20:11:37	SELECT ord_date, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY ord_da...	4 row(s) returned	0.000 sec.

week1 skill week2 skill

SQLAdditions: Jump to

Automatic context help is disabled. Use the to manually get help for the current caret position toggle automatic help.

```

82 SUM(purch_amt) AS total_purchase
83 FROM orders
84 GROUP BY customer_id
85 HAVING SUM(purch_amt) > 1000
86 ORDER BY total_purchase DESC;
87

```

Result Grid

customer_id	total_purchase
3002	8870.86
3009	2590.90
3007	2400.60
3004	1983.43
3005	1099.00

Result 17 x Result 18 Result 19 Result 20 Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration /
182	20:11:37	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY custo...	2 row(s) returned	0
183	20:11:37	SELECT customer_id, COUNT(*) AS total_orders FROM orders GROUP BY customer_id HA...	3 row(s) returned	0
184	20:11:37	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY custo...	5 row(s) returned	0
185	20:11:37	SELECT customer_id, MAX(purch_amt) AS max_purchase FROM orders GROUP BY custom...	3 row(s) returned	0
186	20:11:37	SELECT salesman_id, COUNT(*) AS total_orders FROM orders GROUP BY salesman_id HA...	3 row(s) returned	0
187	20:11:37	SELECT ord_date, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY ord_da...	4 row(s) returned	0

week1 skillweek2 skill*

Limit to 1000 rows

SQLAdditions

Automatic context help is disabled. Use the toolbar manually get help for the current caret position, toggle automatic help.

99

100 •

101

102

103

104

SELECT ord_date,

MAX(purch_amt) AS highest_purchase

FROM orders

GROUP BY ord_date

HAVING MAX(purch_amt) > 2000;

Result Grid

Filter Rows:

Export:

Wrap Cell Content: 15

Result Grid

Form Editor

ord_datehighest_purchase

2012-10-102480.40

2012-07-272400.60

2012-09-105760.00

2012-04-253045.60

Result 17Result 18Result 19Result 20 x

Read Only

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 182	20:11:37	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY custo...	2 row(s) returned	0.000 sec / 0.0
✓ 183	20:11:37	SELECT customer_id, COUNT(*) AS total_orders FROM orders GROUP BY customer_id HA...	3 row(s) returned	0.000 sec / 0.0
✓ 184	20:11:37	SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY custo...	5 row(s) returned	0.000 sec / 0.0
✓ 185	20:11:37	SELECT customer_id, MAX(purch_amt) AS max_purchase FROM orders GROUP BY custom...	3 row(s) returned	0.000 sec / 0.0
✓ 186	20:11:37	SELECT salesman_id, COUNT(*) AS total_orders FROM orders GROUP BY salesman_id HA...	3 row(s) returned	0.000 sec / 0.0
✓ 187	20:11:37	SELECT ord_date, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY ord_da...	4 row(s) returned	0.000 sec / 0.0