


Soft-body verification summary, final time = 0.001 s


case	max displacement (m)	mechanical ΔE (J)	observed order	finest difference
semi-implicit / SVK	5.521e-05	-2.354e-05	1.01	4.083e-05
semi-implicit / SNH	5.521e-05	-2.354e-05	1.01	4.083e-05
implicit BFGS / SVK / tangent_action	5.524e-05	-2.379e-05	0.99	4.052e-05
implicit BFGS / SVK / closed_form	5.524e-05	-2.379e-05	0.99	4.052e-05
implicit BFGS / SVK / finite_difference	5.524e-05	-2.379e-05	0.99	4.052e-05
implicit BFGS / SNH / tangent_action	5.524e-05	-2.379e-05	0.99	4.052e-05
implicit BFGS / SNH / closed_form	5.524e-05	-2.379e-05	0.99	4.052e-05
implicit BFGS / SNH / finite_difference	5.524e-05	-2.379e-05	0.99	4.052e-05

Energy behavior at the finest tested timestep




Experimental timestep refinement


semi-implicit / SVK




semi-implicit / SNH




implicit BFGS / SVK / tangent_action




implicit BFGS / SVK / closed_form




implicit BFGS / SVK / finite_difference



implicit BFGS / SNH / tangent_action



implicit BFGS / SNH / closed_form



implicit BFGS / SNH / finite_difference

