Start Over

This Quiz is designed to test your understanding of the learning objectives from the lecture in Week 7.

Complete each question and press submit to check your answers.

Q1:

1/4 ✗	
1/16 √	
○ 1/8 <i>X</i>	
Correct!	
2:	
rolls of the	
-	nt events ✓
depende	nt events X
Correct!	
3:	
the probabi	obability of being obese AND inactive is 0.1 and lity of being obese is 0.2. What is the conditional of being inactive, given that someone is obese?
0.2 X	
O.3 X	
0.02 X	
◎ 0.5 ✓	

Which of the following are true

Start Over

sensitivity = p(negative test I no disease) X		
<ul> <li>sensitivity is the likelihood of getting a positive result when there</li> </ul>		
is no disease present) 🗴		
specificity = p(negative test I no disease)  √		
<ul> <li>specificity is the likelihood of getting a positive result when there is a disease present) X</li> </ul>		
Correct!		
Q5:		

what are the	e odds of correctly guessing a stranger's month of
○ 8.3% <b>X</b>	
⊚ 9.1% ✓	
○ 12% X	
○ 10% X	
Correct!	

Q6:

Q7:

The odds ratio of being diagnosed with DLD by age 9, given testing positive on a prior language screening is 7. Which of the following are true?

 For every 100 people diagnosed with DLD, 7 of them tested positive on the screening X

Start	Over

•	<ul> <li>The probability of DLD diagnosis is increased by a factor of 7x given the positive screening result X</li> </ul>	
	the odds of DLD diagnosis are increased by a factor of 7x given     the positive screening result  ✓	
all of the above X		
Correct!		

Q8:
When reading about a given risk increasing the odds of an adverse event, what should we be weary of?
Odds ratios above 5 are impossible X
It is important to know the baseline probability of that event in the first place ✓
<ul> <li>The relative risk of that event occurring is all that matters X</li> </ul>
Correct!

Start Over