

Sipariş Tar 29/06/2018 Sipariş No 2018-8089 Revizyon No 2

Mamul REINFORCING BAR MANUFACTURED TO AS/NZS 4671:2001, GRADE 500N

| Lot No | Mamul Tipi | Mamul Standart | Mamul Kalite | Çap | ND | Boy (M) | Miktar (Ton) | Çubuk Sayısı | Birim Ağırlık (KG) | Paket Ağırlığı (KG) | Hadde Tol Min | Hadde Tol Max | Rotor Tipi |
|--------------|--|---------------------|---|-----|-------|------------|-----------------|-----------------|--------------------------|------------------------|---|---------------------|---|
| 400 | | AS/NZS | CDECON | 4.3 | | _ | 250 | 400 | 0.000 | 4022 | | | |
| 409 | Çubuk | 4671:2001 AS/NZS | GR500N | 12 | N | 6 | 250 | 192 | 0.888 | 1023 | | | - |
| 409 | Çubuk | 4671:2001 | GR500N | 16 | N | 6 | 250 | 108 | 1.58 | 1024 | | | _ |
| 403 | Çabak | AS/NZS | UNSOON | 10 | 1 1 | U | 230 | 100 | 1.56 | 1024 | | | |
| 413 | Çubuk | 4671:2001 | GR500N | 12 | N | 6 | 108 | 192 | 0.888 | 1023 | | | - |
| | | AS/NZS | | | | | | | | | | | |
| 414 | Çubuk | 4671:2001 AS/NZS | GR500N | 16 | N | 6 | 108 | 108 | 1.58 | 1024 | | | - |
| 416 | Çubuk | 4671:2001 | GR500N | 12 | N | 6 | 25 | 192 | 0.888 | 1023 | | | - |
| | | AS/NZS | | | | | | | | | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| 418 | Çubuk | 4671:2001 | GR500N | 20 | N | 6 | 7 | 68 | 2.471 | 1008 | | | - |
| 440 | Cubul | AS/NZS | CDEOON | | N. | _ | 4.0 | 40 | 2 | 4022 | | | |
| 418 | Çubuk | 4671:2001 AS/NZS | GR500N | 24 | N | 6 | 18 | 48 | 3.55 | 1022 | 011111111111111111111111111111111111111 | | - |
| 420 | Çubuk | 4671:2001 | GR500N | 12 | N | 6 | 25 | 192 | 0.888 | 1023 | | | _ |
| | | AS/NZS | J. S. | | | , , , , , | | 102 | 0.000 | 1023 | 0 | | |
| 420 | Çubuk | 4671:2001 | GR500N | 16 | N | 6 | 25 | 108 | 1.58 | 1024 | | | - |
| | Ф | AS/NZS | | | | 0 | | | ā | | ō | | |
| 421 | Çubuk | 4671:2001 | GR500N | 16 | N | 12 | 52 | 108 | 1.58 | 2048 | | | - |
| 421 | | AS/NZS | | | | | | | | | | | |
| | Çubuk | 4671:2001 | GR500N | 20 | N | 12 | 156 | 68 | 2.471 | 2016 | | | - |
| 421 | Çubuk | AS/NZS 4671:2001 | GR500N | 24 | NI. | 12 | 130 | 48 | 3.55 | 2045 | | | |
| 421 | ŢUDUK T | AS/NZS | GROUUN | 24 | IN | 12 | 130 | 48 | 3.33 | 2045 | | | - |
| 421 | Çubuk | 4671:2001 | GR500N | 28 | N | 12 | 78 | 36 | 4.831 | 2087 | | | _ |
| | | AS/NZS | | | | o | | | | | | | |
| 421 | Çubuk | 4671:2001 | GR500N | 32 | N | 12 | 78 | 28 | 6.31 | 2120 | | | - |
| | | AS/NZS | | | | 0 | | | | | | |) |
| 425 | Çubuk | 4671:2001 | GR500N | 12 | N | 6 | 75 | 192 | 0.888 | 1023 | 0 | | - |
| 425 | Cubul | AS/NZS | CDEOON | 1.0 | | _ | 7.5 | 100 | 1 50 | 1024 | | | |
| 425 | Çubuk | 4671:2001 AS/NZS | GR500N | 16 | IN | 6 | 75 | 108 | 1.58 | 1024 | 0 | | - |
| 425 | Çubuk | 4671:2001 | GR500N | 20 | N | 12 | 50 | 68 | 2.471 | 2016 | | | _ |
| | i gazan | AS/NZS | | | | | 50 | | | 2010 | | | |
| 425 | Çubuk | 4671:2001 | GR500N | 24 | N | 12 | 50 | 48 | 3.55 | 2045 | | | - |
| | Φ | AS/NZS | | | 1 | 0 | | | @ |) | 0 |) |) |
| 426 | Çubuk | 4671:2001 | GR500N | 12 | N | 6 | 50 | 192 | 0.888 | 1023 | | | - |
| | | AS/NZS | 005000 | | ., | _ | - - | . - | 0.000 | | | | |
| 427 | Çubuk | 4671:2001 AS/NZS | GR500N | 12 | N | 6 | 50 | 192 | 0.888 | 1023 | 0 | | - |
| ∕ 127 | Çubuk | 4671:2001 | GR500N | 16 | N | 6 | 25 | 108 | 1.58 | 1024 | | | _ |
| 44/ | | AS/NZS | SINJOON | 10 | 14 | U | 23 | 100 | 1.30 | 1024 | | | |
| 428 | Çubuk | 4671:2001 | GR500N | 12 | N | 6 | 38 | 192 | 0.888 | 1023 | | | - |
| | ###################################### | AS/NZS | | | ļ | Ö | | | ā | | Ŏ | | |
| 428 | Çubuk | 4671:2001 | GR500N | 16 | N | 6 | 12 | 108 | 1.58 | 1024 | | | - |
| | | AS/NZS | | | | | | | | | | | |
| 430 | Çubuk | 4671:2001 | GR500N | 12 | N | 12 | 52 | 192 | 0.888 | 2046 | | | - |



| | | AS/NZS | | | | | | | | | | |
|---|-----------------|---------------------|------------|---------------|------|--------|--------------|-----------|-------------|------|---|-----------|
| | Çubuk | 4671:2001 AS/NZS | GR500N | 16 | | 6 | 54 | 108 | 1.58 | 1024 | | |
| 430 | Çubuk | 4671:2001 | GR500N | 24 | N | 12 | 26 | 48 | 3.55 | 2045 | | - |
| | | AS/NZS | | | | | | | | | | |
| 430 | Çubuk | 4671:2001 | GR500N | 28 | N | 12 | 26 | 36 | 4.831 | 2087 |) | - |
| 420 | C. I. I. | AS/NZS | CDECON | 22 | N.I | 43 | 2.0 | 20 | C 24 | 2420 | | |
| 430 | Çubuk | 4671:2001 | GR500N | 32 | IN | 12 | 26 | 28 | 6.31 | 2120 | | - |
| 424 | Cubul | AS/NZS | CDEOON | 12 | N.I | _ | 275 | 102 | 0.000 | 1022 | | |
| 431 | Çubuk | 4671:2001 AS/NZS | GR500N | 12 | IN | 6 | 275 | 192 | 0.888 | 1023 | | - |
| 121 | Cubuk | 4671:2001 | CDEOON | 16 | NI | c | 150 | 100 | 1 50 | 1024 | | |
| 431 | Çubuk | 46/1:2001 AS/NZS | GR500N | 16 | IN | 6 | 150 | 108 | 1.58 | 1024 | | - |
| <i>∆</i> 21 | Çubuk | 4671:2001 | GR500N | 20 | N | 12 | 150 | 68 | 2.471 | 2016 | | - |
| 731 | Şabak | AS/NZS | GNOON | | | 12 | 130 | 00 | 2.7/1 | 2010 | | |
| 432 | Çubuk | 4671:2001 | GR500N | 12 | N | 6 | 189 | 192 | 0.888 | 1023 | | - |
| | 3 | AS/NZS | | | | | | | | | | |
| 432 | Çubuk | 4671:2001 | GR500N | 16 | N | 6 | 81 | 108 | 1.58 | 1024 | | - |
| | | AS/NZS | | | | | | | | |) | |
| 432 | Çubuk | 4671:2001 | GR500N | 20 | N | 12 | 225 | 68 | 2.471 | 2016 | | - |
| | | AS/NZS | | | | | | | | | | |
| 433 | Çubuk | 4671:2001 | GR500N | 12 | N | 6 | 275 | 192 | 0.888 | 1023 | | - |
| | D | AS/NZS | | D | (| 0 | | | | |) | |
| 433 | Çubuk | 4671:2001 | GR500N | 16 | N | 6 | 150 | 108 | 1.58 | 1024 | | - |
| | | AS/NZS | | | | | | | | | | |
| 433 | Çubuk | 4671:2001 | GR500N | 20 | N | 12 | 150 | 68 | 2.471 | 2016 | | - |
| | | AS/NZS | | | | | | | | | | |
| 434 | Çubuk | 4671:2001 | GR500N | 12 | N | 6 | 189 | 192 | 0.888 | 1023 | | - |
| | | AS/NZS | 0050011 | 4.5 | | | | 400 | 4 = 0 | 4004 | | |
| 434 | Çubuk | 4671:2001 | GR500N | 16 | N | 6 | 81 | 108 | 1.58 | 1024 | | - |
| 124 | ≣ | AS/NZS | CDEOON | 20 | N.I | 12 | 225 | co | 2 471 | 2016 | | |
| 434 | Çubuk | 4671:2001 AS/NZS | GR500N | 20 | IN | 12 | 225 | 68 | 2.471 | 2016 | | - |
| 115 | Çubuk | 4671:2001 | GR500N | 16 | NI | 6 | 26 | 108 | 1.58 | 1024 | | |
| 443 | - Capak | AS/NZS | IGNOON | 10 | IN | U | 20 | 100 | 1.30 | 1024 | | - |
| 115 | Çubuk | 4671:2001 | GR500N | 20 | N | 10 | 26 | 84 | 2.471 | 2075 | | _ |
| 443 | - Sanak | AS/NZS | NOOON | 20 | 1 1 | 10 | ۷۵ | 04 | ۷.4/1 | 20/3 | | |
| 445 | Çubuk | 4671:2001 | GR500N | 20 | N | 12 | 52 | 68 | 2.471 | 2016 | | - |
| . 13 | 3 3 2 2 | AS/NZS | | | | | J_ | | | 2010 | | |
| 445 | Çubuk | 4671:2001 | GR500N | 24 | N | 12 | 52 | 48 | 3.55 | 2045 | | - |
| | <u> </u> | | | | | | - - [| | | 0 | | |
| Tonlam N | ∕liktar (MT) | 4321 | | | | | | | | | | |
| 700000000000000000000000000000000000000 | | ā | | | | | | | | | | |
| <u> </u> | tar Tol % (Min | <u> </u> | | | | | | | | | | |
| 2 | tar Tol % (Min | 7 | 40.5 | | | | | | | | | |
| ទួលបាយបើបាយបាយបាយបាយ | -/+MM) | 10M(40 / + | 40 MM), 6N | ı(40 <i>/</i> | 10+ | им), 1 | .2M(40 | / + 40 MN | / 1) | | | |
| Ebat Tol (| (- / + MM) | | | | | | | | | | | |



| Lot No=409: 20180707 - 20180707 Lot No=413: 20180707 - 20180707 Lot No=414: 20180707 - 20180707 Lo |
|--|
| No=416: 20180707 - 20180707 Lot No=418: 20180707 - 20180707 Lot No=420: 20180707 - 20180707 Lot |
| No=421 : 20180707 - 20180707 Lot No=425 : 20180707 - 20180707 Lot No=426 : 20180707 - 20180707 Lot |
| No=427 : 20180707 - 20180707 Lot No=428 : 20180707 - 20180707 Lot No=430 : 20180707 - 20180707 Lot |
| No=431 : 20180721 - 20180721 Lot No=432 : 20180721 - 20180721 Lot No=433 : 20180721 - 20180721 Lot |
| No=434 : 20180721 - 20180721 Lot No=445 : 20180721 - 20180721 |
| |
| |
| |
| |
| Teorik |
| MILLS STANDAR PACKING SUITABLE FOR OVERSEAS TRANSPORTATION |
| 12 METRE LENGTHS TIED WITH 7 WIRE ROD TIES |
| 9 METRE LENGTHS TIED WITH 7 WIRE ROD TIES |
| 6 METRE LENGTH TIED WITH 5 WIRE ROD TIES |
| |
| EACH BUNDLE TO HAVE INDICATING: "DUFERCO" (AS IMPORTER) , PRODUCT, QUALITY/GRADE, LENGTH, PIECE COUNT, BUNDLE WEIGTH, HEAT NUMBER, P.O. NUMBER, LOT NO, MILLS NAME, ORIGIN, DESTINATION |
| THE COUNT, DONDER WEIGHT, HEAT NOWIDER, F.O. NOWIDER, EOT NO, WHEES MARKE, ORIGIN, DESTINATION |
| |
| VITSAN |
| *** PO NUMARALARI VE LOT NUMARALARI İÇİN TABLO EKTEDİR |
| *** ETİKET ÖRNEĞİ EKTEDİR. |
| ** HEM TEORIKTE HEM ACTUALDE MIKTAR TOLERASNLARINA UYULACAKTIR. |
| ***ALLOWABLE MASS TOLERANCE +/-4,5% IN ACCORDANCE WITH AS/NZS 4671:2001 |
| *** LENGTH TOLERANCE FOR 6M (-40/+0MM) (AIMING -30/+0MM) |
| ***LENGTH TOLERANCE FOR 12M (-40/+40MM) |
| |
| ***** LOT 431,432,433,434,445 DAHA SONRA YUKLENECEKTIR. |
| *** BOYAMA ÇİFT TARAFLI YAPILACAKTIR. |
| |
| |
| Avusturalya |
| 2018-8089_0_AVUSTRALYA SİPARİŞ P.O. NUMBERS VE ETIKET.xlsx |
| |
| |
| |
| Lot409:SYDNEY PORT, AUSTRALIA, Lot413:FREMANTLE PORT, AUSTRALIA, Lot414:FREMANTLE PORT, |
| AUSTRALIA, Lot416:MELBOURNE PORT, AUSTRALIA, Lot418:BRISBANE PORT, AUSTRALIA, Lot420:MELBOURNE |
| PORT, AUSTRALIA, Lot421:FREMANTLE PORT, AUSTRALIA, Lot425:SYDNEY PORT, AUSTRALIA, Lot426:SYDNEY |
| PORT, AUSTRALIA, LO1421: FREMANTLE PORT, AUSTRALIA, LO1428: SYDNEY PORT, AUSTRALIA, LO1420: SY |
| PORT, AUSTRALIA, LOt431:SYDNEY PORT, AUSTRALIA, LOt432:MELBOURNE PORT, AUSTRALIA, LOt433:SYDNEY |
| FORT, ADDITIONAL EXCEPTIONAL FORT, ADDITIONAL EXCEPTION FORT, ADDITIONAL FORT, ADDITIONAL FORT, ADDITIONAL FORT |
| |



409/12 - BLUE, 409/16 - YELLOW, 413/12 - BLUE, 414/16 - YELLOW, 416/12 - BLUE, 418/24 - PURPLE, 418/20 - BLACK, 420/16 - YELLOW, 420/12 - BLUE, 421/28 - WHITE, 421/32 - GREY, 421/20 - BLACK, 421/16 - YELLOW, 421/24 - PURPLE, 425/20 - BLACK, 425/24 - PURPLE, 425/12 - BLUE, 425/16 - YELLOW, 426/12 - BLUE, 427/16 - YELLOW, 427/12 - BLUE, 428/12 - BLUE, 428/16 - YELLOW, 430/12 - BLUE, 430/24 - PURPLE, 430/32 - GREY, 430/28 - WHITE, 430/16 - YELLOW, 431/12 - BLUE, 431/20 - BLACK, 431/16 - YELLOW, 432/16 - YELLOW, 432/20 - BLACK, 432/16 - YELLOW, 434/12 - BLUE, 434/20 - BLACK, 434/16 - YELLOW, 445/16 - YELLOW, 445/20 - BLACK, 434/16 - YELLOW, 445/16 - YELLOW, 445/20 - BLACK, 434/16 - YELLOW, 445/16 - YELLOW, 445/20 - BLACK, 445/24 - PURPLE,

Boyama (Lot / Ebat)

Form No:

05.10.1 -

2/R-3