

М	Mamul		PRIME NEWLY PRODUCED HOT ROLLED STEEL DEBARS STRAIGHT LENGTH													
Lot No	Mamul Tipi	Mamul Standart	Mamul Kalite	Çap	ND	Boy (M)	Miktar (Ton)	E	Birim Ağırlık (KG)	Paket Ağırlığı (KG)	Hadde Tol Min	Hadde Tol Max	Rotor Tipi	Boyam		
	1 Çubuk	ASTM A 615	GR 40	BN.3	N	20 FEET	375							_		
:	1 Çubuk	ASTM A 615	GR 40	BN.4	N	20 FEET	700						_			
	1 Çubuk	ASTM A 615	GR 40	BN.5	N	20 FEET	275						_			
	2 Çubuk	ASTM A 615	GR 40	BN.4	N	20 FEET	1160									
	2 Çubuk	ASTM A 615	GR 60	BN.4	N	20 FEET	70									
	2 Çubuk	ASTM A 615	GR 60	BN.5	N	20 FEET	70									
	2 Çubuk	ASTM A	GR 60	BN.6	N	20 FEET	50									
	3 Çubuk	ASTM A	GR 40	BN.3	N	20 FEET	70									
	3 Çubuk	ASTM A	GR 60	BN.3	N	20 FEET	50									
	3 Çubuk	ASTM A 615	GR 40	BN.4	N	20 FEET	400									
	3 Çubuk	ASTM A	GR 60	BN.4	N	30 FEET	70									
	3 Çubuk	ASTM A	GR 60	BN.4	N	20 FEET	180									
	3 Çubuk	ASTM A	GR 60	BN.5	N	30 FEET	70						-	_		
	3 Çubuk	ASTM A 615	GR 60	BN.5	N	20 FEET	200						- -			
	3 Çubuk	ASTM A	GR 40	BN.5	N	20 FEET	150									
	3 Çubuk	ASTM A 615	GR 60	BN.6	N	20 FEET	110						_	-		



3	Çubuk	ASTM A 615	GR 60	BN.6	N	30 FEET	50				_	_
	Çubuk	013	JON OU	DIV.O	14	1	30	 				
		ASTM A				20						
4	Çubuk	615	GR 60	BN.3	N	FEET	72	 	 		-	-
		ASTM A				20						
4	Çubuk	615	GR 60	BN.4	N	FEET	330	 			-	-
		ASTM A				20						
4	Çubuk	615	GR 40	BN.4	N	FEET	160				-	-
				.ā				 	 	D		j
1	Çubuk	ASTM A 615	GR 60	BN.4	NI	30 FEET	25					
+ + + + + + + + + + + + + + + + + + +	Çubuk	013		DIV.4	IN	1 LL1	23	 	 			
		ASTM A				40						
4	Çubuk	615	GR 60	BN.4	N	FEET	72	 			-	-
		ASTM A				20						
4	Çubuk	615	GR 60	BN.5	N	FEET	240				-	-
		ASTM A				30		 	 			
4	Çubuk	615	GR 60	BN.5	N	FEET	24				-	-
								 	 	B		(
4	Cubul	ASTM A	CD CO	DNE	N.I	40 5555	0.0					
4	Çubuk	615	GR 60	BN.5	IN	FEET	96	 	 		-	-
		ASTM A				20						
4	Çubuk	615	GR 60	BN.6	N	FEET	115	 	 		-	-
		ASTM A				30						
4	Çubuk	615	GR 60	BN.6	N	FEET	24				-	-
		ACTN 4 A				40						
4	Çubuk	ASTM A 615	GR 60	BN.6	N	40 FEET	72				_	_
	3aban						,	 				
		ASTM A	60.60			30	2.4					
4	Çubuk	615	GR 60	BN.7	N	FEET	24	 	 		-	-
		ASTM A				40						
4	Çubuk	615	GR 60	BN.7	N	FEET	24	 	 		-	-
		ASTM A				30						
4	Çubuk	615	GR 60	BN.8	N	FEET	24				-	-
			Ĭ			4.0	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	 				
1	Çubuk	ASTM A 615	GR 60	BN.8	N	40 FEET	24					_
4	Zabak		_ ON 00	DIV.0	14	1 1	∠+	 	 	D		
		ASTM A				40						
4	Çubuk	615	GR 60	BN.9	N	FEET	24	 	 		-	-
		ASTM A				20						
5	Çubuk	615	GR 40	BN.3	N	FEET	350	 	 		-	-
		ASTM A				40						
5	Çubuk	615	GR 60	BN.3	N	40 FEET	450				-	-
I				.i	i			 		Ī		



		ASTM A				20									
5	Çubuk	615	GR 60	BN.3	: :	FEET	1025						-	-	
		ASTM A			: :	40									
5	Çubuk	615	GR 60	BN.4	N	FEET	500						- -	-	
		ASTM A				20									
5	Çubuk	615	GR 60	BN.4		FEET	425						-	-	
		ASTM A			: :	20									
5	Çubuk	615	GR 40	BN.4	N	FEET	350						-	-	
		ASTM A				20									
5	Çubuk	615	GR 60	BN.5	: :	FEET	400						-	-	
_		ASTM A		ļ.,		40	250								
5	Çubuk	615	GR 60	BN.5	N	FEET	350				ļ	ļ	<u> </u>	-	
Tanlam Mikt	tor (NAT)	9250													
Toplam Mikt Top. Miktar															
Çap. Miktar <sup>•</sup>															
		30 FEETM(-0 / + 50 MM), 20 FEETM(-0 / + 50 MM), 40 FEETM(-0 / + 100 MM)													
Boy Tol ( - / -															
Ebat Tol ( - /		20400724 20400724													
Termin Baş-E	Bit	20180731 - 20180731													
Faturalama		Teorik													
Paketleme		BUNDLE WEIGHT@MAX 2.5 MT TWO TAGS PER BUNDLE WITH THE FOLLOWING INFORMATION:													
		MILL S NAM		DLE W	1111111	HE FO	LLOWING	JINFOR	IVIATION	l.					
		ORIGIN													
		QUALITY													
		GRADE													
		SIZE													
		WEIGHT IN	MΤ												
		HEAT NUM	RFR												
		DISCHARGE													
		MADE IN TU													
Etiket															
Gözetim		-VITSAN													



	ALL MATERIAL TO BE NATURALLY AIR COOLED.
	MATERIAL PRODUCED FROM TEMPCOR/THERMAX OR OTHER WATER QUENCHING NOT ACCEPTABLE.
	******AKREDİTİF GEREGİ KONSİMENTOLARDA EBAT BAZINDA MİKTAR VE BAG ADETLERİ GÖSTERİLMESİ
	GEREKTIGINDEN YÜKLEME BİTİSİNDEN 2 GÜN ÖNCE EBAT BAZINDA TEORIK
	MIKTAR VE BAG SAYILARININ İHRACAT DEPARTMANINA GECİLMESİ GEREKMEKTEDİR.
	*** MILL TESTLERDE ÇAPLAR INCH UZUNLUKLAR İSE FEET OLARAK YAZILACAKTIR.
	*** HER LOT AYRI RENGE BOYANACAKTIR
Özel Şartlar	
Ülke	ABD
Ekli Dosya	
	Lot1:NOLA BARGES/USA, Lot2:NOLA BARGES/USA, Lot3:NOLA BARGES/USA, Lot4:NOLA BARGES/USA,
Boşaltma Limanı	Lot5:HOUSTON/USA
Boyama ( Lot / Ebat )	-
Form No:	

05.10.1 - 2 /

R - 3