



DİLER DEMİR ÇELİK A.Ş. DIŞ PIYASA SİPARİŞ BİLDİRİM FORMU

Sipariş Tar		08/10/2018		Sipariş No		2018-8115		Revizyon No		2				
Mamul		PRIME NEWLY PRODUCED HOT ROLLED STEEL DEBARS												
Lot No	Mamul Tipi	Mamul Standart	Mamul Kalite	Çap	ND	Boy (M)	Miktar (Ton)	Çubuk Sayısı	Birim Ağırlık (KG)	Paket Ağırlığı (KG)	Hadde Tol Min	Hadde Tol Max	Rotor Tipi	Boyama
1	Çubuk	ASTM A 615	GR 40	BN.3	N	20 FEET	431						-	-
1	Çubuk	ASTM A 615	GR 60	BN.3	N	40 FEET	969						-	-
1	Çubuk	ASTM A 615	GR 60	BN.3	N	20 FEET	2104						-	-
1	Çubuk	ASTM A 615	GR 60	BN.4	N	20 FEET	1763						-	-
1	Çubuk	ASTM A 615	GR 60	BN.4	N	60 FEET	762						-	-
1	Çubuk	ASTM A 615	GR 60	BN.4	N	40 FEET	862						-	-
1	Çubuk	ASTM A 615	GR 40	BN.4	N	20 FEET	658						-	-
1	Çubuk	ASTM A 615	GR 40	BN.5	N	20 FEET	249						-	-
1	Çubuk	ASTM A 615	GR 60	BN.5	N	40 FEET	227						-	-
1	Çubuk	ASTM A 615	GR 60	BN.5	N	20 FEET	771						-	-
1	Çubuk	ASTM A 615	GR 60	BN.5	N	60 FEET	283						-	-
1	Çubuk	ASTM A 615	GR 60	BN.6	N	60 FEET	914						-	-
1	Çubuk	ASTM A 615	GR 60	BN.6	N	20 FEET	249						-	-
1	Çubuk	ASTM A 615	GR 60	BN.6	N	40 FEET	597						-	-
1	Çubuk	ASTM A 615	GR 60	BN.7	N	40 FEET	131						-	-
1	Çubuk	ASTM A 615	GR 60	BN.7	N	60 FEET	44						-	-



	1 Çubuk	ASTM A 615	GR 60	BN.9	N	60 FEET	435							-
2A	Çubuk	ASTM A 615	GR 60	BN.3	N	20 FE	182							-
2A	Çubuk	ASTM A 615	GR 60	BN.4	N	20 FE	408							-
2A	Çubuk	ASTM A 615	GR 40	BN.4	N	20 FE	227							-
2A	Çubuk	ASTM A 615	GR 60	BN.6	N	20 FE	136							-
2A	Çubuk	ASTM A 615	GR 60	BN.7	N	40 FE	45							-
2A	Çubuk	ASTM A 615	GR 60	BN.8	N	40 FE	45							-
2a	Çubuk	ASTM A 615	GR 60	BN.5	N	20 FE	317							-
2B	Çubuk	ASTM A 615	GR 60	BN.3	N	20 FE	136							-
2B	Çubuk	ASTM A 615	GR 40	BN.4	N	20 FE	181							-
2B	Çubuk	ASTM A 615	GR 60	BN.4	N	20 FE	681							-
2B	Çubuk	ASTM A 615	GR 60	BN.5	N	20 FE	181							-
2B	Çubuk	ASTM A 615	GR 60	BN.6	N	20 FE	91							-
2B	Çubuk	ASTM A 615	GR 60	BN.7	N	20 FE	45							-
2B	Çubuk	ASTM A 615	GR 60	BN.8	N	20 FE	45							-
2C	Çubuk	ASTM A 615	GR 60	BN.3	N	20 FE	136							-
2C	Çubuk	ASTM A 615	GR 40	BN.4	N	20 FE	182							-
2C	Çubuk	ASTM A 615	GR 60	BN.4	N	20 FE	952							-
2C	Çubuk	ASTM A 615	GR 60	BN.5	N	20 FE	45							-
2C	Çubuk	ASTM A 615	GR 60	BN.6	N	20 FE	45							-
2D	Çubuk	ASTM A 615	GR 40	BN.4	N	20 FE	1270							-
2D	Çubuk	ASTM A 615	GR 60	BN.4	N	20 FE	45							-
2D	Çubuk	ASTM A 615	GR 60	BN.5	N	20 FE	45							-
2E	Çubuk	ASTM A 615	GR 40	BN.4	N	20 FE	680							-
2E	Çubuk	ASTM A 615	GR 60	BN.4	N	20 FE	726							-
2E	Çubuk	ASTM A 615	GR 60	BN.6	N	20 FE	45							-
2F	Çubuk	ASTM A 615	GR 40	BN.3	N	20 FE	44							-
2F	Çubuk	ASTM A 615	GR 60	BN.4	N	20 FE	65							-
2F	Çubuk	ASTM A 615	GR 40	BN.4	N	20 FE	87							-
2F	Çubuk	ASTM A 615	GR 40	BN.5	N	20 FE	65							-
2F	Çubuk	ASTM A 615	GR 60	BN.5	N	20 FE	45							-
	3 Çubuk	ASTM A 615	GR 40	BN.3	N	20 FEET	327							-
	3 Çubuk	ASTM A 615	GR 60	BN.3	N	20 FEET	22							-
	3 Çubuk	ASTM A 615	GR 60	BN.4	N	20 FEET	223							-
	3 Çubuk	ASTM A 615	GR 40	BN.4	N	20 FEET	44							-
	3 Çubuk	ASTM A 615	GR 60	BN.4	N	40 FEET	136							-
	3 Çubuk	ASTM A 615	GR 40	BN.5	N	20 FEET	283							-



3	Çubuk	ASTM A 615	GR 60	BN.5	N	30 FEET	180							-	-
3	Çubuk	ASTM A 615	GR 60	BN.5	N	40 FEET	1263							-	-
3	Çubuk	ASTM A 615	GR 60	BN.5	N	20 FEET	1546							-	-
3	Çubuk	ASTM A 615	GR 60	BN.6	N	40 FEET	136							-	-
3	Çubuk	ASTM A 615	GR 60	BN.8	N	20 FEET	22							-	-
Toplam Miktar (MT)		22828													
Top. Miktar Tol % (Min /		-5/+5													
Çap. Miktar Tol % (Min /		-5/+5													
Boy Tol (- / + MM)		30 FEETM(-0 / + 50 MM), 20 FEETM(-0 / + 50 MM), 60 FEETM(-0 / + 100 MM), 40 FEETM(-0 / + 100 MM)													
Ebat Tol (- / + MM)															
Termin Baş-Bit		20180731 - 20180731													
Faturalama		Teorik													
Paketleme		BUNDLE WEIGHT TO BE MAX 3MT. PACKING: MILL S STANDARD PACKING SUITABLE FOR OVERSEAS TRANSPORTATION.													
Etiket		TWO TAGS PER BUNDLE WITH THE FOLLOWING INFORMATION: VAIT GRADE SIZE WEIGHT IN KGS PIECES HEAT NO. MADE IN TURKEY DILER *DIFFERENT COLOR MARKING ON BOTH ENDS OF THE BARS FOR EACH SIZE ARE REQUIRED													
Gözetim		-VITSAN													



DİLER DEMİR ÇELİK A.Ş. DIŞ PIYASA SİPARİŞ BİLDİRİM FORMU

Özel Şartlar	<p>-ALL MATERIAL TO BE NATURALLY AIR COOLED.</p> <p>-MATERIAL PRODUCED FROM TEMPCOR/THERMAX OR OTHER WATER QUENCHING NOT ACCEPTABLE.</p> <p>-MARKING: ACCORDING TO ASTM A615 LATEST VERSION</p> <p>D SIZE S 40 TURKEY FOR GRADE 40</p> <p>D SIZE S 60 TURKEY FOR GRADE 60</p> <p>-EACH BUNDLE TO CONTAIN UNIFORM PIECE COUNT.</p> <p>NO.3-266</p> <p>NO.4-150</p> <p>NO.5-96</p> <p>NO.6-68</p> <p>NO.7-49</p> <p>NO.8-38</p> <p>NO.9-30</p> <p>*****AKREDİTİF GEREĞİ KONSİMENTOLARDA EBAT BAZINDA MİKTAR VE BAG ADETLERİ GÖSTERİLMESİ GEREKTİĞİNDEN YÜKLEME BİTİSİNDEN 2 GÜN ÖNCE EBAT BAZINDA TEORİK MİKTAR VE BAG SAYILARININ İHRACAT DEPARTMANINA GECİLMESİ GEREKMEKTEDİR.</p>
Ülke	ABD
Ekli Dosya	
Boşaltma Limanı	Lot1:HOUSTON, TX/USA, Lot2A:NEW ORLEANS, LA/USA, Lot2a:NEW ORLEANS, LA/USA, Lot2B:NEW ORLEANS, LA/USA, Lot2C:NEW ORLEANS, LA/USA, Lot2D:NEW ORLEANS, LA/USA, Lot2E:NEW ORLEANS, LA/USA, Lot2F:NEW ORLEANS, LA/USA, Lot3:TAMPA, FL/USA
Boyama (Lot / Ebat)	-

Form No:

05.10.1 - 2 /

R - 3